JUNE 22, 1953

IN TWO SECTIONS—SECTION ONE

STEEL

THE WEEKLY MAGAZINE OF METALWORKING

COMPLETE IN THIS ISSUE

The first directory ever compiled to show sizes and types of stainless steels and who produces them in the U. S.

SEE SECTION TWO

CONTENTS — PAGE 5

THE AETNA-STANDARD ENGINEERING COMPANY



Leading Engineers and Builders of

FLAT-ROLLED FINISHING EQUIPMENT

ASSOCIATED COMPANIES

Head Wrightson Machine Company, Ltd., Middlesbrough, England—Great Britain, Finland, Sweden, Norway, Denmark, Union of South Africa, Northern and Southern Rhodesia.

Aetna-Standard Engineering Company, Ltd., Toronto, Ontario, Canada.

M. Castellvi, Inc., New York, N. Y.—Mexico, Central and South America.

Societe de Constructions de Montbard, Paris, France—France, Belgium, Holland, Luxembourg, Switzerland.

Demag Aktiengesellschaft, Duisburg, Germany—Germany, Austria, Yugoslavia, Greece, Turkey, Egypt.

Compagnia Italiana Forme Acciaio, Milano, Italy—Italy.

Aetna-Japan Company, Ltd., Tokyo, Japan—Japan.

Hale & Kullgren, Inc., Akron, Ohio—Representative for the Rubber Industry.

Designers and Builders to the Ferrous, Non-Ferrous, Leather and Rubber Industries

Aetna-Standard

THE AETNA-STANDARD ENGINEERING COMPANY • PITTSBURGH, PA.

Plants in Warren, Ohio · Ellwood City, Pennsylvania

FLANGED-AND-DISHED HEADS Bethlehem spins or presses eight different types of Heads—flanged-only, elliptical, tank-car, obround-tank, double-dished, standard, shallow and ASME Code flanged-and-dished. Diameters of Bethlehem Heads range up to 144 in.; thicknesses range from ⅛ in. to 3½ in. We also produce a full line of standard manholes and covers, hand holes and covers, flue holes, collar flanges and pipe flanges. Tell us about your requirements, regardless of quantity. Please write direct to Bethlehem Steel Company, Bethlehem, Pa.

BETHLEHEM STEEL

On the Pacific Coast Bethlehem products are sold by Bethlehem Pacific Coast Steel Corporation. *Export Distributor:* Bethlehem Steel Export Corporation

COSTS CUT 94%





Etched cross section of part — showing .080" hardened depth.

with TOCCO* Induction Heating

A cost reduction of 94% resulted when heat-treatment of this Corn Harvester part was changed from carburizing to TOCCO-hardening. Look at the unit cost breakdown:

CARBURIZING		TOCCO-*Hardening*	
Degrease	$0.0020	*eliminated*	
Carburize	0.0200	*eliminated*	
1st quench	0.0150	TOCCO, heat and quench	$0.0060
2nd quench	0.0150	*eliminated*	
Draw	0.0050	*eliminated (self-draw)*	
Shotblast	0.0035	*eliminated*	
Internal Grind	0.0243	*eliminated*	
External Grind	0.0166	*eliminated*	
	$0.1014		$0.0060

"—Savings of 9½ cents per piece—$4770.00 on each 50,000 piece batch, *plus* an hourly production increase from 120 to 300 pieces per hour, *plus* improved quality of the product by virtue of the deeper case and stronger core."

Have you investigated TOCCO's cost-savings possibilities for your hardening, brazing, melting or forging operations? Why not write us today or send blueprints of your parts—no obligation, of course.

THE OHIO CRANKSHAFT COMPANY

TOCCO

Mail Coupon Today

NEW **FREE** BULLETIN

THE OHIO CRANKSHAFT CO.
Dept. S-6, Cleveland 1, Ohio

Please send copy of "A TOCCO Plant Survey—Your Profit Possibility for 1953".

Name _____

Position _____

Company _____

Address _____

City _____ Zone ___ State ___

OSBORN

Which of these versatile brushes will cut your costs?

Hard-to-get-at jobs are simplified . . . costly hand operations are eliminated . . . when you switch to one of these special-purpose Osborn power brushes.

These versatile wire brushes are just a few of the complete Osborn line of power brushes for every need. Your **O**sborn **B**rushing **A**nalyst will gather necessary facts in your plant . . . study your production equipment and recommend the most efficient, economical power brushing techniques.

The small Osborn brush shown in operation enables one man to do the work of seven men. Output per man went up 700% in this aircraft application of removing zinc chromate priming from around rivet holes in wings and fuselages. Formerly this job was done by hand with small sandpaper discs.

Such results are duplicated every day by **O**sborn **B**rushing **A**nalysts.

Osborn wire brush, automatically located, removes zinc chromate from around rivet holes in aircraft production.

They can solve *your* brushing problems of product cleaning, burr removal, roughing, polishing or finishing with similar startling economies. For complete information at no cost, call your nearby Osborn representative or write to *The Osborn Manufacturing Company, Dept. G-7, 5401 Hamilton Ave., Cleveland 14, Ohio.*

Osborn Brushes

OSBORN POWER, MAINTENANCE AND PAINT BRUSHES AND FOUNDRY MOLDING MACHINES

THERE'S A TOUCH OF TENNESSEE IN MODERN CASTINGS

TENNESSEE's famous Diamond "D" pig iron is used from coast to coast in the production of special castings in which unusual strength and elasticity are required. It is low in phosphorus, manganese and sulphur, high in carbon and is machine cast.

Diamond "D" pig iron is recommended for the production of "Ductile" or "Nodular" iron castings as well as White Iron and electric and acid furnace steel castings.

TENNESSEE also ships Ferromanganese and Ferrosilicon in briquettes and lump form to foundries throughout the nation. These and many other essential ingredients have won for TENNESSEE the name of an industry serving all industry.

TENNESSEE
PRODUCTS & CHEMICAL
Corporation
NASHVILLE, TENNESSEE

Producers of: FUELS • METALLURGICAL PRODUCTS • TENSULATE BUILDING PRODUCTS • AROMATIC CHEMICALS WOOD CHEMICALS • AGRICULTURAL CHEMICALS

This Week in Metalworking

STEEL

Vol. 132 No. 25 June 22, 1953

✓NEWS ✓PRODUCTION-ENGINEERING ✓MARKETS

Metalworking Outlook 37
Past, present and pending events of significance to your industry and to your company

As the Editor Views the News 41

Windows of Washington 52

Mirrors of Motordom 59

The Business Trend 63
Facts and figures on metalworking include the Industrial Production Index and Barometers of Business

Men of Industry 67

Production-Engineering News at a Glance 85

Specifications for Ductile Iron 86
Bureau of Ships requires low phosphorus raw materials plus careful anneal. Specs give the details

New Methods Pay Off for High Temperature Ceramic Coatings 88
Look inside Hotpoint's Milwaukee plant gives indication of how much progress is being made in ceramics

Progress in Steelmaking 98
Billet Heating Furnace Replaced in 16 Days—They erected it outside and moved it into place on bearings

New Products and Equipment 115

Surface Grinding: Consider Coated Abrasives 126
Advantages like low cost, minimum part distortion and rapid cycles make belt grinding attractive

The Market Outlook 139
Metal Prices and Composites begin on Page 140

Metal Market 142

Guide for Stainless Steel Buyers Section 2
STEEL's special report in separate section

Behind the Scenes	6	Obituaries	70
Letters to the Editors	10	Calendar of Meetings	112
Checklist on Controls	51	Helpful Literature	117
Foreign News	55		

Editorial, Business Staffs—16. Advertising Index—173. Editorial Index available semiannually. STEEL also is indexed by Engineering Index Inc., 29 West 39th St., New York 18.

Published every Monday by the Penton Publishing Company, Penton Building, Cleveland 13, Ohio. Subscription in the United States and possessions, Canada, Mexico, Cuba, Central and South America, one year $7.50; two years $15; all other countries, one year $20. Single copies (current issues) 50 cents. Metalworking Yearbook issue $2.00. Entered as second class matter at the postoffice in Cleveland, under the Act of March 3, 1879. Copyright 1953 by Penton Publishing Co.

STEP UP PRODUCTION OF SMALL MACHINERY, TOO! ...with this All-Electric Adjustable-Speed Drive

Eliminate mechanical gear boxes, clutches and variable-pitch cone pulleys..

SAVE MONEY 10 WAYS!

- Boosts output
- Cuts down rejects
- Reduces "down time"
- Cuts changeover time
- Handles more jobs
- Saves Space
- Simplifies machine design
- Reduces operator fatigue
- Increases safety
- Operates from a-c.

Already the Reliance V★S Jr. has brought the benefits of smooth, powerful starting . . . wide speed ranges . . . smooth, fast reversing . . . quick, smooth stopping . . . to users in many industries. Find out today what the V★S Jr. can do for you! D-119

GET THESE FACTS!

New 12-page bulletin contains dimension data, drive characteristics, operating features, applications, components, operating principles. Ask for Bulletin D-2102.

Sales Representatives in Principal Cities

RELIANCE ELECTRIC AND ENGINEERING CO.

1081 Ivanhoe Road • Cleveland 10, Ohio

"Motor-Drive is More Than Power"

4 out of 5



SINCE 1946, five major press plants have been built for the automotive industry to meet the increased demand for passenger cars and trucks.

Commercial Contracting Corporation was selected to install all machinery and equipment in four of these five plants.

Currently, CCC crews are beginning to place the first shipments of more than 1,000 pieces of equipment to be housed in the sixth such huge press plant constructed in the United States since the War's end.

Erecting heavy presses and other machinery is an important part of our business.

Other CCC services, provided individually or under one PACKAGE contract, include: General Construction, Building Alterations, Demolition, Foundations, Machinery Moving, Crane and Conveyor Installing, and Steel Fabricating.

COMMERCIAL CONTRACTING CORPORATION
GENERAL CONTRACTORS
12160 Cloverdale • Detroit 4

behind the scenes

Reverse English

A jobber friend of ours had been trying for months to collect an overdue bill but to no avail. All his letters, pleas and threats were completely disregarded. As a last resort, he asked our advice which we gave reluctantly, of course.

We framed a tear-jerking letter for him and told him to mail it to his debtor along with a sorrowfully posed picture of his little daughter. As the piece de resistance, we had him write at the bottom of the picture: "The reason I must have my money."

Our friend thanked us for our subtle genius and mailed his letter of passion.

He received a prompt reply. Enclosed was the photo of a voluptuous blonde in an abbreviated bathing suit lounging in the lush comfort of a sun-drenched deck chair. 'Neath the lovely lady were inscribed these words: "The reason I can't pay!"

On Believability

We were in New York last week attending the Basic Materials Show at the Grand Central Palace. Got into a "round-the-table" discussion one evening on the general subject of claims in advertising.

The word-play covered the subject in all its many and complex phases touching on consumer advertising and industrial advertising alike. Fact is, we even touched on the current advertising claims of STEEL and some of the other metalworking papers. The discussion pivoted on the point of "the believability" of advertising claims . . . and there it struck a snag. What's believable and what isn't?

Well, we don't pretend to be expert on the subject but we do want to put in a strong pitch for the fact that truth is sometimes stranger than fiction. And, perhaps, some of the claims that folks are claiming have more truth to them than we sometimes think, maybe. To illustrate, let me quote a for instance:

Once upon a time a beautiful girl was walking through the forest when she came upon a poor little frog who spoke and said, "Lady, once upon a time I was a handsome prince but a big, black, ugly witch turned me into a frog."

"Oh, that's too bad," said the beautiful girl. "Is there anything I can do to help you?"

"Yes, indeed!" replied the frog. "If you will take me home with you and put me on your pillow, I will be saved."

So the kind, helpful, sympathetic, beautiful girl took the frog home and that evening when she retired, she placed him on the pillow beside her.

The next morning when she awoke, lo and behold a handsome young prince lay beside her.

And, do you know, to this day that beautiful girl's mother refuses to believe that story?

About the Talented Twelve

We took a test the other day to develop whether or not we had any artistic judgment, depth perception or design recognition ability. Turned out we'd make a good touch-up man in Macy's broken toy department.

Thank goodness we do have a few gents holding forth on our fourth floor who know something about magazine art and layout. You can certainly see it reflected in the covers and pages of STEEL each week, too.

We're speaking of Art Director Bill Kellogg and his talented twelve. They, in collaboration with Assistant Editor Van Caldwell, study each and every article with an eye to making it more readable and understandable through the use of illustrations, photographs, charts, tables, cartoons, layout and type styling.

Thanks to Bill and his crew, the forty or forty-five minutes the average reader spends with his copy of STEEL each week gives him more information per minute because STEEL is specially *designed* for fast, easy reading.

Shrdlu

(Metalworking Outlook—Page 37)

Where the finish is important...





SHARONSTEEL

Specify... SHARON STAINLESS STEELS

Manufacturers of products purchased essentially by women know the value of eye appeal. Jewelry . . . pots and pans . . . utensils in particular, must have appearance as well as be serviceable.

That's where *Sharon Stainless Steels* come in. Manufacturers who have shopped around will tell you that with *Sharon Stainless* you get the finest finishes available . . . finishes that make it easy to fabricate gleaming, lustrous, blemish-free and eye appealing products.

Think of your product in terms of Stainless Steel, and when you do — think of finer finish *Sharon Stainless Steels*.

Get the 430 Story — Sharon has prepared a fact-packed, fully illustrated booklet with up-to-the-minute information about 430 Stainless Steel. To get your free copy contact your nearest Sharon representative or write direct. There are Sharon offices in **Chicago, Cincinnati, Cleveland, Dayton, Detroit, Indianapolis, Milwaukee, New York, Philadelphia, Rochester, Los Angeles, San Francisco, Montreal and Toronto.**

SHARON STEEL CORPORATION
Sharon, Pennsylvania

SNYDER MACHINES CONTROL COSTS



AUTOMATIC OPERATION

MILLS, DRILLS, TAPS, BORES, COUNTERBORES, COUNTERSINKS FRONT COVERS FOR AUTOMOTIVE ENGINES • AUTOMATIC INDEXING, LOCATING, CLAMPING, AND RELEASING • AUTOMATIC TRANSFER THROUGH TWO-STAGE, CONTINUOUS WORK CYCLE • AUTOMATIC CONTROLS • AUTOMATIC SAFETY INTERLOCKING SYSTEM • AUTOMATIC LUBRICATION • AUTOMATIC CLEANING AND CHIP REMOVAL • SKILLED OPERATORS NOT NEEDED

18 STATION AUTOMATIC TRANSFER

180 FRONT COVERS AN HOUR AT 100% EFFICIENCY





At Station 18 the fixture is rotated 90°, air wrenches unclamp the part so that it is easily removed. The fixture returns to Station 18, engages the return conveyor, is automatically blown clean and returned to the loading station.



Fixtures leaving Section 1 (above) move at right angle so that the other faces and top of the part are exposed to tools. The part enters the work cycle with three ground faces, leaves it ready for assembly.

SNYDER

TOOL & ENGINEERING COMPANY

3400 E. LAFAYETTE

DETROIT 7, MICHIGAN

28 Years of Successful Cooperation with Leading American Industries



KEYSTONE

"SPECIAL PROCESSED" COLD HEADING WIRE

Recommended for Your Difficult Cold Heading Jobs

The severe displacement of metal during the cold heading process requires wire that has been designed *specifically* to meet the requirements of your product. The following analysis of Keystone "Special Processed" Cold Heading Wire is recommended for difficult cold heading:

C1006 - C1012 for Clutch Heads
C1006 - C1022 for Phillips Heads
C1006 - C1022 for Struck Slot Heads
C1108 - C1109 for Phillips Head Wood Screws
C1035 - C1038 for Heat Treated Screws and Bolts

The excellent grain flow properties of this wire assures the desired upsetting and die forming qualities you need for greater efficiency in your particular operation.

INDUSTRIAL WIRE SPECIALISTS

Keystone Steel & Wire Company
PEORIA 7, ILLINOIS

LETTERS
TO THE EDITORS

How To Cut Titanium

We have just received a tear sheet of the article "Guideposts to Titanium Cutting" which appeared in the Mar. 23, 1953 issue of STEEL (p. 76). We would very much appreciate your supplying us with at least four copies of this excellent study. Our congratulations to you and the author, V. J. Gauthier, on assembling one of the most concise and thorough articles on titanium machining yet seen.

Leonard Bassis
Engineering Department
Hi-Shear Rivet Tool Co.
Los Angeles

• *Sent.—ED.*

Tracing Jet Tapping

At the request of the Yawata Iron & Steel Co., Japan, we would like to know if you have any data available on "jet tapping."

We trust that jet tapping is the method used to open the taphole of open-hearth furnaces by the use of explosives loaded at the end of a pusher-like mechanism.

M. Lijima
Kyokuto Boeki Kaisha Ltd.
Correspondent Office
New York

• *Details of the Jet Caster for opening the iron notch of blast furnaces and the taphole of open-hearth furnaces were presented in STEEL, Feb. 16, 1948, p. 107, and Feb. 21, 1949, p. 108. These issues are available for your use at our New York office as we have no spare copies in stock.—ED.*

Electronic Magic for India



We refer to your Mar. 16 issue and the article "Industrial Electronics: A Young Giant with Growing Pains" (p. 99). We invite your attention to mass spectrometers and multi-channel oscillographs in the paragraph subheaded "Testing and Measuring" on p. 99.

We should be very much obliged if you will broadcast our name to the manufacturers of this new testing apparatus, as we are serious of installing one in our laboratory.

We notice with considerable interest about diamond wheels. We refer here

Please turn to page 12

WHITING

LADLES



COVERED TROLLEY LADLES—Heavy steel plate bowls; air cooled trunnions for trouble free operation. Anti-friction bearings. Improved design minimizes hand-wheel loads. Furnished with or without covers. Capacities (Iron) from 465 to 1400 lbs.

more
FOR YOUR MONEY

Whiting Ladles, built to meet your special requirements, provide outstanding *exclusive* advantages. Each is designed for greater accuracy and safety, easier control, lower maintenance and longer life.

WHITING CORPORATION

15643 Lathrop Avenue, Harvey, Illinois

A WHITING LADLE TYPE FOR EVERY POURING JOB!
OVER 200 STYLES AND SIZES!



GEARED BOTTOM-TAP LADLES FOR SAFE, EASY POURING—Square bail, equipped with "5-Position" bottom tap rig or "Rack Type" rig. Ruggedly constructed of heavy steel plate, lapped and riveted seams, reinforced with steel bands placed above the trunnions and on the bottom of the bowl. Three supporting feet are also provided on ladle bottom. Capacities (steel) 8,925 to 48,975 lbs.

RIVETED CRANE LADLES—Taper side with V-bail. Seams riveted with flattened heads inside for easier lining. Steel reinforcing belt placed above trunnions which are formed by steel shafts, pressed and welded to large cast steel bases. Overlapping flanges protect journal boxes against spill. Capacities (Iron) from 805 to 8530 lbs.

Send for this complete catalog!

$37.50* buys this Indicating SNAP GAGE



Choice of 3 capacities:
0" to 1", ¾" to 2", 1¾" to 3¼"

*Price includes Indicator graduated .0005" with plain bearings and Hardened Steel anvils.

Price with Indicator graduated .0001" with jewel bearings and Tungsten Carbide anvils $57.50.

You can't afford to be without the most popular modern Indicating Snap Gage. No need of hanging onto antiquated snap gages that depend on blind, uncertain "feel". Experience proves you aren't saving money using old style gages just because you've got them on hand.

With Visual Indicating Gages you get more accurate work with less scrap. They relieve operator uncertainty and frustration. And, they cover a wider gaging range. Larger sizes are available, too. Write for details. Federal Products Corporation, 1216 Eddy Street, Providence 1, Rhode Island.

Set of 3 Gages covers all sizes from 0" to 3¼" — replaces rackfuls of old style gages.

A–Model 1000P-1-A Capacity 0" to 1"

B–Model 1000P-2-A Capacity ¾" to 2"

C–Model 1000P-3-A Capacity 1¾" to 3¼"

Larger sizes available.



FEDERAL

Largest manufacturer devoted exclusively to designing and manufacturing all types of DIMENSIONAL INDICATING GAGES.

LETTERS

Concluded from page 10

to the article "Brushing Sharpens Worn Diamond Wheels" (p. 106) in the above issue. We, ourselves, are importers of diamond wheels from England and we should, therefore, like to have the catalog and literature of the manufacturer concerned in your article.

We may be excused for the inconvience caused to you.

F. A. Jasdanwalla
partner
Hakimji Lookmanji
C. P. Tank Road
Bombay 4, India

• *A copy of your letter has been sent to the Osborn Mfg. Co., Cleveland, developer of brush dressing of diamond grinding wheels mentioned in* STEEL's *article.—ED.*

Who and Where Department

Where can we get further information on the process described in your article "Electrolytic Alumina" in the "Engineering News at a Glance" (June 1, p. 107) including applicable patents, operating data, production figures, etc.

Bruce E. Brennan
supervisor, engineering data
Reynolds Metals Co.
Richmond, Va.

• *That process is licensed through the Lobeth Corp. and for further information write to them at 624 S. Michigan Ave., Chicago 5.—ED.*

Trade Associations: Best Yet

In STEEL there is an article entitled "Trade Associations—How To Grow with Them" (Mar. 9, p. 76). This article is the best I have ever read on this subject. I would like to give every member of our council an opportunity to read it. May we have the privilege of publishing it in the June issue of the *Smaller Manufacturer?*

Arthur B. Davies
executive director
Smaller Manufacturers Council
Pittsburgh

• *Permission granted.—ED.*

Story of the Handicapped

Your article "The Handicapped: It is Good Business To Employ Them" (May 11, p. 86) was read with great interest here by the staff of the President's Committee.

We think the readers of our magazine *Performance, The Story of the Handicapped,* would like to read it and we wonder if you will give us permission to reprint it, in a forthcoming issue.

A. Price
President's Committee on National Employ the Physically Handicapped Week
Washington

• *Permission granted.—ED.*



Link-Belt's closer heat-treat control—coupled with rigid testing and thorough inspection—is your assurance of uniformity.

Closer heat treat control means longer roller chain life!

But it's only one of many engineering extras you get from LINK-BELT

THE long-life record of Link-Belt Precision Steel Roller Chain is based on more than closer heat treat control. Consider such extra-wear features as shot-peened rollers and lock-type bushings. They're further assurance of Link-Belt's *built-in* extra life.

Link-Belt Roller Chain is available in single or multiple widths, 3/8" through 3" pitch. Double pitch, 1" through 3". For all the facts, call the Link-Belt office or distributor near you today, or write for Data Book No. 2457.

LINK-BELT

ROLLER CHAIN & SPROCKETS

LINK-BELT COMPANY: Plants: Chicago, Indianapolis, Philadelphia, Colmar, Pa., Atlanta, Houston, Minneapolis, San Francisco, Los Angeles, Seattle, Toronto, Springs (South Africa), Sydney (Australia). Sales Offices, Factory Branch Stores and Distributors in Principal Cities. 13.123-A

Don't overlook these other LINK-BELT extras

Shot-peened rollers have extra fatigue life for higher speeds, heavier loads.


PIN CONTACTS OUTER SURFACE FOR LOAD DISTRIBUTION
CLEARANCE ON INNER SURFACE FOR EASY ASSEMBLY
PRESS FIT
PIN CONTACTS OUTER SURFACE FOR LOAD DISTRIBUTION

Couple, uncouple multiple-width chains easily.

Lock-type bushings assure free articulation.

trace the arc...

Mill Type 260 DC CONTACTOR



Arc is forced upward along arc runner by magnetic field of blowout coil and impinges upon metal segment of arc chute.

As contacts separate, arc is stretched across an increased number of segments. Arc rises quickly due to thermal convection and magnetic action.

Resistance in arc path increases as number of gaps increase. Metal elements help cool arc path while arc races to extinction.

QUICK QUENCHING CUTS CONTACT BURNING

IN THE TYPE 260 heavy duty mill contactor, destructive burning and pitting of contacts is minimized by a new quick-quenching arc centering blowout. U-shaped metal segments mounted alternately in the arc chute act as individual blowout coils. As the arc strikes the loop of each segment, a magnetic field is established which forces the arc upward and toward the center of the chute.

Both thermal convection and magnetic action stretch, cut and cool the arc. Because the arc is extinguished in a cycle or less (on a 60-cycle basis) and is centered in the chute, contact life is greatly extended. Call your nearby Allis-Chalmers District Office or write Allis-Chalmers, Milwaukee 1, Wis. Ask for Bulletin 14B6505A.

A-4017



Normally open



Normally closed

THREE RATINGS IN BOTH TYPES

Type 260 dc contactors cover virtually every steel mill auxiliary need. Both normally open and normally closed types are rated 150, 300 and 600 amp at 600 volts maximum.

ALLIS-CHALMERS

Free-Machining ENDURO STAINLESS STEEL BARS

...two Grades Fully 90% As Machinable As Bessemer Screw Stock



You can give duplicate steel parts added strength and increased corrosion-resistance . . . and still get economical automatic production. Convert to Free-Machining ENDURO Stainless Steel bars. They're cold-finished by Republic's Union Drawn Steel Division to give you close tolerance, accuracy of section, uniform soundness and fine surface finish . . . plus the high physical and chemical properties of stainless steel. Two grades are fully 90% as machinable as regular Bessemer screw stock. Free-Machining ENDURO is also available in hot-rolled bars and wire. Republic metallurgists give prompt assistance on applications, processing and use. Write:

REPUBLIC STEEL CORPORATION
Alloy Steel Division • Massillon, Ohio
GENERAL OFFICES • CLEVELAND 1, OHIO
Export Department: Chrysler Building, New York 17, N. Y.

Republic ENDURO® FREE-MACHINING STAINLESS STEEL

REPUBLIC STEEL

Other Republic Products include Carbon and Alloy Steels—Pipe, Sheets, Strip, Plates, Bars, Wire, Pig Iron, Bolts and Nuts, Tubing



a 4 in 1

metal working tool!

***di-acro** BOX FINGER BRAKE**

Accurately, Easily, Quickly Form and Duplicate a Wide Variety of Shapes in Metal as Heavy as 16 Gauge—Widths up to 24" —with Versatile Di-Acro Brakes.

A number of forming jobs can be done with the Di-Acro Box Finger Brake, by simply adjusting or changing the type of mounting bar on the contact surface. Di-Acro Finger Brake is:

- **Box and Pan Brake** — when equipped with a complete set of Box Fingers.
- **Open End Brake** — when Open End Finger is installed in place of Box Fingers.
- **Bar Folder** — when an Acute Angle Bar replaces the Box Finger Bar mounting.
- **Standard Brake** — when a Forming Bar is mounted for heavy operations.

Di-Acro Standard and Radius Brakes are also available. Ten models in all.

*pronounced Die-ack-ro

WANT MORE INFORMATION?

Send for New 32-Page Catalog

Gives facts on Di-Acro Brakes and also both hand and power operated Di-Acro Benders, Notchers, Punch Presses, Rod Parters, Rollers and Shears. Mail your request today.

Creators of "Die-Less Duplicating"

O'NEIL-IRWIN MFG. CO.
304 Eighth Ave.
Lake City, Minn.

di-acro PRECISION METALWORKING MACHINES

STEEL

The Weekly Magazine of Metalworking

Editor-in-Chief, EARL L. SHANER — *Editor*, IRWIN H. SUCH

Managing Editor, WALTER J. CAMPBELL

Assistant Managing Editors, VANCE BELL, JOHN S. MORGAN

News and Markets

WM. M. ROONEY — *Market Editor*
FRANK R. BRIGGS — *Associate Editor*
ARTHUR W. ZIMMERMAN — *Assistant Editor*
JOHN KELSEY — *Assistant Editor*
ROBERT O. JAYNES — *Assistant Editor*
ROBERT M. LOVE — *Assistant Editor*
H. VANYORX CALDWELL JR. — *Assistant Editor*
DAVID S. PARRETT — *Assistant Editor*
MARY T. BORGERHOFF — *Assistant Editor*

Engineering and Production

ALLEN G. GRAY — *Technical Editor*
J. D. KNOX — *Steel Plant Editor*
ROBERT F. HUBER — *Machine Tool Editor*
THOMAS F. HRUBY — *Associate Editor*
HARRY E. CHANDLER JR. — *Associate Editor*
WM. R. WOLFE — *Assistant Editor*
NANCY SHAFFER — *Assistant Editor*
ELIZABETH RIPLEY — *Editorial Asst.*

Resident Editors

New York 17 — 60 East 42nd St.
B. K. PRICE, L. E. BROWNE
SAMUEL W. BAKER
Murray Hill 2-2581

Chicago 11 — 520 North Michigan Ave.
E. F. ROSS
Whitehall 4-1234

Pittsburgh 19 — 2837 Koppers Bldg.
ROBERT E. HALL
Atlantic 1-3211

Detroit 2 — 6560 Cass Ave.
FLOYD G. LAWRENCE
Trinity 5-3024

Washington 4 — 1123 National Press Bldg.
E. C. KREUTZBERG
Executive 3-6849

London, 2 Caxton St., Westminster S.W. 1
VINCENT DELPORT
European Editor

Editorial Correspondents

Birmingham — R. W. KINCEY — Birmingham 3-1121
Buffalo — L. G. FELDMANN — Cleveland 5353
St. Louis — MAC L. HUTCHENS — Republic 7752
Youngstown — GEORGE R. REISS — 7-1471
Los Angeles — NORMAN LYNN — Walnut 3040
San Francisco — EDWIN HAVERTY — Yukon 6-5151
Seattle — R. C. HILL — Melrose 1895
Cincinnati — JACK DUDLEY — Beechmont 7598
Toronto — F. S. TOBIN — Empire 4-9655
Birmingham, Eng. — J. A. HORTON
Paris, France — LEON JAUDOIN-PROM
Liege, Belgium — M. JACQUES FOULON
Dusseldorf, Germany — DR. HERBERT GROSS

BUSINESS STAFF

Business Manager — J. W. ZUBER
Promotion Manager — S. F. MARINO
Circulation Manager — G. R. EBERSOLE
Research Manager — N. R. LADABOUCHE
Market Statistics — G. J. AUNER
Advertising Manager — C. H. BAILEY
Production Manager — A. V. ANDERSON
Classified Advertising Mgr. — DORIS ROBBINS
Mail & List Service — AMY LOMBARDO
Reprints — C. B. NILES

Advertising Representatives

New York 17 — 60 East 42nd St.
E. W. KREUTZBERG, K. A. ZOLLNER
Murray Hill 2-2581

Farmington, Conn. — 12 Farmstead Lane
CALVIN FISHER, JR.
Farmington 7-1756

Pittsburgh 19 — 2837 Koppers Bldg.
J. C. SULLIVAN
Atlantic 1-3211

Cleveland 13 — Penton Building
D. C. KIEFER, H. G. ROWLAND
FRED J. ZINDLER
Main 1-8260

Cincinnati 30 — 5568 Beechmont Ave.
E. L. FRANKE—Parkway 3640

Detroit 27 — 14583 Longacre Rd.
C. A. TALLINGER JR.—Vermont 8-7207

Chicago 11 — 520 North Michigan Ave.
L. C. PELOTT, W. L. POLAND
JOHN W. VAUGHAN
Whitehall 4-1234

Los Angeles 48 — 6262 Commodore Sloat Dr.
F. J. FULLER—Webster 1-6865

Griffin, Georgia — 331 South 12th St.
FRED J. ALLEN—Griffin 7854

Circulation Representatives

H. R. DUNNE, C. A. PRICE

CCA

NBP

MPA

Published Every Monday by
THE PENTON PUBLISHING CO., Penton Bldg., Cleveland 13, Ohio

President and Treasurer — G. O. HAYS
Chairman — E. L. SHANER
Vice Pres., Director of Advertising — R. C. JAENKE
Vice Pres. and Secretary — F. G. STEINEBACH
Asst. Secy. and Asst. Treas. — J. P. LIPKA

Also Publisher of FOUNDRY, MACHINE DESIGN, NEW EQUIPMENT DIGEST

Member of Controlled Circulation Audit, Inc., Magazine Publishers Association Inc., Society of Business Magazine Editors, and National Business Publications, Inc.

WHAT DOES FIRTH STERLING OFFER YOU?

(ANSWER NUMBER 1)

NEW METALS FOR AN ATOMIC AGE

"PIONEERS OF THE *UNCOMMON*" IN METALLURGY

For 64 years we have been pioneering in the research, development and production of special purpose steels and, more recently, powdered metals.

Not content to become just another tonnage producer of established grades, Firth Sterling has successfully paced the field in *anticipating* the requirements of science and industry, so that the exactly *right* metal is *ready* when a new need arises.

Now, in an era of jet engines and atomic power, Firth Sterling *has* the necessary high temperature alloys and cermets, Firth heavy metal, chromium carbides, zirconium alloys, and stainless specialties . . . as well as both new and conventional grades of high speed steels, tool and die steels, and sintered tungsten carbides.

To accomplish this metallurgical preparedness, research at Firth Sterling had to be expanded several fold. The best of new American and European processes and equipment were blended into integrated production facilities. The metallurgical brains of the world are "picked" regularly by consultation with Firth Sterling's international panel of renowned scientists and engineers.

The job is done, for today, yet *even* today we are already working on the metallurgical needs of tomorrow.

Your inquiries are invited.

Firth Sterling Stands for Metallurgical Achievement—Past, Present, Future

HOW *BIG* IS A POUND?

That depends! To a woman, perhaps the size of a print of butter. To a grocer, maybe the size of a box of sugar.

To a Firth Sterling metallurgist, something else!

To him it might mean the size of a piece of remarkable new metal, so dense, so heavy in relation to its bulk, that a pound of it would measure hardly more than a *one inch cube!* Looking for all the world like steel but weighing 2½ *times* as much . . . that is Firth Heavy Metal.

Developed originally and now being used to shield the gamma rays of atomic energy, the phenomenal weight to volume ratio of this material also makes it invaluable in gyroscopic applications and for scientific instruments where balance is essential.

But, while Heavy Metal is important of itself, its larger significance is to mark, once again, Firth Sterling's continuing progress in the field of metallurgical achievement through accent on research and development. The ultimate goal is *leadership* in products and processes that meet the ever increasing demands for special metals in an atomic age.

Firth Sterling
—INC—

GENERAL OFFICES: 3113 FORBES ST., PITTSBURGH 30, PA.

OFFICES* AND WAREHOUSES: BIRMINGHAM* CHICAGO CLEVELAND DAYTON* DETROIT HARTFORD HOUSTON* LOS ANGELES NEW YORK* PHILADELPHIA* PITTSBURGH* WASHINGTON*

PRODUCTS OF FIRTH STERLING METALLURGY

High Speed Steels
Tool & Die Steels
Stainless Specialties
High Temperature Alloys
Sintered Tungsten Carbides
Firth Heavy Metal
Chromium Carbides
High Temperature Cermets

problem....HOW TO CUT STEEL COSTS

Both systems begin with mill coil. However, if you are now buying sheet you are faced with the following costs.



For mill cutting to random lengths, simply shearing to reach sheet form, add **$.10** per hundred weight to basic steel cost.

For squaring to tolerance at the mill add another **10 percent** to your basic steel costs.

Then for wrapping and palletizing to keep the sheet clean and easy to warehouse **add an additional $.025** to the costs.

The steel, of course, must be delivered regardless of form.

solution....A WEAN SLITTING and SHEARING

With the Wean system you buy coils, simply prepared . . . eliminate mill extras. Delivery is of comparatively few width sizes.

The fewer sizes . . . the smaller purchasing and inventory staffs required.

And you save approximately 30 percent in storage area.



The Wean Line converts the coil of steel to resquared multiples at rates up to 200 feet (or 100 cuts) per minute. Tolerance control is easily held within accepted

Actual Savings in Steel Costs of 20%

To many steel fabricating people this amazing speed of cutting-to-length to resquared tolerances has seemed unbelievable. But, to many others, who have seen one of these Wean lines in operation, talked with people who operate them, gone over actual figures, this is a production line "must".

When we say savings up to 20 percent in your steel costs we mean just that. Total up the costs approximated above . . . check them against the book . . . against your own cost sheets. Find out what you're paying for getting steel from coil to final sheet size, ready to form. If it's more than a dime a hundred weight then you should know all about the Wean line. Get in touch with one of the offices listed below and let a qualified Wean representative work with you — using your figures if you wish — in proving the Wean line can effect a substantial savings where you and your operations are concerned.



Where you're buying sheets of various sizes you'll require about **30 percent more help** in your purchasing and inventory control departments.

And about **30 percent more space** in your warehousing set-up.

Then, if you further resquare to multiples in your own plant you're paying **an additional cost of at least $.35 per hundred weight.**

Thus, prior to fabrication, you have added approximately $1.00 to every hundred pounds of steel, even though you are using plain light gauge metal.

G LINE



range. *The entire "extra" cost prior to fabrication here . . . just a fraction of the $1.00 plus per hundred weight cost of standard methods.*

Wean

COMBINATION SLITTING and SHEARING SYSTEMS

WEAN EQUIPMENT CORPORATION OFFICES

CLEVELAND

CHICAGO NEWARK, N. J. DETROIT

Cable Address: WEANCOR

GIANT OF THEM ALL...

for one of America's Largest Presses





MIDVALE PRODUCES 672,000 POUND INGOT FOR NEW AIRCRAFT PRESS

Presses with up to 50,000 ton capacity capable of forming a nearly finished wing section of an airplane—these are the goals of America's planemakers.

First in this program are the huge presses and this giant Midvale ingot is the initial part supplied to the press manufacturer. Cast in Midvale's open hearth furnaces this steel ingot measured 116 inches in diameter and was more than 24 feet high. Midvale craftsmen cast, forged, heat treated and machined this huge part to exact specifications.

Whatever your needs—parts to finished products—Midvale can assure you of precision production. Whether it is roll shells for the mining and cement industries . . . pressure vessels for the chemical and petroleum industries . . . rolls for the paper or steel industry . . . rings for turbines and gears . . . or castings and forgings for any industry . . . Midvale can make them to your most exacting requirements.

- Pressure Vessels
- Forgings and Rings
- Hardened and Ground Steel Rolls
- Corrosion and Heat Resisting Castings
- Ordnance and Armor

THE MIDVALE COMPANY

NICETOWN, PHILADELPHIA 40, PENNA.

OFFICES: NEW YORK • CHICAGO • PITTSBURGH
WASHINGTON • CLEVELAND • SAN FRANCISCO

MIDVALE

Custom Steel Makers to Industry

PRODUCERS OF FORGINGS, ROLLS, RINGS, CORROSION AND HEAT RESISTING CASTINGS

Over 5 tons of carbon steel wire thoroughly descaled within one hour!



A yoke of 5 32" dia. wire is lifted from the hydride tank. (Up to 3 yokes can be treated at one time in this tank. Working dimensions are 7' x 8' x 5' 6".)



Water quench blasts off loosened scale.



Thorough descaling complete with final rinse.

DU PONT SODIUM HYDRIDE DESCALING PROCESS

By switching to Du Pont's efficient and simplified process, a large eastern steel manufacturer was able to triple descaling capacity—with *less than half* the man power!

These and other important savings are possible with Sodium Hydride Descaling because elaborate scale breaking operations are eliminated entirely, yet uniform descaling is accomplished in the shortest possible time—no retreatments needed! And because dissimilar metals can be effectively treated in the same bath, this steel mill finds the Du Pont process ideal for descaling their quality carbon and stainless steel products indiscriminately at production line speeds.

Costly rejects due to pitting or loss of gauge are avoided . . . there's never any danger of base metal attack no matter how long the work remains in the sodium hydride bath! Dimensional accuracy is maintained, and subsequent drawing operations can be carried out to closer tolerances. Die life, too, is increased.

Find out how Du Pont's Sodium Hydride Process can improve your descaling operations. Just get in touch with our nearest district office or send in the coupon below.

DISTRICT AND SALES OFFICES: Baltimore • Boston • Charlotte • Chicago Cincinnati • Cleveland • Detroit • Kansas City* • Los Angeles • New York Philadelphia • Pittsburgh • San Francisco. *Barada & Page, Inc.

More detailed information about the process—how it works, what it can do for you—can be found in our new book. Call our nearest office or use the coupon below for your copy.



E. I. du Pont de Nemours & Co. (Inc.)
Electrochemicals Department 2022
Wilmington 98, Delaware

Please send me more information about the Du Pont Sodium Hydride Descaling Process: advantages, applications, equipment used. I am interested in descaling _____

_____

Name _____ *Position* _____

Firm _____

Address _____

City _____ *State* _____

DU PONT
Sodium hydride process for positive descaling

DU PONT

BETTER THINGS FOR BETTER LIVING . . . *THROUGH CHEMISTRY*

FIRST SIMPLIFIED PRICING IN GRINDING WHEEL HISTORY

CARBORUNDUM's New "Quick-Finding" Reference Replaces Traditional Complex Time-Wasting System



114 Page Pricing System Now Simplified to 32 Pages

CARBORUNDUM has achieved *simplification* with this new basic pricing system: previous information requiring 114 pages covering list prices, discounts, etc., has been reduced to only 32 pages.

You can now order your grinding wheels from CARBORUNDUM with a speed and accuracy hitherto impossible. Practically everything you want to know about prices, ordering quantities, discounts on any one wheel will be found on one page—arranged for quick, easy finding.

CARBORUNDUM® has taken the mystery out of buying industrial grinding wheels...by adopting the first really simplified basic price system in the history of the industry. Now you can determine prices, ordering quantities and discounts for a given wheel, almost without exception, by checking a single page of this new book.

You no longer have to refer to several pages to determine prices and discounts, nor follow complicated rules, nor apply chain discounts, nor worry about decimal multipliers. Even the special price additions covering various shapes have been eliminated. Basic prices are shown for all straight wheels *and* special wheels such as dishes, saucers, flaring cups, special faces, cones, plugs, and many others.

Practically all the wheels you use can be priced with a single discount under this new system, thus further simplifying your paper work and minimizing errors.

Coincidental with the adoption of this basic pricing system, some price adjustments have been made. Prices of certain lines of wheels are reduced, others are slightly higher.

"A Boon to Every Customer and To Us," is Distributor Concensus

First copies of this new pricing system off the press went to several hundred Industrial Distributors of CARBORUNDUM's grinding wheel lines. The many letters of response have been highly enthusiastic. Here are typical comments:

"This is, without a doubt, the finest simplified pricing system I have ever seen. We want to compliment you on this progressive step."

"Heartiest congratulations—the new net pricing schedules are swell! It would do your heart good to see the gratitude with which these prices were received by the boys in our organization. I feel that you men who devoted so much time to getting out this pricing structure should know how we feel. This is a real contribution to Industrial Distributors—and to industrial purchasing agents."

"Next to standardization of gradings, your new price book is probably the most progressive step that has been taken in simplifying the marketing of abrasives. With this new basic pricing plan practically all the complications have been removed. We know it will have enthusiastic reception."

"Carborundum has taken a forward step that should pay off in the future. After trying a few examples in pricing, it looks as though price clerks and purchasing people will have a much easier time arriving at net prices than heretofore."

The success of this new simplified pricing plan was foreordained, because twelve of the nation's top industrial supply men helped put the system together. This group, known as CARBORUNDUM's *Distributor Advisory Board, was of material assistance to* CARBORUNDUM's *sales management on this key project.*

HOW IT SAVES TIME...Cuts Errors

Reducing the number of pricing pages from 114 to 32 gives you only part of the picture of how CARBORUNDUM's new system speeds and simplifies the pricing of grinding wheels. It actually cuts down the number of steps required to compute a price—and best of all, it concentrates those steps within the confines of a single page.

As an example, consider the steps—and separate page references—previously required to find the price of cup wheels: 1) Look up the page showing the list price... 2) Look up the page showing list price additions... 3) Look up the page showing the standard ordering quantity schedule, to determine quantity for discounting purposes ...4) Look up the page showing product discount... 5) Look up the page showing quantity discount.

All this information, previously appearing in five different places in the price schedule, is now found on a single ready-reference page. No wonder pricing now takes far less time, with far fewer chances for error.

For when you have to flip pages back and forth, sometimes losing your place, often doing involved calculations, not only do you waste valuable time, but errors are bound to creep in—errors that are even more costly than the high cost of lost time. This new simplified "all-on-one-page" system was designed to be error-proof; thorough tests by grinding wheel users prove that it actually promotes a high degree of accuracy—thus makes doubly valuable the savings in time it gives you.

Simplified Pricing to be Extended to Other Abrasive Lines

The new basic pricing system will soon be applied to additional abrasive lines by CARBORUNDUM. Segments, Disc Wheels, Mounted Wheels and Points, "MX" Wheels, and other bonded products will shortly be covered by new simplified basic price lists.

THE CARBORUNDUM COMPANY

REGISTERED TRADE MARK

Your copy is waiting for you...

MAIL COUPON NOW...TODAY!

THE CARBORUNDUM COMPANY, Dept. S 81-317
Niagara Falls, New York

Please send me my copy of "New Simplified Basic Prices of Grinding Wheels."

NAME

COMPANY

STREET AND NUMBER

CITY ZONE STATE

81-317

Double-Quick Slitting Service





Speeds Production

Simplifies Planning
Lowers Cost

If your requirements in slit-to-width strip are difficult to anticipate weeks or months in advance; if deliveries are slow and uncertain; if sources of slit strip supply are limited—a Yoder slitter may be the perfect answer to all these handicaps.

Aside from the great CONVENIENCE of being able to supply, on a few hours notice, your own needs in slit-to-width strip, from a relative small stock of standard-width coils, the *economies* effected are surprisingly great: First, by a substantial reduction in the price per ton; secondly, by elimination of idle time while waiting for deliveries of slit strip.

Your tonnage requirements, therefore, *need be no more than 100 tons per month (for narrow strands, much less) in order to make the slitter an exceedingly profitable investment.*

Yoder slitters and accessories are made in all sizes and types, for sheets as well as coils, small and large; narrow as well as wide strands; all gauges.

The Yoder Slitter Book is a practical treatise on the economics and mechanics of slitter operation. Send for it.

THE YODER COMPANY • 5502 Walworth Avenue, Cleveland 2, Ohio

Complete Production Lines

- ★ COLD-ROLL-FORMING and auxiliary machinery
- ★ GANG SLITTING LINES for Coils and Sheets
- ★ PIPE and TUBE MILLS—cold forming and welding

ENGINEERING YODER MANUFACTURING

How Oxygen...and LINDE SERVICE*

SAVE TIME AND MONEY



CONDITIONING STEEL —150 TIMES FASTER!

LIN-DE-SURFACER SCARFING MACHINES use oxygen and acetylene to remove scale and surface defects from steel right on the roll line. This outstanding LINDE development conditions steel up to 150 times faster than manual methods.

LINDE Oxygen Customers get the advantage of...

LINDE'S MANY PLANTS, strategically located to assure a dependable supply, meet every demand. No oxygen failure due to failure of a single plant.

LINDE'S DRIOX and CASCADE Oxygen Systems, which have no fixed capacities. Even under widely fluctuating demands, your supply is determined by your needs. You pay only for what you use.

LINDE'S FIELD ENGINEERS, who work on oxygen users' problems —help them find new and better ways to get the most economy and efficiency from their use of LINDE oxygen.

LINDE'S LABORATORIES, which are constantly working on new and improved applications for oxygen. Many of today's oxygen-using methods and machines are the result of LINDE research and development.

If your company uses oxygen, LINDE SERVICE *can mean dollar savings to you. Let us tell you more about it.*

LINDE AIR PRODUCTS COMPANY

A Division of UNION CARBIDE AND CARBON CORPORATION

30 East 42nd Street UCC New York 17, N. Y.

Offices in Principal Cities

In Canada: Dominion Oxygen Company, Limited, Toronto

AND * LINDE SERVICE

which is the unique combination of all of the research, engineering, and over 40 years of accumulated know-how that is helping LINDE customers save money and improve production in their uses of oxygen and oxy-acetylene processes.

Linde Trade-Mark



We Build the Dempster-Balester to Load It, Crush It, Bale It— Bale After Bale After Bale

You not only get the nearest thing available to automatic baling when you buy a Dempster-Balester, but you get a press built to take the punishment of scrap metal baling consistently day-in and day-out . . . bale-after-bale-after-bale! The first Dempster-Balester was built in 1940 and it is still in operation. Today, hundreds of Dempster-Balesters are making money for men like yourself in over 200 cities in almost every state of the union, plus 15 foreign countries.

The Dempster-Balester's LOAD IT, CRUSH IT, BALE IT cycle (illustrated above) is a simple 1-2-3 continuous operation. 1—Skip Pan Loader LOADS charging box. 2—Skip Pan returns to loading position and Auxiliary Compression Door CRUSHES scrap with a 45-ton force. 3—As Compression Door returns to up-right position, charging box door closes . . . scrap is BALED and ejected. As each cycle ends another begins.

Without question, Dempster-Balesters are the fastest, most efficient presses baling scrap metal today! And you have six to choose from—three standard and three high speed models that turn out high density bales in capacities to meet any requirement from 1 to 9 tons per hour.

And don't overlook this important point. Before buying a baling press, it's important to know what kind of service you can expect. Certainly, no piece of heavy machinery can operate consistently without maintenance. Breakdowns cost money and when a part is needed for one of our presses, it is usually shipped the day your order is received. An ample stock of repair parts is constantly maintained to take care of you promptly! Write to us today for complete information.

A product of Dempster Brothers, Inc.



This is the new Dempster-Balester Model 350 (High Speed). It produces 4 to 5 tons per hour.

Mfg. in Canada by Hamilton Bridge Co., Ltd. Hamilton, Ontario

DEMPSTER BROTHERS, 863 Shea Building, Knoxville 17, Tennessee

ACCURACY is necessary





Micrometer accuracy starts with Cincinnati Hydraulic Holddowns. They exert tons of pressure and automatically hold all thicknesses of work securely.

...AND THE SPEED AND VERSATILITY OF CINCINNATI SHEARS IS NEEDED, TOO

Here at The W. J. Holliday Company, Inc., The Department Store of Steel—these busy Cincinnati Shears operating continuously, shear accurate blanks to customer size.

They handle cold finished, or pickled and oiled sheets up to 10 gauge and hot rolled sheets up to ¼". Both management and operators are enthusiastic about their Cincinnati Shears.

Write for Shear Catalog S-6.

Photos courtesy The W. J. Holliday Company, Inc., Indianapolis, Indiana

THE CINCINNATI SHAPER CO.

CINCINNATI 25, OHIO, U.S.A. SHAPERS • SHEARS • BRAKES

CINCINNATI

METAL DISINTEGRATION

and what it can do for you . . .



Remove Broken Taps fast without distortion



Cut oil holes in hardened gears without annealing

Cut dovetails in hardened dies



Cut any shape hole in cemented carbides



Literally hundreds of thousands of dollars are saved annually by corporations that are using Metalmasters in just tool and die repair alone.

There's a technical engineer in your area to give you an on-the-spot demonstration in your own plant at your convenience. (NOTE: It is not uncommon to pay for a Metalmaster with just one short demonstration thru savings on workpieces.)

For information as to the Metalmasters' uses and benefits merely write today on your company letterhead to:

Metalmaster

DIVISION OF CLINTON MACHINE COMPANY

CLINTON, MICHIGAN

puzzled about handling costs?

then consult **BROWNHOIST**

This Traveling Ore Bridge helped one large manufacturer cut the cost of unloading shipments of ore from Great Lakes' vessels. It has a span of 234 ft., a raisable apron extending 88 ft. from the center of the pier leg and a fixed cantilever 55 ft. on the shear end. It is equipped with Brown patent ore buckets.

Railroads, steel mills, mines, docks and large manufacturing plants can cut costs and speed materials handling with BROWNHOIST equipment. BROWNHOIST builds boat unloaders, fast plants, traveling bridge cranes, storage bridges, shipyard cranes, car dumpers, locomotive cranes and related machinery to handle bulk materials in large quantities rapidly and efficiently. The traveling ore bridge shown here, for example, can unload and stockpile approximately 600 tons of iron ore per hour.

BROWNHOIST equipment is built in capacities to meet virtually every bulk materials handling requirement. If you want to save production time and money, it will pay you to consult your nearest BROWNHOIST representative or write us today for complete information.

170

BROWNHOIST
builds better cranes

CLAMSHELL BUCKET

250 TON WRECKING CRANE

COAL-ORE BRIDGE

CAR DUMPER

INDUSTRIAL BROWNHOIST CORPORATION • BAY CITY, MICHIGAN • DISTRICT OFFICES: New York, Philadelphia, Cleveland, San Francisco, Chicago; Montreal, Quebec • AGENCIES: Detroit, Birmingham, Houston, Los Angeles.

BRIDGEPORT BRASS COMPANY

COPPER ALLOY BULLETIN

Bridgeport BRASS CO. MILLS IN BRIDGEPORT, CONN. AND INDIANAPOLIS, IND.—IN CANADA: NORANDA COPPER AND BRASS LIMITED, MONTREAL

Rugged Duronze Fittings Chosen for Flying Boxcars



Fairchild C-119 Flying Boxcar, standard medium USAF transport.

Bridgeport's Duronze III is playing an important role in the manufacture of Fairchild C-119 Flying Boxcars. Items such as bulldozers, trucks, 155 millimeter howitzers, jeeps, lifeboats, helicopters, ambulances and steamrollers fit easily into the cavernous holds of these twin-boomed aerial carryalls. Rugged construction is necessary, because the C-119 must deliver sustained high performance under severe conditions.

Advantages of Duronze III

Searching for a tough, hard metal for bushings, screws, nuts and other fittings, the Fairchild engineering department decided on Bridgeport's Duronze III, silicon aluminum bronze, 707. It contains approximately 91% copper, 7% aluminum, and 2% silicon. This engineering alloy was chosen in preference to other metals because of its unusually fine physical properties:

- ...the remarkably high tensile strength of approximately 90,000 psi and a Rockwell hardness of B85 in the annealed condition.
- ...excellent resistance to corrosion.
- ...about 9% lighter than Naval brass.
- ...free machining—60% rating as compared with free cutting brass.

This hard, strong alloy has fine wear resistance when used for sliding parts. It can readily be hot forged at a temperature slightly higher than that used for brass.



Parts used in manufacture of Fairchild C-119 Flying Boxcars made from Bridgeport's Duronze III. Courtesy Fairchild Aircraft Division, Hagerstown, Maryland.

Duronze III Parts Used in Flying Boxcars

The illustration below shows the following parts:

(1), (3) Nuts used on engine control panel.

(2) Split bushing for nose landing gear trunnion support.

(4) Bushing used in nacelle and fuselage.

(5) Bushing for emergency escape hatch block assembly handle.

(6) Support collar used on leveling jacks on ground handling equipment.

(7) Threaded collar for leveling jacks on ground handling equipment.

(8) Bushing for engine control pedestal.

(9) Bushing for fuselage floor roller.

(10) Bushing for nacelle door actuator push rod.

(11) Bushing for master cylinder, brake system (covered with glue to prevent threads being scratched until installed).

(12) Bushing for life raft release load reducer.

Not illustrated are Duronze III trunnions of throttle stop mechanisms which are installed on engine control pedestals.

Technical Assistance

If you are planning to upgrade the quality of your products by changing your metal specifications, contact our nearest district office for technical assistance. We will be glad to supply information on Duronze III—physical properties recommended, machining methods and suggested applications. Write for your free copy of Bridgeport's "Duronze Manual" today—on company stationery, please. (180)

CAUSES OF CORROSION

This article is one of a series of discussions by C. L. Bulow, corrosion metallurgist of the Bridgeport Brass Company.

COPPER ALLOYS vs. SODIUM BICARBONATE SOLUTIONS

In the preceding issue of this column we showed that the passage of carbon dioxide through sodium hydroxide converts the hydroxide to carbonate and that the resulting solution (sodium carbonate) tends to be less corrosive towards copper and copper alloys.

The passage of even larger quantities of carbon dioxide through the solution results in the formation of sodium bicarbonate:

$$H_2CO_3 + Na_2CO_3 \rightleftarrows 2\ NaHCO_3$$

or $$H_2CO_3 + NaOH \rightarrow NaHCO_3 + H_2O$$

Through reaction with carbon dioxide the alkalinity of the sodium hydroxide solution is progressively reduced from sodium hydroxide to sodium carbonate to sodium bicarbonate. For example, the pH of 0.1 N solutions of these compounds is 13.0, 11.6, and 8.4 respectively.

In water solutions sodium bicarbonate is unstable and begins to break up into carbon dioxide and sodium carbonate at room temperature with the break-up being complete at boiling temperature. This reaction forms the basis of an important process for the commercial production of carbon dioxide gas where carbon dioxide is dissolved in the cold carbonate solution and later liberated by heating. When sodium bicarbonate is used as baking soda, the same reaction occurs.

In addition, sodium bicarbonate is used in the manufacture of many sodium salts, as a source of carbon dioxide, as an ingredient of baking powder, effervescent salts and beverages, fire extinguishers, cleaning compounds, etc.

In sodium bicarbonate solution, as in other alkaline solutions, the rate of corrosion of copper and copper alloys slows up due to the formation of a dark bluish-colored protective film of cupric oxide, hydroxide and carbonate. This film results from decomposition of an unstable blue-colored compound which forms adjacent to the surface. In a closed system over a long period of time at room temperature, the concentration of this compound may become high enough (excess of about 200 ppm as copper) to lead to the formation of bright clear transparent blue basic copper carbonate crystals on the surface of those particular copper alloys showing the least corrosion resistance in this solution. The presence of iron corrosion products in the sodium bicarbonate solution lowers the rate of corrosion through the deposition of protective layer of brown iron carbonate on the copper surface, much the same way as calcium carbonate films and scales protect copper and copper alloys exposed to scale-forming fresh waters.

CORROSION OF COPPER ALLOYS IN 0.86 N SODIUM BICARBONATE SOLUTION

Quiet immersion at room temperature (435-day test).

Alloy	*Corrosion rate**
70 Cu, 29.4 Ni, 0.4 Fe	0.00010 ipy
80 Cu, 19 Ni, 0.5 Fe	0.00016 ipy
90 Cu, 9 Ni, 1.0 Fe	0.00016 ipy
76 Cu, 29 Zn, 1.0 Sn, 0.02 As	0.00035 ipy
76 Cu, 22 Zn, 2.0 Al, 0.02 As	0.00050 ipy
94.2 Cu, 5.5 Al, 0.25 As	0.00033 ipy
85 Cu, 15 Zn	0.00021 ipy

**In inches per year based on loss in weight. All specimens covered with a light green film (when air dried).*

The data given in the above table show that under conditions which permit the formation of a protective film on the copper or copper alloy surface, the corrosion resistance of copper alloys is satisfactory for handling sodium bicarbonate solutions.

Where accumulation of copper salts and coloration of the solution may be objectionable, tin coating of the copper alloy has been long practiced.

Under conditions of solution flow against the metal surface or where crevices or flaying surfaces exist in the design which may hinder the formation of the protective film, it is advisable to use those copper alloys having the highest corrosion resistance, thicken the metal in the critical area or change the design and conditions of use so that a protective film can form.

NEW DEVELOPMENTS

This column lists items manufactured or developed by many different sources. None of these items has been tested or is endorsed by the Bridgeport Brass Company. We will gladly refer readers to the manufacturer or other sources for further information.

Air Operated Hoist weighing 27½ pounds is said to have 1000-lb. capacity at 40 fpm. Throttle control gives infinite range of lifting speeds. Top and bottom hooks are equipped with safety snaps, chain with adjustable safety stops to limit lift and descent. Brake locks instantly when control is released, air is disconnected or pressure fails. **No. 1306**

Trouble Light Reel with 20′, 25′ or 40′ extension cord is said to operate easily and lock at any length within full extension. Cord is water and oil resistant. Lamp has heavy duty handle, window guard for changing without removal. Available with 360-degree ceiling mounting or 180-degree wall mounting. **No. 1307**

Extension Drilling Chucks for 52 small diameter drills are said to facilitate drilling in hard to get at locations. Extension chucks using regular length drills fit threaded drill extension rod and are quickly interchangeable. Rod measures 8½″ long and fits all ¼″ chucks. **No. 1308**

Pocket Magnifier incorporates own light source in unique lens construction, permitting light to go through lens and on to object without directly reaching user's eye. Uses two penlight batteries for illumination and clips to pocket like fountain pen. Said to be useful for inspecting small parts, joints and welds and for reading fine scales, etc. **No. 1309**

Wet Blasting Machine utilizes fine mesh abrasives suspended in water propelled at work by compressed air. Machine is said to clean and finish small parts without destroying sharp lines, corners or fine tolerances. Set of armholes with gauntlets permits operator to manipulate abrasive gun towards work while operating valve with knee. Work is illuminated by fluorescent lights and viewed through large window. **No. 1310**

Marker and Counter utilize a pencil attached to counting device. When the pencil marks items, an audible click registers each count. After count is taken, a knob resets the machine to zero. **No. 1311**

Floating Reamers are said to maintain accuracy of bore, concentricity and smooth surface. Available for blind or through holes, blades are of high speed steel or carbide tipped, and come in fourteen sizes from ¾ to 4 in. diameters. Hand adjustments are easily made by setting direct-reading micrometer adjustments. Blades are reported sharpenable without losing floating action. **No. 1312**

BRASS, BRONZE, COPPER, DURONZE, NICKEL SILVER, CUPRO NICKEL
BRIDGEPORT BRASS
BRIDGEPORT BRASS COMPANY, BRIDGEPORT 2, CONN. • ESTABLISHED 1865
Mills at Bridgeport, Connecticut, and Indianapolis, Indiana • In Canada: Noranda Copper and Brass Limited, Montreal
Warehouse Service with Slitting Facilities in Principal Cities
Advertisement



things are humming at Claymont

New, modern equipment—including vertical edger . . . hot shears . . . slabbing furnace . . . annealing furnace . . . are now in full operation producing Claymont Steel Products.

They're enabling us to maintain our traditional quality standards and personalized attention to your needs—while at the same time improving our service to you.

Let us know your requirements.

THE COLORADO FUEL AND IRON CORPORATION · Abilene · Albuquerque · Amarillo · Butte · Denver · El Paso Ft. Worth · Houston · Lincoln · Odessa · Oklahoma City · Phoenix · Pueblo · Salt Lake City · Tulsa · Wichita

THE CALIFORNIA WIRE CLOTH CORPORATION · Los Angeles · Oakland · Portland · San Francisco Seattle · Spokane

WICKWIRE SPENCER STEEL DIVISION · Atlanta · Boston · Buffalo · Chicago · Detroit · New Orleans New York · Philadelphia

CANADIAN OFFICES · Edmonton · Toronto · Vancouver · Winnipeg

CLAYMONT STEEL PRODUCTS

PRODUCTS OF WICKWIRE SPENCER STEEL DIVISION
THE COLORADO FUEL AND IRON CORPORATION

CFI

8691



Large Diameter
Welded Steel Pipe



Stainless-Clad
Steel Plates



Flanged and
Dished Heads



Alloy and
Carbon Steel Plates

FOR RUGGED DESIGN

TROUBLE-FREE OPERATION . . .

Choose HYGRADE DRIVES!



Here is a sturdy, compact Hygrade Worm Gear Drive transmitting power for moving heavy cars in and out of a large annealing furnace.

Such tough service is typical of the demands industry is making on Foote Bros. Hygrade Drives. These drives are built for rugged duty — day after day — year in and year out. Precision-processed worm gearing assures highest efficiency and optimum load-carrying capacity. Compact design gives maximum performance in minimum space.

Solve your tough speed reduction problems with Enclosed Hygrade Drives. Horizontal and vertical types available. Ratios to 4,108 to 1, capacities to 260 h.p. For applications requiring long, unsupported output shafts, use Vertical Hygrade in Hytop design.

See your Foote Bros. representative or write for information.

One of 15 car-type furnaces using Hygrade Drives at Warren, Ohio, plant of Copperweld Steel Company. Installed by Pennsylvania Industrial Engineers Division, Amsler Morton Co.

LINE-O-POWER DRIVES



MAXI-POWER DRIVES



FOOTE BROS.-LOUIS ALLIS GEARMOTORS

FOOTE BROS.

Better Power Transmission Through Better Gears

FOOTE BROS.
GEAR AND MACHINE CORPORATION
Dept. X, 4545 South Western Boulevard
Chicago 9, Illinois

Please send me a free copy of Bulletin HGB on Foote Bros. Hygrade Worm Gear Drives.

Name.....

Company.....

Address.....

City..... Zone..... State.....

Step up your bridge capacity with a new Dravo Man Trolley..

Is your production slowed down because your bridge can't handle the tonnage you need?

Actually, it isn't always necessary to invest in a new bridge to correct this lag. Often an existing structure can be modernized easily by replacing the present man trolley with a lightweight Dravo-built unit.

The operation is practical and requires a minimum of bridge-downtime. One recent installation was completed within eight hours.

Replacement of inefficient, worn or inadequate trolleys can improve your operations at a fraction of new bridge cost. Consultation with a Dravo engineer does not obligate you in any way—and may help you eliminate a production bottleneck. Write or phone . . .

DRAVO

DESIGNERS *and* BUILDERS

BRIDGES AND UNLOADERS • TOWER-TYPE UNLOADERS
WHIRLER CRANES • FLOATING CRANES
DRAVO RAIL CLAMPS • BARGE SHIFTERS
MODERNIZED TROLLEYS FOR EXISTING BRIDGES

DRAVO
CORPORATION

NEVILLE ISLAND, PITTSBURGH 25, PENNSYLVANIA

AIR CONDITIONING • BOILER AND POWER PLANTS • CRANE CAB COOLERS • DOCKS • INDUSTRIAL FOUNDATIONS • OPEN STEEL FLOORING
PUMP HOUSES AND INTAKES • SPACE HEATERS • WATER AND WASTE TREATMENT PLANTS • TOWBOATS AND BARGES



This punch gave double service!

This block had double life!

This die lasted 50% longer!

B-47 HOT WORK STEEL

gives you more runs for your money

. . . anywhere from 1½ to 5 times the Performance!

SOME TYPICAL EXAMPLES

B-47 dummy blocks, vs. 9% and 12% tungsten types, extruded more than twice as many brass and copper tubes. B-47 dies outperformed 12% tungsten type 1½ to 1.

B-47 punches, vs. low-carbon 18-4-1 type, hot pierced more than twice as many eyes in steel axes. See top picture.

B-47 die inserts, vs. 9% tungsten types, hot pressed more than twice as many steel side gear forgings. B-47 die inserts, vs. regular insert material, performed better than 5 to 1.

B-47 dummy blocks, vs. 5% tungsten-5% chromium types, extruded twice as many copper and brass tubes and rods. B-47 dies outperformed 12% tungsten-12% chromium type.

B-47 punches, vs. 5% chromium type, hot extrusion forged 1½ times as many automotive steel front axle spindles.

B-47 die inserts, vs. 9% tungsten types, extruded 1½ times as many high alloy steel automotive valves. This is considered a very difficult job for any grade of hot work steel.

SEND NOW

for "Blue Sheet" on Grade B-47

This four-page folder gives technical data on B-47 for brass extrusion dummy block and dies, valve extrusion die inserts, hot punch tools, forging die inserts, press forging dies, and hot work in general. *Write for your copy today.*

ADDRESS DEPT. S-42

Looking for a better hot work steel? You'll find it in B-47—an improved chromium, tungsten, cobalt, vanadium type whose superiority is established by actual performance runs such as those summarized above. All tests show that B-47 has unusual resistance to shock and abrasion at elevated temperatures.

Developed originally for applications in the copper and brass industry, B-47 has given excellent results on difficult hot work jobs on steel. B-47, when properly heat treated, exhibits a well rounded combination of red hardness, toughness, and resistance to wear and heat checking that makes it a valuable addition to the Allegheny Ludlum group of hot die steels.

Put B-47 to the test. You'll find that it will do any number of severe hot work jobs without washing out or changing size. Get in touch with A-L, today. Let us help you to use B-47.

● *Allegheny Ludlum Steel Corporation, Henry W. Oliver Bldg., Pittsburgh 22, Pa.*

For complete **MODERN** Tooling, call

Allegheny Ludlum

AL FINE TOOL STEELS SINCE 1854

For quick delivery





# of steel

Call Ryerson

As the world's *largest* steel service organization, Ryerson maintains the *largest* stocks of all available steels.

Ryerson deliveries are fast . . . cover everything from structural shapes and plates of carbon steel and bright sheets of stainless to high-strength alloys.

Ryerson service includes expert engineering aid . . . personal help on your steel problems . . . and sawing, shearing, flamecutting or otherwise preparing steel to your requirements.

With a network of 15 strategically located plants Ryerson brings quality steel quickly to your door. Although some stocks are currently unbalanced from a size standpoint, when you need steel—any kind or quantity—call the Ryerson plant nearest you and we will do our best to meet your every need.

PRINCIPAL PRODUCTS

CARBON STEEL BARS—Hot rolled and cold finished
STRUCTURALS—Channels, angles, beams, etc.
PLATES—Many types including Inland 4-Way Safety Plate.
SHEETS—Hot and cold rolled, many types and coatings
TUBING—Seamless and welded, mechanical and boiler tubes
ALLOYS—Hot rolled, cold finished, heat treated. Also tool steel
STAINLESS—Allegheny bars, plates, sheets, tubes, etc.
BABBITT—Five types, also Ryertex plastic bearings
MACHINERY & TOOLS—For metal fabrication

RYERSON STEEL

JOSEPH T. RYERSON & SON, INC. PLANTS AT: NEW YORK • BOSTON • PHILADELPHIA • CINCINNATI • CLEVELAND • DETROIT
PITTSBURGH • BUFFALO • CHICAGO • MILWAUKEE • ST. LOUIS • LOS ANGELES • SAN FRANCISCO • SPOKANE • SEATTLE

The Metalworking Outlook

June 22, 1953

Will Steel Increase Be Absorbed?

Chances are good that most of the automakers will absorb much of the steel price increase. The added cost is $6.42 per car in the Chevrolet-Ford-Plymouth class (p. 45). Mounting competition will make all steel users think twice before they pass along the boosts. Purchasing agents hope to offset some of the higher steel costs by a thorough study of the extra cards to find ways to cut pennies. Watch for changes in buying habits over the next few months.

Some Other Prices Go Down

Although steel quotations went up, scattered prices in other lines are going down. For example, Ramset Division of Olin Industries Inc. cut prices up to 20 per cent on its entire light duty line of fasteners. Carboloy Department of General Electric Co. today initiates 15 per cent price reductions for its general purpose, single-point cemented carbide tools. Up until now in 1953, the consumer price index has averaged 113.7 of the 1947-49 average, compared with a monthly average of 113.5 in 1952.

Nonferrous Notes

General Services Administration, with five high-cost magnesium plants shutting down this month, is looking for tenants. It leased a major part of its Spokane, Wash., plant last week to the present occupant, Pacific Northwest Alloys Inc., to make ferroalloys . . . Aluminum Co. of America starts negotiations with United Steelworkers this week. In addition to demanding the 8½ cents granted by steel companies, the union will ask a guaranteed annual wage. Alcoa and Reynolds Metals Co. have contracts expiring July 31 while Kaiser Aluminum & Chemical Corp. signed a 2½-year contract in 1952, open for wage review July 31, 1953.

Step Toward Merger?

Watch for the AFL-CIO no-raid agreement to be approved formally. Although it has no teeth and is based on good faith, it probably will be supported by most of the affiliates of each organization. AFL's International Association of Machinists and CIO's United Auto Workers have already signed a co-operation pact. The general agreement is the first real step toward AFL-CIO unity. The pact would be effective for two years beginning Jan. 1, 1954—when the expected formality of approval is given by AFL's annual convention in St. Louis next September and CIO's in Cleveland in November.

More Action from ODM

Defense Mobilizer Arthur S. Flemming will survey the plant expansion goal in every industry related to defense and, where necessary, will fix new goals more in line with demands of total war. He'll follow that move by action to plug gaps found in industry's war potential. In that category one problem to be solved will be aluminum expansion. Two or three companies involved have had financing troubles. The spurt in ODM activity results because the agency on June 13

Production-Engineering News—p. 85 *The Market Outlook—p. 139*

became a permanent defense agency as a White House reorganization order became effective.

Uncle Sam: Industrialist

Pressure is mounting to prevent the federal government from competing with its own citizens in the 100 separate business fields in which it now operates. The U.S. owns more than two dozen synthetic rubber factories, aluminum plants, several fertilizer plants, sugar factories, a helium gas factory, a synthetic gasoline plant, dozens of money-lending agencies, many steam and hydroelectric plants, hemp plantations, many large-scale housing projects, two railroads and many storage warehouses. Their combined assets total $30 billion and the U.S. interest amounts to about $27 billion.

Foreign Competition Mounts

Since Jan. 1, 1952, the U.S. has let 24 contracts for electrical equipment to foreign countries—contracts worth more than $13.5 million, representing 1.7 million hours of factory work and worth $3.5 million in taxes lost to the government. Westinghouse Electric Corp. was low U.S. bidder on more than $7 million of that $13.5 million, but lost out to foreign companies.

A Job for the Summer

Planning to take on some college students for summer work? Associated Industries of Cleveland reports that most companies treat those employees just like regular ones in regard to union membership and pay. Company eligibility requirements normally deny them insurance and hospitalization benefits. Most firms also prefer to hire them from just after July 4 to just before Labor Day.

Straws in the Wind

The Defense Production Act, in much the shape that the House approved it, will be extended for two years . . . By the fourth quarter, steel mills and foundries will have to submit to U.S. controls agencies only a half dozen or less forms and reports, compared with 16 once required . . . Manufacture of specialized electronics equipment for military purposes is now in full progress at General Electric Co.'s new plant in Utica, N. Y.

This Week in Metalworking

Republic Steel Corp. enters the seamless tube field at its new S. Chicago, Ill., plant (p. 46) . . . Many companies—misunderstanding depreciation—are overstating their profits (p. 47) . . . Gray iron casters expect to mold another good year in 1953 and may even come close to the 12.8 million tons produced in 1952 (p. 48) . . . There's a rise in the number of company mergers (p. 49) . . . Sales of welding equipment may climb to $600 million in 1953 (p. 50) . . . Visitors saw what's new at the first Basic Materials for Industry Exposition in New York (p. 50) . . . Civilian sales of prefabricated steel structures are rising and are almost making up the slippage in government purchases (p. 55) . . . Established less than a year ago, the European Coal & Steel Community now rules over the business of more than 1000 companies (p. 56).



ALAN WOOD'S 30" Strip Mill In Full Production

The Alan Wood 30" continuous strip mill is producing plates, sheets, and strip at the highest speed consistent with quality.

At the same time, we are working to expedite production and shorten delivery cycles.

In all of our products—of which sheet, strip and plates are only a few—we assure you finest quality. Our mine-to-mill-to-market control program maintains highest standards despite accelerated production.

Over a Century and a Quarter of Iron and Steel Making Experience

ALAN WOOD STEEL COMPANY

CONSHOHOCKEN, PENNSYLVANIA

IVY ROCK, PA. • SWEDELAND, PA. • DOVER, N.J. • OXFORD, N.J.

Cast in One Piece... in Stainless

to resist corrosion



STAINLESS STEEL IMPULSE WHEEL. Buckets in this one-piece casting are accurately spaced through proper alignment of cores. Wall sections are held to close limits to maintain balance, and buckets are polished for maximum efficiency of wheel. Diameter: 4'-2". Weight: 2200#.

Produced by EMPIRE STEEL CASTINGS, INC., Reading, Pa., for S. MORGAN SMITH COMPANY, York, Pa.

Corrosion meets its master in this impulse wheel of cast austenitic stainless steel containing 19 percent chromium and 9 percent nickel...

Furthermore... in hydroelectric power generation, under the terrific impact of a "high head" of falling water... this *stainless* casting tends to work harden while putting water to work, thereby improving its resistance to erosion and abrasion.

Impulse wheels are only one of countless applications in which advantage may be taken of the various useful properties of chromium-nickel stainless steels.

You can trim bulk and deadweight by specifying correct types of stainless. Strong and tough, stainless steels resist wear and attack by nearly all oxidizing acid conditions. Moreover, complexity of design is not a limiting factor in casting chromium-nickel stainless.

Austenitic stainless steels resist creep, scaling and oxidation at elevated temperatures. And at sub-zero temperatures, they offer exceptional resistance to impact.

Investigate all the economies you may obtain by using stainless steel equipment. Send us your inquiries on the use of cast or wrought stainless alloy steels. Write us details of your problems for our suggestions.

At the present time, nickel is available for end uses in defense and defense supporting industries. The remainder of the supply is available for some civilian applications and governmental stockpiling.

EMBLEM OF INCO SERVICE

THE INTERNATIONAL NICKEL COMPANY, INC. 67 WALL STREET NEW YORK 5, N. Y.

Take Time To Be Right!

Right now there is considerable dissatisfaction at home and abroad because the new Eisenhower administration has not developed a more positive attitude toward many of the important problems with which it is confronted. Our allies overseas are critical of us on many scores, but particularly on our apparent ineptness in foreign affairs. At home, the administration's critics charge that it has not even made a good start on fulfilling its campaign pledges.

It is true that the accomplishments of the new regime in Washington from Jan. 20 to date have not been too impressive. But before we make too much of this fact, it may be well to ask ourselves whether an impressive array of spectacular actions on the part of the executive and legislative branches of the federal government actually is of long range benefit to the country. There is much in the history of our nation during the past decade to corroborate the old adage that "haste makes waste."

For instance, consider the quick and often sensational decisions that our leaders made just before the end of World War II—the needless concessions to Russia in the Far East, the holding back of American forces near Berlin, the four-way division of Germany and Austria and the zoning of Berlin and Vienna, the partition of Korea at the 38th degree parallel, etc.!

And again consider some of the impulsive, trigger-happy sensational things that our leaders did on the home front! Among them the headlong rush into an all out war in Korea without consulting Congress as to policy or the military as to means, and the barging of the federal government into practically every wage dispute and particularly the ill-advised seizure of the steel industry!

All of these actions were positive. They were dramatic. At the time they were believed to be indisputable evidence of a strong and wise government. Today almost every sensible person realizes that the world would be far better off if most of these spectacular actions had never been taken.

The great need of today is to be right, even if it takes a bit more time.

E. L. Shaner

EDITOR-IN-CHIEF

WHERE TO BUY STAINLESS: Accompanying this week's regular issue will be found a supplement entitled "Guide for Stainless Steel Buyers." We believe buyers of stainless steels will realize at first glance that this 160-page booklet will be exceedingly useful.

It shows all of the sizes of finished forms of stainless steels furnished by 54 producers in the

United States, further classified as to types (American Iron & Steel Institute number), finish, etc. All in all, there are 28,000 entries and for each is provided a key to the name of the producer and the locality of its mill. For instance, assume you wish to know where you can obtain hot-rolled stainless steel sheets in cut lengths, No. 1 finish, type 405, 11-gage, 24-48 x 144 inches. You find that sheets of this specification can be obtained from Producer J 3 who has a mill at Washington, Pa. A key on page 2 identifies Producer J 3.

The more one studies this guide, the more one appreciates the wide range of types, sizes and finishes that stainless steel producers now make available to their steadily growing number of customers.

* * *

WE ARE THE CULPRITS: Pictures from behind the Iron Curtain (p. 57) indicate that the Chinese are building "the largest steel center in China" at Anshan, Manchuria. The Soviet information is to the effect that this work has been under way since the middle of 1952.

This "news" can be taken with a grain of salt. For decades the nine blast furnaces, 16 open hearths and rolling mill equipment at Anshan have constituted the largest steelmaking facilities on the mainland of the Far East. In late 1945 and early 1946, engineers from Russia removed much of the Anshan equipment to Russia. Early in June in 1946, Chinese communists dynamited some of the blast furnaces which the Russians had not stripped. The Russians also took everything worthwhile from a fairly modern Mukden arsenal and left intact an ancient arsenal.

These facts prove conclusively that at the end of World War II the Kremlin had no idea of acquiring Manchuria, China or Korea. The Communists are in China, Manchuria and Northern Korea largely because of bungling by the United States.

* * *

SIGNIFICANT STATISTIC: Last Tuesday marked the fiftieth anniversary of the founding of the Ford Motor Co. This milestone was observed appropriately in many ways. The two-hour TV show Monday evening was exceptional. The ceremonies at Dearborn Tuesday evening likewise were impressive.

In these festivities, one thing stood out clearly. The Ford policy is to revere the past but to key one's efforts to the future. At Dearborn Tuesday evening the Geiger counter which actuated the lighting of "birthday candles" was adjusted so that its function of throwing switches would not be exercised until it had registered 44,890,832 gamma ray impulses.

The special numeral—44,890,832—represents the number of vehicles built by Ford since the company was established on June 16, 1903. This 44-odd million is a statistic of great importance. Few persons have the capacity to recognize its real significance.

* * *

COURAGEOUS PROJECT: Jean Monnet's visit to this country has stimulated interest in the effort of the European Coal & Steel Community to administer the Schuman plan. He has been interviewed by newsmen who have asked him pointed questions. His reaction to this inquisition has been highly favorable. He is an enthusiastic exponent of ECSC and he envisions the time when this experimental venture in co-operation in regard to the production and sale of coal, iron ore, ferrous scrap and finished steel products (p. 56), in France, Germany, Belgium, the Netherlands, Italy and Luxemburg will pave the way for a real United States of Europe—embracing numerous factors beyond the economic ones embraced in ECSC. Should Jean Monnet succeed in his ambitious program, he could in time double or triple the economic potential of Western Europe.

* * *

OUTLOOK FOR PREFABS: Prefabricated steel buildings have fared well since World War II. Small manufacturers and warehouse companies sometimes were forced to use this type of structure because buildings of orthodox construction were difficult to obtain. Also prefabs were used extensively as temporary buildings.

Now the question arises as to how prefabs will fare in normal times. Government orders accounted for 45 per cent of the prefab volume in 1951 (p. 55), 33 per cent in 1952 and will account for an estimated 20 per cent in 1953. Thus far, increased civilian demand has offset much of the decline in government buying. Most of the dozen manufacturers of prefabricated steel structures believe that new designs in wall construction will lead to expansion of prefab business in the future.

SEND YOUR DIFFICULT STAMPING PROBLEMS TO—

EASTERN TOOL AND STAMPING CO.

Typical example of 1-piece stamping from ⅛" thick by 7¾" diameter brass blank.

Here is a one-piece stamping that makes up into a hand stapler part.

STAMPING SPECIALISTS IN DEEP DRAWING WORK - ALL METALS - ALL INDUSTRIES

Typical intricate one-piece stamp.

Notice the reduction in this 4⅛" long by ½" O.D. tube with 1⅛" flange.



Difficult switch part for automotive industry.



Bulb base for photo flash lap and seam produced by high-speed process.

Intricate vibration mount parts for industry.

Spring tempered phosphor bronze switch contact — note flat fold-back feature.

ETS EASTERN TOOL AND STAMPING CO., Inc.

PRESSED METAL ENGINEERS

DIES AND STAMPING

SAUGUS MASSACHUSETTS

City Hall, St. Louis, Missouri

Buckingham Memorial Fountain, Chicago, Illinois

Liberty Memorial, Kansas City, Missouri

Air View of City, St. Paul, Minn.



The GESU CHURCH
Milwaukee, Wisconsin

INLAND STEEL COMPANY
Headquarters: Chicago. The largest independent steel company in the Midwest. Ingot capacity: 4,500,000 tons.

If you recognize these Midwest landmarks, chances are you're located in the area Inland is specifically geared to serve.

POST CARD

Steel Buyer
U.S.A.

INLAND

INLAND STEEL COMPANY
CHICAGO

Sales Offices: Chicago • Milwaukee • St. Paul
Davenport • Kansas City • St. Louis • Detroit
Indianapolis • New York

POSTCARDS COURTESY CURT TEICH & CO., INC.

THE STEEL WAGE INCREASE

PATTERN:—8½-cent-an-hour increase. End of the 5-cent-lower wage scale in southern plants—half by Jan. 1, 1954, the rest by July 1, 1954

WHO'S AFFECTED:—About 600,000 workers

WHAT IT MEANS:—An increase in steelmaking costs by about $4 per ton

THE STEEL PRICE INCREASE

AVERAGE:—$4 per ton in base prices

RANGE:—$3 per ton on hot-rolled sheets to $10 per ton on silicon sheets

WHAT IT MEANS:—$6.42 additional cost for steel per auto, 34.5 cents per refrigerator. Proportionate cost increases for all steel-using products

Up Go Wages, Up Go Prices

WILL STEEL consumers be able—or willing—to absorb all or part of the steel price increase?

That was the $64 question last week as the major steel companies raised base prices an average of $4 a ton, only a few days after the industry's wage settlement.

Reluctant—It's too soon for a full answer to the question yet, but scattered indications show that many steel buyers will be forced to absorb at least part of the boosts because of mounting competition, especially in consumer durable goods. As the table in the upper right of this page indicates, the steel cost increase resulting from last week's action will amount to $6.42 per car in the Chevrolet-Ford-Plymouth class. Porportionate increases can be expected for producers of all other steel-using products.

Yet, this latest base price hike is not all the increased steel costs that buyers of the metal must bear. Extras have been increased widely, and they probably boost the total price of steel an average $5 a ton. Since price controls ended this spring, the cost of the metal (including extras) has climbed from an average $111 per ton in April to $120 per ton now, a rise of about 8 per cent. (For further analysis of the situation and the new prices, see the market section beginning on p. 139.)

Stand-Off—The base price increase just about compensates for the higher steelmaking costs resulting from the 8½-cent wage gain. The higher extras, steel companies argue, will help offset greater costs obligated earlier and until now not fully covered by price increases.

The steel wage settlement came on June 12, 18 days before the steelworkers would have been allowed legally to strike for their demands. Negotiations were as harmonious as any in the postwar era, and the settlement was one of the simplest. Besides the pay hike, the North-South differential will be eliminated, but that applies only to a few companies. In addition, U. S. Steel Corp., which set the pattern for the settlement and which also was the first to announce price rises, will co-operate with the union to study insurance and pensions in anticipation of bargaining next year. The current contract expires on June 30, 1954.

Tough Problems Coming—Significantly, the corporation refused to participate in a joint study on the guaranteed annual wage. That promises to be a crucial—and a bitter—issue next year when the whole contract must be rewritten.

Steel executives will fight more pay hikes in 1954 because they know their customers won't stand for much more in price hikes. In fact, steelmen will have their fingers crossed until they learn the full consumer reaction to this increase.

WHAT A STEELWORKER NOW EARNS

Minimum Rate (Job Class 1):	$1.52 per hour
Maximum Rate (Job Class 32):	$3.225 per hour
Average Straight-Time Rate:	$2.057 per hour
Average Fringe Benefit Cost:	$0.407 per hour
Total Average Wage Cost:	$2.464 per hour

HOW STEEL PRICES WERE INCREASED

(Base Price Boost Per Ton)

H. R. Bars, Small Shapes	$4.00
C. F. Bars	5.50
Reinforcing Bars	4.00
Standard Shapes	5.00
Plates	4.00
H. R. Strip	4.00
H. R. Sheets	3.00
C. R. Sheets	4.00
Galvanized Sheets	4.00
Electrical Sheets	10.00

An inspector checks threads on a tube, left, at Republic's new seamless tube plant in South Chicago, Ill. At right, a red hot steel billet has just been pierced in one of the early operations to convert it into seamless tubing

Republic Officially Opens Tube Mill

Nation's third largest steel producer enters the seamless tube field at its South Chicago site. New plant will have capacity of 180,000 tons of tubing a year

REPUBLIC STEEL CORP. formally opened its new seamless tube mill in South Chicago, Ill., on June 15, although the mill has been producing the company's first seamless products since January.

The new mill, described by Republic as "the nation's newest and most modern," was begun in February, 1951. It is located on the site of the company's completely integrated South Chicago Plant on the Calumet river, thus permitting distribution by river barge as well as by rail and truck. It will have a capacity of 180,000 tons of tubular products a year in grades through N-80. Capacity operations are expected late this year.

Space — The mill occupies two major buildings. The hot mill in the first facility was built adjacent to the 36 inch-32 inch billet mill which supplies the tube rounds. The finishing mill and shipping facilities occupy the second building. Including storage, total floor space is more than 500,000 square feet.

Until the new mill began operations, Republic made electric resistance weld, continuous butt weld and electric fusion welded products. Sizes of the seamless products will range from 2⅜ inches OD up to 9⅝ inches OD.

Lone Star Opens New Works

Steel for oil country tubular goods is now being poured at the E. B. Germany Works, Lone Star Steel Co., near Daingerfield, Tex. The mill's No. 2 blast furnace has been tapped and is in operation. The Germany works—constructed under an $87 million expansion program—is expected to attain an annual capacity of 500,000 tons.

Manganese Recovery Possible

As much as half the steel industry's manganese requirements may be recovered from open-hearth slag, if a process being tested in Pittsburgh proves feasible economically. This process was developed in a project sponsored by American Iron & Steel Institute and the Bureau of Mines.

AISI reports the process consists of a two-stage treatment in which open-hearth slag is treated in a blast furnace and then in a basic converter. No unusual technical difficulties are present, but the cost of the recovery process, as used on a large scale, might outweigh the material's value.

Tin Plate Goal Raised

To increase the conservation of tin, the expansion goal for electrolytic tin plate facilities is being raised to 4.4 million net tons annually from 4.1 million tons as announced in July, 1952, says the Office of Defense Mobilization.

The revised goal calls for increased production capacity of 100 per cent over that in existence on Jan. 1, 1950. Current applications for amortization certificates now cover about 80 per cent of the revised goal.

Steel Serves a New Industry

The rapidly-expanding air conditioning industry uses about 130 pounds of steel in a 200-pound single room unit, according to information received by American Iron & Steel Institute. In centrally-located units for cooling an entire house, about 500 pounds of steel is used in duct work and an estimated 250 pounds is employed in the installation itself.

AISI adds that more than 1 million air conditioning units have been sold for all purposes since the end of World War II.

Does Industry Overstate Its Profits?

Many companies do because management doesn't understand depreciation. That and other problems concerned delegates to the Machinery & Allied Products Institute meeting

"A LOT OF dividends declared by manufacturers would not be declared if depreciation were fully understood by management."

That is what George Terborgh told the annual meeting of the Machinery & Allied Products Institute, held in Washington. "Depreciation," he says, "provides only half the funds for capital expenditures —so that the remainder must come from new capital or current profits.

Need for Realism—"If we had a correct accounting for depreciation, several billion dollars more annually would be available for purchase of capital goods," says Mr. Terborgh, who is MAPI's research director. "A realistic basis would provide for deducting one-half the cost in the first one-third of service life—because erosion of value is greatest in the first years of service life.

MAPI continues to work with the Treasury Department and the House Ways & Means Committee in the hope of obtaining a real reform in depreciation treatment.

Property-Owning U.S.—If peace comes in Korea, and should the cold war end, industry may be faced with some very serious problems due to the vast inventory owned by the U.S. government, a Defense department spokesman told MAPI. "Total inventory owned by U.S. private industry is valued at $44 billion; inventory owned by the U.S. government comes to $50 billion. The U.S. owns 20 per cent of all machine tools in the country. These basic statistics make it clear that intelligent policies in reference to this enormous reservoir of government-owned property will be necessary if baleful effects on private industry are to be averted."

Offshore procurement under the military assistance program is to be increased so as to build up production sources for ammunition and other military supplies that will make it less necessary to depend on cargo haulage from the U. S. across a submarine-infested Atlantic, another Defense department spokesman says. Offshore buying of such military end-items has averaged about 15 per cent of the available funds for purchasing, the remaining 85 per cent being for procurement in the U. S. There is to be a slight increase above 15 per cent for offshore procurement on the basis of present planning. Such offshore buying came to $600 million in fiscal 1952, is $1.4 billion in fiscal 1953 and is to be $2 billion in fiscal 1954.

New Tax Procedure?

Uncertainty continues as to what tax treatment to give industrial equipment under lease. The tax problems arise primarily in identifying the transactions as leases or as sales and in determining the rights of the parties to depreciation deductions.

Working with the Machinery & Allied Products Institute, the Bureau of Internal Revenue is studying the establishment of clear-cut rules or preclearance procedure which would permit leases to be made without the uncertainty as to a future adverse tax determination. So far that has been impossible.

"However," says Norman A. Sugarman, assistant commissioner, "progress has been made in defining the major issues which could be resolved by rulings, which in turn would provide a framework within which industry itself could determine the tax consequences of its industrial equipment leasing arrangements."

Heavy Press Program Cut Back

THE AIR FORCE's heavy press program lost seven presses last week.

The accompanying table indicates the ten units that still remain in the program, together with those that have been eliminated.

Chain Reaction—The effects of the cutback in a program that was to have cost $389 million will be felt by far more than just the companies that were to build and use the units involved in the change. The builders' subcontractors will also be hit, including such firms as U. S. Steel Corp. and Bethlehem Steel Co., which supplied both heavy forgings and die blocks; Midvale Co. and Erie Forge Co. which supplied forgings and A. Finkl & Sons Co. and Heppenstall Co. which supplied die blocks. Many other suppliers of components, cranes and additional equipment are likewise affected.

The Air Force says the move was made for two reasons: Too many presses were being built; and some technical and developmental problems remained unsolved regarding the presses cancelled. The partially completed presses that are involved in the cutback will be stored.

Program Still In Effect

	TONS	BUILDER	LOCATION	OPERATOR	LOCATION
FORGING PRESSES	50,000	Loewy	New York	Wyman-Gordon	North Grafton, Mass.
	35,000	Loewy	New York	Wyman-Gordon	North Grafton, Mass.
	50,000	Mesta	Pittsburgh	Alcoa	Cleveland
	35,000	United	Pittsburgh	Alcoa	Cleveland
EXTRUSION PRESSES	8,000	Loewy	New York	Harvey	Torrance, Calif.
	8,000	Loewy	New York	Reynolds	Phoenix, Ariz.
	8,000	Loewy	New York	Kaiser	Halethorpe, Md.
	12,000	Loewy	New York	Curtiss-Wright	Buffalo
	12,000	Lombard	Youngstown, O.	Reynolds	Phoenix, Ariz.
	13,200	Schloemann	Germany	Alcoa	Lafayette, Ind.

Program Cancelled

FORGING PRESSES	35,000	E. W. Bliss	Canton, O.	Kaiser	Newark, N. J.
	25,000	E. W. Bliss	Canton, O.	Kaiser	Newark, N. J.
	35,000	United	Pittsburgh	Harvey	Torrance, Calif.
	25,000	Baldwin	Philadelphia	Harvey	Torrance, Calif.
EXTRUSION PRESSES	20,000	Loewy	New York	Alcoa	Lafayette, Ind.
	20,000	United	Pittsburgh	Harvey	Torrance, Calif.
	8,000	Loewy	New York	Kaiser	Halethrope, Md.





Gray Iron Casters Continue Strong

Despite high production rates in recent years, casters look hopefully for new methods and techniques to widen the applications of their products

GRAY IRON casters expect to mold another good year in 1953.

A glance at the chart above shows that they are going over the 12-million-ton mark again this year. Donald Workman, executive vice president of the Gray Iron Founders' Society Inc., Cleveland, says they may even come close to the 12,860,000 tons produced in 1952. First quarter shipments back up that statement, running 35,000 tons over first quarter of last year.

High Rate—The society's April operating rate of 88.2 per cent (based on the average monthly production of the first six months of the peak year of 1951) is holding at first quarter rates, and May promises to be another good month. Production is expected to drop during the third quarter vacation period, but it should return to fairly high levels in the fourth quarter.

The five-day workweek is general throughout the industry, although some shops on the West Coast, where business is brisk at the moment, are going six days a week. There are scattered reports of three and four-day weeks.

Crystal Ball—What will happen in the future is largely dependent, like so many other industries, on the automakers, chief civilian users of gray iron castings.

The defense program has little effect on the industry, because less than 5 per cent of gray iron castings go to direct defense uses.

As Steel Goes—Another indication of what might happen to gray iron is steel production. Historically, the gray iron industry has maintained a 5-to-1 ratio with steel.

To maintain present level of production for long, foundrymen will have to find some new business someplace. Many shops are whittling away at what once was a substantial backlog. At present, the national average backlog for job shops is 1½ months.

Whether it is from a desire to find new business or simply industrial evolution, techniques of production are being developed to improve properties of the iron, dimensional tolerances of castings and casting surfaces in an effort to extend the already wide range of gray iron uses. Most of the developments, says C. O. Burgess, technical director of the Gray Iron Founders' Society are still too recent to evaluate with accuracy.

Years of Progress—Mr. Workman says that the past 10 years have seen more of this development than any other similar period in the industry's history. He points out that foundrywork is still a skilled craft, but each new development brings it a step forward in modernization.

In a sense, he says, foundrymen are being forced into some degree of mechanization in order to survive. Skilled foundry labor is tight and expensive, and there are no prospects of a letup. Over the past two years, about 150 gray iron foundries have dropped out of the picture in the battle for survival—and that during a period of lush business.

Signs of Optimism—However, foundrymen are not being pessimistic when ordering new equipment and repairs. New orders for equipment in March exceeded February by $639,080 and totaled almost $2.4 million.

More Stations for TV

Grants, authorizing the construction of four new television stations, have been made by the Federal Communications Commission. Recipients are the Patroon Broadcasting Co. Inc., for channel 23 in Albany, N. Y.; Star Broadcasting Co. Inc., channel 15 in Rochester, N. Y.; Van Curler Broadcasting Corp., channel 35 in Schenectady, N. Y., and Fisher's

Blend Stations Inc., channel 4 in Seattle.

With these authorizations there has been a total of 362 grants issued by the FCC in the past year. Before that time a ban on construction was in effect.

Inland Fleet Bolstered

Construction of 958 inland waterway vessels has been completed this year or is planned to start before year end, the Defense Transport Administration announces. Some 71 shipyards report that 223 vessels for inland waterway use were completed during the first quarter of 1953. Another 244 were under construction on Mar. 31, and 491 were under contract.

DTA is aiming for an expansion goal or 1000 vessels a year for the inland waterway fleet. Since Jan. 1, 1950, 2223 ships have been completed. Steel shortages cut into production in 1951 and 1952.

Dry cargo barges make up the bulk of vessels constructed in the first three months of 1953. Some 158 of that type were completed, while 21 tank barges were constructed. Tugs made up 30 of the ships completed. Seven were towboats and seven miscellaneous non-self-propelled vessels.

Non-Communist Pledges Banned

If you demand a contract clause which requires each union representative of your workers to file a non-Communist affidavit with your company, you may be violating the Taft-Hartley Act.

So ruled the National Labor Relations Board, which held that such a demand by the Square D Co., Detroit, a maker of electrical equipment, was a subterfuge to avoid bargaining with Los Angeles members of United Electrical Workers, an independent union expelled from the CIO in 1949 for pro-Communist leanings.

The five-member board said that the union's officers had already filed a non-Communist affidavit, a step required by Taft-Hartley before a union can receive NLRB assistance. In the above instance, the board said, the company was simply acting in bad faith by demanding non-Communist pledges by each union representative.



Industrial Marriages

More firms rush into ties that bind

MERGERS are news these days.

Many of the current deals are the results of long-term planning, only now come to fruition. Others, producing a merger bulge, are results of contemporary conditions.

Moving Reasons—Behind most of the current mergers of metalworking companies is one of these four motivating conditions:

1. Companies wish to fill out or augment product lines to better their competitive position.

2. Companies want to get additional production facilities or engineering experience without waiting to develop them within their own organization.

3. Companies wish to reduce the number and amount of subcontractors and subcontracting.

4. Companies are taking advantage of legal quirks in tax laws.

Examples of the first condition: Micromatic Hone Corp., Detroit, machine tool builder, purchased Diesel Engineering & Mfg. Corp., Chicago, producer of fuel injectors. Wood Shovel & Tool Co., Piqua, O., maker of shovels, spades, scoops, augers, etc., purchased the physical assets and wheelbarrow production facilities of Kilbourne & Jacobs Mfg. Co., Columbus, O. Parker Aircraft Co., Los Angeles, subsidiary of Parker Appliance Co., Cleveland, acquired Proof Industries Corp.'s complete line of aircraft hydraulic directional control valves along with Proof's order backlog of these products amounting to about $1 million.

Salem-Brosius Inc., Pittsburgh, illustrates the second motivating condition in its acquisition of American Cladmetals Co., Carnegie, Pa. "The purpose was to get proper plant facilities," says John Wickwire, vice president and secretary of Salem-Brosius.

Reduce, Not Eliminate — Those two reasons for mergers are old and familiar, but the last two have more recent origins. Many small companies have grown to medium size during and since the last world war. They've reached a state of development where it is more economical to do more of their component manufacture for themselves, cut down on the amount of outside purchases from subcontractors. Examples, again, are not hard to find but most of these companies do not stress this reason for fear of scaring their subcontractors. The idea is to cut down on outside purchases, not eliminate them.

Finally, the financial and tax aspect lurks in the background of many present-day mergers, thanks to the temptation offered by quirks in tax laws. Probably the most outstanding example is the Kaiser-Willys merger. Willys had made money, Kaiser had lost it. By putting the two together, each got the benefit of the other's profit and loss position. Ringing another change on the same theme, Westinghouse Air Brake bought the assets of Le Tourneau for $26 million, more than the book value of Le Tourneau plant and equipment. Westinghouse will get back more than half its $26 million in depreciation deductions over the next 10 years.

Advice on Mergers

If you're considering a merger or acquisition, here's some advice from a company executive who recently went through the experience:

"We ran into unexpected trouble when we consolidated our accounting, purchasing and engineering departments in one location. Salaried workers had every conceivable reason for not wanting to move. We finally ended up with about 5 or 6 people out of 40.

"My advice is: With every possible means, let your personnel know all about your plans, keep them up to date. Treat them just like you would yourself; they have a stake in the business, too."

Welding Spurts Ahead

Sales of welding equipment will rise to $600 million in 1953, up from $572 million in 1952

HOW TO FURTHER the growth in use of welding, which has already mushroomed to 3½ times the extent of 10 years ago, brought answers last week at the American Welding Society's spring meeting and exposition in Houston.

Welding Problem — Still confronting the industry, according to F. L. Plummer, AWS president, is the shortage of engineers who understand welding sufficiently to design for welded structures. He pointed to the Houston area and the Southwest in general as being highly welding conscious.

"These people were brought up on welding," he says. "Shipping distances separating them from major steel producing areas made it imperative to save all the steel tonnage possible. Welded structures cut that weight by 10-15 per cent; consequently the fabricators of the last 20 years think mainly in terms of welding."

Growing — Sales of electrodes, equipment and gas used in welding continue to grow at a rate three times that of the rest of durable goods. The 1952 total sales amounted to $572 million as compared to $532 million in 1951. Best estimates for 1953 put the total at $600 million.

Biggest gains were registered in the arc and resistance welding fields whose sales rose 22 per cent in 1952. More than 560 million pounds of electrodes helped to spark that rise. Gas welding, which also includes cutting, remained the same despite the 1952 strike shutdown of the steel mills, big users of gas welding.

Getting Closer—Titanium dominated most of the early technical sessions. Success was reported in brazing pure titanium using metal-depositing fluxes such as silver, copper or manganese chloride. In the course of this work, an intermetallic compound, tiag, was discovered and its ductility was verified.

Other papers described spotwelding of thin-sheet titanium-carbon alloys, recrystallization welding of manganese-titanium base alloys, and inert gas brazing or soldering without flux.

Exhibit Highlights — Automatic welding continues to hold the spotlight. At first attractive because it helped fight rising costs, emphasis is steadily shifting to automatic and semiautomatic welding equipment as a means of improving weld quality and uniformity. Much interest was centered around the display of multiple electrode welding, with its very high welding current.

Resner

Sparks fly in welding equipment sales

Other big attention-getters were the automatic pipe-girth welding unit and an all-position inert gas-shielded machine for welding steel.

The Problem Is Basic

Visitors see what's new at a New York exposition on basic materials

MATERIALS RANGED from balsa wood to radioactive uranium, from 0.010-inch OD nickel tubing and hair-thin plastic laminating sheet to 3-foot diameter centrifugal castings and 7-foot long magnesium castings.

These and many other products were featured by 75 exhibitors at the first Basic Materials for Industry Exposition in New York last week.

Among The Exhibitors—Mullins Mfg. Co., Warren, O., demonstrated its Koldflo process for cold extrusion of steel. It showed cylinders with inside and outside surfaces as smooth as 50 microinches and airtight concentricity proved by plug gage. Company is adding four 3000 ton extrusion presses at Warren for use on civilian goods production by year end.

Hot spinning of steel tubing with Kentanium inserts was shown by Kennametal Inc., Latrobe, Pa. Company has also developed rod mill guide inserts of Kentanium for continuous operation that have delivered as high as 138 hours' service, where normal life is seldom longer than 6 hours.

New Alloys—A 10-inch cast steel valve body plated with only 2 mils of nickel by the recently-developed Kanigen process was presented by General American Transportation Corp., Chicago. New tin alloy materials, such as tin-zirconium and tin-titanium for aircraft use, and a tin-nickel alloy plating material said to be as durable as chromium and attractive in coloring that saves 65 per cent nickel were displayed by the Malayan Tin Bureau. Also talked about were a new high-purity, high-ductility iron powder supersoftened by successive anneals in hydrogen atmosphere, and a high-purity aluminum that takes a high-gloss finish by chemical process for jewelry use.

Atomic Energy Commission was represented for the first time at any industrial show, with its Office of Industrial Development describing materials used, products, process control and information services. It disclosed technical details of tooling innovations developed in nuclear work and announced that a reactor today can be bought and installed for as little as $200,000.

Conference—In conjunction with the show a three-day Basic Materials Conference allowed designers and engineers to consider such problems as new metals, high-strength materials, high-temperature production, atomic energy, and the all-important co-ordination necessary among materials, production, design and sales. J. J. Harwood, metallurgical division, Office of Naval Research, discussed new materials and their meaning to industry; J. C. Robinson, engineering division, Atomic Energy Commission, spoke on materials and the atomic age.

Soaring Over Cutbacks

Small companies will probably land more aircraft subcontracts despite budget cuts

SMALL COMPANIES that scan the horizon for aircraft subcontracts needn't worry much about the $5-billion cut in the Air Force budget which has been proposed for fiscal 1954.

Aircraft production is expected to continue rising steeply in the coming months, although scattered cutbacks are almost certain to occur here and there. What's more, opportunities for aircraft subcontracts in fiscal 1954 may be even more plentiful than they are today.

Unspent Dollars—Good reasons for optimism among aircraft subcontractors are shown in a joint report of the Civil Aeronautics Administration and the Bureau of the Census. The report says that the Air Force will have an estimated $23-billion carryover in funds appropriated but unexpended on June 30, when the current fiscal year comes to a close.

The great majority of the unspent $23 billion is already obligated for operating expenses, new facilities and ordered equipment. Several billions will remain unobligated, nevertheless. Unofficial estimates place this residue of funds at somewhere between $3 billion and $4 billion.

Most of the $5-billion slice is expected to come from this $3-billion to $4-billion leftover. A good portion of the rest will probably come in the form of cancellations of aircraft contracts. But aircraft contractors already have a staggering amount in unfilled orders—an estimated $18 billion, as of Apr. 1.

Bigger Rake-Off—Small business is slated to receive a higher dollar volume in subcontracts during the months ahead. That's the prediction of an Air Force team of small business "specialists," after surveying 97 large defense producers—most of them doing business with the Air Force—with current orders totaling about $15.5 billion.

These 97 large primary contractors have slated to subcontract $8.1 billion, or 52 per cent of their contracts, with an estimated $2.4 billion going to small manufacturers with 500 employees or less. In addition, $4.1 billion out of the 52 per cent slated for subcontracting is currently being examined for possible awarding to companies in the government's small business category.



Behind the Gun Mount

Some 80 subcontractors and more than 220 sub-subcontractors are participating in the manufacture of this 3-inch 50 caliber rapid-fire AA twin gun mount for the Navy. Lewis Machinery Division, Blaw-Knox Co., holds the prime contract for the gun mount

Defense Obligations Mount

The Department of Defense obligated $41.9 billion in the ten months ending May 1 and had $5.1 billion in obligational authority remaining for the final two months of fiscal 1953. Obligations in the ten-month period for durables procurement totaled $21.9 billion, with $1.2 billion remaining for the final two months of fiscal 1953. Soft goods procurement amounted to $2.9 billion, with $300 million to be obligated. Obligated for construction in the ten months: $2.1 billion, with $600 million of obligational authority remaining.

From the start of the Korean war to last May 1, the department obligated $153.5 billion, with $89.8 billion for durables, $11.1 billion for soft goods and $6.6 billion for construction.

CHECKLIST ON CONTROLS

Defense Materials System

DEFENSE CONTRACT LABORATORIES—Direction 3 to DMS Regulation 1, issued and effective June 12, 1953, provides for self-authorization procedure and priorities assistance for defense contract laboratories.

DEFENSE CONSTRUCTION—Direction 2 to DMS Regulation 2, issued and effective June 15, 1953, provides that any authorized construction schedule issued under CMP Regulation 6 bearing a program identification consisting of the letter A, B, C, D or E and a digit shall have the same status under the Defense Materials System.

Materials Orders

LABORATORIES—NPA Order M-71, giving priorities assistance to all technical and scientific laboratories, was revoked June 12, 1953, effective immediately. It is superseded in part by Direction 3 to DMS Regulation 1.

NICKEL STAINLESS STEEL — Amendment 1 of Schedule A of NPA Order M-80, issued and effective June 12, 1953, permits the use of nickel-bearing stainless steel by manufacturers of paper, paper board and pulp machinery and equipment in the production of certain parts and by manufacturers of steam-jacketed kettle interior shells, pressure jackets and fittings attached to them. Certification requirements of Section 4 of Schedule A also were amended.

ELECTRIC-ELECTRONIC — Amendment of June 12, 1953, of NPA Order M-17, effective that date, removed percentage limitations for the defense share of fixed composition resistors and rigid electrical conduit—electrical metal tubing. Manufacturers of those products are required to accept defense-rated orders as provided in NPA Regulation 2.

ALLOYING MATERIALS — Amendment of June 15, 1953, of NPA Order M-80, effective that date, removes all remaining controls over the following alloying materials: Boron, calcium, manganese, silicon, titanium (as an alloying material), tungsten, vanadium and zirconium. Direction 1 to M-80, amended concurrently, provides that requests for nickel allocations be made on a monthly basis instead of quarterly.

Controlled Materials Plan

BASIC RULES—CMP Regulation 1, basic rules of the Controlled Materials Plan, was revoked on June 15, 1953, effective July 1.

PREFERENCE STATUS—CMP Regulation 3, preference status of delivery orders under the Controlled Materials Plan, was revoked June 15, 1953, effective July 1.

DISTRIBUTORS—CMP Regulation 4, deliveries of controlled materials by distributors, was revoked June 15, 1953, effective July 1.

CONSTRUCTION—CMP Regulation 6, construction, was revoked June 15, 1953, effective July 1. It will be supplanted by DMS Regulation 2.

Windows of Washington

By E. C. KREUTZBERG *Washington Editor*

Many government officials, especially economists, think the guaranteed annual wage is desirable. But the White House will be strictly neutral when battle starts in 1954

GOVERNMENT ECONOMISTS are agog over the announced intention of the UAW-CIO to demand a guaranteed annual wage as its next major collective bargaining goal. The steelworkers want it, too, and will fight for the issue in 1954 (see p. 45).

Some U. S. officials look on guaranteed wages as desirable in that they provide greater security for the individual worker and tend toward greater over-all stability. But the government will confine its interest to staying on the sidelines in the capacity of observer.

Emphasis Recent — Government officials have not always felt that way. In 1947, when Mr. Truman was President, a guaranteed wage study advisory board was set up under the Office of War Mobilization & Reconversion and came up with an exhaustive report that dealt with the subject in all phases. It was figured that general adoption of the guaranteed wage would contribute handsomely to perpetuating postwar prosperity.

But relatively few companies embarked on the path thus outlined, and the unions were not insistent. About the only substantial result of the work was a modification by the Wages & Hours Division whereby employers with guaranteed wage systems were permitted to waive demands for overtime compensation.

Dangerous Gamble? — The big question involves the extent to which employers feel justified in assuming the responsibility of a guarantee. Or, thinking in terms of automobiles, to what extent are guaranteed wages feasible when there never can be firm foreknowledge under our type of free economy as to future trends in the volume of consumer spending for automobiles? And, to what extent could employers move in the direction of an annual guarantee without a dangerous gamble?

Following a two-day exploratory conference in Washington June 10 and 11, Walter P. Reuther, UAW president, admitted that the move "will have a significant impact upon the whole American economy," but declared that "a foundation has been laid for the committee's future work."

Competition from the U.S. . . .

Businessmen "who have reason to believe that the federal government is engaged in operations which are in competition with them" are invited to bring such conditions to the attention of the Department of Commerce.

That is what Assistant Secretary Sheaffer told a House Government Operations subcommittee which is studying the extent of government competition with private business. Mr. Sheaffer expressed the Commerce view that "as a general rule business can provide services and goods cheaper than can the government, provided that all costs, direct and indirect, are considered in arriving at the price to be charged."

Small Firms Protest . . .

Under consideration by the House Small Business Committee are protests from several small-business contractors over unusual and confusing changes in specifications during the performance of defense contracts.

The contractors reported that the changes caused cost increases which the particular services refused to absorb, thus threatening the execution of the contracts. Although legal recourse is available to the contractors in the courts, "the committee believes that a more realistic attitude on the part of the contracting agencies might have served the mutual advantage of both the contractors and the agencies in these instances."

United Press

SDPA Head Sworn In

William D. Mitchell of Denver was sworn in June 8 as administrator of the Small Defense Plants Administration. Mr. Mitchell is a World War II veteran and a member of the District of Columbia, Utah, Supreme Court bars

Seaway: Needed Urgently . . .

Steel production in Pittsburgh, Youngstown and Wheeling is "undergoing a slow economic strangulation" and badly needs the "economic stimulus which will come from construction of the St. Lawrence Seaway. Such was the testimony of William Fowler, general traffic manager, Youngstown Sheet & Tube Co., before the House Public Works Committee which is considering seaway legislation.

Economist Resigns . . .

Dr. Louis H. Bean—who came into prominence because of his insistence in the post-World War II period that the country's economic welfare demanded expansion of the steel capacity to 120 million tons annually—has severed his connection of more than 30 years as an economist with the Department of Agriculture, effective June 30. He plans to open an office in Washington as "a footloose, free-lance consultant" in agricultural and industrial problems.

dedicated to flamatic progress

in selective surface hardening

A Section of the Flamatic Chemical and Metallurgical Laboratory

Frederick V. Geier, President, in formally dedicating the new **Flamatic Heat Engineering Building,** emphasized the long-range importance of this latest advance in the continuing progress of Flamatic Selective Surface Hardening.

Many activities will be carried on in this spacious new building . . . long range heat engineering and development work, special burner and tooling projects, experimental tests on customer's parts, final run-off and inspection of completed Flamatics. A complete chemical and metallurgical laboratory and a fully equipped machine shop are also provided.

This major investment in Flamatic progress combined with the skills of an experienced sales and engineering staff, and the use of modern manufacturing facilities, can yield important dividends for you in terms of better parts, at lower cost. Investigate Flamatic application to your surface hardening operations.

flamatic

THE CINCINNATI MILLING MACHINE CO.

Cincinnati 9, Ohio, U.S.A. • CINCINNATI

MESTA
HOT STRIP MILL

DOWN COILERS FOR CONTINUOUS HOT STRIP MILLS

Mesta 80" Four-High Continuous Hot Strip Mill

Designers and Builders of Complete Steel Plants

MESTA MACHINE COMPANY, Pittsburgh, Pa.



Prefab Steel Buildings Turn Civilian

Government sales are slipping fast but civilian sales are increasing almost as rapidly for makers of prefabricated steel structures

NEED more plant or warehouse space right now?

If so, it would pay you to investigate the trend toward prefabricated steel buildings. Time-saving ease of erection and more workspace per construction dollar are two of the prefab's trump tricks.

It Adds Up—Small manufacturers and warehouse firms which have been more or less forced to use prefabricated structures for desperately needed construction since World War II find these added advantages: Prefabs are easy to expand; they can be relocated; fire hazards are minimized. Prefabs bought as temporary buildings are being found sound for use as permanent structures. Parkersburg Rig & Reel Co., Parkersburg, W. Va., reports 95 per cent of the buildings sold by it are still in use on their original foundations. The 5 per cent which have been moved are salvageable except for foundation bolts.

One industrial engineer says: "We can construct Steelox buildings (product of Armco Drainage & Metal Products Inc., Middletown, O.) for 25 to 30 per cent less than properly designed masonry structures. They also have two added advantages for us: Time saved in construction and ease of future expansion, or relocation."

Divide by Two—Stran-Steel Division, Great Lakes Steel Corp., Detroit, says its dealers can deliver a large-sized, fully-engineered, noncombustible steel structure—complete with flooring, double walls with insulation equivalent to 36 inches of masonry, the average number of windows, doors and ventilators—for approximately $3 a square foot. That's about 40 per cent less than conventional construction costs, it adds.

Manufacturers of prefabricated steel buildings include Stran-Steel, Luria Engineering Corp., Butler Mfg. Co., Steelcraft Mfg. Co., Armco, Martin Steel Products Corp., Parkersburg Rig & Reel, Dresser Mfg. Division, Dresser Industries Inc., Star Mfg. Co. and Cowin Mfg. Co.

Important Exclusions—Together the industry did about $130 million worth of business last year, will do almost as well in 1953. These figures represent the sales of the buildings only and do not include other construction costs.

That's one point the building prefabers must overcome to sell their product in the civilian markets. Customers sometimes think the prefabricated building price includes on-site construction work and finishing costs. In most cases, they don't. Other hurdles prefab makers must clear are troubles with the trade unions as to which craft has the right to erect the buildings; the rising cost of steel, which is squeezing the profit margin hard as prefabers try to stay under masonry construction costs.

Quick Glance — These troubles and declining total sales might lead the casual observer to conclude prefab steel buildings are losing favor in the increasingly competitive civilian building market.

But a closer look, separating out the government work, shows growing civilian sales for prefabs this year—$100 million in 1953, $86 million in 1952. Prefab manufacturers are confident the total will continue to rise. "Why, we're not even sure there isn't a completely new, better way to construct a steel wall. Tremendous strides have been made since World War II in pre-engineered, mass-produced steel buildings. Give us time and we'll really give the construction business something to look at."

Write-Off Certificates Issued

Office of Defense Mobilization in the two weeks ended June 3 approved certificates of necessity for 149 new or expanded facilities valued at $197.5 million. Of the 149 expansions, 56 are to be carried out in organizations designated as "small business."

Among the largest certificates issued to metalworking firms were those to Great Lakes Steel Corp., Ecorse, Mich., pig iron, $10.7 million, 85 per cent allowed; American Can Co., New York, metal cans, $2.2 million, 30 per cent allowed; Baldwin-Lima-Hamilton Corp., Eddystone, Pa., hydraulic turbine presses and diesel locomotives, $2 million, 50 per cent allowed.

Taconite Output Launched

Shipments of taconite are on the way to blast furnaces from U. S. Steel Corp.'s new Pilotac concentrating plant at Iron Mountain, Minn. The corporation's Oliver Iron Mining Division has one production line in operation, with two others nearly ready.

MERCHANT STEEL EXPORT PRICES

(in dollars per net ton)

1952	February	$143
	April	132
	September	121
1953	January	99
	February	90
	March	92
	April	92

Source: European Coal & Steel Community

Washington discussions with Jean Monnet, ECSC president (left), Henri Bonnet, French ambassador to U.S., and Franz Etzel, German ECSC member, centered on a unified Europe

Harris & Ewing

STEPPING STONES TO UNITY

Common Coal and Steel Markets in Europe

LESS THAN A YEAR has passed since the High Authority of the European Coal & Steel Community came into existence to administer the Schuman plan on Aug. 10, 1952. Yet that supranational organization now rules over the business of some 1000 firms in France, Germany, Belgium, the Netherlands, Italy and Luxemburg which are engaged in production and sale of coal, iron ore, ferrous scrap and finished steel products.

Further rapid progress is being made toward creation of two other supranational organizations: One which will provide for a commissariat of the European Defense Community; the other which will create a European political community.

Steps Toward Unity — So said Jean Monnet, president, High Authority of the ECSC, Franz Etzel, vice president, and Dirk P. Spierenburg, High Authority member, when they visited Washington early this month. The establishment of common coal and steel markets for the above six countries are regarded as only the first steps toward a fully unified United States of Europe.

The High Authority, set up by treaty for a period of 50 years, has imposed the first supranational European tax in history. This levy will raise approximately $50 million in the first 12 months, rate of taxation graduating from 0.3 per cent of the net value of coal and steel produced for the first three months up to 0.9 per cent of the net value of coal and steel produced by ECSC members after a year.

Levy Divvey—Only a small part of the income will be needed to cover the High Authority's administrative expenses. Most of it will be set aside as a guarantee of investment loans needed for expansion among members, to pay for "readapting workers to technical progress" and erecting some 50,000 housing units for workers.

Conscious of the rapidly expanding output in the U. S. and the U. S. S. R. (steel production capacity in western Europe has increased only one-fifth in the last 20 years against a two-thirds increase in the U. S. and a sevenfold increase in the U. S. S. R.), the High Authority intends pushing expansion programs. Steel capacity is expected to climb from the present 42 million tons annually for ECSC member countries to 50 million tons by 1956; coal production is slated to increase from the present annual rate of 240 million tons to 280 million tons by 1957-58. Another facet of the coal expansion: It will help reduce the dollar drain of buying American coking coal.

Immediate Aid—Of more immediate concern to ECSC are ways to combat falling steel exports and steel prices. Exports of steel for the ECSC countries dropped 15 per cent in 1952 from 1951 (see table).

Within a comparable length of time, prices of merchant steels dived from $143 per ton (February, 1952) to $92 (March, 1953), a drop of nearly 40 per cent.

Principal action of the High Authority to date is the establishment of "common markets" for

IRON & STEEL EXPORTS OF COMMUNITY COUNTRIES

(in millions of net tons)

	Pig Iron	Steel Ingots & Products
1950	1.1	7.7
1951	1.1	9.4
1952	.9 est.	8.0 est.

Source: European Coal & Steel Community

coal and steel. Eliminated are custom duties between the six countries on these products; dual pricing systems have been replaced by a single pricing system; quota systems are out; currency restrictions have been removed and transportation discrimination has been eliminated. That latter step alone has shaved assembly and shipping costs about $2 billion annually in the coal and steel industries.

Trouble Ahead—All is not easy traveling for ECSC, though. Road blocks loom ahead—cartel and government subsidy arrangements must be terminated, and necessary subsidies must be set up on a supranational basis. For example, an equalization fund will be established to permit Belgium's high-cost coal to be sold at the common-market price and at the same time pay the expense of installing improved machinery in Belgian coal mines in an effort to get their costs down. Uneconomic producers whose costs cannot be lowered through reasonable investments will be eliminated.

All that will take time; Mr. Monnet estimates it may take 5 to 7 years to get through this "transition period." But, Mr. Monnet adds: "It took the American people 7 years to progress from the Continental Congress to the Articles of Confederation, and another 8 years before your Constitution became the rule of the land. It took 3 years after your Constitution was drafted before it could be ratified by all the States . . . We Europeans have already accomplished much in a short time."

STEEL BEHIND THE IRON CURTAIN



Much of Anchan's new machinery is Soviet-made . . .



Concrete plant and rising steel hint at the project's size . . .

Soldiers lounge on a renovated blast furnace gas pipe . . .

Chinese Steel Gets a Soviet Push

Almost in the shadow of Korean fighting, the largest steel center in China, according to Soviet sources, has been under construction since the second half of 1952 at Anshan near Mukden in Manchuria. Machinery and technical assistance come largely from U.S.S.R. Although only as far north as Chicago, winter temperatures at Anshan range to 40 below zero

Specify

N-A-X
HIGH-TENSILE STEEL

DECK HINGE

for

High Strength with Excellent Cold-Forming Properties

N-A-X HIGH-TENSILE, having 50% greater strength than mild carbon steel, permits the use of thinner sections—resulting in lighter weight of products. It is a low-alloy steel—possessing much greater resistance to corrosion than mild carbon steel, with either painted or unpainted surfaces. Combined with this characteristic, it has high fatigue and toughness values at normal and sub-zero temperatures and the abrasion resistance of a medium high carbon steel—resulting in longer life of products.

N-A-X HIGH-TENSILE, with its higher physical properties, can be readily formed into the most difficult stamped shapes, and its response to welding, by any method, is excellent. Due to its inherently fine grain and higher hardness, it can be ground and polished to a high degree of lustre at lower cost than can mild carbon steel.

Your product can be made lighter in weight . . . to last longer . . . and in some cases be manufactured more economically, when made of N-A-X HIGH-TENSILE steel.

GREAT LAKES STEEL CORPORATION

N-A-X Alloy Division — Ecorse, Detroit 29, Mich.

NATIONAL STEEL CORPORATION



Specify— N-A-X ... And "MAKE YOUR PRODUCT LAST LONGER"

KEEP YOUR SCRAP MOVING TO YOUR DEALER

By FLOYD G. LAWRENCE *Detroit Editor*

Mirrors of Motordom

Automakers are none too enthusiastic about the 12-volt ignition system now being used in some high-horsepower cars. They may go to dual ignition or the magneto

DETROIT

STILL A VERY live wire indeed is the 6-volt versus 12-volt ignition system controversy.

Engineers talking ignition points at the SAE summer meeting made it quite clear that 12-volts does not constitute the best of all possible worlds and that perhaps rather than being a panacea the system is creating more problems than it has solved.

Bad Points—Take the matter of lighting. V. J. Roper of General Electric Co. points out that 12-volt headlights are inferior to their 6-volt counterpart in many cases due to the fact that the filament is thinner and longer. This means greater heat expansion and distortion in the filament when the light is on with the result that the optical setup is apt to be in misalignment with the filament. The beam-off-the-beam problem is not present in other bulbs in the car's electrical system, but in all bulbs and radio tubes the increased susceptibility to breakage of the more fragile filament makes the engineers wince. Cost increases for 12-volt bulbs are currently about 14 per cent and the differential will probably not be erased by higher volume, says Mr. Roper.

Tooling costs for the 12-volt battery are extremely high and must be passed on to the consumer, noted L. E. Wells of Electric Storage Battery Co. Currently selling at about 20 per cent more than 6-volt batteries, the 12-volt units are definitely not a high profit item for their makers. Though tooling costs are being spread over as wide a period as possible, manufacturers still find that the inherent material and labor increases of the 12-volt battery make any closing of the price gap doubtful.

Standardized—Only two types of 12-volt battery are currently being made to keep the investment down compared with 18 types which could be produced. Further, while the 12-volt battery is being built to give greater watt-hour capacity, a 6-volt battery of the same capacity would be inherently less expensive. And contrary to popular belief, of course, the 12-volt battery does not provide twice the life of a 6-volt battery.

Starting does not justify the switch to 12-volt ignition, says C. R. Boothby of Electric Auto-Lite Co. Cranking torque, despite higher compression ratios, is steadily going down and a load 50 per cent greater than the average current starting torque demand could be handled by a 6-volt battery. Generator and starter costs are not a significant factor since the units are substantially unchanged under either system. Early generator cut-in is more important for long battery life under either system than high ultimate output, he notes, but when battery loads reach 60 amps or better a shift to 12-volt ignition is indicated. In general that load has not been reached.

Costs More—The 8200 parts and 8.5 miles of copper wire in the electrical system of the average car can contain perhaps 15 per cent less copper under the 12-volt system than under the 6-volt system. However, in the final analysis 12 volts is costing Harry Horsepower about 15 per cent more than 6 volts, and that differential should remain relatively constant even though production volume increases greatly.

What then is the factor in favor of 12-volts? Basically it is the ability of the system to fire a spark under greater pressure than a 6-volt system, says H. L. Hartzell of Delco-Remy Division, General Motors Corp. Compression ratios of 7.75 or greater which demand higher voltage are in wide use as horsepower goes up.

More Current Needed—A compression jump from 6.4 to 8.5 gives a 70 per cent cylinder pressure increase at 4000 rpm and one way to get a spark across the gap under this pressure is to jump the current in the primary to 12 volts.

But though 12-volt ignition gives a lower peak value at the breaker points tending to increase point life, the general energy level is higher causing transfer and erosion. To meet this problem hot-rodders have used another idea successfully for years—dual ignition.

Alternate Ideas—Consisting of two sets of breaker points, two coils and two condensers discharging into a single set of plugs, dual ignition does the same job as 12-volt ignition, without modification of the car's electrical system, at compression ratios hovering around 12 to 1. Another idea older than the Model T is the magneto universally utilized on aircraft. That was employed by Chrysler in getting its Firepower V-8 up over 400 horsepower, once again requiring no change in the car's electrical system voltage.

Both of these devices are coming



Watch Your Fingers!

To make sure its automobile locks will stand 50,000 slams with impunity, Chrysler Corp. engineers rigged up this machine to slam three simulated car doors at once 740 times an hour

(Material in this department is protected by copyright and its use in any form without permission is prohibited)

in for close scrutiny as the whole auto electrical field begins to bear the cost of conversion to 12 volts just to fire spark plugs. It could well be that some engineers took a short circuit which is only now beginning to shock the industry.

Plastics in Autos

Another meeting of considerable interest was that dealing with plastics as automotive engineering materials. Though the average car contained only 1.5 pounds of plastics ten years ago, today that figure is over 9 pounds. Still small compared with the remaining 3500 pounds of various materials that go into an automobile, percentagewise, the growth is about 700 per cent and the trend is snowballing.

Dealing with the "pineapple" in the center of the 1953 Ford taillight, J. T. O'Reilly of Ford Motor Co. explained that in the early models this year the part was vacuum aluminum plated and lacquered. Scratches and flecks soon revealed the red plastic underneath, however, and today the taillight is made in two parts.

The major part is the red taillight lens with the pineapple protrusion cast in red plastics. The "chrome" pineapple cover is a clear plastic sleeve which is vacuum aluminum plated on interior and then given a coat of primer paint to insure opacity. The coat also serves to protect the aluminum coating which is only four millionths of an inch thick, and the sleeve is then assembled onto the taillight lens with rubber cement.

The resemblance to chrome is well nigh perfect and the method of fabrication makes the part inexpensive compared with the cost of an actual chromed sleeve of metal. The sleeves are molded on a 10-second injection, 30-second water cool and 10-second eject cycle in groups of eight. Gates and runners can be reground and remelted.

The parts are then loaded into a photographic-type vacuum plating machine where the pressure is reduced to 0.5 microns, and aluminum on tungsten filaments is vaporized by heating. Just one pound of aluminum covers 25,000 square feet to the 4 millionths of an inch required. Total time consumed by the metallizing operation is about 15-20 minutes.

Parking and dome light bezels of clear plastic have been treated in the same way to produce the appearance of a chrome bezel and medallions and steering post covers (they're no longer horn buttons) are other products of the vacuum plated plastics art. The attractiveness of many of these items has run so high that special means of attachment to discourage thievery have been developed by many firms.

Auto, Truck Output

U. S. and Canada

	1953	1952
January	612,815	424,559
February	623,793	464,577
March	752,474	525,024
April	782,453	570,464
May	685,396	542,559
June		542,478
July		226,134
August		322,755
September		595,715
October		656,767
November		548,782
December		569,715
Total		5,989,509

Week Ended	1953	1952
May 16	177,305	129,945
May 23	162,447	127,759
May 30	125,868	104,935
June 6	134,619	128,837
June 13	166,527	130,574
June 20	171,000*	129,317

Sources: Ward's Automotive Reports.
*Estimated by STEEL

But not all plastics are decorative alone, says Travis Meister of Kaiser-Frazer Corp. Among functional items are insulators, sealers and mechanical parts such as gears, cams, bushings and gaskets. Tubing, filter materials and fabrics are also made of plastics in increasing quantity.

Among the properties which nylon, for example, offers engineers are silence in speedometer gears, freedom from lubrication, long-wearing qualities, resiliency and a coefficient of friction one-fifth that of steel. The material may be readily molded and displays an ability to "roll with the punch" which eases mechanical tolerances.

Nylon, however, does have drawbacks, says Parke Woodworth of E. I. du Pont de Nemours & Co. Inc. Temperature limits are about 250 degrees F, pressure limits in bearings over 500-1500 pounds per square inch are inadvisable and molding tolerances do not hold to machining tolerances. However, in the case of the speedometer gear, cost was cut in half while the qualities of the part itself became more satisfactory.

Heater ducts on one Dodge model, battery trays and air conditioner ducts are items being considered for plastic fabrication by Chrysler, reports A. Carter of Chrysler Corp. Also a probable development by the firm is convertible tops of fiberglas which can be installed for the winter season for added comfort in blustery winds. Experimental deck lids, doors, tops and fenders built and tested by the firm showed a weight saving of 48 per cent over comparable steel components but creep, buckling and distortion must yet be evaluated for such parts ignoring the omnipresent cost bugbear.

Plastics in Dies

More facts on plastic dies were given the interested engineers by H. D. Thompson of D. G. Products Corp. Laminated face dies with a backing of steel or fiberglas cost about $2.50-$3.00 per square inch, one-fourth to one-half the cost of steel dies. Life varies acutely. One Dodge truck panel die has turned out over 57,000 pieces with minor repairs every 10,000 pieces. On the other hand, some dies have never produced more than a few sample parts before excessive abrasion destroyed their usefulness.

Among plastic dies being used by Ford Motor Co. are: An air duct die, a radiator deflector die, a valve rocker arm cover die, a dash panel insulation die and a Mercury hood die yet to be tested. A front bumper spotter made of plastic in use at Ford weighs only 71 pounds compared with the 400 pound steel spotter it replaced.

Among questions yet to be answered in the plastic die field are how small a radius can become, what is the optimum length of run and strength that can and should be engineered into a given die to do a given job.

Get HUBLEY KIDDIE TOY Detail

...get the mo$t for your Zinc Die Ca$ting Dollar!



Faithful reproduction of detail is an easily obtainable characteristic of ZINC Die Castings, exemplified by toy and scale model applications. This foot-long Bell telephone truck—by Hubley—is almost wholly assembled with the pictured ZINC Die Castings. The reasons behind this selection of metal and method should be of interest to product engineers in fields far removed from the world of make-believe.

Because of the excellent castability of ZINC Die Casting Alloys, it is possible to produce parts which follow faithfully every infinitesimal detail machined into the die casting die. Furthermore, ZINC Alloys are cast in high speed plunger-type machines with long die life assured—thanks to the relatively low melting point of ZINC. Add to this the inherent strength and excellent finishability of ZINC Die Castings and you will appreciate why Hubley utilizes them for toy production—and why they are preferred in most other fields of product engineering.

In selecting a die casting alloy there are many factors —both physical and mechanical—to be considered in addition to the base price of the metal. Ask any commercial die caster about the advantages of ZINC over other die casting metals—or write to us.

SEND FOR YOUR COPY

The New Jersey Zinc Company
160 Front St., New York 38, N. Y.

ZINC
FOR DIE CASTING ALLOYS

The Research was done, the Alloys were developed, and most Die Castings are based on
HORSE HEAD SPECIAL (99.99 + % Uniform Quality) ZINC

"R B & W took us off a *hot spot* by cold-forging this key fitting"

● *"You know how important that little fitting is, Joe,"* continued Mr. Tobin. *"It connects the oil line to this filter we* make, and it was this component that gave us one headache after another."*

"How did you clear up the trouble?" Joe asked, as he peered at the oil filter he had seen on so many cars.

"Well, these spuds, as they are called, used to be machined from bar stock. If there were checks or seams in the bar, the machining process failed to detect them. Realizing that spot checking would not eliminate our difficulty, we were forced to magnetically inspect every single spud. This magnetic inspection threw production costs out of line on such a small item. It also showed us that a sizeable part of our production had to be rejected, thus indicating that a change of the production method was necessary.

"Then one of our men thought of RB&W and it wasn't long before their engineers came up with the idea of cold-forging this fitting. Cold-forging made the spud stronger and eliminated the danger of cracking and leaking. It also made the fitting easier to weld to the filter. As a bonus, they even did away with one of the machining operations by forging a countersink at the same time they forged the fitting. Now we're getting better spuds at lower cost in less time — and we no longer need the magnetic inspection."

Maybe this sounds like a special case to you, but it puts in sharp focus RB&W's down-to-earth engineering skill, as well as our practical experience in designing and fabricating the kind of fasteners that can solve your assembly problems.

Most of your fastener requirements can be met with standard products from our stock. However, if the unusual is called for, we'll design and make it for you—as efficiently and quickly as we turned out a better spud for this filter manufacturer.

Remember — for any fastening job, it's a smart move to call in RB&W. You can count on RB&W bolts, nuts, screws, and rivets for uniform accuracy, dependability and physical properties. And you can also count on fast service from RB&W's strategically located plants at: Port Chester, N. Y., Coraopolis, Pa., Rock Falls, Ill., Los Angeles, Calif. Additional sales offices at: Philadelphia, Pittsburgh, Detroit, Chicago, Dallas, San Francisco. Sales agents at: Portland, Seattle. Distributors from coast to coast.

RUSSELL, BURDSALL & WARD BOLT AND NUT COMPANY

*Fram Corporation, East Providence, R. I.

R B & W 108 YEARS MAKING STRONG THE THINGS THAT MAKE AMERICA STRONG

The Business Trend



*Week ended June 13 Based upon and weighted as follows: Steelworks Operations 35%; Electric Power Output 23%; Freight Car Loadings 22%; and Automotive Assemblies (Wards' Reports) 20%

Automobile output will continue to sustain industrial production at present high levels. A Korean armistice may be a better tonic for business than some people have thought

AUTOMOTIVE assembly lines continue to speed the production of passenger cars.

A milestone flew by last week when the automobile industry turned out the 3-millionth car of 1953. This marker was reached with ease, for during the week ended June 13, U. S. and Canadian plants jumped their output of passenger cars and trucks a total of 31,908 units above the previous week, according to *Ward's Automotive Reports.* The combined outturn for the week totaled 166,527 units compared with 130,574 units in the week ended June 14, 1952.

Largely Responsible — Largest factor in the increased production of automobiles during the week of June 13, was the recovery of the Ford Motor Co. from the strike at its Canton, O., forge plant. With Ford planning to make up for this lost production it should not take long for the automobile industry to reach the higher output levels of a month ago. And those levels were attained even though workers at the Muncie, Ind., plant of Borg-Warner Corp. were out on strike.

Enough Incentive?—Perhaps the wage settlement in the steel industry will provide both parties in the Borg-Warner dispute with the incentive to reach an agreement. This strike is about two months old and the independents in the automobile industry are doing most of the suffering. With an end to this strike it is believed that the independents will make every effort not only to reach former levels of production but to make up for lost output. As with the big three, the independents are keenly aware of the fact that a tremendous retail market exists. The hard facts concerning demand make all the automobile manufacturers optimistic.

Future Smiles—On the other hand there are many people who feel that a settlement in Korea would result in a business tumble. It is a distinct possibility, however, that popular rejoicing following an agreement could put a smile on many a solemn face. Even a temporary feeling of exultation might bring about a loosening up of the consumer's grip on his purse. Perhaps this hold is already weakening; at least some signs point to this occurrence.

Stable Factors—Among the signs pointing toward increased consumption are the component factors of STEEL's industrial production index. The production of steel continues at near capacity and the American Iron & Steel Institute estimates that furnaces poured about 2,226,000 net tons of steel for ingots and castings during the week ended June 20. Electric energy output has been more than 10 per cent above a year ago for some time. In the week ended June 6, the Edison Electric Institute reports distribution of 8,096,330,000 kilowatt-hours of electricity. Loadings of railroad revenue freight totaled 775,489 cars during the week ended June 6, according to the Association of American Railroads. For the last eight weeks car loadings have remained near this level.

Still Strong—The high level of these bellwethers of industry is reflected in STEEL's industrial production index for the week ended June 13. During this week STEEL's indicator moved up five points from the previous week to 232 per cent of the 1936-1939 average. This is 92 points above the strike-ridden week of June 14, 1952.

Loose Purse Strings

Although consumers received more money in the first quarter of 1953 than ever before, they were spending their money at a faster



Industrial Production Index

1935-1939=100

	Total Production 1953	Total Production 1952	Iron, Steel 1953	Iron, Steel 1952	Non-ferrous 1953	Non-ferrous 1952
Jan.	236	220	287	261	249	215
Feb.	240	222	290	261	259	217
Mar.	243	220	297	262	261	218
Apr.	242	216	292	245	264	218
May	242	211	...	245	...	220
June	...	203	...	142	...	212
July	...	193	...	141	...	201
Aug.	...	215	...	241	...	212
Sept.	...	225	...	267	...	221
Oct.	...	227	...	276	...	228
Nov.	...	234	...	283	...	240
Dec.	...	235	...	287	...	245
Avg.	...	218	...	243	...	220

Federal Reserve Board



Consumer Price Index

(1947-1949=100)

	1953	1952	1951
Jan.	113.9	113.1	108.6
Feb.	113.4	112.4	109.9
Mar.	113.6	112.4	110.3
Apr.	113.7	112.9	110.4
May	...	113.0	110.9
June	...	113.4	110.8
July	...	114.1	110.9
Aug.	...	114.3	110.9
Sept.	...	114.1	111.6
Oct.	...	114.2	112.1
Nov.	...	114.3	112.8
Dec.	...	114.1	113.1

U. S. Bureau of Labor Statistics



Steel Shipments

Net Tons

	1953	1952	1951
Jan.	7,067,636	6,589,193	6,904,688
Feb.	6,533,227	6,358,293	5,776,229
Mar.	7,436,919	6,890,391	7,105,078
Apr.	...	5,922,173	6,634,510
May	...	5,947,450	6,938,708
June	...	1,250,243	6,645,897
July	...	1,413,672	5,988,574
Aug.	...	6,312,118	6,755,589
Sept.	...	6,542,147	6,207,491
Oct.	...	7,155,611	6,844,093
Nov.	...	6,647,725	6,509,048
Dec.	...	7,105,382	6,411,105

American Iron & Steel Institute



Metalworking Wages

(cents per hour)

Production Workers—Five Major Groups

1952	Prim. Mtls.	Fab. Prod.	Mach. Inery	Elec. Mchy.	Trans. Equip.
Feb.	184.1	170.5	182.8	168.1	191.4
Mar.	184.9	171.3	183.9	169.7	193.9
Apr.	183.4	171.1	183.7	169.6	192.8
May	184.1	171.8	184.3	169.7	193.6
June	183.0	171.6	184.7	170.5	194.4
July	182.0	170.0	183.8	170.2	192.1
Aug.	192.5	173.2	184.9	170.8	194.5
Sept.	199.3	176.8	187.2	172.1	201.8
Oct.	198.2	178.5	188.4	173.0	204.2
Nov.	199.8	179.6	190.2	173.3	204.7
Dec.	201.1	181.5	192.4	173.9	205.9
1953					
Jan.	203.8	181.6	192.7	175.6	203.6
Feb.	198.2	182.3	193.5	177.9	205.5

U. S. Bureau of Labor Statistics

Charts Copyright 1953 STEEL

Issue Dates on other FACTS and FIGURES Published by STEEL

Construction	June 15	Gear Sales	May 18	Ranges, Elec.	Apr. 13
Durable Goods	May 4	Gray Iron Castings	June 8	Ranges, Gas	May 18
Employ., Metalwk.	May 4	Ironers	Apr. 13	Refrigerators	May 18
Employ., Steel	June 1	Machine Tools	Apr. 27	Steel Castings	June 8
Fab. Struc. Steel	June 15	Malleable Castings	June 8	Steel Forgings	June 8
Foundry Equip.	June 1	Prices, Wholesale	June 1	Vacuum Cleaners	May 11
Freight cars	June 15	Pumps	June 1	Washers	May 11
Furnaces, Indus.	June 15	Radio, TV	May 25	Water Heaters	May 11

rate. Income, which they had full power to dispose of in any way they saw fit, reached a seasonally adjusted annual rate of $245.6 billion, according to the Office of the Economic Adviser to the President. In purchasing goods and services, consumers were spending this money at the rate of $226.2 billion. And they were buying durable goods at a faster rate than nondurables.

Sales Are Strong

Viewed from another angle, the increased purchases of goods and services provides a strong indication that sales are increasing at a faster rate than the much talked about increase in inventories. In many industries, particularly manufacturing, the inventory-sales ratios are the lowest they have been in over a year.

Savings Rise

As a result of their increased spending, the savings rate of consumers has dropped. In that connection a closer look at savings, as reported by the member banks of the Federal Reserve System, reveals that the amount of money held in time accounts is increasing at a faster rate than it did in 1952. As of May 30 there were $18,354 million in savings accounts at member banks. This is $1.1 billion more than the same deposits in January of this year. In all of 1952 the increase amounted to only $1.2 billion. Even though the savings rate has decreased, many people have managed to increase their accounts. When this money is spent it should make quite a dent in inventories.

Borrowing Reduced

The rate at which consumers borrowed money declined sharply during the first quarter. It increased $5.6 billion during 1952 and according to preliminary figures it has risen only a little over $150 million during the first three months of the year.

During 1952, commercial, industrial and agricultural loans rose $1.8 billion. The first quarter of 1953 has shown an increase of only $400 million. In the week ended June 3, according to the Fed-

BAROMETERS OF BUSINESS

	LATEST PERIOD*	PRIOR WEEK	YEAR AGO
INDUSTRY			
Steel Ingot Output (per cent of capacity)[2]	99.5	100.0	13.0
Electric Power Distributed (million kwhr)	8,245	8,096	7,126
Bituminous Coal Output (daily av.—1000 tons)	1,521	1,471	1,264
Petroleum Production (daily av.—1000 bbl)	6,390[1]	6,409	6,149
Construction Volume (ENR—millions)	$368.7	$215.2	$243.9
Automobile, Truck Output (Ward's—units)	166,527	134,619	130,574
TRADE			
Freight Car Loadings (unit—1000 cars)	780[1]	775	684
Business Failures (Dun & Bradstreet, number)	190[1]	217	175
Currency in Circulation (millions)[3]	$30,003	$29,980	$28,830
Dept. Store Sales (changes from year ago)[3]	+6%	0%	+9%
FINANCE			
Bank Clearings (Dun & Bradstreet, millions)	$16,014	$16,915	$15,108
Federal Gross Debt (billions)	$267.3	$266.7	$260.2
Bond Volume, NYSE (millions)	$16.6	$19.8	$18.5
Stocks Sales, NYSE (thousands of shares)	7,285	6,535	6,177
Loans and Investments (billions)[4]	$76.0	$75.9	$73.7
United States Gov't. Obligations Held (billions)[4]	$29.1	$28.8	$31.9
PRICES			
STEEL's Weighted Finished Steel Price Index[5]	182.82	182.82	171.92
STEEL's Nonferrous Metal Price Index[6]	224.7	224.0	223.7
All Commodities[7]	109.6	109.7	111.2
All Commodities Other Than Farm and Foods[7]	113.5	113.5	112.6

*Dates on request. [1]Preliminary. [2]Weekly capacities, net tons: 1953, 2,254,459; 1952, 2,077,040. [3]Federal Reserve Board. [4]Member banks, Federal Reserve System. [5]1935-1939=100. [6]1936-1939=100. [7]Bureau of Labor Statistics Index, 1947-1949=100.

eral Reserve Board, commercial, industrial and agricultural loans declined $146 million from the previous week. It is to be noted, however, that manufacturers of metal and metal products enlarged their loan indebtedness $13 million during this weekly period. Furthermore, with money tight, the banks are resorting to the sale of government securities to increase their loanable funds.

Better Money

With production on a high level, income and consumption increasing and loans harder to obtain, the fact that the purchasing value of the dollar in April had risen 0.4 per cent in a year is of real significance. Although, the purchasing value of the dollar is only 55.8 cents (1939=100), the rise in value means that people can buy more things.

Expect High Output

Increased production accompanied by a decline in the backlog of orders is in the offing, shows a survey by the Purchasing Agents Association of Chicago. Higher wages and transportation costs are combining to bring about higher prices. The steel wage settlement has, as was expected, brought about a general increase in steel prices. However, on looking back over the year, the fact that the previous wage settlement, even with a greater wage boost, did not result in an inflationary spiral should inspire confidence in the future of the economy.

Trends Fore and Aft

Cash dividend payments by corporations in May dropped 6 per cent below a year ago to $222 million . . . April shipments of steel barrels and drums were 200,000 below April, 1952 . . . Shipments in April of aluminum wrought products were 37 per cent above a year ago . . . Shipments of magnesium wrought products in April were 20 per cent above the previous April . . . Factory shipments of domestic water systems in April were 3390 units above the same month in 1952 . . . Over 2.1 million TV sets and 1.8 million radios have been sold to consumers in the first four months of 1952 . . . Housing starts in May were down 2600 units from a year earlier . . . Bank clearings in the week ended June 10, were 6 per cent greater than the same week a year earlier . . . Department store sales for the week of June 6 were 6 per cent greater than a year ago.

THERE'S NO DOUBT ABOUT L&I REAMERS

It's easy to choose the right reamer with the NEW Reamer Selector

It's easy to get complete specifications of all L&I Reamers in the NEW illustrated catalog

It's easy to find the exact price to you in the new illustrated NET Price List

It's easy to get complete data on reamer selection, specifications and prices, too. Mail the coupon NOW!

L&I *The Reamer Specialists*

LAVALLEE & IDE, INC.
CHICOPEE, MASS.

I'd like _____ Reamer Selectors
_____ New Catalogs _____ Net Price Lists.

Name _____ Pos _____
Company _____
Street _____
City _____ Zone _____
State _____
3

HOW TO END DAMAGED WAYS, PRODUCTION LOSSES

Sunoco Way Lubricant Stops "Jumpy Table"



Tool chatter and jumpy table are machining headaches. Too often they cause poor surface finish, failure to hold tolerances, production losses.



Tool chatter is a result of a lack of rigidity in either the machine or the set-up. It is a mechanical problem and no lubricant can lick it.



Jumpy table is a stick . . . slip . . . stick . . . slip action of the table. It is a lubrication problem. Though just as damaging as tool chatter, it is not always detected when the cause of poor surface finishes.



Extreme magnification

Sunoco Way Lubricant cures jumpy table. It contains special compounds that form a film, like the nap of a rug, on the sliding surfaces and minimize the force of both static and kinetic friction.

Why take a chance of damaging your ways? These integral parts of the base casting for your machine are difficult to refinish and costly to replace. For information about Sunoco Way Lubricant, call a Sun office or write SUN OIL COMPANY, Philadelphia 3, Pa., Dept. S-6.

INDUSTRIAL PRODUCTS DEPARTMENT

SUN OIL COMPANY

SUNOCO®

PHILADELPHIA 3, PA. ◆ SUN OIL COMPANY LTD., TORONTO & MONTREAL

Men of Industry

RICHARD G. RAY
. . . General Controls v. p.-mfg.

Richard G. Ray was named vice president in charge of manufacturing at **General Controls Co.**, Glendale, Calif.

At **Thor Power Tool Co.**, Aurora, Ill., **J. A. Hill** was made vice president and sales manager. **John A. McGuire**, chairman of the executive committee, takes on additional duties of vice president in charge of labor relations. Also elected vice presidents are **B. H. Johns** who will head rock drill sales, and **W. B. Hunn**, Los Angeles Works.

Thomas Wolfe, president, **Pacific Airmotive Corp.**, Burbank, Calif., was elected chairman of the board succeeding **Arthur C. Stewart**, resigned. **H. H. Greenwald** was appointed treasurer and assistant to the president. **Edward Farmer** was elected vice president-manufacturing.

A. C. Reppenhagen is the new president of **Mid-West Abrasive Co.**, Owosso, Mich. **L. P. Jackson** continues with the company as chairman of the board.

Kenneth V. Lutz was appointed general field manager, **All-State Welding Alloys Co. Inc.**, White Plains, N. Y. Since joining the company in 1948, he has been regional manager for 11 western states and Hawaii.

A. A. Potter, dean of engineering, **Purdue University**, LaFayette, Ind., has retired. He will devote half of his time during the next year as president of Bituminous Coal Research, and part time to consulting practice.

Frank X. Gilg was made an executive assistant in the boiler division of **Babcock & Wilcox Co.**, New York.

Norman W. Foy was elected vice president in charge of sales, **Republic Steel Corp.**, Cleveland, and **L. S. Hamaker** was made general manager of sales. Mr. Foy, former general sales manager, succeeds **J. M. Schlendorf**, who retires July 1 from the sales vice presidency but remains with Republic in a consulting capacity on sales problems. **S. A. Crabtree** and **R. W. Himes** become assistant general managers of sales. Mr. Hamaker served for a number of years as general manager of the Berger Mfg. Division and in 1942 was appointed assistant general manager of sales for Republic. Mr. Foy, during World War II, served with War Production Board as director of the steel division. He returned to Republic in 1945 and in 1951 was recalled to Washington as assistant administrator of National Production Authority.

Aircraft Metal Forming Co. Inc., Burbank, Calif., appointed **R. F. Baird** vice president and general manager and **Seibly S. Buffum** sales manager.

F. W. Thayer was made works manager in charge of foundry operations for **Gunite Foundries Corp.**, Rockford, Ill. He succeeds **C. B. Paden**, retired.

Dudley J. Kingman was made manager of the Cleveland factory branch of **Fruehauf Trailer Co. Robert E. Baxter** was appointed truck bodies and special equipment sales manager for the company.

Raymond E. Scheubel has joined the method and planning department of **General Dynamics Corp.'s** electro dynamic motor and generator division, Bayonne, N. J., as a tool design specialist. **James J. Becher** was named a sales engineer for the division at Chicago.

Phillip R. Heim was elected to the board of directors and appointed vice president in charge of manufacturing at **Vard Inc.**, Pasadena, Calif.

Motor Products Corp., Detroit, named **Berton E. Rogers**, assistant to the president, as vice president in charge of manufacturing for the automotive division. He will be responsible for manufacturing, en-

NORMAN W. FOY

L. S. HAMAKER

. . . sales promotions at Republic Steel

E. E. MOORE
. . . new post with U. S. Steel

JESSE J. BAUM
. . . supervisor, American Cast Products

CARL P. BROCKWAY
. . . heads Asbestos Mfg. Co.

gineering and labor relations in all three Detroit plants and the Marion, O., division.

E. E. Moore was appointed assistant to president and vice president, **United States Steel Corp.**, Pittsburgh. He has been corporation vice president, industrial relations-administration.

H. H. Gorrie, assistant chief engineer, **Bailey Meter Co.,** Cleveland, was appointed chief engineer, directly in charge of the company's engineering activities.

J. A. Shimmin was elected vice president in charge of operations at **Rotary Electric Steel Co.,** Detroit.

Engineering & Research Corp., Riverdale, Md., promoted **Richard M. Faulconer** to group engineer, salvage and liaison group. **Jerry Silberstein,** who organized the salvage and liaison group in 1947, was named project engineer for flight simulator production. **D. G. Lehman** was promoted to senior buyer, directing the company's electronic procurement group.

Charles F. B. Price Jr. was appointed sales engineer for wire rope products, **Columbia-Geneva Steel Division,** U. S. Steel Corp., Pittsburg, Calif.

Gordon Grand Jr. was made assistant to the president of **Olin Industries Inc.** He will be located at the New York office. The appointment is effective July 1.

Jesse J. Baum, foundry and industrial executive, was appointed supervisor of **American Cast Products Inc.,** Orrville, O., subsidiary of Hagan Corp. Mr. Baum recently completed special work on military tanks at American Steel Foundries.

William R. Patton joined **New Holland Machine Co.,** New Holland, Pa., as purchasing agent. New Holland is the farm machine subsidiary of Sperry Corp. Mr. Patton formerly was with Argus Camera Inc.

Charles W. Casgrain II and **E. E. Saperston** were named new members of the board of **Mechanical Handling Systems Inc.,** Detroit.

Charles M. Heath was appointed assistant to the director of industrial relations, **Kaiser Steel Corp.,** Fontana Works, Fontana, Calif.

Owen McWilliams was named assistant secretary, **American Machine & Foundry Co.,** New York.

Robert B. Humphrey was appointed assistant manager of the Wayne, Mich., plant and **Joseph N. Locatell** assistant manager, Metuchen, N. J., plant of **Lincoln-Mercury Division,** Ford Motor Co.

Mike Miller was placed in charge of all activities connected with joint venture work in which Kaiser Engineers Division of **Henry J. Kaiser Co.** is interested. Mr. Miller, a vice president of Henry J. Kaiser Co., has headquarters in Oakland, Calif.

Thermoid Co., Trenton, N. J., elected **Carl P. Brockway** president and director of its subsidiary, **Asbestos Mfg Co.,** Huntington, Ind. Mr. Brockway is a vice president of Thermoid and formerly was in charge of friction division manufacturing at the company's main plant in Trenton. **A. K. Runkle** was made superintendent, friction division, to succeed Mr. Brockway.

S. T. Williams, formerly manager of engineering, military division, Continental Motors Corp., was made works manager of **Rosan Inc.,** Newport Beach, Calif.

Sawhill Mfg. Co., Sharon, Pa., appointed **Arthur G. Gough** district sales manager at St. Louis.

Joseph T. Galvin was made sales manager, plastics division, **Fabricon Products Inc.** He will have headquarters in the company's general offices in River Rouge, Mich.

James E. Young and **John A. Evans** were promoted to purchasing agents of **Servel Inc.,** Evansville, Ind. Mr. Young is in charge of all custom-made parts, and Mr. Evans of all standard and miscellaneous parts. **William K. Johnson** was named subcontracts manager, and **Frank A. Kalkbrenner** was promoted to supervisor of purchasing services.

Neil F. Meredith joined **Basic Refractories Inc.,** Cleveland, as technical assistant to Dr. Max Muller, vice president-operations and engineering. Mr. Meredith formerly

Another Special by Cross



Drills and Reams Diesel Locomotive Cylinder Heads



★ 50 per hour at 100% efficiency.

★ Seven stations: one, load and unload; two, drill 13 holes; three, drill 11 holes and spotface one hole; four, drill 12 holes; five, drill two holes, core drill three holes and chamfer three holes; six, ream nine holes, chamfer six holes and form two spherical seats; seven, ream nine holes, chamfer one hole and form two spherical seats.

★ Fluid motor driven index table.

★ Construction to Joint Industry Conference standards.

★ Other features—Hydraulic feed and rapid traverse, hardened and ground ways, automatic lubrication.

Established 1898

THE CROSS CO.

DETROIT 7, MICHIGAN

Special MACHINE TOOLS

JOHN F. HALLER
. . . a v. p. of Allied Products

EDWARD G. BUSCHOW
. . . new president of Fab-Cor

STUART H. LANE
. . . American Art Works president

was ceramic engineer for the AC Spark Plug Division, General Motors Corp., where he engaged in research, production control and personnel work.

Allied Products Corp., Detroit, elected **John F. Haller** vice president of engineering, and **Eugene F. Wambold** vice president-general manager of its subsidiary, Michigan Powdered Metal Products Co. Inc. Mr. Haller was founder and president of the subsidiary company until it was acquired by Allied in 1951. Mr. Wambold joined the powdered metal company in 1952. He served previously with General Electric Co. as vice president in charge of manufacturing of Carboloy Department.

S. J. Sindeband was elected president of **Mercast Corp.**, New York. Mr. Sindeband, who advances from executive vice president, is also president of Alloy Precision Castings Co., Cleveland.

Wilson E. Arthur was made an assistant to C. R. Draney, vice president, **Bechtel Corp.**, San Francisco.

William Davies, manager of stores and materials and formerly purchasing agent for **Dominion Foundries & Steel Ltd.**, Hamilton, Ont., retired after 35 years with the company.

I. H. Nye, treasurer, **General Controls Co.**, Glendale, Calif., was elected to the board of directors of the company.

Edward G. Buschow was elected president and manager of sales engineering of **Fab-Cor Inc.**, Pittsburgh. He has been with Surface Combustion Corp. for 28 years, most recently district manager of industrial sales in Pittsburgh.

Douglas B. Martin was elected vice president in charge of sales, Amplex Division, **Chrysler Corp.**, Detroit. **Karl H. Kuhlen** becomes division sales manager.

Wilmot F. Wheeler Jr. was named assistant to the president, **American Chain & Cable Co. Inc.** and associate companies, with headquarters in New York. He has been with the company for the last two years, on special assignments.

WILMOT F. WHEELER JR.
. . . new post with American Chain

Stuart H. Lane, formerly vice president, was elected president and general manager, **American Art Works Inc.**, Coshocton, O., producer of advertising metal signs and displays.

Edgcomb Steel Corp., Hillside, N. J., appointed **John J. McGonagle** manager of steel sales.

Wayne Hill was appointed manager of the factory branch of **Trailmobile Inc.** in Los Angeles.

John T. Brown was elected president and chief executive officer of **J. I. Case Co.**, Racine, Wis. He succeeds **Theodore Johnson**, resigned as president and elected vice chairman. Mr Brown has been executive vice president since 1952.

Harold J. Mink was appointed cost analyst and executive assistant, **Henney Motor Co. Inc.**, Freeport, Ill.

Clarence G. Rosensweig, former vice president and works manager, **Fafnir Bearing Co.**, New Britain, Conn., was made executive vice president with authority over all company divisions. **Richard F. Cooper** succeeds Mr. Rosensweig as vice president-works manager.

Harry T. Graham was named vice president, **General Refractories Co.**, Philadelphia. He was general sales manager, and he continues active supervision of the sales group in addition to his new duties. **Richard E. Longacre** was promoted to general sales manager. **Herbert F.**

Production time reduced by 53%!



(A) 6" (B) 4⅝" (C) 3¼"
(D) —1" + ± .000
(E) —1" + ± .005 (F) ⅜"



OPERATION 1 — Rough mill one side of tongue.
PROCEDURE—Offset spindle slide radius (A), set rotary head to angle (B), feed table to work-piece centerline (C to D).



OPERATION 2 — Rough mill radius section between tongue.
PROCEDURE — Rotate head from angle (B) to angle (E).



OPERATION 3 — Rough mill one side of opposite tongue.
PROCEDURE — Feed Machine table from (D) to (F).



OPERATION 4 — Rough mill end of tongue.
PROCEDURE — Feed machine saddle from (F) to (G).

PRODUCTION DATA
MATERIAL — SAE 4615.
CUTTER ¼ dia. 2 lip-HSS endmill.
SPINDLE SPEED — 600 rpm — (80 sur. ft./min.)
LOT SIZE — 25 to 50 pcs.

Rotary Head Milling Machine simplifies method, cuts costs on still another production job.

IN the production milling of this Quick Change Clamp Collar, considerable savings were effected by using a Kearney & Trecker No. 2 Model D Rotary Head milling machine. The entire milling operation on each piece required less than 16 minutes and still maintained the prescribed accuracy. Previous time was 34 minutes.

The job was done faster on the Rotary Head machine than would be possible with any other method. The radii were produced merely by offsetting the spindle slide and rotating the machine's head. The straight surfaces were milled by moving the table and saddle, both of which are independent of the head setting. Only one cutter was used in this single set-up. Think of what this means not only in this job, but also in terms of increased range of operations for other work.

Get the Rotary Head Milling Machine Production Idea Booklet. It contains several examples of how this method has been found exceptionally efficient in solving production problems. It's yours for the asking. Write Kearney & Trecker Corp., 6784 W. National Avenue, Milwaukee 14, Wisconsin.



OPERATION 5 — Rough mill second half of inner contour.
PROCEDURE — Repeat Operations 1 through 4, working area to be in the lower half of opening.

OPERATION 6 — Finish mill 4¾" dia., end of tongues to 3¼" dimension and width of tongues to 1" + .000 —.005.
PROCEDURE—Reverse sequence of Operations 1 through 5.

KEARNEY & TRECKER
MILWAUKEE
MACHINE TOOLS

pick the stainless that fits best

When selecting stainless steel be sure you pick the correct type for your particular application. For some grades resist corrosion better . . . others have superior heat resistant properties. Some are easier to machine . . . still others can be more readily formed or welded.

In every case there is a grade of Crucible REZISTAL Stainless Steel that is best suited to the job. And to help our customers select the type that will provide the best service for the lowest cost, we make available all the design, metallurgical, fabricating and application data we have accumulated in our years of stainless steel experience with many different industries.

Our staff of field representatives brings you the benefit of our vast technical resources. And the quality of REZISTAL Stainless Steel sheets, strip, plates, bars, wire, forgings, castings and tubing produced in our modern integrated mills is unsurpassed in the industry. When you have an application for stainless, call Crucible.

CRUCIBLE first name in special purpose steels

53 years of Fine steelmaking

STAINLESS STEEL

CRUCIBLE STEEL COMPANY OF AMERICA, GENERAL SALES OFFICES, OLIVER BUILDING, PITTSBURGH, PA.

STAINLESS • REX HIGH SPEED • TOOL • ALLOY • MACHINERY • SPECIAL PURPOSE STEELS

LAURENCE C. JOHNSTON
. . . Brown Fintube v. p.

CHARLES W. CRAVENS
. . . Republic's open-hearth supt.



R. B. ATTRIDGE
. . . heads Ainsworth Mfg. div.

Greene, formerly works manager, was made a vice president, and **Gordon C. Fay** succeeds to the former position.

Brown Fintube Co., Elyria, O., appointed **Laurence C. Johnston** vice president. He continues to manage sales of heat exchangers and other Brown Fintube heat transfer equipment in the eastern territory with offices in New York. He joined Brown Fintube in 1949.

Appointments in the aviation gas turbine division, **Westinghouse Electric Corp.,** Philadelphia, include **Hewett R. Arnold** as assistant division manager; **Thomas A. Daly** as manager of technical operations; **Joseph F. Chalupa** manager of manufacturing for the South Philadelphia plant; **James W. Fatkin** assistant to the division manager; and **Vincent Gordon Jr.** assistant manager of production.

Charles W. Cravens was named open-hearth superintendent of **Republic Steel Corp.'s** Cleveland steel plant. He is succeeded as assistant superintendent of the open-hearth and electric furnace shop at Republic's South Chicago plant by **Erwin F. Franzen.** Mr. Cravens succeeds **Robert P. Carpenter,** recently appointed superintendent of the company's Massillon, O., plant.

Named assistant traffic managers of **Republic Steel Corp.,** Cleveland, are **Russell R. Clark** and **Charles F. Persch.**

R. J. Loskill, formerly manager, sales training division, was advanced to manager of sales development division, **Caterpillar Tractor Co.,** Peoria, Ill. He is replaced by **W. E. McCoy** who was assistant sales manager, central sales division. **J. G. Thacker** replaced **W. F. Jordan,** resigned, in the eastern division as assistant sales manager.

R. B. Attridge was appointed head of the manufacturing engineering division, **Ainsworth Mfg. Corp.,** Detroit. He has had previous experience in manufacturing engineering, having been with Budd Co. for 15 years and prior to that with Lustron Corp.

New officers announced for **Cambridge Wire Cloth Co.,** Cambridge, Md., include **Clarence E. Pink** as chairman of the board and chief executive officer. He is succeeded as president by **Edward N. Evans,** formerly vice president and general manager. **Irvin F. Pink,** formerly executive vice president, is now senior vice president. **Fred L. Hooper** becomes executive vice president, **Harold E. Pink** secretary and **Nina E. Pink** treasurer.

Harold W. Faint was made Chicago district sales manager for the metal finishing division of **Frederic B. Stevens Inc.**

OBITUARIES . . .

R. Leslie Beattie, 62, vice president and general manager of Canadian operations of **International Nickel Co. of Canada Ltd.,** Toronto, died June 10.

Harold E. Russell, 53, assistant sales manager, **A. Schrader's Son Division,** Scovill Mfg. Co. Inc., Brooklyn, N. Y., died June 11.

Frederick C. Teuteberg, 52, treasurer, **United States Steel Supply Division,** U. S. Steel Corp., Chicago, died June 12.

Joseph A. Pardi Sr., 68, president, **American Seal & Stamp Co.,** Chicago, died June 12.

Gail E. Barr, 56, superintendent of the Natrona, Pa., plant, **Pennsylvania Salt Mfg. Co.,** died June 6.

Harry I. Askew, 62, Detroit district manager, Universal Division, **Universal-Cyclops Steel Corp.,** died May 31.

Jack H. Steckla, 36, general superintendent, **Pittsburgh Forgings Co.'s** Jackson, Mich., plant, died June 1.

Benjamin W. Sprau, 64, assistant sales manager, **Erie City Iron Works,** Erie, Pa., died June 6.

Harry J. Kelly, former vice president, **Dominion Iron & Steel Corp.,** died June 6 in Sydney, N. S.

Stephen P. Foster, 65, former economist, **Norton Co.,** Worcester, Mass., died May 26.

Payoff on Improvements

De Laval puts full steam behind modernization, raises productivity 16 per cent

PUMPING MONEY into capital improvements at the highest rate in five years, De Laval Steam Turbine Co., Trenton, N. J., is demonstrating its belief that capital goods producers have little cause for business pessimism.

It's also setting a good example for its customers—basic industries ranging from blast furnaces to shipbuilding use De Laval's turbines, centrifugal pumps, speed reducers, blowers and compressors. Deliveries by the company this year will be higher than last, though incoming orders have slowed down a bit and backlog is beyond its crest, reports J. P. Stewart, president. Key suppliers of components are generally filled up with work, particularly those producing alloy castings, steel forgings and weldments.

On the Go—Embarked on an ambitious engineering program, De Laval follows a philosophy of preparing for the future by developing new products and processes and improving existing ones. One result of the program: Company productivity—dollars shipped per direct labor hour—was stepped up 16 per cent last year. Significant recent developments of the company include a centrifugal compressor for gas pipelines and a high pressure turbo-supercharger for diesel engines.

Located in the booming Delaware river valley, De Laval has passed the peak of the labor shortage successfully. One device employed is an incentive system for direct hourly workers. Another is recalling of retired machinists as instructors for in-plant training programs. Number of old hands in use is shown by this statistic: Ten per cent of the company's 2100 employees are members of its 25-year club.

A Look Ahead—The new administration's "enlightened attitude toward depreciation," tax reform and reduced spending will be stimuli for capital goods people, says Mr. Stewart. Like a lot of industry men, he welcomes the fact that "we're back in a buyer's market and will have to sell our wares. This will separate the men from the boys quickly." Will a truce hurt business? Mr. Stewart speaks for all capital goods producers when he sums up: "God help us if we have to depend on Koreas to keep going."

Brown-Wales Builds Warehouse

Brown-Wales Co., Cambridge, Mass., constructed a second warehouse, immediately adjoining the one completed in 1950. It is devoted to plates exclusively.

Lawn Mower Plant Moved

Pennsylvania Lawn Mower Division, American Chain & Cable Co. Inc., moved to a new plant on Stevens lane, Exeter, Pa.

Tool Steel Firm Names Agent

Columbia Tool Steel Co., Chicago Heights, Ill., appointed A. J. Rod Co. Inc., Houston, as sales representative in the Texas territory.

Screw Products Firm Expands

H & H Screw Products Inc., Buffalo, is constructing an addition to double the size of its plant. The firm also is spending about $75,000 for new equipment at once and plans to spend another $45,000 during the rest of the year. Samuel D. Horowitz is president.

Graver Tank Opens Texas Plant

Graver Tank & Mfg. Co. Inc., East Chicago, Ind., established a plant at Odessa, Tex. This fabricator of steels and alloys is an important supplier of process and storage equipment for the petroleum and chemical industries.

Industrial Tape Changes Name

Industrial Tape Corp., New Brunswick, N. J., manufacturer of pressure sensitive tapes, changed its corporate name to Permacel Tape Corp.

Birkenstock Heads Association

J. M. Birkenstock, general manager of Green Fuel Economizer Co. Inc., Beacon, N. Y., was elected president of National Association of Fan Manufacturers Inc., Detroit. R. A. Wasson, vice president and general manager of Clarage Fan Co., Kalamazoo, Mich., was elected vice president of the group. L. O. Monroe is secretary-treasurer of the association.

Thor Buys Enameling Firm

Thor Corp., Chicago, acquired Century Vitreous Enamel Co., that city, and will operate it as a wholly-owned subsidiary. Officers of the



Wide World

Tank Tilter Aids Welding

Fixtures like this, which t'lt an entire tank hull to the best work position, help simplify the job of making 49-ton Army tanks at a plant in Grand Blanc, Mich. Here a worker prepares to arc weld a spot on the hull of a tilted tank

When you use a power drive which is an assembly of motors, pulleys and belts, chains and sprockets, gearing, speed reducers, etc., you waste time and money in purchasing, handling and assembling these various units into the final drive.

Master power drives designed as complete units with component parts matching size for size and rating for rating offer you considerable saving in space and money . . . especially in the larger sized units.

So don't put up with "make-shift" assemblies when you can select from Master's broad line, standard units which easily combine to give you the RIGHT horsepower, the RIGHT shaft speed, the RIGHT features in one compact unit that you can use RIGHT where you want it.

Use the RIGHT power drive to increase saleability of your motor driven products . . . improve the economy, safety, and productivity of your plant equipment. That's the horsesense way to use horsepower.

BIG ones too

THE MASTER ELECTRIC COMPANY • DAYTON 1, OHIO



MASTER

ELECTRIC MOTORS

1/8 TO 400 HORSEPOWER

Taconite Mining Speeded

Jet-piercing machine, used to mine Mesabi taconite ores, makes holes much faster than steel churn bits previously used. Flaming gases disintegrate the rock to bore the hole. An International stake truck, shown with the machine, transports fuel

subsidiary are: G. N. Sirovy, president; H. C. Buckingham, vice president; V. F. Melin, secretary-treasurer; A. M. Krause, assistant secretary-treasurer.

Tool Firm Names Representative

Alpha Tool & Supply Co., Closter, N. J., importer of British-made machine tools and manufacturer of self-setting clamps, appointed Geo. A. Rieke Co., Chicago, as its representative.

American Lava Changes Hands

Minnesota Mining & Mfg. Co., St. Paul, purchased American Lava Corp., Chattanooga, Tenn., and will operate it as a wholly-owned subsidiary. American Lava produces electrical insulating material, crucibles, nozzles and chemical-resistant fittings.

Buffalo Ore Dock Closed

Pennsylvania Railroad ore dock in the Union canal, Buffalo, has been closed following use by Bethlehem Steel Co. as an ore storage point for nearly 20 years. The contract between the railroad and its operating corporation, Erie Coal Dock Co., has been terminated by Bethlehem. There was no indication as to what disposition would be made of the property which has a valuation of $1,420,740, including equipment.

Triangle Steel Opens Plant

Triangle Steel & Supply Co., Los Angeles, opened a plant and warehouse at Bandini boulevard and Downey road. Alan F. Zalk is manager.

What an Incentive!

ONE year's vacation with pay is in store for employees of Hedco Mfg. Corp., Chicago, manufacturer of radios and phonographs. They will be eligible for this benefit after every ten years' service.

Since all employees were hired in 1951 when the company moved to Chicago from Mt. Vernon, N. Y., none will be eligible for at least eight more years. But in the meantime they can enjoy their annual vacations of one to two weeks, as well as prospects of a year-off-with-pay period.

The provision is contained in a contract negotiated by officials of the corporation and the union, International Brotherhood of Electrical Workers, AFL. The union hopes to win the same terms in contracts with other firms.

The unique vacation program is expected to reduce turnover of employees to a minimum.

Garlock Packing Moves Branch

Detroit office of Garlock Packing Co., manufacturer of mechanical packings, moved to larger quarters at 2781 E. Grand Blvd. Status of the office was changed from that of a sub-branch reporting to Garlock's Cleveland office to that of a district office reporting directly to the main office in Palmyra, N.Y.

Duplicon Co. Enlarges Plant

Duplicon Co., Westboro, Mass., is constructing a plant addition. The firm turns out stamped parts for electronics equipment and machinery makers.

New Frit Developed

Du Pont product for coating aluminum will be made and sold by Ferro Corp.

FERRO CORP., Cleveland, large supplier of porcelain enameling frits, will manufacture and sell a new frit especially developed by E. I. du Pont de Nemours & Co. Inc., Wilmington, Del., for the coating of aluminum. Du Pont researchers have developed a method of meeting the lower melting requirements of aluminum enamel coating—about 1000° F as compared to standard frits, used on steel, which are processed at around 1500° F.

Many new architectural and industrial uses for porcelain enamel aluminum will open up as the metal acquires wider availability, C. D. Clawson, Ferro president, believes. "New needs for ceramic coatings for colors, corrosion resistance, abrasion, thermal shock, impact and flexing, as well as ease of fabrication already have been expressed widely by builders and industrialists," he says.

Torrington Renames Division

Torrington Co., Torrington, Conn., renamed its division in Coventry, England, Torrington Co. Ltd. Formerly known as Coventry Swaging Co. Ltd., the division makes bicycle, motorcycle and automobile spokes; sewing machine needles; nuts, bolts, screws and other machine parts. The Torrington needle bearing is also produced in Coventry for users in the British territory.

Grants Iron Prospecting Rights

Premier Duplessis announced the Quebec government has adopted an order in council giving Fenimore Iron Mines Ltd., Montreal, prospecting rights in the LacAux Feuilles area, on the west coast of Ungava bay in northern Quebec.

The lake is some 80 miles north of a 200 square mile area in the Larch river district where Fenimore geologists "have proved 566 million tons of iron ore."

The Fenimore holdings are more than 200 miles north of Knob lake, center of Iron Ore Co. of Canada's

(*Please Turn to Page* 79)

COMPLETE ... IN 38 OPERATIONS





... in ONE TURRET CYCLE



with a 5D-2 Powerflex TWO-SPINDLE Automatic Turret Lathe plus P&J TOOLING



Looking for production geared to today's demands for increased output at lower costs? You'll find the answer in a P&J 5D-2 Two-Spindle Automatic . . . with P&J Tooling that makes the most of this machine's great production potential.

Two spindles give far greater output than the best obtainable from single spindle machines; initial costs, power consumption, floor space and operator attention are all much less than that required by two single-spindle machines. The result is **cost-cutting performance.** One of these malleable iron rollers is completed every **4.04 minutes — floor-to-floor time!**

Get complete information about doing your tough, costly jobs the fast, economical P&J way. Send for your copy of 5D-2 POWERFLEX Bulletin 123 — or ask P&J Engineers to submit tooling recommendations based on your own prints or sample parts.

POTTER & JOHNSTON CO.
PAWTUCKET, RHODE ISLAND
SUBSIDIARY OF
PRATT & WHITNEY
DIVISION NILES-BEMENT-POND COMPANY

P&J

WRITE DIRECT OR CONTACT YOUR NEAREST PRATT & WHITNEY BRANCH OFFICE
BIRMINGHAM • BOSTON • CHICAGO
CINCINNATI • CLEVELAND • DETROIT
LOS ANGELES • NEW YORK • PHILADELPHIA
PITTSBURGH • ROCHESTER • ST. LOUIS
SAN FRANCISCO
EXPORT DEPT., PAWTUCKET, R. I.
AGENTS: DALLAS, THE STANCO CO.
HOUSTON, WESSENDORFF, HELMS & CO.

SAVES • SPACE • TIME • MONEY . . . by multiple fabrication operations

"Buffalo" UNIVERSAL IRON WORKER



- PUNCHES
- CUTS (bars, angles)
- SHEARS • COPES • NOTCHES

Why give space to five machines to do the operations above, when this one machine can do them all? And it can handle up to three operations at once! Think of the space, time and money this powerful, versatile machine can save in your shop. Write for Bulletin 360D and see the five models available to speed up fabrication on your angles, tees, flats, channels, rounds and squares!



Cutting a 3 x 3 x ¼" angle.



Slitting a ⅜" tee.

"Buffalo" MACHINE TOOLS

BUFFALO "Buffalo" FORGE COMPANY

158 MORTIMER STREET BUFFALO, NEW YORK

Canadian Blower & Forge Co, Ltd., Kitchener, Ont.

DRILLING PUNCHING CUTTING SHEARING BENDING

(*Continued from Page 76*)
multimillion dollar development. The premier said the Fenimore company plans to find an "appropriate site" to build a plant to process the ore.

Dow Plans Expansion Abroad

Dow Chemical International Ltd. and Dow Chemical Inter-American Ltd., export subsidiaries of Dow Chemical Co., Midland, Mich., established sales offices in Zurich, Switzerland, and Montevideo, Uruguay, respectively. This marks initial step in an overseas expansion program. Other offices will be established around the world as rapidly as conditions permit.

Bullard Moves Cleveland Office

Bullard Co., Bridgeport, Conn., machine tool manufacturer, moved its Cleveland district office to 16828 Kinsman Rd., Shaker Heights, O.

Standard Buys Los Angeles Firm

Cooper Precision Products, Los Angeles, manufacturer of hex-head and special bolts for the aircraft industry, becomes on July 1 a wholly-owned subsidiary of Standard Pressed Steel Co., Jenkintown, Pa. Both companies will continue to operate independently. Harry S. Cooper continues as president of Cooper Precision Products. Standard makes socket-head screws, dowel pins and pressure plugs, locknuts, spring pins, power transmission equipment, collars, shop equipment, factory trucks and screw machine products.

Flame Hardening Plant Opened

Detroit Flame Hardening Co. opened its plant at 17644 Mt. Elliott, Detroit. Its former plant at 116 Manchester, Highland Park, Mich., is now devoted wholly to research and development projects. The firm applies flame hardening and induction hardening to ferrous metals.

Tool Firm Building Plant

E. B. Wiggins Oil Tool Co. Inc., Los Angeles, is constructing a plant at 205 Pasadena Ave., South Pasadena, Calif., for manufacture of couplings for aircraft and industrial use. G. A. Pierson is vice president and general manager.

Power Shovel Firm Names Agent

Marion Power Shovel Co., Marion, O., appointed Tractors Inc., Providence, R. I., as distributor of its excavators and similar products.

Army To Get Million-A-Day Printing Units

Presses, designed by American Type Founders Inc., Elizabeth, N. J., for United States armed forces, are shown being tested in the firm's Mt. Vernon, N. Y., plant. These machines, capable of printing over 1 million leaflets per day, are part of completely self-contained, self-sustaining mobile printing plants characterized as "the latest development in psychological warfare"

McInnes Steel Expands

Addition will increase size of plant by 66 per cent. Cost estimate is $150,000

MAJOR expansion program has been announced by A. Bruce Smith, president, McInnes Steel Co., Corry, Pa. The project will increase the size of the plant by 66 per cent.

Actual construction will start soon and is scheduled to be completed in August. The plant addition, at an estimated cost of $150,000, will be placed to the south of the present forge shop. To facilitate movement of steel, the building will be equipped with two overhead cranes.

The building will contain the machine shop as well as the heat treating, sand blasting and shipping departments.

Construction contract was awarded to Rogers Structural Steel Co., Corry, which also will supply the steel.

Metal Industries To Liquidate

Metal Industries Inc., Youngstown, job steel stamping firm, will be liquidated and cease business, says Harry Hynes, vice president. The company, which was organized in 1946 and built a $300,000 plant a few years ago, already has sold some of its presses.

Can Firm Extends Product Line

Continental Can Co. Inc., New York, purchased the flexible packaging business of Shellmar Products Corp., Mt. Vernon, O. This division is a leading converter of cellophane, polyethylene, pliofilm, acetate, foil, and various laminated and coated products.

Nichols Heads Association

R. B. Nichols, president and general manager of Bantam Bearings Division, Torrington Co., South Bend, Ind., was elected president of Anti-Friction Bearing Manufacturer's Association.

Scrap Dealer Enters New Field

Levene's Waste Material Corp., Binghamton, N. Y., scrap metal dealer, will enter the new steel business soon. The company will

Wide World

Prairie Skyscraper

Model of 18-story buidling, designed by Frank Lloyd Wright for H. C. Price Co., Bartlesville, Okla., has the architectural world agog. Ornamental treatment of the steel, copper, concrete and glass looks strange in this period of straight-lined skyscrapers

retain its present location at 18 Elizabeth St. but headquarters of the firm will move to a new location in Emma street, according to Edward Greenblott, owner.

Cleco Appoints Distributors

Cleco Division, Reed Roller Bit Co., Houston, appointed as distributors for Cleco air tools and accessories in their respective areas: R. C. Bowers Supply Co. Inc.; Montpelier, Vt.; Choate Equipment Co. Inc., Cedar Rapids, Iowa; Lewis Hardware Co., Borger, Tex.

Marquardt Aircraft Expands

Marquardt Aircraft Co. is constructing an engineering and office building and test laboratories at its plant in Van Nuys, Calif.

Plans Sulphuric Acid Plant

General Chemical Division, Allied Chemical & Dye Corp., New York, plans to build a large sulphuric acid plant at Painesville, O. Construction of another acid plant at Baton Rouge, La., was started a few weeks ago. The new Painesville plant is scheduled for operation late this year. Johansen Co., Plainfield, N. J., was awarded the construction contract.

Sylvania To Build Plant

Sylvania Electric Products Inc., New York, plans to build a $6 million plant in Batavia, N. Y., for the production of television and radio receivers. The plant will have 416,000 sq ft of floor space and is set for completion about Feb. 1, 1954. Full operation is expected by August, 1954.

Foxboro Forms Mexican Affiliate

Foxboro Co., Foxboro, Mass., organized a Mexican affiliate, Graficas e Instrumento, S. A., Mexico City. The firm was incorporated for the future manufacture of industrial instruments for measurement and control and instrument supplies.

Welding Hath Charms

ATTRACTION for welding caused a 29-year old shopbreaker to ask the police court magistrate to add 9 months to his 15-months sentence in prison. The strange request granted by the magistrate, was made by the prisoner so he could complete a welding course at the penitentiary in Stony Mountain, Man., Canada.

A. F. Davis, vice president, Lincoln Electric Co., Cleveland, reports this story, based on an Associated Press item. Mr. Davis has written many stories about men who have "rung their own liberty bell" by going into their own welding business and has just published a booklet of these stories called *"Success Through Welding."*

Lincoln Electric has operated a welding school in its Cleveland plant since 1917 from which it has graduated over 40,000 welders.

Alabama Gets $1 Million Plant

The plant which American Brake Shoe Co., New York, will build for production of an undisclosed product will be located at Calera, Ala., about 35 miles south of Birmingham in Shelby county. W. S. Fraula, operating assistant to the president, says the plant will represent an investment of about $1 million. This was reported in the May 25 issue of STEEL, page 93. However, the headline inadvertently said that Canada would get the plant.

Production Pool Organized

Small Defense Plants Administration, Washington, announced formation of a new small business production pool, known as Federated Facilities Inc., Minneapolis. The pool will seek defense contracts in the fields of electromechanical devices, drop forgings, gray iron castings up to 8000 lb, general and precision machine work, research and development, suspension assemblies for Army tanks and carriers, sheet metal fabrication, air conditioning, aircraft assemblies and components, small arms and machine gun attachments and accessories, and numerous other small metal products. Members are: Kausel Foundry Co. and Superior Plating Inc., Minneapolis; Walter Haertel Co., South Minneapolis, Minn.; Presto Mfg. Co. Inc. and Valley Forge & Car Co., St. Paul.

Thor Opens Newark Branch

Thor Power Tool Co., Aurora, Ill., will open a sales and service factory branch at 1 Tichenor Lane & Parkhurst St., Newark, N. J. The company makes air and electric power tools.

Clark Equipment Names Agent

Clark Equipment Co., Battle Creek, Mich., appointed Christy Equipment Co., Omaha, Nebr., as a dealer for Clark's fork lift trucks, powered hand trucks and towing tractors.

Robertshaw-Fulton Expands

Robertshaw-Fulton Controls Co., Greensburg, Pa., plans to expand its manufacturing facilities at St. Louis, Los Angeles, and Bridgeport, Conn. It is estimated that capacity at each of these three locations will be increased by about 50 per cent. Robertshaw-Fulton is engaged principally in the manufacture of devices for automatic control and regulation of temperatures and pressures. The company also is a large producer of bellows and bellows assemblies.

what'll you have?



Chain Belt's Got it!

Yes, whatever your requirements for power transmission or conveyor chains, Chain Belt has the exact size and type you need for most efficient, economical operations.

There is no one chain that's right for all applications...there is a *right* chain for each application. That's where it pays you to choose from the complete Chain Belt Line. You cut costs...and get the most out of your machines and conveyors. Don't take chain for granted. Check over the chain application in your plant today, and with the help of your Chain Belt Field Sales Engineer, see where you can cut costs—in chain selections.

For helpful information, mail the coupon.

REX
BALDWIN-REX

Chain Belt COMPANY OF MILWAUKEE

Atlanta • Baltimore • Birmingham • Boston • Buffalo • Chicago
Cincinnati • Cleveland • Dallas • Denver • Detroit • El Paso • Houston
Indianapolis • Jacksonville • Kansas City • Los Angeles • Louisville
Midland, Tex. • Milwaukee • Minneapolis • New York • Philadelphia
Pittsburgh • Portland, Ore. • Springfield, Mass. • St. Louis
Salt Lake City • San Francisco • Seattle • Tulsa • Worcester

Distributors located in principal cities in the United States and throughout the world
EXPORT OFFICES: Milwaukee and 19 Rector Street, New York City.

CHAIN BELT COMPANY 53-504-A
4666 West Greenfield Ave., Milwaukee 1, Wis.

Gentlemen:
Please send me information on Rex and Baldwin-Rex chains
☐ For power transmission ☐ For conveying ☐ For tension linkages
☐ Slide rule drive selector for slow to medium speeds.

Name.....
Firm.....
Address.....
City.....*Zone*.....*State*.....

Loading prefab metal sections at Bargar Metal Fabricating Company, Cleveland.

TOWMOTORS IN ACTION IN U. S. INDUSTRY

Low-Down on the Load-Up

It used to take three men five hours to load one trailer. Now, three men and a TOWMOTOR load FIVE in the time it took for one!

TOWMOTOR has *everything*—TowmoTorque, the new drive that saves shifting time and energy! Creep-Control, so you can ease in and up with loads simultaneously! Exclusive TOWMOTOR Power Steering, to save wear and tear! New "Cushioned Power" Diesels for greater power and economy! When you consider original investment plus cost of operation and maintenance, TOWMOTOR handles more tons per dollar. Write today for book on TowmoTorque and Power Steering. TOWMOTOR CORPORATION, Div. 1606, 1226 E. 152nd Street, Cleveland 10, Ohio.

TOWMOTOR
THE ONE-MAN-GANG ®

FORK LIFT TRUCKS and TRACTORS
SINCE 1919

TOWMOTOR ENGINEERED FOR QUALITY PERFORMANCE

GAMA Elects Officers

Sheldon Coleman, president of Coleman Co. Inc., Wichita, Kans., succeeds James F. Donnelly, vice president in charge of sales of Servel Inc., Evansville, Ind., as president of Gas Appliance Manufacturers Association, New York. Other GAMA officers are: First vice president, T. T. Arden, executive vice president of Grayson Controls Division, Robertshaw-Fulton Controls Co., Lynwood, Calif.; second vice president, W. F. Rockwell Jr., president of Rockwell Mfg. Co., Pittsburgh, and chairman of the board of Acro Mfg. Co., Columbus, O.; treasurer, Lyle C. Harvey, president and general manager of Affiliated Gas Equipment Inc., Cleveland.

New Armament Firm Organized

Stillman Rubber Co., Culver City, Calif., designer and producer of molded rubber products for aircraft and industrial use, and John F. Drescher, an aircraft armament engineer, have formed Microloc, to engage in research, design, and development of electro-mechanical specialties and armament equipment for use in aircraft and guided missiles. Mr. Drescher is noted for design and development of aircraft armament devices, including bombing and rocket interval controls, electric bomb racks and shackles.

Sheldon Buys Lathe Division

Cincinnati Metalcrafts Inc., Cincinnati, sold its Sebastian Lathe Division to Sheldon Machine Co., Chicago. All manufacturing operations of this division will be moved to Sheldon's plant in the latter city. This step marks the entry of Sheldon, maker of precision lathes, into the heavier geared field. Cincinnati Metalcrafts plans to devote its entire plant and productive capacity to its major business of producing industrial sheet metal products.

J. B. Wise Co. Changes Hands

J. B. Wise Co., Watertown, N. Y., producer of brass plumbing supplies, has been sold to a group headed by Sol Z. Cohen of New York city.



SIMONDS
FLAT GROUND
DIE STEEL

The Ready-to-Use Steel of 1001 Uses!

Simonds offers you a choice of OIL or AIR Hardening DIE STEEL, whichever is best suited to your requirements. Both types are made from Simonds own steel, are precision ground to a thickness limit of plus or minus .001″ and have an extra smooth surface finish of 25 to 35 micro inches. Edges and ends are square and parallel, with all scale, decarburation and surface defects removed. All sizes come individually packaged with heat treating instructions.

SIMONDS AIR HARDENING DIE STEEL

(non-deforming 5% Chrome Type) is spherodize annealed for good machinability and uniform hardenability. Its wide hardening range (1700° to 1800° F.) makes it practically foolproof in heat-treating. Stock sizes run from ½″ to 2″ thick and 2″ to 10″ wide in 36″ lengths.

SIMONDS OIL HARDENING DIE STEEL

(non-deforming Molybdenum Type) is uniformly annealed for easy machining and uniform hardening. Due to its wide hardening range (1450° to 1540°) good results are assured with even the simplest heat treating equipment. Stock sizes are available from ¼″ to 3″ thick and ⅛″ to 14″ wide in 18″ lengths. The heavier sizes also come in 36″ lengths.

Try a bar on your next job. Your Simonds Distributor carries many sizes of both types in stock — call him right now.

SIMONDS
SAW AND STEEL CO.
FITCHBURG, MASS.

Factory Branches in Boston, Chicago, San Francisco and Portland, Oregon.
Canadian Factory in Montreal, Que.
Simonds Divisions: Simonds Steel Mill, Lockport, N. Y.,
Simonds Abrasive Co., Phila., Pa. and Arvida, Que., Canada



Case of the Nine Drifting Slots

At Detroit Broach a baffling case came up recently—but it was solved in an ingenious manner.

A manufacturer found he was having considerable trouble holding close spacing tolerances on nine precision slots in the O.D. of a ring. When one slot at a time was made, the slot closed in afterward, leaving the slot undersized. This close-in made it difficult to hold spacing tolerances between the nine slots.

Detroit Broach was called in on the case, and after study, recommended that all nine slots of the nut be broached at one time. This was done on a vertical pull-down broaching machine. In contrast to common practice the work travels and the broaches are stationary in a special holder. In this manner the work is pulled through the broach holder and all nine slots are produced in one pass. Guides are incorporated in the set-up to prevent the work from drifting during the cutting operation.

This is just typical of the solutions made every day at Detroit Broach. If you have a special broaching problem, or if you would like further information on the cost saving advantages of broaching, it will pay you to contact Detroit Broach.

WORLD'S LARGEST MANUFACTURER OF BROACHES AND BROACHING TOOLS EXCLUSIVELY



DETROIT BROACH COMPANY

20201 SHERWOOD AVE. • DETROIT 34, MICH.

Production and Engineering NEWS AT A GLANCE

FINISH DISCREPANCY—Chromium plate is less passive in salt spray than in atmospheric exposure. Just what does this mean in terms of bright chrome finish specifications? Dr. Henry Brown, Udylite Corp., explained it this way at the annual convention of the American Electroplaters' Society in Philadelphia last week. Recent tests show that steel given a thin nickel plate followed by chromium does as well in the salt spray corrosion test as steel given a heavier nickel plate followed by chromium. Here's the pitfall: Results if they are used as a basis for plating specifications, will not carry over to outside use. Reason seems to be the activity of moisture collecting on plated parts in industrial areas which changes the protective properties of the chromium plate on nickel.

CAN YOU USE IT?—What is probably the smallest-size tubing ever drawn from commercially pure titanium has been produced at Superior Tube Co., Norristown, Pa. Outside diameter is only 0.0455-inch and wall thickness measures 0.00225-inch. Present uses are pretty much limited to experimental work in electrical, electronic and chemical industries. Availability of this ultra-small product will likely stimulate some fresh application ideas.

A HOT ONE—Precision control of 5000° F is the claim for a carbon resistor-type tube furnace built by Pereny Equipment Co., Columbus, O., for ultra-high temperature work in ceramic processing and fabricating. Power supply is varied from 1 to 100 per cent of connected load using either ignitron-thyratron or saturable reactor systems. Warm-up to 5000°F takes only about two hours, and the entire furnace is shut down automatically if cooling water supply to transformer or electrodes is cut off.

PLASTIC GAINS—Another trial application for reinforced plastics is aboard five new Navy minesweepers. Shortage of monel and aluminum bronze for fresh water and oil tanks forced the move, and the substitutes will be studied for possible large-scale use aboard ship. Plastic tanks are corrosion resistant, weigh 30 to 40 per cent less; and, important for minesweepers, they are also nonmagnetic. Price is expected to be competitive.

CUTTING CLINIC—Almost everyone interested in machining operations is also interested in speeding up the machining output per machine. One factor is that of keeping downtime to an absolute minimum. Another is the elimination of as much nonproductive machine time (handling, gaging, etc.) as is possible. A third is the actual reduction of the cutting time through the use of higher feeds and speeds. Jones & Lamson Co., Springfield, Vt., has done some extensive research on just what speeds and feeds are best under given sets of conditions. As a result of the tests they now talk in terms of 600 sfm instead of 300 sfm as a range for many carbide turning jobs. With a special strain-gage dynamometer the engineers at J & L actually determined the speed-feed combination which gave the best combination of forces on the cutter. Now they are launched on a program of education. Each month a group of about 20 metalworking executives goes to Springfield for a two-day session of lectures, demonstrations, plant tours and pictures. An excellent movie shows, in slow motion, the chips coming off under various cutting conditions and points up the advantages of higher speeds.

LONGER LIFE—Entry guides used at a large steel company formerly had to be replaced after handling about 40 tons of steel. They now last 4 to 5 times as long. Reason: Guides are hard faced with a one-eighth-inch deposit of a Stellite alloy. They are preheated to 700 to 800°F. before facing and are cooled in lime after the coating operation.

RHODIUM COATINGS—Vacuum technique for applying controlled-thickness rhodium coatings to nonconductive and conductive materials is being commercially tried by Serfass Corp., Bethlehem, Pa. Some of the successful applications include microscope slides, optical mirrors, telescope reflectors, glass go and no-go gages, and glass bearing surfaces. Coating thicknesses can be applied to give controlled reflectivity or transmittency within 5 per cent.

HIGH-FREQUENCY HASSLE—Satisfied users of induction heating, dielectric sealing and resistance welding equipment may be due for an unpleasant surprise if a proposed FCC crackdown takes place beginning June 30. In operation, many of these devices emit radio frequency energy upon frequencies that the FCC must keep clear of interference. Problem becomes even more acute with the advent of widespread VHF and UHF television broadcasting. Offending plants will probably receive notification to remedy the condition at once or face the consequences. At least one firm in the East has designed inexpensive screening panels that will effectively block the offending signals.

NEW PASTURES—Look for more principles of automation to be applied in the plants of electrical-equipment producers. Getting off to a fast start in the automotive field the automation builders and engineers are looking for new fields to conquer. Electrical equipment would seem to be a natural. Production is high and model changes are relatively few and far between. Both of these conditions lend themselves to minimum handling costs and, in many cases, that spells automation.

Metalworking Outlook—p. 37 *Market Outlook—p. 139*



Ductile iron casing and pump impeller

By GEORGE SORKIN
Metallurgist
Navy Dept., Bureau of Ships
Washington, D. C.

Specification For Ductile Iron

Bureau of Ships specification requires low phosphorus raw materials and a ferritizing anneal to give material with highest uniformity. Applications will continue to grow

CULMINATING over 3 years of research and development, at Naval laboratories, the Bureau of Ships has just issued MIL-I-17166A (SHIPS) covering Iron Castings of the Nodular iron type. This new specification is aimed toward obtaining castings having optimum shock resistance under shipboard operating conditions.

Already authorized for uses such as compressors, electric equipment and engine blocks, Bureau of Ships anticipates that ductile iron applications will continue to grow. Moving cautiously during the past few years, the Bureau thoroughly investigated individual equipment applications before permitting the switch from steel, bronze, malleable or gray iron.

Emphasize Control — The new specification issued April 10, 1953, is a revision of MIL-I-17166 (SHIPS) issued April 29, 1952. It points up the need for close control of raw materials, foundry techniques and heat treatment cycles. Departing from commercial method of specifying ductile iron, the Bureau of Ships specification imposes tight requirements on chemistry, mechanical properties and microstructure. Essentially, the specification is so designed as to require low phosphorus raw materials, and a careful ferritizing anneal.

Chemical Composition & Mechanical Properties Required for Nodular Iron

Carbon	3.0% minimum
Phosphorus	0.08% maximum
Silicon	2.50% maximum
Carbon equivalent of castings having sections 2 inches and over thick (C + 1/3 Si)	4.3%
Tensile strength	60,000 psi, minimum
Yield strength 0.2% offset	45,000 psi, minimum
Elongation in 2 inches	15% minimum
BHN	190 maximum

Requirements for chemical composition and mechanical properties of nodular iron castings are given in the table. Castings also receive a ferritizing anneal to produce material with highest uniformity. Heat treatment must be performed on the whole casting and never on a part only. Castings are required to be sandblasted, gritblasted or tumbled after annealing and also must be free from harmful defects.

Microstructure — Microstructure of the nodular iron castings at 50 diameters must show a matrix having a minimum of 90 per cent ferrite and no primary carbides. Laboratory tests show the advantage of low phosphorus, silicon, primary carbides and pearlite on the low temperature impact properties and transition temperature of nodular

Fatigue resistance in combination with wear resistance and relatively high, constant modulus of 25 million psi makes ductile iron an ideal material for crankshafts and other types of equipment that are subject to alternating stresses

iron. While not the ultimate that can be expected from nodular iron, the specification represents material which can regularly be expected from well controlled foundries.

Sampling—The specification requires that one sample for chemical analysis be taken from each lot. A lot consists of all castings of the same pattern or same critical section size cast from the same inoculated ladle and heat treated in the same heat-treating furnace charge, or if the heat-treating furnaces are provided with recording pyrometers, subjected to the same heat treatment.

It is recommended that drilling for analysis be done with broken test specimens. For carbon determinations, a chilled pencil type specimen is cast for each lot.

Tension Tests—Test specimens are taken from separately cast "Y" blocks of the form and dimensions shown in Figure I. Generally, the size of the coupon cast is specified by the Bureau of Ships. If the size is not specified, the size of the test block shall be related to the thickest section of the casting. At the option of the producer, the 1-inch keel block casting shown in Figure 2 may be used in place of the 1-inch "Y" block.

Test samples should be poured with the approximate last castings of the lot and should be heat-treated with the lot of castings represented. One metallographic test is made for each lot after annealing. Except for light section castings, portions of test blocks, ends of tension test specimens or sections of castings may be used for metallographic examination. In the case of light section castings when the as-cast structure can be expected to differ from the as-cast structure of the test blocks, a metallographic sample is taken from a portion of the gate, a light section from or adjacent to the casting, or from a cast-on test coupon.



DIMENSION	1 INCH BLOCK	3 INCH BLOCK
A	1	3
B	2 1/8"	5
C	1 1/2"	2 5/8"
D	4	5 3/8"
E	6	6



NOTE: LENGTH SHALL BE 6 INCHES

"Y" blocks of form and dimensions shown above are used in tension tests for new military specifications from Bureau of Ships to cover ductile iron 1-inch keel block may be used in place of the "Y" block for tension tests



Left—Surfaces to be coated must be clean. Alkaline cleaners remove soil; rich alloys are pickled in nitric-hydrofluoric acid. Spraying (center) or dipping (right) is used for application of the coating, depending on size of the part. Dipping is best for small intricate parts. Special spray guns help cover hard-to-reach areas

NEW METHODS PAY OFF FOR . . .

High Temperature Ceramic Coating

New facilities were designed and constructed solely for processing high temperature ceramic coatings. Where metals must be protected from heat, this coating offers a solution

FIRST PLANT designed and built specifically to apply a heat resistant ceramic coating to metal parts started operation a few weeks ago at Hotpoint Co. in Milwaukee.

Entire production facilities are designed especially for processing the new protective finish. Equipment for metal and coating preparation, application, drying and firing is arranged in a smooth flowing lay-out. Special equipment has been designed to process a wide variety of items, and new techniques have been developed for coating intricate parts.

Purpose of the coating: To conserve vital defense metals. Aircraft engine exhaust flames, which normally corrode unprotected metal rapidly, are held in check by the ceramic layer. Field tests show that the coating gives at least double life to aircraft components such as Turbosupercharger parts. In addition to defense uses, Hotpoint feels that future prospects for the coating in civilian applications are promising. Where metals must be protected from heat, this process offers a solution for many products in automotive, aircraft, industrial heating and in the appliance field.

Hot Firing—The ceramic material is produced in the dry form by Chicago Vitreous Enamel Products and is converted to a water suspension in Hotpoint's mill room. It is applied to parts in the liquid form by dipping or spraying, in a manner similar to that used for vitreous porcelain enamel. Coating is fused to the metal at about 1800°F, which is higher than the firing temperature for porcelain enamel. Coating is applied thin—something like 0.001-inch thick—and fuses to a hard heat-resistant surface. This thin finish provides an impervious protective layer which shows no effect after hours of direct exposure in a blast flame.

Hotpoint first began turning out ceramic-coated parts for the Air Force about a year and a half ago. They decided soon after that modification of conventional equipment was at best a stop-gap procedure. Design and construction was started on new facilities matched solely to processing of high temperature ceramic coatings. Thinness of the coating, critical nature of metal preparation, intricate design of parts, and the perfection of finish that is necessary to withstand the high temperatures require care in every step of the production operation.

Getting Ready — Coatings are applied to a variety of alloys ranging from mild steel to Inconel-



Plant layout for applying high temperature ceramic coating to metal parts

type compositions. In all cases surfaces to be coated must be exceptionally clean. Degreasers, alkaline and emulsion cleaners are satisfactory for soil removal. Rich alloys, such as the Stellites and certain superalloys are pickled in 10 per cent nitric plus 2 per cent hydrofluoric acid at 200°F, after cleaning.

Parts are then sandblasted to give uniform surface roughness. Grade 21 sand does the job in this operation. Special equipment is used to give uniform sandblasting of all areas in intricate shapes.

Coating Make-Up—The ceramic coating material is made up of basic glass frits and refractories, such as chromium oxide, silica, calcined alumina, diaspore and titanium oxide. These are mixed with clay and water and ground in regular porcelain enamel mills using porcelain balls for grinding. A special area is set aside in the plant for preparation and storage of coating composition.

The coating materials are ground very fine, usually to less than half gram residue on a 325 mesh screen using a standard 100 gram test sample. After milling, the coating composition is aged at least 24 hours before using.

Move While Dipping—Dipping or spraying is used for application of the coating depending on the type of part. Dipping is best for small intricate parts; skillful handling is required to give smooth application of the enamel composition at a thickness of 0.001-inch over the entire surface. Parts to be coated are kept in motion to insure proper flowing of the coating material over all sections to be covered. Best results are obtained with tong-dipping procedures combined with slushing or flo-coating.

Consistency of the enamel composition must be carefully controlled for best results in dipping. A simple test panel is employed to check the proper adjustment of the enamel for dipping. This panel,



Infrared heating in conjunction with rapid flow of air across parts is used to dry wet coating. Rapid drying is essential to prevent water streaking. Rotary motion of parts until coating is dry is an aid in getting uniformity





Left — After drying, coating is brushed off areas of part where it is not desired. A special exhaust booth takes out dust. Right — Roller-hearth-type electric furnace used to fuse coating to the base has three separate zones in which time and temperature may be closely controlled. Electric eye opens and closes furnace doors

which is similar to the standard hairline test panel, is used to determine the tendency of the enamel to waterstreak. The panel is dipped into the enamel composition and after draining, the raised edges of the center section are observed for breaks or waterstreaks. Additions are then made to the composition to give the proper set for the best possible dipping efficiency.

Gets Tough Spots — Special spray guns allow operators to cover hard-to-reach areas. Guns with 45°, 90°, and 360° spray patterns and with extension arms and moveable platforms have been designed to fit inside complicated aircraft parts. The nozzles and tips of these guns are similar to paint-type guns rather than the larger orifices generally used with porcelain enamel. They are made this way because of the thinness of the ceramic coating.

Next step after the wet coating is applied is drying. Rapid drying of the enamel composition on the parts is essential to prevent waterstreaking in the coating. Infrared drying in conjunction with rapid flow of heated air across the parts is used. Rotary motion of dipped parts until the coating is almost completely dried also helps maintain uniformity. Drying high temperature ceramic coatings takes longer than for ordinary porcelain enamels.

Handle With Care—Dried coatings are fragile and will not withstand even handling with canvas gloves. Processing is arranged so that a minimum of handling is required. After drying, coating composition is brushed off the areas of parts where it is not desired. A specially constructed exhaust booth is used for this brush-off operation.

Fuse to Base—Firing is the next operation. It is carried out at temperatures considerably above the ordinary porcelain enameling range. Majority of coatings are fused to the metal at about 1800° F in a slightly reducing atmosphere. A special furnace was designed to minimize the amount of distortion in parts at this elevated temperature. The electric furnace is of the roller-hearth type and has three separate zones in which time and temperature may be controlled. Operators can adjust preheating, firing, and afterheating cycles to decrease warpage of the parts. An electric eye automatically opens and closes furnace doors at entrance and exit end as parts approach the pass through.

Use of a slightly reducing furnace atmosphere during firing produces a smoother textured coating and improves adherence. The controlled atmosphere is especially important for use in processing coatings on low alloy metals and mild steel.

Must Meet Test—To supplement controls checks on enamel composition used in production operations, daily tests are also made on fired samples for heat resistance and adherence of the coating to the metal. Here's how this test is made: A cylinder 2-inches by 1-inch is coated and suspended in a blast flame inside a large tube. The flame temperature is held constant at the edge of the cylinder by using either an optical or contact pyrometer. The test temperature is usually the anticipated operating temperature of the material being coated. This test is run for about 16 hours. Shorter test periods at higher temperatures are also used for rapid control checking. Hotpoint's experience: It's a tough test and rapidly shows up ability of the coating to stand up in the hot spots ahead of it.

Here's a production idea that cuts costs...improves products... Thomas pre-coated strip

Thomas Cold Rolled Pre-coated Strip steel is more than a quality product—it's a production idea that helps reduce costs—speeds operations and makes a better finished product.

Take Thomas electro-plated copper strip for example. It serves as a die lubricant and stretches die life, protects parts in process against rust, is used as a low-cost final finish for many products and increases efficiency of tinning, soldering and brazing operations. In many instances entire operations such as raw material preparation, intermediate cleaning, buffing and final plating all may be eliminated.

Profits and production start quicker, get there faster when you include Thomas Pre-coated Strip steel in your plans to produce better products. To learn how you can enjoy these advantages write today for information.

Cold-rolled strip steel electrolytically pre-coated with Zinc, Copper, Brass, Nickel and Lead-Alloy in Natural, Planished and Buffed Finishes—Hot Dip Tin and Lead-Alloy Coated—Lacquer Coated in Colors—Annealed Spring Steel—Alloy Strip Steel—Uncoated Strip Steel. Carefully produced to your specifications.

Thomas Strip

a product of

Pittsburgh Steel Company

Thomas Strip Division • Warren, Ohio



Damage to 3-high breakdown mills is caused by loose wear plates rubbing against mill housings. Replacing stripped threads has been simplified with wire inserts

Workmen redrill worn and stripped holes in housing face. A wearing plate, secured with 22 bolts, will be anchored to this housing. Closeup shows an insert-protected hole

Thread Inserts Cut Overhaul Time



Worn and stripped thread repair time cut from 80 to 24 manhours at Sharon Steel. Strong threads eliminate much wearing action, treble the operating time between overhauls

REPAIRING stripped holes in 3-high breakdown mills with wire screw-thread inserts eliminates costly damage to mill housings, reduces maintenance downtime 66 per cent, triples running time between overhaul jobs and increases production at the Niles Rolling Mill Division of Sharon Steel Corp., Niles, O.

Corrosive action of coolant water, combined with constant pressures required to operate the mills, caused threads to wear, strip and loosen. As a result, wearing plates chafed against mill housings, causing excessive damage. To protect costly housing faces from this damage, it was necessary to overhaul breakdown mills twice a year.

Lengthy Job — Reduction in maintenance downtime was accomplished as follows: Formerly, stripped thread holes were redrilled and tapped for the next larger size. Each successive overhaul required enlarging the hole $\frac{1}{8}$-inch. Starting with original $\frac{3}{4}$-inch holes, future repairs would eventually necessitate two drilling and tapping operations, the first being a $\frac{7}{8}$-inch hole, and the second a 1-inch hole.

When 1-inch holes required repair, they were filled with weld, drilled to the original size, and the same drilling and tapping operations started again. This sequence of operations continued through the life of a breakdown mill. As much as 80 manhours were often required to complete this repair.

Not Any More — Now, worn threads are drilled out and retapped, and wire inserts made by Heli-Coil Corp., Danbury, Conn., are installed to provide permanent threads of the original size. Damaged holes used to be filled with weld before the drilling, tapping and insert installing operations. No future thread repair will be necessary on the insert-protected holes. Repairing housing faces with wire thread inserts requires approximately 24 manhours.

Breakdown mills were formerly torn down every six months for the specific purpose of repairing worn and stripped holes in housing faces. In contrast, wearing plates secured ten months ago with wire thread inserts, show no signs of loosening. Overhaul jobs generally required from 10 to 14 days. Approximately 40 manhours were required to tear down a mill. The condition of housing faces dictated the amount of work necessary to complete the repairs. Sometimes, 50 to 60 of the 88 holes in the housing face had to be filled with weld prior to drilling.

for better reheating

SLABS
BLOOMS
BILLETS
BARS, ETC.





Designed, Engineered and Built by men who know furnaces.

No Wonder Steel Men Prefer

RUST CONTINUOUS REHEATING FURNACES

for Accurate Temperature Control • High Capacity • Economy

Rust's patented zone-controlled, double or triple-fired, recuperative, continuous furnaces are individually designed to meet specific needs. Each furnace provides positive automatic control of predetermined heating temperature. Flexibility is achieved by simply changing the fuel firing rate in the heating zone. The result is high tonnage output with minimum fuel consumption. In addition to reheating furnaces, Rust builds other types (designed for any fuel) to meet practically all metallurgical heating needs. For either new or modernization projects rely on Rust for the complete job.

THE WHOLE JOB AS ONE JOB WITH A "RUST PACKAGE CONTRACT"



One contract covers everything . . . from blueprint through start up. Rust assumes responsibility for design, manufacture, erection, and is prepared to undertake all phases of the work with its own forces, including wiring and piping. This results in substantial savings . . . One profit instead of pyramiding ones which accrue where many subs are employed.

RUST FURNACE COMPANY

Pioneers in Furnace Design

RUST BUILDING **PITTSBURGH, PA.**

F-9



PART OF GRAVER WELDERY AT EAST CHICAGO PLANT

WELDMENTS

in a wide range

by GRAVER

Manufacturers in the heavy industries field have for many years found Graver an excellent source for welded sub-assemblies. From Graver's well-equipped weldery has flowed a continuous succession of weldments for a wide range of industries. Pictured are examples of recent Graver work . . . mass-produced but expertly fabricated . . . with the special advantages secured through sub-contracting to Graver: economy in cost, rigid quality controls, creative engineering and sound welding research.

GRAVER TANK & MFG. CO., INC.

EAST CHICAGO, INDIANA

NEW YORK • PHILADELPHIA • CHICAGO
ATLANTA • DETROIT • CLEVELAND
PITTSBURGH • HOUSTON • CATASAUQUA, PA.
SAND SPRINGS, OKLA. • ODESSA, TEXAS • CASPER, WYO.



MARINE DIESEL ENGINE BLOCK

LADLES FOR MOLTEN METAL

LEAD POT

TIN POT



DIESEL ENGINE BASE

Carbide Rolls Save

Size uniformity, long roll life are results reported in stainless wire flattening

WHEN squeezed between rising costs and narrowed markets there is one natural thing to do and Knowles Loom Reed Works Inc., New Bedford, Mass., did it. They took another look at their plant to see where costs could be trimmed and quality improved.

The company rolls stainless steel wire for loom reeds that the textile industry employs in the process of weaving cloth from natural and synthetic materials. Studies showed three reasons why rolling costs were high.

1. Metal rolls used in rolling wire for reeds allowed only a maximum of two weeks' production per spot per roll.
2. As they wore or mushed, the rolls also tended to crown the reed wire slightly and cause rejects.
3. Continuous checking of wire sizes was a must at the start, and during the production run, because the steel rolls expanded and contracted under the heat of the run to produce product variations.

Precision Job—In making reeds with 35 to 90 dents per inch, superior work finish, absolutely flat wire and uniformly close tolerances are necessary to facilitate producing loom reeds that provide quality woven products. The operation involves rolling the stainless wire into reeds ranging from 0.005 to 0.025-inch thickness by means of a pair of rolls running at a speed of about 70 rpm.

To keep the reed wire at a uniform size and to extremely close tolerances, the spot or path traveled by the material going through the rolls is changed periodically. This is done by means of adjustable guides. Since the spot of the wire travel becomes worn in about two weeks, it doesn't take long on a 9-hour, 5-day week schedule, before the whole face areas of the two rolls are worn to a point where replacements are needed.

What to Do?—Answer came with tungsten carbide rolls especially manufactured by the Carboloy Department of General Electric Co.,

SPECIAL

—FASTENER PROBLEMS Take Special EXPERIENCE

IS your locknut problem one of size? Is it one of metals? Is it a matter of protection? Is it special due to shape, dimensions, installation, space limitation? Must it be high—low—or perhaps countersunk?

It doesn't matter! If it's a problem of keeping something *tight* on a bolt, Security Engineers have the "know how" and experience to solve the problem. Security Locknuts and Fasteners hold in *any* position on the bolt. They can be removed and replaced any number of times without damaging the bolt or without loss of locking effect. The fastener body takes the load not the locking ring and Security Fasteners operate as a one-piece unit. No extra parts, nothing to adjust, nothing to shear.

If you have a fastener problem challenge us to solve it! We would like to tell you what we have done for others. *Fill in and send the coupon.*

Above are just a few of the many special fasteners we have made. We have solved fastener problems involving a wide range of sizes, metals and shapes. If you can't keep it tight, we can!

Security
The Nut You Can't Shake Loose

SPECIAL OFFER—Ask for a Security Thread Tolerance Chart. Spin the dial and you have your thread tolerance figures.

SECURITY LOCKNUT CORPORATION
1504 North Ave., Melrose Park, Ill.

Please send me without obligation:

- ☐ One of your Thread Tolerance Charts.
- ☐ We have a fastener problem and would like to know more about Security Locknuts.

Company Name
Address
Town Zone State
Signed

In lengthening your life span...

CIRCLE L

LEBANON Castings are at work

MAKING penicillin and other antibiotics requires carefully engineered equipment. From this assortment of vats and filters, piping and valves come "wonder drugs" that lengthen your life span.

E. R. Squibb & Sons Laboratories at New Brunswick, New Jersey, make these vital antibiotics. Here Squibb uses special automatic process control equipment made by the Fischer & Porter Company that includes many Lebanon CIRCLE (L) castings. To maintain the "Reliability, Uniformity, Purity and Efficacy" of these Squibb products, each CIRCLE (L) casting must be thoroughly sound and unaffected by the concentrated caustic and sulphuric acids present in the manufacturing process.

In difficult services, services where perfection in material and workmanship are demanded, Lebanon CIRCLE (L) castings have established remarkable records.

You should see—STEEL WITH A THOUSAND QUALITIES—37-min. 16 mm, full-color sound film on the making of steel castings. For information write: Dept. B, Lebanon Steel Foundry.

LEBANON Castings

CARBON, SPECIAL ALLOY AND STAINLESS STEEL

CIRCLE L

LEBANON STEEL FOUNDRY LEBANON, PA.



CARBIDE SHOWS NO WEAR
. . . not even after year in one spot

Detroit. Savings were reported almost immediately. The biggest headache, reed size variations, no longer was a problem while the wire was being processed through the rolls. This first saving produced a second—in manpower. Instead of tying up one man for each machine, a lone operator could handle several.

After a 22-month recapitulation of the roll equipment's production efficiency, the company found that roll wear was reduced to practically nil. Instead of changing the rolling spot 24 times a year, the company discovered it was rolling stainless steel wire on the same spot on the carbide rolls a year later, with no sign of wear.

Inspection records indicated that variations in reed wire and size and finish due to contraction or expansion of the rolls caused by heat no longer presented rejects. Furthermore, the high luster of the carbide rolls automatically imparted a luster finish to the reeds, adding to their marketability.

Metal Primer Contains Rubber

Red lead metal primer said to provide a tough, hard, moisture-proof adhesive coating on galvanized metals, structural steel, iron, etc., has just been developed by Foundry Rubber Inc., Washington. Called Paraprime, this new product contains rubber for greater resistance to galvanic corrosion, acids, alkalis, chemicals, corrosive gases, and moisture.

RUGGED Century MOTORS help

KEEP PRODUCTION ROLLING

Arrow shows 75 horsepower Century Slip Ring motor installed on a large bending roll.

Century Motors are designed for stamina, engineered for long, dependable service, carefully tested and balanced for precision performance.

What's more, you can select a size and type of Century Motor that's exactly right for your particular job. They're built in sizes from 1/8 to 400 h.p.—to meet all kinds of atmospheric or plant operating conditions.

Why settle for less than a Century, when you specify your next electric motor?

Century C MOTORS

CENTURY ELECTRIC COMPANY
1806 PINE STREET • ST. LOUIS 3, MISSOURI

CE-754

OFFICES AND STOCK POINTS IN PRINCIPAL CITIES



Two-zone billet reheating furnace has capacity of 80 tons per hour. Charger and ejector equipment is shown



One edger and two additional horizontal stands were added to ten 2-high stands and four vertical edging mills

Billet Heating Furnace Replaced in 16 Days

New two-zone reheating furnace erected outside building is moved 44 feet on antifriction bearings to permanent location in skelp mill train, thus reducing downtime of mill

REPLACEMENT of old mill equipment with new in the same location is not an unusual steel plant problem. However, a job recently completed in the skelp mill of Wheeling Steel Corp.'s Benwood, W. Va., Works includes an unusual procedure for reducing mill downtime.

Prior to this project, the Benwood skelp mill rolled steel billets approximately 3 inches thick by 30 feet long into pipe skelp less than ½-inch thick and elongated to lengths up to 1200 feet.

Decisions relative to improvement of billet production efficiency involved:

1. An increase of billet thickness from 3 to 4½ inches.
2. An addition to the skelp mill rolling capacity for accomplishing the additional reduction in rolling billets into pipe skelp.
3. An increase in mill speeds and billet heating capacity.

New Roll Stands Added—To prevent excessive mill overloading in rolling billets of increased thickness, it was necessary to purchase and install two additional 18-inch horizontal roughing stands complete with 1000 hp, dc motor drive and one vertical edging stand complete with 200 hp drive. To provide adequate space for the two additional roll stands and edger, part of the previous furnace location was used.

New gearing was provided for increasing speeds of the original ten horizontal and four vertical rolling mill stands. Installation of the gears was accomplished during normal mill repair periods. Completion of this change should provide an increase of approximately 20 per cent in mill capacity. The mill stands and edger were installed primarily during regular repair periods to cut downtime.

The major project undertaken in the skelp mill program was the construction of a new furnace designed for 80 tons of billets per hour. This furnace was constructed in the billet stocking area as close as practical to the old furnace without production interference.

Heavy track rails were imbedded into the surface of a temporary furnace foundation. The new furnace, 38 feet wide and 72 feet long, was mounted on 132 antifriction bearing supporting rollers which were uniformly distributed beneath the 1200-ton assembly of brick and steel. Furnace auxiliaries and mill additions were installed or partially assembled as space and mill operations would permit.

Demolition Starts—The old skelp mill came to a stop at 11:00 pm Dec. 20, 1952. Engineering, construction and maintenance personnel immediately became engaged in assigned tasks on an around-the-clock basis. Furnace auxiliaries were disconnected and removed. Excavation and demolition for



No maintenance for this B&W Kaocast Lining

AFTER 4 YEARS SERVICE

How practical is a complete castable furnace lining? This high thermal head normalizing furnace, one of the first of a new design, was lined with B&W Kaocast four years ago. Despite continuous 2500F temperatures, the Kaocast lining is still in excellent condition. Not one cent has been spent for maintenance.

This 3000 degree refractory castable performed so well because it has high resistance to spalling and slag attack, offers low volume change and practically no reheat shrinkage.

For a whole furnace lining or small special shapes, it pays to investigate versatile B&W Kaocast. It can be molded quickly by you, when you need it, directly in place or applied by cement gun. Put B&W Kaocast to work in your plant. Get all the facts from your B&W Refractories Engineer.



Cross section of R-S Products Corporation's "Hi-Head" Normalizing Furnace designed for Taylor-Wharton Iron and Steel Company, Easton, Pa.

BABCOCK & WILCOX

THE BABCOCK & WILCOX CO.
REFRACTORIES DIVISION
GENERAL OFFICES: 161 EAST 42nd ST., NEW YORK 17, N.Y.
WORKS: AUGUSTA, GA.

R-458

B&W REFRACTORIES PRODUCTS—B&W Allmul Firebrick • B&W 80 Firebrick • B&W Junior Firebrick • B&W Insulating Firebrick B&W Refractory Castables, Plastics and Mortars • OTHER B&W PRODUCTS—Stationary & Marine Boilers and Component Equipment... Chemical Recovery Units . . . Seamless & Welded Tubes . . . Pulverizers . . . Fuel Burning Equipment . . . Pressure Vessels . . . Alloy Castings

Coils of skelp coming from the mill are deposited vertically in cradles. Two continuous buttweld mills will turn them into ½ to 4-inch diameter pipe

clearance of the permanent furnace foundation ran into immediate trouble with "too much and too good" concrete in the old charger foundation. Cardox and dynamite finally removed this obstruction. Demolition of the old furnace, excavation for new mill additions and installations in adjacent areas were proceeding meanwhile.

The foundation for the new furnace was completed on Dec. 27, 1952, including track rails extending from the temporary foundation. Four hydraulic jacks were put in place on Dec. 29, 1952, to start the procedure of rolling the furnace along the track rails, and by 4:00 pm the next day the furnace had been moved 44 feet to permanent location.

Work then proceeded rapidly on the huge piping connections to recuperator and combustion equipment at one end of the furnace, billet charging and pushing equipment and waste gas piping at the other end, billet ejecting equipment on the one side and provision for hot billets to the mill on the other side.

Makeshift Furnace Used — A small temporary furnace, 5 feet wide and 30 feet long, was installed to bridge the space between the pushout door and the first stand of the existing mill in order that foundations for the new horizontal stands and edger could be installed while the mill was operating. During this interval the old-size billets were used.

Billets heated to 2300° F started passing from the new furnace and through the small furnace into the old mill at 7:00 am Jan. 6, 1953, after 16⅓ days out of production.

The new furnace is a two-zone fired furnace comprising a heating zone and a soaking zone. Each zone is fired by ten burners with Btu input divided approximately at a ratio of 2 to 1 between the heating and soaking zones respectively. Effective heating area under the heating zone (from centerline of charging door to face of heating zone burner wall) is 1310 square feet. The effective heating area from burner wall to centerline of discharge at the soaking zone is 490 square feet, culminating in a total heating surface of 1800 square feet. The furnace is designed to burn producer gas primarily, using auxiliary fuels of natural gas and fuel oil. Control equipment for each furnace zone is provided and includes gas ratio control and temperature control. Automatic stack control is also provided and actuated from the pressure tap in the soaking zone. The furnace has a Reintjes roof with 10 inches of firebrick and 2 inches of granular insulation. Billets are charged through the side of the furnace onto rollers and pushed down through the furnace by conventional pusher arm mechanism.

Double pass furnace auxiliary equipment includes metallic needle type Salem recuperators and three combustion air fans, each driven by a 75-hp motor. Each fan has a capacity for handling a standard air volume of 12,000 cfm at 21 inches static pressure when driven at a speed of about 1180 rpm.

Mill Comprises 17 Stands—The mill was originally a Mesta design comprising a total of ten horizontal 2-high roll stands and four vertical edging mills, to which has been added two horizontal stands and one edger, making a total of 12 horizontal stands and five edgers. The first two stands of the original mill are driven by one 500-hp motor. The next four horizontal stands are driven by one 2000-hp motor. Of the next four stands, each unit of two stands is driven by one 2000-hp motor. Edgers are located between stands 2 and 3, 4 and 5, 6 and 7, and 8 and 9. The additional two stands were installed at the furnace end of the line, with the new edger between these stands and the first stand of the existing mill.

The product of this mill is coils for two continuous buttweld pipe mills which produce pipe in size ranges from ½ to 4 inches. Skelp for these mills is produced entirely in coil form by two Morgan reel-type coilers. Maximum coil diameter used is 56 inches with a 20-inch diameter reel center.

The expected average hourly rate of the new mill is approximately 55 tons with a maximum delivery speed of 1560 fpm. Present billet sizes range from 4¼ x 5¾ inches to 3¾ x 15⅞ inches from which are produced skelp sizes from 5 x 0.100-inch to 15⅞ x 0.330-inch. Coil lengths range from 308 to 1424 feet.

ASTM Meets for 56th Time

Eight technical symposiums and many other technical papers on a wide range of subjects in the field of engineering materials are on the program of the 56th annual meeting of the American Society for Testing Materials at Chalfonte-Haddon Hall, Atlantic City, N. J., June 28 to July 3, inclusive.

Important feature of the program will be the 27th Edgar Marburg Lecture (Wednesday afternoon, July 1) to be given by Frederick D. Rossini, international authority in the field of physical chemistry, Director of the American Petroleum Institute Research Laboratory and Head of the Department of Chemistry at the Carnegie Institute of Technology.

Empire State Building, world's tallest building.

Beyond compare!

EVERY MANUFACTURER who tries Roebling high carbon flat spring steel discovers the same thing... that this spring steel is absolutely in a class by itself for dimensional and mechanical uniformity... for speeding production and cutting down rejects.

You always *pay* for the best when you buy flat spring steel... make sure you *get* it by specifying Roebling. John A. Roebling's Sons Corporation, Trenton 2, N. J.

ROEBLING CF&I

A subsidiary of The Colorado Fuel and Iron Corporation

BRANCHES: ATLANTA, 934 AVON AVE. • BOSTON, 51 SLEEPER ST. • CHICAGO, 5525 W. ROOSEVELT RD. • CINCINNATI, 3253 FREDONIA AVE. • CLEVELAND, 13225 LAKEWOOD HEIGHTS BLVD. • DENVER, 4801 JACKSON ST. • DETROIT, 915 FISHER BLDG. • HOUSTON, 6216 NAVIGATION BLVD. • LOS ANGELES, 5340 E. HARBOR ST. NEW YORK, 19 RECTOR ST. • ODESSA, TEXAS, 1920 E. 2ND ST. • PHILADELPHIA, 230 VINE ST. • SAN FRANCISCO, 1740 17TH ST. • SEATTLE, 900 1ST AVE. S. • TULSA, 321 N. CHEYENNE ST. • EXPORT SALES OFFICE, TRENTON 2, N. J.

For longer service life and higher tonnages . . .



specify

BIRDSBORO ROLLS

. . . designed and built with your requirements in mind!

When you specify Birdsboro Rolls, you get rolls made to fit your specific needs. That is why Birdsboro Rolls have such an outstanding reputation for giving longer roll life, greater tonnages, and more rolling accuracy. Get in touch with Birdsboro if you want individually designed, *highly specialized* "copper bearing" alloy steel and alloy iron rolls.

BIRDSBORO

No. 10-53

BIRDSBORO STEEL FOUNDRY & MACHINE CO., BIRDSBORO, PENNA. ROLLS Offices in Birdsboro, Pa. and Pittsburgh, Pa.

designers and builders of: Rolls • Steel Mill Machinery • Hydraulic Presses • Crushing Machinery • Special Machinery • Steel Castings

Zinc-Protected Talkers

Electronic components are kept separate but compact by low-cost zinc application

SINCE the Dictaphone dictating machine went electronic, design and engineering problems have centered around shielding close-positioned electronic components.

To prevent unwanted reactions between circuits, these parts must be kept electrically separate while maintaining a mechanically compact arrangement. On some models, another important factor is a weight limitation imposed by need for portability.

Cost, Weight Saving—Such parts as the microphone hand set, amplifier cover and other important components are made of bakelite. Though a nonconductor, it is electrically transparent to radiations that occur in the audio-frequency range.

METALLIZING PIVOT BLOCKS
. . . lower cost, lighter weight

To overcome this problem, the insides are metallized with zinc and coatings grounded to the chassis. In this way, the same effect is gained as would be if solid metal were used, at about one-quarter the cost and with comparable weight saving.

Producing Blocks—In the operation shown above, reproducer pivot blocks are in quantity production at Dictaphone Corp.'s Bridgeport, Conn., plant. In this operation, portions of components not to be shielded are masked and ten blocks held in a special fixture are sandblasted one at a time. The job

How Miehle Cuts Packaging Costs, Improves Customer Service!

Complete press wrapped in rust preventive Vapor-Wrapper

Wrap Out Rust

with NOX-RUST Vapor-Wrapper

New Chemically Active Paper Blocks Rust in One Simple Operation!

MANY COMPANIES in a wide range of industries have discovered the advantages of using new NOX-RUST Vapor-Wrapper. Easy to use as wrapping paper, this remarkable new product rust-proofs everything from delicate instruments to huge printing presses . . . cuts costs while delivering products ready for use!

Miehle Printing Press & Mfg. Co., user of Vapor-Wrapper, says: "Vapor-Wrapper saved 96 man hours on just one shipment! It is more economical, cleaner, more convenient than anything we've used."

The chemical *within* Vapor-Wrapper—an exclusive development of NOX-RUST laboratories—makes moisture-laden air non-corrosive . . . *without the need for an air-tight package* . . . without deposits forming on the metal. Cut costs and improve service in *your* business with Vapor-Wrapper!

Vapor-Wrapper conforms to Military Specification MIL-P-3420, Packaging Materials, Volatile Corrosion Inhibitor Treated.

Clip to your letterhead and write for facts today!

NOX-RUST VAPOR WRAPPER

NOX-RUST
Chemical Corporation
2475 S. Halsted Street
Chicago 8, Illinois
Offices in Principal Cities

NOX-RUST Chemical Corporation
2475 S. Halsted, Chicago 8, Ill.
Please send me your booklet on Vapor-Wrapper, the rust-preventive paper that *wraps out rust.*

Name _____ *Title* _____
Firm Name _____
Address _____
City _____ *Zone* _____ *State* _____

new Willson

BRONZE

safety spectacles

combining ***eye protection*** *with the* ***color styling*** *workers want today!*

Style WB—choice of new spatula temples as shown, or half-plastic, half-cable type temples. Style WBS—has matching bronze sideshields.

Not one, but *two* new features make these sturdy safety spectacles an exceptional value. Their distinctive bronze color gives them a pleasing appearance. And the new non-flammable frame is toughest plastic made for spectacles—won't chip, crack or craze—and has greatest shock resistance.

Willson Bronze styles feature the "keyhole" bridge and popular Hi-Line® temple. Brand-new wire core spatula temples add an extra comfort feature you'll welcome. They're easy to adjust for a perfect fit!

These attractive spectacles are available with Super-Tough® heat treated glass lenses or Willson Plas-Tough® plastic lenses. A full range of eye and bridge sizes make these spectacles ideal for use with prescription lenses. See your nearest Willson distributor for these new Willson Bronze styles—or write for descriptive bulletin.

For those who prefer flesh-colored plastic spectacles, with the same safety and comfort features and choice of temples, see Style WK and Style WKS.

More than 300 Safety Products *Carry This Famous Trademark*

WILLSON®

Established 1870

WILLSON PRODUCTS, INC., 233 Washington St., Reading, Pennsylvania



Carbon Arc Cutter

Versatile tool that gouges and cuts metals using only a carbon arc and compressed air was pressed into service when Wyerhaeuser Timber Co. needed 176 railroad wheels without flanges. The firm used an Aircair torch, generally a maintenance tool, to do the job quickly and neatly. One man converted four wheels a day consumes a total of 3 minutes.

Pivot blocks are then transferred to another fixture and metallized 0.002 to 0.003-inch thick with zinc.

Motor Giant Ready To Spin

An 83,000-hp motor has been installed at the Arnold Engineering Development Center, Tullahoma, Tenn. It is the first major step in assembly of the 216,000-hp electric drive for the new transonic and supersonic wind tunnels for the U. S. Air Force.

The giant synchronous motor is one of two such units built by the Westinghouse Electric Corp., E. Pittsburgh, Pa. Second unit will be installed in the near future, along with two 25,000-hp induction motors.

Still under construction at the Westinghouse plant in Sunnyvale, Calif., are the five compressors these four motors will drive. The compressors, said to be the largest ever built, will have blades two feet wide and six feet long mounted on a spindle 18 feet in diameter. Each blade weighs almost two-thirds ton, and will rotate at a speed of 600 rpm. When the motors and compressors are completely assembled, they will comprise the world's largest rotating machine.

PHOENIX METAL ROLLS are color marked for specific uses in rolling...

ANGLES
INTERMEDIATE AND ROUGHING

BILLETS
INTERMEDIATE

PITTSBURGH ROLLS

ROLLS DIVISION of BLAW-KNOX COMPANY • PITTSBURGH, PA.

OTHER PITTSBURGH ROLL TYPES

- Chill
- Moly Chill
- Special Rail Finishing
- Phoenix "K"
- Pittsburgh Grade 25
- Pittsburgh Grade 35
- Pittsburgh Grade 45
- Pittsburgh Grade 55
- Pittsburgh Grade Special Process
- Phoenixloy
- Phoenix Metal Master
- Phoenix "A" Alloy Steel
- Phoenix "A" Special Alloy Steel
- Carbon Steel

HEVI DUTY

HEAT TREATING FURNACES for INDUSTRY



HEVI DUTY VERTICAL RETORT FURNACE

This versatile furnace may be used for all major heat treating operations. Multiple zone temperature regulation and the positive pressure atmosphere control assure uniform results from heat to heat. Bulletin HD-646.



HEVI DUTY OIL BATH TEMPERING FURNACE

Even heat at exact temperatures. Continuous agitation of the oil gives the surface of the bath an appearance of boiling though the bath is without gas pockets. Bulletin HD-336.



HEVI DUTY ROTARY HEARTH FURNACE

Designed to operate at temperatures up to 2500° F. Many of these furnaces are heating jet engine parts prior to forging. A protective atmosphere prevents scale and the decarburization of high temperature alloys. Maximum capacity is 1500 pounds per hour. Bulletin 153.

At your service are experienced Hevi Duty Engineers able to recommend that exact furnace for your production system.

HEVI DUTY ELECTRIC COMPANY

MILWAUKEE 1, WISCONSIN

Heat Treating Furnaces... Electric Exclusively

Dry Type Transformers *Constant Current Regulators*



Combined Cutter

To fill a square-end shell forging stock order as quickly as possible, one mill operator combined cutting equipment into an effective production cutting installation. Here, an Oxweld C-54 cutting blowpipe makes the cut, moved into the work zone by a CM-37 machine carriage. Except for billet positioning, the Linde Air Products Co. setup works automatically

Non-Galling Stainless

AVAILABILITY of a new stainless alloy, V2B, is announced by Cooper Alloy Foundry Co., Hillside, N. J. Combining high hardness, nongalling characteristics and excellent corrosion resistance, this material was developed in answer to demand for a stainless steel that would not gall or seize in corrosive service.

The alloy is a hardenable 18-8 type stainless steel, containing copper, molybdenum, silicon and a small amount of beryllium. It is readily machinable in the quench-annealed state, and may be hardened by a low temperature heat treatment which produces no distortion and only a light heat tinting discoloration which may be readily removed if necessary. In the annealed condition, the material is easily welded using special welding rods.

In addition to its use in a variety of corrosive applications, where high hardness and nongalling features are required, the alloy does not over-age at elevated temperatures and may therefore be used



Faster Drawing

As a part of its long-range mill improvement program, American Brass Co. is installing a 75,000-pound chain draw bench at its Torrington, Conn., rod mill. Machine will draw two rods at a time up to 1½ inches diameter, or singles up to 4½ inches, at speeds to 132 fpm. Bench will be connected by conveyor to a finish-cutting saw, eliminating intermediate handling

safely in steam applications and at temperatures that range up to 1400° F.

Resistance in the hardened condition to sulphuric, hydrochloric and phosphoric acids and their salts, is said to exceed that of most precipitation hardenable alloys, and even that of type 316, the molybdenum-bearing stainless alloy. In nitric acid it also compares favorably to the other hardenable grades, but is not quite the equal of types 304 or 316 stainless.

Its high hardness and strength, coupled with resistance to corrosives, plus its erosion resisting and non-galling characteristics, suggest many applications. Among them: Valve disks, plug cocks, shaft sleeves, impellers, pump casings, wearing rings, poppets, conveyor links, rollers and gear blanks.

Plastic Materials Detailed

Greatest growth in industrial plastics will be in the field of extruded, laminated and reinforced materials. This summary prefaces an application study, "Plastic Construction Materials," prepared by Atlas Mineral Products Co. and offered free on request to its offices at Mertztown, Pa., or Houston 1.

HEAT TREATING FURNACES for INDUSTRY

HEVI DUTY

HEVI DUTY BOX TYPE FURNACE

Hardening piston rings at 1850° F. is one exacting use of this furnace. Hevi Duty design and construction assures uniform and fast heating with low maintenance costs in electric furnaces for many applications.



HEVI DUTY SALT OR LEAD BATH POT FURNACE

Salt bath hardening, tempering, and cyaniding without scale are major applications of the Hevi Duty Electric Pot Furnace. A case of .004 to .005 is obtained in 15 to 20 minutes on parts immersed in cyanide salt at 1550° F.

HEVI DUTY SHAKER HEARTH FURNACE

This modern production tool will either carburize, nitride, dry cyanide, or bright harden up to 150 pounds of work per hour. The work passes through the furnace and drops directly into the oil quench. Results are clean, uniformly treated parts with minimum distortion. Bulletin HD-850.



Hevi Duty Electric Company designs, and builds many types of electric heat treating furnaces and gas generators. Call on us to help solve your heat treating problems.

HEVI DUTY ELECTRIC COMPANY

MILWAUKEE 1, WISCONSIN

Heat Treating Furnaces... Electric Exclusively

Dry Type Transformers *Constant Current Regulators*



Costly to fabricate ECONOMICAL TO CAST IN GRAY IRON!

GRAY IRON Characteristics Include:

- Castability
- Rigidity
- Low Notch Sensitivity
- Wear Resistance
- Heat Resistance
- Corrosion Resistance
- Durability
- Vibration Absorption
- Machinability
- Wide Strength Range

The cable drum, shown above, was formerly produced by using plates of various thickness—cutting, assembling, welding and finally machining. Valuable and costly man-hours were expended in co-ordinating the efforts of the several mechanics involved in these operations. Thus, supervisory costs were added to high fabrication costs.

By redesigning the part as a Gray Iron casting, a cost saving of 41% per unit was effected. On a typical order involving 20 castings, the net saving to the customer was $197, *after* initial pattern cost had been written off. Note that grooves are *cast in* instead of machined, effecting a substantial saving in machining time.

In addition to these savings, much longer operating life can be expected, because of Gray Iron's superior resistance to metal-to-metal wear and galling.

Don't miss opportunities like this to save man-hours, cut costs, and increase operating life by *redesigning in Gray Iron!* Write for technical information on advantages of the Gray Iron casting process.

Make it Better with Gray Iron • **Second largest industry in the Metal-working field**

GRAY IRON FOUNDERS' SOCIETY, INC.

NATIONAL CITY-E. 6th BLDG., CLEVELAND 14, OHIO



Portable Heat Check

Unsatisfactory temperature readings on diesel-electric locomotive bearings are eliminated by Delaware & Hudson Railroad with these hand pyrometers. The road reports bearings' oil bath, tough on some pyrometers, has no effect on this GE type FH-1

Chromic Acid Recovery

REMOVAL or recovery of chromic acid from rinse water is a development which will be of interest to platers. Barnstead Still & Sterilizer Co., Boston, has developed a process whereby rinse water can be passed through ion-exchange resins to effect nearly 100 per cent chrome recovery.

Advantages to the plating shop are twofold. First, the troublesome chromic acid waste disposal problem is eliminated. Second, the expensive and often scarce chromic acid is recovered for reuse.

Anion Resins—In the process, the rinse water is first passed through a cation column to remove aluminum and copper and then through an anion resin bed which removes the chromic acid. The chromic acid is then recovered in the regeneration process. Tests show that the same resins can be used economically for 100 or more cycles. In most instances, savings in chromic acid will more than repay the operating costs of the entire process, which means that the waste disposal problem can be solved at no cost.

In addition, as a byproduct of the process, the user obtains a supply of demineralized water which he can use to good advantage in rinse tanks and solutions.

For DEPENDABILITY IN DIESEL ENGINES



The Correct Fastener for the Job

For over 38 years Erie has manufactured bolts and studs to the specifications of Diesel Engine builders. This specialized experience gained in working with leading Diesel designing engineers assures you of getting the exact materials and the precise tolerance in bolting desired for your Diesel. Send us your specifications for Diesel Connecting Rod Bolts, Cylinder Head Studs, and other special bolting.



A SUBSIDIARY OF Barium STEEL CORPORATION Steelmaking to the Second

ERIE BOLT *and* NUT CO.
ERIE • PENNSYLVANIA

STUDS • BOLTS • NUTS
ALLOYS • STAINLESS
CARBON • BRONZE

Representatives in Principal Cities.

stamping costs are going down!

CONVEYERIZED PIECE PART HANDLING

Blanked and punched side bars, together with scrap, drop through the press bed onto a divided conveyer and are carried to separate tubs as shown below.



COMPLETE OIL LUBRICATION —INCLUDING GIBS

Automatic oil lubrication of gibs permits extremely close alignment of slide and more accurate guiding of dies—greatly decreasing die wear. Clean filtered oil continuously supplied to all wear surfaces is only one of Danly's outstanding "preventive maintenance" features.

AUTOMATIC FEEDING
In this setup, alloy steel side bars ⅜" thick are blanked and punched in a multiple stage die at a high rate of speed. Dies like these last 200% longer in Danly Presses.

DANLY PRESSES *do it!*

JEFFREY MANUFACTURING COMPANY REPORTS:

- *50% faster production*
- *200% longer die life*
- *greatly decreased maintenance*

The 200 ton Danly Autofeed Press shown here has been in continuous daily operation at the Jeffrey Manufacturing Company, Columbus, Ohio, for well over a year — *without maintenance* of any kind other than routine oil change. Steady performance like this and the faster stroking permitted by Danly's rigid, precise construction have raised average production of steel conveyor chain side bars from 3,000 per hour to 4,500 per hour.

Dies are lasting longer, too. In one case a 3-stage die required grinding every 10,000 pieces — now, in the Danly Autofeed Press, the same die turns out 30,000 pieces between grinds.

A story like this is typical of Danly Press performance in leading stamping plants throughout the country — and proof that Danly Presses reduce stamping costs!

DANLY

MECHANICAL PRESSES . . . 50 TO 3000 TONS
HYDRAULIC METALWORKING EQUIPMENT

SEND FOR YOUR COPY TODAY!

. . . see how you can put Danly Presses to work in your plant to increase production and cut costs.

DANLY MACHINE SPECIALTIES, INC.
2100 South Laramie Avenue, Chicago 50, Illinois

It costs less to run a DANLY PRESS!

Single Action Straight Side | Autofeed | Underdrive Single, Double Triple Action | Gap Frame | Double Action Straight Side

CALENDAR
OF MEETINGS

June 22-25, National Industrial Advertisers Association: Annual meeting, William Penn hotel, Pittsburgh. Association address: 1776 Broadway, New York. Executive secretary: Blaine G. Wiley.

June 22-27, Railway Supply Manufacturers Association: Exhibit and convention, Atlantic City. Association address: 60 E. 42nd St., New York 17. Secretary: A. W. Brown.

June 28-30, Alloy Casting Institute: Annual meeting, The Homestead, Hot Springs, Va. Institute address: 32 Third Ave., Mineola, N. Y. Secretary: E. A. Schoefer.

June 28-July 2, American Society of Mechanical Engineers: Semi-annual meeting, Hotel Statler, Los Angeles. Society address: 29 W. 39th St., New York 18. Secretary: C. E. Davies.

June 29-July 3, American Society for Testing Materials: Annual meeting, Chalfonte-Haddon Hall, Atlantic City, N. J. Society address: 1916 Race St., Philadelphia. Secretary: Robert L. Painter.

July 6-17, Summer Course in Product Design: Massachusetts Institute of Technology, Cambridge 39, Mass. Information: Director of Summer Session, Room 3-107, MIT.

July 23-24, Truck-Trailer Manufacturers Association Inc.: Annual summer meeting, Edgewater Beach hotel, Chicago. Association address: 1024 National Press Bldg., Washington. Managing director: John B. Hulse.

August 17-19, Society of Automotive Engineers: International West Coast meeting, Georgia hotel, Vancouver, B. C. Society address: 29 W. 39th St., New York 18. Secretary: John A. C. Warner.

August 23-26, National Automatic Merchandising Association: Annual convention and exhibit, Hotel Conrad Hilton, Chicago. Association address: 7 S. Dearborn, Chicago. Secretary: C. S. Darling.

September 1-4, American Institute of Electrical Engineers: Pacific general meeting, Hotel Vancouver, Vancouver, B. C. Institute address: 33 W. 39th St., New York 18. Secretary: H. H. Henline.

September 6-11, American Chemical Society: Fall meeting, Hotel Conrad Hilton, Chicago. Society address: 1155—16th St., NW, Washington 6. Assistant secretary: R. M. Warren.

September 10-12, Rocky Mountain Management Club: Rocky Mountain industrial exposition, University of Denver arena. Club address: 1031 15th St., Denver 2. Executive secretary-treasurer: Harold S. Craig.

September 13-16, Electrochemical Society Inc.: Fall meeting, Ocean Terrace hotel, Wrightsville Beach, N. Carolina. Society address: 235 W. 102nd St., New York 25. Secretary: Dr. Henry B. Linford.

September 14-16, Allied Railway Supply Association: Annual meeting, Hotel Sherman, Chicago. Association address: 1200 W. Chase Ave., Chicago 26. Secretary: Charles F. Weil.

September 20-23, Packaging Machinery Manufacturers Institute: Annual meeting, Skytop Lodge, Skytop, Pa. Institute address: 342 Madison Ave., New York 17. Secretary-treasurer: Helen L. Stratton.

September 20-23, American Institute of Wholesale Plumbing & Heating Supply Associations Inc.: Annual convention, Hotel Waldorf-Astoria, New York. Institute address: 402 Albee Bldg., Washington. Executive secretary: George T. Underwood.

September 21-22, Steel Founders' Society of America: Fall meeting, The Homestead, Hot Springs, Va. Society address: 920 Midland Bldg., Cleveland. Secretary: F. Kermit Donaldson.

September 21-23, Truck Body & Equipment Association Inc.: Annual meeting, Sheraton-Gibson hotel, Cincinnati. Association address: 1122 DuPont Circle Bldg., Washington 6. Executive manager: Arthur J. Nuesse.

September 21-24, American Mining Congress: Annual metal and nonmetallic mineral mining convention, Olympic hotel, Seattle. Congress address: 1102 Ring Bldg., Washington 6. Executive vice president: Julian D. Conover.

September 21-25, Instrument Society of America: National instrument conference and exhibit, Hotel Sherman, Chicago. Society address: 1319 Allegheny Ave., Pittsburgh. Manager: P. V. Jones Jr.

September 23-26, National Association of Foremen: Annual convention, Milwaukee. Association address: 321 W. 1st St., Dayton 2, O.

September 28-30, Association of Iron & Steel Engineers: Annual meeting, Hotel William Penn, Pittsburgh. Association address: 1010 Empire Bldg., Pittsburgh. Managing director: T. J. Ess.

September 28-30, National Electronics Conference Inc.: Annual conference, Hotel Sherman, Chicago. Conference address: 852 E. 83rd St., Chicago. Executive secretary: Karl Kramer.

September 29-October 3, Society of Automotive Engineers: National aeronautic meeting, aircraft engineering display and aircraft production forum, Hotel Statler, Los Angeles. Society address: 29 W. 39th St., New York 18. Secretary: John A. C. Warner.

How To Care for Rubber Hose

Bulletin on the care of rubber hose is ready for distribution by Hewitt-Robins Inc. Called "Tips on Hose Care," it tells what to do and what not to do in the use and storage of various kinds of hose, including steam, fire, oil, gasoline, water, air, suction and sandblast.

A copy may be obtained by writing to Hewitt-Robins Inc., 240 Kensington Ave., Buffalo, N. Y.

MACLEOD
ABRASIVE BLAST EQUIPMENT



MACLEOD BLAST CLEANING ROOMS

Available in standard sizes or in special sizes to meet individual needs. Equipped with removable air baffles for longer life. Can be had with slot for chain-fall hoist or with rails for blast cars. Macleod manual, semi-automatic, and fully automatic blast machines with non-choke type conveyors and latest-design elevators are available for all sizes of rooms.

MACLEOD BLACKING SWAB SPRAYERS

Suction type, for spraying liquid facing on dry sand molds or oil on dry sand cores. Available steel, brass, or copper —1 to 5 quart capacities.

For descriptive literature write Dept. S

The MACLEOD Company

BOX 452, SHARONVILLE, OHIO ESTABLISHED 1897

Steel-Weld FABRICATION

Use WELDED STEEL for Greater Strength with Less Weight!





Above you see a Steel-Weld Fabricated trolley frame for a heavy crane. This and the units illustrated at the left are typical of thousands of welded steel parts and assemblies produced by Mahon for many industries throughout the country. Facilities are available within the Mahon plant to do the complete job from the drawing board to finished machining. If you have parts or assemblies that could be redesigned and produced to better advantage through Steel-Weld Fabrication, or, if you require a limited number of large, heavy pieces in which pattern costs are a consideration, you can turn to Mahon with complete confidence. You will find in the Mahon organization a unique source with complete, modern fabricating, machining and handling facilities to cope with any type of work regardless of size or weight . . . a source where skillful designing and advanced fabricating technique are supplemented by craftsmanship which assures a smoother, finer appearing job embodying every advantage of Steel-Weld Fabrication. See Mahon's Insert in Sweet's Product Design File, or write for further information.

THE R. C. MAHON COMPANY
DETROIT 34, MICHIGAN

Engineers and Fabricators of Steel in Any Form for Any Purpose

MAHON

TEAM SERVICE by U·S·Steel Supply is efficient!

WAREHOUSE SUPT.

INVENTORY ANALYST


PRODUCT SPECIALIST


SALESMAN

DISTRICT MANAGER

TELEPHONE SALESMAN

OFFICE MANAGER

CREDIT MANAGER

TRAFFIC MANAGER

WAREHOUSEMAN

ASS'T. DIST. MANAGER

RECEPTIONIST

Here's your "special secretary" to speed your steel supply business

• When you phone or visit U. S. Steel Supply you will find our receptionist friendly and courteous, and anxious to attend to your steel supply business as quickly and efficiently as possible. She knows where to contact your U. S. Steel Supply salesman in an emergency, and will follow up your messages to assure prompt call-backs.

When you want steel, tools, equipment, machinery or information *fast*, call on U. S. Steel Supply.

U.S. STEEL SUPPLY
DIVISION

General Office:
208 So. La Salle St., Chicago 4, Ill.

Warehouses and Offices Coast-to-Coast

UNITED STATES STEEL

NEW PRODUCTS and equipment

Reply card on page 119 will bring you more information on any new products and equipment in this issue

Multi-Range Test Chambers

. . . temperatures to −130° F

Line of all-purpose, multi-range test chambers is capable of producing low temperatures to minus 130° F, high to 200° F. Standard humidity cycle is 20 to 95 per cent from plus 35 to plus 185° F. Tests are made in five sizes with test space capacity from 4 to 36 cu ft.

High capacity, low velocity forced air circulation system holds

temperature variation in all parts of the test space to absolute minimum. Circulation is provided by a fan with motor mounted outside the cold test space. Control circuits are interlocked with fan and defrost cycles to assure smooth operation. Automatic drain valves are furnished as standard when a humidity cycle is incorporated with a low temperature cycle. Murphy & Miller Inc., Dept. ST, 1326 S. Michigan Ave., Chicago, Ill.

FOR MORE DATA—CIRCLE REPLY CARD NO. 1

Back-Spotfacing Machine

. . . 56-spindle crankcase unit

This 56-spindle machine backspotfaces two parallel lines of 25 holes each in the pan rail face and 6 holes in the accessory end of an aluminum crankcase for internal combustion engines. Crankcase is set onto hardened and ground rest plates on the table, where it is positioned correctly by locating pins and clamped in place. Table is



lowered by hydraulic power so the 50 cutter drivers extend upward through previously drilled holes in the pan rail. At the same time, the cutter drivers for accessory end are moved into working position so they extend through the holes that are to be back-spotfaced.

Feed cycle includes adjustable timed dwell against positive stops so all spotfacing cuts will be of correct depth. Moline Tool Co., Dept. ST, Moline, Ill.

FOR MORE DATA—CIRCLE REPLY CARD NO. 2

Induction Die Heaters

. . . preheat in 4 to 10 minutes

Line of 60-cycle induction die heaters can preheat small or me-



dium size dies in 4 to 10 minutes. The smallest unit is rated at 15 kw. This heater will handle dies for most standard presses through 1500 tons. It is arranged for operation on 220 or 440-v, 60-cycle. Electrical wires are the only connections necessary.

Operation is automatic. An operator depresses a button and the heater goes to work instantly, heating the die to predetermined temperature. Magnethermic Corp., Dept. ST, Youngstown, O.

FOR MORE DATA—CIRCLE REPLY CARD NO. 3

Fume Washing Tower

. . . 750 and 1650 cfm capacities

This compact fume washing tower is developed for general laboratory and industrial use. The tower

is made in two standard sizes: 20-inch tower diameter, 8 feet 5 inches high; and 30-inch tower diameter, 9 feet 7 inches high. The former has rated capacity of 750 cfm of air; the latter, 1650 cfm.

Long life and low maintenance expectancy should result from a 1/16-inch coating of Tygoflex plastic that protects all metal surfaces, inside and out. The unit can be easily and quickly dismantled, moved to a new location and reassembled. Primarily designed to

wash noxious or corrosive fumes from the air in plants and laboratories, the unit serves equally well as a washer to remove irritating dusts. Process Equipment Division, U. S. Stoneware Co., Dept. ST, Akron, O.

FOR MORE DATA—CIRCLE REPLY CARD NO. 4

Flange Mounting Machine

. . . any type of base

Model 2B flange mounting machine can be mounted on any type of base, in a variety of positions. It is designed so two or more machines can be mounted on the same base at various angles to permit

operations on different planes at the same time. It is equipped with a separate mounting electrical panel and chain counterweight unit.

Other specifications include an 8-inch spindle travel; 12 preselective spindle speeds; range from 225 to 3000 rpm. Burg Tool Mfg. Co., Dept. ST, 3743 Durango Ave., Los Angeles 34, Calif.

FOR MORE DATA—CIRCLE REPLY CARD NO. 5

Coupling, Hose Stock Cabinet

. . . quick check on inventory

This cabinet can be used as a field service or shop stock bin to store heavy duty and reusable couplings. The M-100 cabinet has six bins for heavy duty hose—up to 300 feet—of varying diameters and 28 compartments for couplings and adapters—up to 250.

To make up a line, it is necessary only to cut the hose to desired length and attach couplings with ordinary bench tools. A separate dolly equipped with casters is available to make it easily movable if necessary. In addition to keeping stock readily accessible, the cabinet provides visible inventory that can be checked instantly.

Industrial Division, Weatherhead Co., Dept. ST, 300 E. 131st St., Cleveland 8, O.

FOR MORE DATA—CIRCLE REPLY CARD NO. 6

Five-Drawer Plan File

. . . stacked in any number

A line of metal five-drawer plan files is constructed to allow stacking in whatever number desired. In addition to filing in drafting and engineering offices, the units are useful for filing industrial work



plans, industrial layouts, sketches and drawings. Dust cover made of plastic coated cut cloth is attached to tilting arms which will stay in place when raised. Thus, operator can use both hands when removing or inserting drawings or blueprints in the drawer. Engineering Mfg. Co., Dept. ST, Sheboygan, Wis.

FOR MORE DATA—CIRCLE REPLY CARD NO. 7

Drilling Deburring Machine

. . . has double feed, is automatic

This drilling and deburring machine has double feed and operates automatically. It is designed principally for second operations and screw machine parts up to 1-inch diameter and 2 inches long. It drills holes at any angles desired.

Machine operates automatically; the only attention required being to keep the hopper filled. Production capacity is 3000 pieces per hour.

The double-feed feature serves a dual purpose: Larger production and slower operating speed. Thus, one-half the machine can be serv-



iced while the other half is operating. Inter-Lakes Engineering Co., Dept. ST, 4845 Bellevue, Detroit 7, Mich.

FOR MORE DATA—CIRCLE REPLY CARD NO. 8

Rosin Core Solder

. . . active, yet noncorrosive

Known as RTS 200, this rosin core solder is active yet noncorrosive. Oxide films and corrosion products on parts being soldered need not slow down operations because solder pierces such retarding agents. Chemicals used have no toxicity factor. Federated Metals Division, American Smelting & Refining Co., Dept. ST, New York, N. Y.

FOR MORE DATA—CIRCLE REPLY CARD NO. 9

Standard Indicator Points

. . . tipped with boron carbide

B4C standard indicator points are tipped with boron carbide in two thicknesses, 0.070 and 0.125-inch. Points are furnished with a highly polished, smooth surface. They are resistant to abrasive wear. Robert Marks Co., Dept. ST 47 Goddard St., Providence, R. I.

FOR MORE DATA—CIRCLE REPLY CARD NO. 10

Production Line Lamp

. . . adjusts to any position

Flexibility of this lamp is designed to increase efficiency of the production line. Worker can ad-

all Industry revolves around SPRINGS



All Industry turns to the

top 10 SOURCES for Mechanical Springs

WALLACE BARNES COMPANY
BRISTOL, CONNECTICUT

THE WILLIAM D. GIBSON COMPANY
1800 CLYBOURN AVE. CHICAGO 14,

RAYMOND Manufacturing COMPANY
CORRY, PENNSYLVANIA

BARNES-GIBSON-RAYMOND
40300 PLYMOUTH RD. PLYMOUTH, MICH.

B-G-R COOK PLANT
ANN ARBOR MICHIGAN

F. N. MANROSS AND SONS CO.
BRISTOL CONNECTICUT

OHIO DIVISION
1712 EAST FIRST ST. DAYTON, OHIO

DUNBAR BROTHERS COMPANY
BRISTOL, CONN.

MILWAUKEE DIVISION
341 E. ERIE ST. MILWAUKEE, WIS.

SEABOARD Coil Spring Div.
435 E. WASHINGTON BLVD. LOS ANGELES 15,

DIVISIONS OF ASSOCIATED SPRING CORPORATION

IN CANADA - The WALLACE BARNES CO., Ltd., Hamilton, Ontario



has coil-itis* cramped your production flow?

It's a waste of costly time to pump out the solution every time your process heating and cooling tanks get indigestion due to pipe coil troubles. You can save this cost and eliminate production bottlenecks by replacing the pipe coils with Platecoils. Platecoils can be removed and replaced **without dumping the solution**. They simplify maintenance and save hours of downtime. They heat or cool 50% faster and take 50% less space in the tank. As revolutionary as the new wonder drugs, Platecoils cure production troubles involving heat transfer . . . and give profits a shot in the arm.

Write for bulletin P72 today!

PLATECOILS SAVE 50% IN HEAT TRANSFER COSTS

PLATECOILS TRIPLE PRODUCTION

At Continental Motors Corp., 3 crankcase sections can be cleaned at one time when Platecoils are used while only one crank case can be cleaned with pipecoils in the tank. Ask about other case histories.



PLATECOIL

REPLACES PIPE COILS

*Coil-itis — Diagnosed as tank heating and cooling problems. Platecoils — the prescription for solving pipe coil problems.

PLATECOIL DIVISION, TRANTER MANUFACTURING, INC., LANSING 4, MICHIGAN

NEW PRODUCTS and equipment

just light to any location at desired intensity. Tension of springs holds the lamp exactly where it is placed, thus eliminating annoying shadows.

Arms and shade together provide a 45-inch radius making possible a concentrated light in any

spot over a wide area. A variety of brackets is available, so the lamp can be attached to any surface—horizontal, vertical or slanted. Luxo Lamp Corp., Dept. ST, 290 Madison Ave., New York 17, N. Y.

FOR MORE DATA—CIRCLE REPLY CARD NO. 11

Multiple Burring Barrel

. . . speeds small lot work

This multiple burring barrel is designed to assist finishers having



many small lots of parts to deburr. It permits two lots to be handled at

USE A **REPLY CARD**

Just circle the corresponding number of any item in this section for more information.

AVAILABLE FOR THE ASKING

68. Flange Selector

Noo'er Corp.—Giving immediate selection of such data as flange OD and OD of raised face, thickness, hole and bolt info for series 15 and 30 flanges, this revised selector also has a great deal of new facts, all in easy-to-read slide rule form.

69. Lock & Weld Nuts

Grip Nut Co.—Complete description with applications and tabulated size weight and price data is offered in 8-page booklet on Gripco lock and weld nuts. These nuts are made to lock on standard commercial types of bolts.

70. Voltage Stabilizers

General Electric Co.—12-page illustrated bulletin GEA-5754 describes automatic voltage stabilizers ranging from 15 to 5000-amp capacity. Causes and effects of voltage variations and operating and construction principles of the equipment are described, together with complete specs.

71. Torches, Mixers, Burners

Research Vacuum Supply Co.—Descriptions of new and improved three-burner torches, gas-air mixers, fish-tail burners for slow-burning natural gas, blow torches, compound vacuum pumps and recording counters are given in bulletin 12-K.

72. Grommet V-Belt

Allis-Chalmers Mfg. Co.—Claimed to have long life and no splice, the Texrope grommet V-belt is described and illustrated in 4-page bulletin 20B6197A. Cross section views show how it provides high gripping pressure under all load conditions.

73. Combustion Safeguards

Minneapolis-Honeywell Regulator Co. Brown Instruments Div—Descriptive data on combustion safeguard systems for industrial ovens, furnaces and other heat treating applications fired by multiple oil or gas burners is contained in bulletin 9603. It describes components, lists optional burner lighting methods and includes dimensional and operational info.

74. Bricks, Sticks & Stones

Simonds Abrasive Co.—Aluminum oxide and silicon carbide dressing stones for variety of purposes are decribed in illustrated 8-page catalog "Bricks, Sticks and Stones." Ordering information with specification is furnished for each item.

75. Lifting Magnets

Electric Controller & Mfg. Co.—If you want complete engineering data and specifications on lifting magnets, send for 24-page illustrated bulletin 900 on type SW all-welded magnets. Accessories and operating components are shown, along with photos of units in use.

76. Stock List & Calculator

Chicago Steel Service Co.—As an adjunct to the new stock list on stainless steels, price calculator quickly converts pricing code numbers on all stainless steel items listed into current prices in all quantity brackets.

77. Packings

Greene, Tweed & Co.—20-page illustrated catalog PC-102 covers Palmetto self-lubricating, molded, Teflon and sheet packings. Dimensional and other information is included, together with an application chart which permits rapid finding of the type best suited to any service condition.

78. Sintered Metal Parts

United States Graphite Co.—40 pages of information on Gramix sintered metal bearings, gears and other parts comprise illustrated catalog. Parts are produced in variety of ferrous and nonferrous grades from metal powders and compacted under pressures up to 70,000 psi. Catalog covers manufacturing, special design factors, chemical composition, physical properties and applications.

6-22-53

STEEL
Penton Building, Cleveland 13, Ohio

Please send literature or detailed information on subjects circled at left to—

NAME _____ TITLE _____

COMPANY _____

PRODUCTS MANUFACTURED _____

ADDRESS _____

CITY AND STATE _____

This card MUST be completely filled out. Please TYPE or PRINT

1	11	21	31	41	51	61	71	81
2	12	22	32	42	52	62	72	82
3	13	23	33	43	53	63	73	83
4	14	24	34	44	54	64	74	84
5	15	25	35	45	55	65	75	85
6	16	26	36	46	56	66	76	86
7	17	27	37	47	57	67	77	87
8	18	28	38	48	58	68	78	88
9	19	29	39	49	59	69	79	89
10	20	30	40	50	60	70	80	90

FIRST CLASS
Permit No. 36
(Sec. 34.9 P.L.&R.)
CLEVELAND, OHIO

BUSINESS REPLY CARD
No Postage Stamp Necessary if Mailed in the United States

—POSTAGE WILL BE PAID BY—

STEEL
Penton Building
Cleveland 13, Ohio

Readers Service Dept.

79. Phosphate Coating

American Chemical Paint Co.—Phosphate coating chemicals and processes for paint bonding, rust proofing, protecting friction surfaces and improving product drawing and extrusion qualities are described in 12-page illustrated data sheet P-100-46. Steel, zinc, and aluminum are among the metals which can be treated advantageously.

80. Boiler System Accessories

McDonnell & Miller, Inc.—8-page illustrated catalog and price list contains complete specifications and ordering information on a line of products including boiler water feeders, low water cut-offs, pump controls, temperature and pressure relief valves and combination temperature and pressure valves.

81. Steam Cleaners

Clayton Mfg. Co.—Illustrated folder on the Clayton-Kerrick steam cleaner (model HR) outlines its operation and uses. Accompanying 4-page illustrated bulletin describes the Clayton-Hydro portable steam cleaning system which converts any live steam line into an effective cleaning system.

82. Heating Furnaces

Surface Combustion Corp.—Advantages of high thermal head heating, with gas or oil, for press forging, upsetting, extruding, stress relieving of ferrous and nonferrous metals are pointed up in 4-page illustrated bulletin SC-162. Basic furnace designs and burner arrangements are described.

83. Cost-Cutting Machines

Famco Machine Co.—Specifications and features for line of air, arbor, drill, foot and power presses, band saws and squaring shears are contained in 8-page illustrated catalog "Famco Cost-Cutting Machines."

84. Fire Extinguishing System

Randolph Laboratories, Inc.—Fire extinguishing systems of manual, mechanical and automatic-electric carbon dioxide type for protection of spray booths, baking ovens, quench and dip tanks, etc., are described and illustrated in 12-page catalog SYS-821. Detectors, alarms, shut-offs, etc., are covered.

85. Thread Rolling Heads

National Acme Co.—Fette self-opening thread rolling heads, both revolving and non-revolving types, are announced in 4-page bulletin FRH-53. Threads rolled in these heads have high grade burnished surface. Non-revolving type is used on turret or hand lathes, while revolving types are used with yoke operating mechanism on machines where threading spindle is rotated.

86. Better Grinding

Landis Tool Co.— 84-page leatherette covered and spiral bound book "Better Grinding" has many valuable tips on how to set up grinding jobs, how to operate precision cylindrical grinders, how to take care of them and how to turn out better grinding jobs on Landis and other grinders. Seventeen chapters are devoted to basic grinding facts about cylindrical machines. Ninety illustrations.

EDITORIAL ARTICLES
Available in Limited Quantities

87. Resistance Welding

Versatility and ability to tie in with automatic parts handling equipment is big plus feature of resistance welding. Other real advantages of press-welding are summarized in STEEL article "Resistance Welding Shines as Volume Producer" by Jack Ogden of General Motors.

88. Use More Cutters

Doubling up on the cutters gets rid of nonproductive machining time and keeps the chips flying. In STEEL article "Cutters Team Up on Workpiece" is described an automatic lathe tool setup with nine cutters. Cam drums for feed and form plates for contour keep automatic cycles on right track.

89. Scrap Bale Inspection

Bethlehem Steel has developed a fast method for checking the interior quality of purchased scrap bales. Methods used up to now have been lengthy and non-productive. New system lets dynamite do the work. It's described in STEEL article "Blasted Bales Give Up Secrets."

90. Pressure Welding

One of the newest joining techniques for nonferrous metals is pressure welding. Work can be done cold or at elevated temperatures. Both techniques appear promising, particularly for aluminum and its alloys. C. Bruno and G. W. Birdsall of Reynolds Metals Co. discuss this joining technique in STEEL article "Pressure Welding Attracts Interest."

BUSINESS REPLY CARD
No Postage Stamp Necessary if Mailed in the United States

— POSTAGE WILL BE PAID BY —

STEEL
Penton Building
Cleveland 13, Ohio

Readers Service Dept.

FIRST CLASS
Permit No. 36
(Sec. 34.9 P.L.&R.)
CLEVELAND, OHIO

1	11	21	31	41	51	61	71	81
2	12	22	32	42	52	62	72	82
3	13	23	33	43	53	63	73	83
4	14	24	34	44	54	64	74	84
5	15	25	35	45	55	65	75	85
6	16	26	36	46	56	66	76	86
7	17	27	37	47	57	67	77	87
8	18	28	38	48	58	68	78	88
9	19	29	39	49	59	69	79	89
10	20	30	40	50	60	70	80	90

STEEL
Penton Building, Cleveland 13, Ohio

6-22-53

Please send literature or detailed information on subjects circled at left to—

NAME _____ TITLE _____

COMPANY _____

PRODUCTS MANUFACTURED _____

ADDRESS _____

CITY AND STATE _____

This card MUST be completely filled out. Please TYPE or PRINT

the same time in place of one. If two multiple units are used on the manufacturer's twin finisher, a total of four individual lots can be processed simultaneously.

These multiple units are interchangeable with the single hexagonal barrels standard on the machine. In addition, the multiple unit can be used on the single barrel machine to double the number of lots that can be tumbled on that device. Multiple units are available unlined or lined with vinyl plastic. Rampe Mfg. Co., Dept. ST, 3320 St. Clair Ave., Cleveland 14, O.

FOR MORE DATA—CIRCLE REPLY CARD NO. 12

Horizontal Polishing Machines

. . . polish entire sheet length

Series of horizontal polishing machines is built for work on extrusions, sheets and rods as well as smaller and odd-shaped pieces.



Standard sizes range from 7 to 20-foot stroke. Machines permit polishing of extrusions and sheets the entire length. They operate hydraulically with provision for obtaining dwell during the polishing action and have adjustable stroke with stepless increments from 2 inches up to full capacity.

Series can be equipped with a mechanical polishing compound applicator or spraying equipment as required. Machines take work in sizes from 6 to 20 feet long. Cen-



NILSON FOUR-SLIDE

It's easy to get
HIGH PRODUCTION
. . . and UNIFORMITY, too!

Wire and Ribbon Metal
FORMING MACHINES

UNIFORMITY in automatic production doesn't come by chance! In the case of wire and ribbon stock forming on NILSON 4-SLIDES, *it means control of the material from the coil to the final form.*

Parts, such as illustrated, are produced to tolerances of .002 at critical dimensions. Dies and forming tools, once installed (faster and simpler with NILSON'S open construction) maintain close tolerances for short and long runs. One machine! One set-up! Increased production! Maximum uniformity!

Model SF3 NILSON 4-SLIDE, shown below, with No. 51B Tilting Stock Reel, is a complete unit that can be set-up in any convenient location.





Close-up of the NILSON forming section with the built-in Horizontal Press to the left. This design eliminates secondary handling and insures product uniformity because the sequence of stamping and forming is automatically controlled.



Close-up of the NILSON feed mechanism . . . capable of feeding wire and ribbon metal to tolerances of .001. Another important element in insuring product uniformity. Positive control is maintained over the material regardless the length of feed.

Range of sizes

Wire Forming
1/32" through ½" wire. Feeds up to 32".

Ribbon Stock Forming
1" through 3½" wide material. Capacity of press section 5 to 30 tons; 50 to 75 tons in heavy duty types.

For specific recommendations — send details of your operation.

THERE'S NOTHING LIKE A NILSON

NILSON has been specializing in Forming Equipment for over 50 years.

THE A. H. NILSON MACHINE COMPANY
1512 Railroad Avenue • Bridgeport 5, Connecticut
CHICAGO • CLEVELAND • DETROIT • LOS ANGELES • HAMILTON, ONT., CANADA

Automatic Chain-Making Machines • Automatic Staple Forming Machines • Wire and Stock Reels • Foot Presses • Wire Straightening Equipment • Slide Feeds for Presses

tral Machine Works, Dept. ST, Worcester, Mass.

FOR MORE DATA—CIRCLE REPLY CARD NO. 13

General Purpose Pump

. . . operates at 100 to 400 rpm

Pump for general-purpose industrial service delivers 12.5 to 50 gpm at maximum 400 rpm. Designed for continual service, the pump is of vertical, triplex con-



struction to provide maximum hydraulic horsepower in minimum floor space. Entire power end is enclosed, affording weather protection and operating safety. Pressure system lubricates crosshead guides, crosshead pin bearings and crank pin bearing. Ajax Iron Works, Dept. ST, Corry, Pa.

FOR MORE DATA—CIRCLE REPLY CARD NO. 14

Smaller, Lighter Cleaner

. . . offers ready portability

This heavy-duty commercial cleaner is designed for users who require a smaller size, lighter

weight model. More readily portable than conventional large power cleaners, model JS performs in all dry suction cleaning and blowing operations. It is powered by a 1½ hp motor, driving a three-stage fan. National Super Service Co. Inc., Dept. ST, Toledo, O.

FOR MORE DATA—CIRCLE REPLY CARD NO. 15

Floor Covering

. . . controls floor dusting

To aid in the control of dusting concrete floors, Transvar 266 has been developed. It is a thin liquid that may be applied by brush or mop. It binds tiny dust particles together so they are actually part of the concrete surface. Solution may be applied to both newly laid concrete and old surfaces. United Laboratories Inc., Dept. ST, 16801 Euclid Ave., Cleveland 12, O.

FOR MORE DATA—CIRCLE REPLY CARD NO. 16

Punch and Die Cutting Tool

. . . no damage to contours

Wider application and adaptability are engineered into this improved model punch and die metal cutting tool. Redesigned nosepiece means greater rigidity, durability. In addition, the unit has a three-conductor cable and is available



with 220-v universal motor in addition to the regular 120-v motor.

The tool cuts holes in tubes and ducts without damaging original contours, because cutting pressure is applied only to the metal being cut. Its metal cutting capacity includes stainless up to 14 gage. The unit can be used as a hand tool or vise-mounted for production work. Fenway Machine Co. Inc., Dept. ST, Philadelphia 3, Pa.

FOR MORE DATA—CIRCLE REPLY CARD NO. 17

Triple-Duty Open Yoke Press

. . . three units combined

This open yoke press is designed to perform the work of three separate units. It incorporates all features of standard shop presses, can handle jobs done on regular forcing presses and can be used as a regular platen press. The line is built in 100 to 400-ton capacities. Machined V blocks are centered accurately in the yoke member



groove. A wear collar is supplied for inserting in yoke recess; that plate insert covers recess and provides a continuous flat working surface. Clear open ends permit entrance of long material. Rodgers Hydraulic Inc., Dept. ST, 7450 Walker St., St. Louis Park, Minneapolis 16, Minn.

FOR MORE DATA—CIRCLE REPLY CARD NO. 18

Apron Conveyor

. . . aids assembly, inspection

This rigid apron is available for all the manufacturer's belt and live roller conveyors, for use as benches in assembly or inspection operations. Variable speed drive is furnished to suit ranges of 4 to 1 and speeds from 5 fpm.

Belts to meet special handling



requirements are available on all power belt models. Metzgar Co., Dept. ST, 409 Douglas St. NW, Grand Rapids, Mich.

FOR MORE DATA—CIRCLE REPLY CARD NO. 19

Industrial Diamond Turner

. . . indexes automatically

This turner is a self-contained electro-mechanical device designed to index addressing diamond automatically by positive increments.

. . . for most wire needs

A WIDE VARIETY OF WIRE APPLICATIONS

Continental Coiled Binding Wire . . . Braces for Automobile Fenders . . . Spokes for Steering Wheels . . . Wheel Spokes for Toys and Wagons . . . Yoke for TV Picture Tubes . . . (four times size of human hair) Heavy Wire for Hose Reels . . . Structural Framework for Trash Burners . . . Wire for Stapling and Paper Clips . . . Bolt-wire for Metal Fasteners . . . Florists' Wire . . .

Be sure you are getting the best wire for every job . . . wire that's tailored to fit your product needs. Wire of uniform quality that welds easily, securely, and forms under stress without fracturing the wire or its coating. To assure getting this fullest wire value, take advantage of Continental's continuing research and testing. Listed at left are just a few of the Continental wire types made to exacting analyses, tempers, finishes and shapes. Continental's wire service record is your guarantee that Continental goes all-out to produce the finest wire possible—for each application. Valuable case histories and the experience gained in more than a half-century of wire-making are brought to bear on your wire problem. Call or write Continental at Kokomo for the help you need with wire.

CONTINENTAL STEEL

CONTINENTAL STEEL CORPORATION

GENERAL OFFICES • KOKOMO, INDIANA

PRODUCERS OF *Manufacturer's Wire* in many sizes, shapes, tempers and finishes, including Galvanized, KOKOTE, Flame-Sealed, Coppered, Tinned, Annealed, Liquor Finished, Bright, Lead Coated, and special wire. ALSO, Coated and Uncoated Steel Sheets, Nails, Continental Chain Link Fence, and other products.

Guarantee

We guarantee that Pittsburgh ARMORED GEARS, of our own laboratory specification steel and Armoring will give an average service life:

1. FIVE TIMES THAT OF UNTREATED GEARS.
2. ONE TO ONE AND ONE HALF TIMES THAT OF OIL TREATED GEARS, and
3. EQUAL OR SUPERIOR TO THE AVERAGE SERVICE LIFE OF ANY OTHER HEAT TREATED GEAR IN IDENTICAL SERVICE.

ARMORED GEARS

Reg U S Pat Off.

that's right...

Pittsburgh **ARMORED GEARS** are sold to you with this positive guarantee of satisfactory service. It means that they will give you longer service, fewer work-stoppages, and lower operating costs.

There is a reason for the longer life of Pittsburgh **ARMORED GEARS.** It comes from a combination of the correct metal, quality machining, PLUS a process of heat-treating that hardens the wearing surfaces but leaves the core tough and shock-resistant.

Next time try a Pittsburgh **ARMORED GEAR.** You can identify it by its exclusive Pittsburgh purple protective coating. Let it prove its worth. Then standardize on these guaranteed gears for continued savings. Send your specifications to us today for quotation on one or any quantity of gears you need. We'll give you prompt service.

Look for **"Pittsburgh Purple"** on the gears you buy.

SPUR, MITRE
HELICAL
HERRINGBONE
WORM GEARS
REDUCERS
CRANE WHEELS

the **RIGHT** hardness in the **RIGHT** places

PITTSBURGH GEAR COMPANY | 27th & Smallman Streets, Pittsburgh 22, Pa. Phone: ATlantic 1-9950

subsidiary: **BRAD FOOTE GEAR WORKS, INC. • CICERO 50, ILLINOIS**

NEW PRODUCTS and equipment

Its action continually presents a new sharp diamond edge for each wheel dressing.

The unit is electrically operated. Since it has outside power source,



it can be operated merely by mechanical contact, or manually, if preferred. This makes installation or removal extremely simple. Industrial Diamond Co., Dept. ST, 2392 Wolcott, Ferndale 20, Mich.

FOR MORE DATA—CIRCLE REPLY CARD NO. 20

Clear Metal Protector

. . . protects against oxidation

Protection of aluminum, stainless steel and chromium from oxidation and discoloration is reported complete through one clear coating application. This coating can be applied by either spray or brush. According to its manufacturer, it has successfully undergone a 1204-hour salt spray test, a 3000-hour weatherometer test and a 100-hour humidity test.

Preparatory treatment of metal consists only of thorough soap and water cleaning. Once coating is applied, it prevents oxidation of metal surface. Coating will not discolor. Silvercote Products Inc., Dept. ST, 161 E. Erie St., Chicago 11, Ill.

FOR MORE DATA—CIRCLE REPLY CARD NO. 21

Protective Wrap

. . . for metal parts

Spot-Seal, a protective wrap for enclosing metal parts, sticks only to itself. It is wrapped over the parts, pressed together and the package is sealed. Wrapping makes a tight, dust-proof, water repellent, tamper-proof package and protects finely finished metal surfaces from scratches, abrasion and fingerprints. Sherman Paper Products Corp., Dept. ST, 1640 Oak St., Newton Upper Falls 64, Mass.

FOR MORE DATA—CIRCLE REPLY CARD NO. 22

Here's *Why* you can check precision gears *more conclusively* with Kodak Conju-Gage Gear Checkers





Why the composite check

Errors in gears seldom occur individually—they're usually combinations of as many as six types of errors. The practical way to test gears for these errors is to test them in action through the composite check recommended in the new American Standard (AGMA 236.02; ASA B6.11-1951).

This check measures gear errors as variations in center distance when the gear is rotated in contact with a master of known accuracy. Since this variation is the sum of errors in both gear and master, the degree of precision measurable depends on the precision of the master.



The Kodak Conju-Gage Gear Checker automatically records the composite effects of runout, base pitch error, tooth thickness variations, profile error, lead error, and lateral runout. Illustrated is the Kodak Conju-Gage Gear Checker, Model 4U, for gears up to 4⅛" pitch diameter. Larger and smaller models are also available.

Why the Conju-Gage Gear Checker

Kodak Conju-Gage Gear Checkers use a master of exceptional accuracy, the Kodak Conju-Gage Worm Section. These Worm Sections are generated by the continuous action of a thread grinder under control of a precision lead screw—circular pitch error and tooth thickness variations cannot be introduced by defects in an intermittent indexing mechanism. This means a more accurate gaging element, less chance that error in the master may coincide with a tolerable error in the gear to result in a needless rejection. Less chance, too, that an error in the master may subtract from an intolerable error in the gear, passing a gear that will fail in use.

By passing each right gear, rejecting each wrong gear, the Kodak Conju-Gage Gear Checker helps you reduce costs while maintaining highest precision. For the full story of this and other economies achieved by Conju-Gage instrumentation, send for the booklet, "Kodak Conju-Gage Gear Testing Principle." Write to:

Special Products Sales Division
EASTMAN KODAK COMPANY, Rochester 4, N.Y.

CONJU-GAGE INSTRUMENTATION

. . . a new way to check gear precision in action

To inspect all kinds of complex parts on a bright screen, Kodak also makes two highly versatile contour projectors.

Kodak
TRADE-MARK



Contact rolls and reciprocating tables are used in surface grinding of tapered aluminum sheets for aircraft

SURFACE GRINDING:

Consider Coated Abrasives

By WARREN K. SEWARD
Abrasive Engineer
Coated Products Division
The Carborundum Co.
Niagara Falls, N. Y.

Belt grinding of metal surfaces takes hold as a method to investigate. Low cost, minimum part distortion and rapid machining cycles all stand in its corner for some jobs

YOU MAY be overlooking a chance to put abrasive belts to work on a surface grinding application. Lowered power requirements and a drop in workpiece distortion due to less generated heat are two of the factors in its favor.

An abrasive belt is coated with a relatively thin layer of abrasive mineral and bonding agent as compared to the radial depth of abrasive in grinding wheels. Length of the abrasive belt may offset this to a degree.

Less Push—Abrasive mineral on a belt is in the form of a thin layer or coating. It's oriented to provide maximum surface sharpness and to produce an abrasive article where each grain has a minimum of its surface covered by bonding agent and a maximum of its surface exposed to do useful work. With abrasive grains so oriented, less pressure is required to get penetration of the abrasive grain into the workpiece.

Lower pressures to obtain a given amount of penetration require less power, and a cleaner, sharper cut results. The clean, sharp cutting action also produces less heat, making the workpiece less susceptible to warpage or distortion by overheating.

Two Ways—In many cases, this is a decided advantage because a piece may be ground dry without the use of a lubricant or coolant and, consequently, the initial cost of the machine together with the operating costs may be considerably less.

Two primary methods serve to present the abrasive belt to the work. One method involves the use of a rigidly-mounted flat platen, and the other a contact wheel or rolls.

Must Be Flat—First of these is the simpler of the two and makes use of a rigid plate or platen to support the belt when in contact with the work. A prime consideration in this type application is that the platen itself must be absolutely flat. Otherwise, the surface generated will be a reproduction of the surface of the platen unless there is a relative motion between the work and the platen to counteract any such uneveness.

Hard-chrome plating the surface of the platen will prolong the life between grinds. With this method of surface grinding, it is desirable to oscillate the piece across the face of the platen to produce even wear on the belt and distribute wear on the platen as well as to spark out the piece and thus eliminate any repetitious scratch pattern which might otherwise be present. Where finish is important, this latter step is necessary for best results.

Platen Asset—Big advantage in the platen method of grinding is that the whole surface of the work is presented to the belt at one time in the form of a plunge cut. Using an automatic infeed mechanism, the piece is in continuous contact with the belt from the moment of contact until the finished size has been reached; thus eliminating any lost motion through reciprocation or rotation when the piece may not contact the belt.

Also, depth of cut can range from a few thousandths of an inch to several hundred thousandths of

an inch with equal ease because no manual infeeding is required after the automatic mechanism has been made operative. The latter case would naturally require a longer grinding cycle.

Size Limits — This type of grinding lends itself well to relatively small parts but cannot be used for grinding pieces larger than the width of the belt. Problem of effectively getting a coolant between the work and the belt obviates the need for a machine to do large pieces by this method.

Also, when pieces with large areas are ground this way, the question of abrasive life becomes a problem. As the area of the workpiece increases, the pressure required to fracture the individual abrasive grains also increases, along with difficulties in getting coolants where they are wanted.

Stays Sharp—If sufficient unit pressure is not maintained through the normal course of grinding, the grains will merely become dull and glazed and no longer cut freely, thus shortening the useful life of the abrasive belt. However, when unit pressure is sufficiently high the grains will fracture or break out of the bond completely to keep the abrasive sharp and free-cutting. This condition of dulling and glazing may be overcome considerably by periodic use of an abrasive belt dresser.

Another way of getting the same results is to cut grooves or serrations in the platen face, thus reducing the effective area of contact of the platen with the work and thereby increasing unit pressure. It is essential that there be appropriate relative motion between work and platen. Otherwise the pattern of the platen would be transferred to the work and all accuracy and flatness would be lost.

Horizontal Belt — Machines of this type with infeed tables have been mounted with the belt in a vertical position traveling downward at the point of contact.

A new machine has the belt in a horizontal grinding position with a multiple-station work table underneath. This arrangement permits advantages of platen grinding through a plunge cut and rapid stock removal rates, plus the opportunity to load and unload during the machining cycle.



New platen-type belt grinder manufactured by Curtis Machine Corp. has a multiple-station work table. Permits loading and unloading during grinding cycle

Doubling Up — Setup can be modified with a second abrasive belt unit to provide a roughing head at one point and a finishing head at another. This arrangement makes possible the complete finishing of parts in one handling. Other modifications are possible which would further improve the efficiency of the machine on individual types of work.

Reports received on this machine show the removal of up to 0.016-inch from one side of small hand tools in 5 seconds grinding time. On other jobs the grinding time has been reduced to 2 seconds. Accuracy obtained is of the order of 0.0005-inch on flatness and plus or minus 0.0005 to 0.001-inch on size for production work. Accuracy of the finished part, of course, is dependent upon the condition of the machine and accuracy of the initial setup.

Job Examples — Typical applications that readily lend themselves to grinding by the platen method include small steel forgings; hand tools such as screw drivers, end wrenches and pliers; small pump cover plates; gas and water metering valve halves; miscellaneous nonferrous parts; plastic parts; die castings and small steel components (up to 10 square inches surface) having an interrupted or noncontinuous surface.

Roll Support—Second type of surface grinding with coated abrasive belts utilizes a contact wheel or roll instead of a rigid platen. One such machine can be equipped with a reciprocating table or is available with an endless carrier belt. The abrasive belt is in a vertical position with the contact wheel or roll positioned at the bottom in a rigid mounting. Carrier belt carries the pieces to be ground under the contact roll and they emerge on the other end completely finished.

From a practical standpoint the carrier-belt method is used primarily for generating a particular finish while size and accuracy is usually a secondary consideration.

One Shot—Where accuracy and finish are both required, use of a metal carrier belt would be necessary to overcome resiliency of the composition belt. Even so, the technique is one primarily of finishing, because the belt makes only one pass over the workpiece.



Twin Machines Trim Welded Steel Tube

Double-end tube deburring and facing operations are all performed in a few seconds by one operator at Kold-Hold Mfg. Co., Lansing, Mich. Working with two Pines 600 air operated end-finishing machines, the one man machines ¾ x 0.028 x 13-17/64-inch welded steel tubing to precision limits at an average 600 pieces per hour. Machines are bench mounted and operated simultaneously by a single foot control that initiates automatic clamp, feed and return cycle. Machine at operator's left is tooled to handle an inside and outside deburring and facing operation at one end; unit at right then completes opposite end

Reducing the rate of through-feed will permit the removal of greater amounts of material.

The carrier-belt system can be further modified to advantage on certain parts where a one-pass set-up is desired and stock removal requirements are greater than can be accomplished by a contact wheel or roll. This modification calls for a relatively narrow platen —say from 2 to 4 inches wide— being substituted for the contact roll.

Longer Contact — This doesn't mean that a platen-type grind will cut more or faster than the contact roll principle. However, in this instance and particularly on small parts having 1 to 10 square inches of area to be ground on the carrier-belt setup, the narrow platen will usually remove more material and produce closer tolerances simply because the workpiece is in flat contact with the belt for a longer period of time.

Because the contact roll makes line contact with the workpiece, it must remove varying amounts of material from different points on the workpiece, due to unevenness, ribs, etc., in one pass, and at the same time produce a flat surface. This is practically impossible because the varying pressures produced by unevenness will cause deflection in the machine proper and this error will be intensified by the resilience of the carrier belt.

Cost Factor—By the same reasoning even a very narrow platen will have a larger area of contact and a longer time for grinding the high points or spots down to the level of the low ones. This results in a greater degree of flatness obtained, in conjunction with the possibility of a greater rate of metal removal.

Using the same type machine with a reciprocating table in place of the carrier belt, greater accuracies and faster stock removal rates are possible with contact wheels than with platen type grinders. Moreover, abrasive costs are lower because more efficient use is made of abrasive through proper selection of the contact wheel or roll used.

Key Role — The contact roll plays a vital part in the success of surface grinding with coated abrasives. The type roll used is dependent on the material being ground, depth of cut, rate of feed and finish required.

A wheel of given size will have, theoretically at least, line contact with the work. This condition automatically gives a higher unit pressure between the abrasive and work for a given applied pressure than can be obtained with a platen. Higher unit pressures produce greater penetration of the abrasive grain into the work and consequently produce a larger chip.

Relatives—A direct correlation exists between rate of stock removal and surface finish produced for any given grit size when the applied pressure is varied and all other conditions remain constant. In other words, as the rate of cut is increased the surface finish also increases, in terms of microinches rms. This indicates a greater depth from peaks to valleys of an individual scratch formed by one abrasive particle.

Unit pressure can be further increased without additional applied pressure by grooving or serrating the contact roll. Hardness, angle of serration, face shape and number of serrations all have a direct bearing on the end result for any given application.

Points of Influence — Optimum production conditions leading to removal of a given amount of material from the workpiece or production of a desired finish, or both, include proper combination of abrasive type, grain size, contact roll, and rate of feed.

Best contact roll is one which applies a unit pressure sufficiently high to fracture the abrasive grains when they become dull, or break them out of the bond completely. This continuously provides a sharp clean cut throughout the useful life of the belt, without appreciably altering the rate of cut.

Lower Load Rate—Another advantage in grinding with a contact roll rather than a platen, is the lesser tendency for the abraded material to pack or load the abrasive belt and thus reduce the rate of cut and/or produce a poorer finish. It also presents no problem in getting coolant to the grind to prevent overheating and possible warping or distortion.

Contact-roll grinding is adaptable to steel forgings, hand tools,

ECLIPSE FUEL ENGINEERING WRITES:

"Heat Prover Completed a 30 Hour Burner Test In Just 6 Hours!"

Amazing Cities Service Heat Prover Works 5 Times As Fast As Old Method... More Accurate, Too!

Robert W. Pixler, Laboratory Supervisor for Eclipse Fuel Engineering Company, Rockford, Illinois writes:

"It did not seem possible that an instrument that is so fast and direct-reading could possibly have the accuracy we demand. But, we found the Heat Prover equally exact, possibly even more exact, than standard commercial testing equipment.

"Our test work with previous instruments was a long, drawn-out affair. But with the Heat Prover, we completed what would normally have been a 30-hour test in just 6 hours! ...and we doubt that our old equipment could have maintained the accuracy delivered by Cities Service Heat Prover."

WHEREVER A FURNACE OPERATION IS INVOLVED, the Heat Prover can help increase productivity by providing:

- **Rapid, continuous sampling**
- **Simultaneous reading of oxygen and combustibles**
- **Direct measurement of oxygen and combustibles**
- **Easy portability**
- **No maintenance; no re-calibration**

For details, contact nearest Cities Service office or write Cities Service Oil Company, Dept. F18, Sixty Wall Tower, New York City 5, N. Y.

CITIES SERVICE

QUALITY PETROLEUM PRODUCTS

PROMPT ANSWER TO A DISTRESS SIGNAL

How aluminum from Canada averted a flare plant shutdown

When the aluminum shortage was at its worst, a certain American manufacturer was unable to procure enough of the ingot it needed to make flares and incendiary bombs for the Navy. With a shutdown of its flare plant imminent, the company's purchasing executives brought their problem to Aluminum Import Corporation — distributor of ingot produced by Aluminum Company of Canada, Ltd. ("Alcan").

Alcan moved fast. The flare plant ran out of metal on a Friday — but a carload (100,000 pounds) of Alcan aluminum arrived in time for operations to resume Monday morning.

Through us, this kind of emergency help from Alcan is available to aluminum users throughout the hemisphere. Moreover, aluminum in increasing quantities will be produced by Alcan in the future. In Quebec, Alcan is adding power and smelting facilities for producing 130,000,000 more pounds of aluminum per year . . . and in British Columbia is constructing facilities which in their initial stage will provide 200,000,000 more pounds per year.

ALUMINUM IMPORT CORPORATION

Distributing company of the **ALUMINIUM LIMITED** *group, in the Western Hemisphere*

Offices and agents in 40 cities — **Cable address: ALIMPORT**

630 Fifth Avenue, New York 20 • 20 North Wacker Drive, Chicago 6 • 505 Terminal Tower, Cleveland 13

510 West Sixth St., Los Angeles 14 • Av. Ing. Luis A. Huergo 1279, Buenos Aires • Rua Da Quitanda 96, Sao Paulo

hardened steels, hand saw blades, circular saw blades, microscope bases, and a large variety of nonferrous parts and small, medium and large steel parts, either solid or interrupted construction.

Another example of the contact roll principle with a reciprocating table is found in a production test conducted by Carborundum on thick aluminum sheets (see STEEL, Aug. 25, 1952, p. 98). Sheets required an accurate taper in either a simple straight taper or a compound taper to be used in wing sections for aircraft.

Carbide Crucibles Go King-Size

Newly developed process has made possible manufacture of a line of giant carbon-bonded, silicon carbide crucibles, said to be the world's largest, at Electro Refractories & Abrasives Corp., Buffalo, N. Y.

Previously, the company could produce crucibles holding only up to 400 pounds of aluminum. Today the process enables output of king-sized pots holding as much as 1100 pounds of lightweight aluminum. Capacity, of course, is greater for heavier metals, such as brass and copper alloys.

Mammoth crucibles were developed to meet the increased sizes of furnace equipment in foundries. Greatest demand for the large pots comes from die casting industry. The process imparts a laminated structure that increases the strength and flexibility of the crucibles.

Control Maintenance Simplified

What to look for in maintaining control equipment properly is told in a new eight-page manual entitled "Proper Maintenance of Control" released by Allis-Chalmers Mfg. Co., Milwaukee.

Besides giving helpful suggestions toward overcoming some of the most frequent difficulties common to electrical control devices, the pamphlet has a handy control trouble-shooting chart for quick reference showing the symptom, possible cause and cure.

Copies are available on request from company offices 1021 S. 70th St., Milwaukee.


"Automatic" Fire Alarm Systems
For all types of business
"Automatic" Sprinkler Systems
For industrial, commercial and institutional properties
"Automatic" CO_2 Systems
On-the-spot protection for many industrial fire hazards
"Automatic" Air Foam
For petroleum and chemical processing properties
"Automatic" FIRE-FOG
Protects high voltage electrical equipment
"Automatic" Dry Chemical Systems
For many Special Hazards

You've no doubt read or heard from time to time that one or another type of fire protection is the correct answer to your safety problem. One says foam is best. Another says water sprinklers are the answer. Perhaps carbon dioxide, dry chemical, or other media will do the trick.

What is the most effective method?

Without a thorough understanding of all conditions involved, we wouldn't hazard a guess. For fire protection, like any other scientific problem, requires (1) technical know-how, and (2) application of that knowledge. Most methods of fire safety are good . . . but only through "FIRE PROTECTION ENGINEERING"—designing, manufacturing and installing the specific type of system *best by test*—can you be sure of maximum safety.

So, we take all methods of fire alarm and control, combine them with extinguishing mediums—FIRE-FOG, Air Foam, Sprinklers, etc.—and compound the results by adding "Automatic" technical know-how as well as test and field experience. The result . . . the finest "Automatic" FIRE PROTECTION available at any price.

The subject is more vividly covered in our colorfully illustrated literature, "The ABC of Fire Protection." Write for free copy today.

"Automatic" Sprinkler

CORPORATION OF AMERICA · YOUNGSTOWN, OHIO

OFFICES IN PRINCIPAL CITIES OF NORTH AND SOUTH AMERICA



LONG LIFE FROM PUNCH AND FINISH DIE
. . . substantial quantities of 81 mm casings already shipped

West Coast Producer Steps Up Ordnance Schedule

TRENDS toward heavy industry in the West are shown by Rheem Mfg. Co.'s shipment of a pilot lot of 155 mm shells from its San Pablo, Calif., plant 45 days ahead of the original contract schedule.

First shipments went to the Army Ordnance Corps for testing. Production lots will follow soon. The San Francisco Ordnance Districts of the Army describes the projectile as a vital artillery item in Korean fighting.

Ordnance Production — With a lengthy record for mass production of ordnance items, Rheem's San Pablo plant has been producing substantial quantities of 81 mm mortar shells and cartridge cases for the Navy.

In forming 81 mm mortar casings, the company reports exceptional service life from a "Cr-Mo-W" punch and finish insert die used in hot cupping operations. While normal life of an extruding punch used in this operation is only 3000 to 5000 pieces, the firm says a similar unit in its plant made 30,860 pieces and had not broken when removed.

Long Life—With dies used in the finish insert operation, 15,000 pieces is considered a good run. Rheem's die turned out that number, then was polished and put back into operation. It then ran a total of 80,000 pieces before being removed.

Both dies were made from tool steel produced by Bethlehem Pacific Coast Steel Corp., San Francisco, furnished by the distributing firm of Earle M. Jorgensen Co., Oakland, Calif. They were designed by Rheem engineers.

Connecting Rods Drilled-Milled

Special machine tool capable of drilling and milling 600 automotive connecting rods per hour at 100 per cent efficiency is announced by Cross Co., Detroit.

The machine has five stations: One for loading, one for milling the lock slot and three for drilling the stepped oil hole. Parts are held on a fluid, motor-driven index table. Work holding fixtures are hydraulically operated.

Use of pre-set cutting tools reduces downtime and minimizes scrap loss. Other features include hardened and ground ways, hydraulic feed and rapid traverse. Hydraulic and electrical construction is to Joint Industry Conference standards.

Plastic Cars "In" For Good

So says plastics engineer in an address to West Coast plastics and automotive men

REINFORCED plastics are in the automotive industry, and in it to stay, a plastics engineer told a joint meeting of the West Coast sections of the Society of Plastic Industry, Society of Plastic Engineers and Society of Automotive Engineers in the Claremont Hotel, Berkeley, Calif., recently.

"This glass-plastic material has properties which make it a material that the automotive industry can't ignore," M. B. Crawford, Jr., western plastic sales manager for the Naugatuck Chemical Division, U.S. Rubber Co., stated in his talk.

Real Gains—He explained that in the past 17 months, since the first announcement of the commercial production of a low-cost, reinforced plastic car body, (STEEL, Feb. 16, p. 79) two major auto manufacturers have announced large scale production of plastic cars and every other automotive manufacturer is taking a close look at this new material. In addition, approximately 20 small companies are manufacturing semi-custom sports car bodies from the material.

Listing the properties of reinforced plastic, Mr. Crawford said it was strong, dent-proof, rust-proof, light in weight, dimensionally stable under wet or dry conditions, easily fabricated in inexpensive molds without pressure and at room temperatures, and adaptable to free-flowing designs.

Production Lagging—However, he stressed the need for improved production techniques for reinforced plastics to adapt them to the mass-production methods of the automotive industry.

He explained that methods currently in use were satisfactory for the production of up to 15,000 units of a single body design. At that point, he said, costs compare favorably with the cost of producing a similar number of units in metal. Beyond that figure metal construction costs decline, he added, while plastic production costs remain at about the same level.

Auto body work is underway as a joint project of U.S. Rubber and Glasspar Co., Costa Mesa, Calif.

TOOLS
join the
American
parade
to solve your
broaching
needs
AMERICAN
FIXTURES
MACHINES
American engineers are trained to design all three . . . broaches, machines and fixtures. When they attack your broaching problem you are sure of a complete, well-rounded, economical answer. Avoid "piecemeal" engineering. Let American engineer your answer. Send a part-print or sample, you'll receive our recommendations without obligation. Address Dept. S.
AMERICAN
American BROACH & MACHINE CO.
A DIVISION OF SUNDSTRAND MACHINE TOOL CO.
American Building - Ann Arbor, Michigan
SUNDSTRAND

Porous Castings Sealed

FULLY automatic process for sealing porous aircraft engine castings with liquid synthetic resin has been put into operation in Pratt & Whitney Aircraft branch plants at Southington and North Haven, Conn.

Believed to be the first of its kind in any industry, the operation makes aluminum and magnesium castings oil-tight through vacuum-pressure impregnation of 3255 Permafil resin produced by the General Electric Co.'s chemical division at Pittsfield, Mass.

After being cleaned, jet and piston engine castings up to 80 inches in diameter are placed in 1500-gallon autoclaves under a 28-inch vacuum to eliminate air pockets. Solventless 3255 Permafil is then introduced and light pressure applied for about 20 minutes. When pressure is released, castings are drained, easily washed and baked for four hours to cure the Permafil to a hard infusible solid which fills every pore of the metal.

Does the Job—Pratt & Whitney Aircraft describes the operation as "quick, simple and effective." Deep penetration of the pores enables subsequent machining with no effect on the seal. Castings withstand gas and liquid pressures at sustained engine temperatures of 150° C. Operating costs are lower than originally estimated and a larger two-autoclave unit capable of handling the biggest castings used by Pratt & Whitney is under construction at its main plant at East Hartford, Conn.

Method replaces a former multi-step process by which all openings in castings were stopped with rubber plugs and gaskets before sodium silicate sealing material was forced into the pores with hand pumps and subsequently hardened by steam baking. Exhaustive tests on every casting frequently revealed tiny air pockets which required repeating the expensive process one or more times.

Resins vs. Brazing-Soldering

First comparison seminar ever held on organic bonding is scheduled for early fall by the Eutectic Welding Alloys Corp. at its training institute in Flushing, N. Y. Four-day meeting is open to all who wish to investigate the adhesive bonding of materials, and should prove valuable to design engineers, production men, and all who have problems in bonding.

"Industry has long felt the need," stated Rene D. Wasserman, president of the corporation, "for some reliable data on adhesives in which a comparison is made with conventional joining materials."

This is probably the first time in industrial history such a meeting of opposites has been convened. Each spokesman will make recommendations according to his wide knowledge and experience. These may be diametrically opposed to the opinions of the next speaker. The "jury" will form its own conclusions, guided by individual experiences and the need of the company represented. The methods recommended by speakers will be used to produce joints as specified. When both bonding methods have been used, the test pieces will be examined and then tested to determine the qualities and properties of the joints.

New high-speed, heavy duty GOEPPINGEN engine lathe costs less than you'd expect



IMMEDIATE DELIVERY FROM STOCK

Swing 18" and 20"
Turning Lengths 40", 60", 80", 120"

Users of the GOEPPINGEN D 225 all agree, "it's a lot of lathe for the money."

That's what Goeppingen engineers designed it to be. And by concentrating on only one basic type, they brought it within the price range of the small as well as the large plant.

Rugged and fast for high-speed machining of large castings and forgings with carbide tools, the GOEPPINGEN is precise enough for use as a toolmaker's lathe. All lead and feed screws, dials and graduations are in inch dimensions. Accurate settings are maintained by single lever action of longitudinal and cross feeds carried in precision bearings.

Factory trained servicing is as close as your telephone from Orban Service Centers in Cleveland, Detroit, Newark. Stock parts from Cleveland.

SPECIAL DESIGN FEATURES

Extra-wide bed without gap adds greater swing diameter, handles work up to 21".

V-belt drive transmits power through 10 or 7½ h.p. motor to geared head...eliminates vibration. 18 spindle speeds 22-1120 rpm.

Hardened and ground gears and shafts automatically lubricated. *Drive shaft on headstock* has Ortlinghaus multiple disc clutch for forward and reverse motion; quick-acting mechanical brake.

Self-contained gearing unit for thread-cutting. Dial feed simplifies changes of feed and pitch. 48 threads up to 28 pitch *without change gears.*

Bondycop hydraulic copying attachments for 20", 40" and 60" lengths. Other attachments for taper turning; boring and thread cutting operations; patented self-centering rest for mass production work.

Write today for complete specifications.

KO INDUSTRIAL EQUIPMENT

KURT ORBAN COMPANY, INC.

205 E. 42nd St., N. Y. 17 • 4220 Prospect Ave., Cleveland 3 • 19450 James Couzens Highway, Detroit 35
1939 Santa Fe Ave., Los Angeles

Here are just two of the big pages from the new Yale Hoist Book

IT'S YOURS FOR THE ASKING

WHICH YALE HOIST
IS BEST FOR YOUR NEEDS?
"Check Chart" OF
YALE ELECTRIC HOIST FEATURES
that mean time, work and money-saving efficiency for every user — every industry
YALE HOIST FEATURES
CABLE KING ELECTRIC HOISTS
MIDGET KING ELECTRIC HOISTS
LOAD KING ELECTRIC HOISTS
Yale Hand Hoists
-YALE- ELECTRIC HOIST SELECTOR
YALE MAKES A COMPLETE LINE OF HAND AND ELECTRIC HOISTS

YALE*

MATERIALS HANDLING EQUIPMENT

*Registered trade mark

You need this FREE *book if...*

...your company uses hoisting equipment in any phase of its operation! This book is more than a catalogue of the industry-leading YALE line... it is a carefully and expertly designed tool... thoroughly illustrated...scientifically developed to help you select just the right hoist for your needs. Yes, you need this book if your hoisting requirements are just an occasional lifting job or a major part of your work. Get it without obligation by completing the coupon and mailing it today.

MAIL THIS COUPON TODAY

The YALE & TOWNE Manufacturing Co., Dept. 86
Roosevelt Blvd. and Haldeman Ave., Phila. 15, Pa.

Please send me my FREE copy of the NEW Yale Hoist Book

Company_____

Name_____ Title_____

Street_____ City_____ State_____

In Canada write: The Yale & Towne Manufacturing Company
St. Catharines, Ontario, Canada

Yale Hoists are sold exclusively through INDUSTRIAL DISTRIBUTORS

Gas and Electric Industrial Trucks • *Worksavers* • Hand Trucks • Hand and Electric Hoists • Pul-Lifts

Giving a lift to 56,000 pounds of



soaking pit cover through . . .

H & S REDUCERS

● The above photograph shows a soaking pit cover crane designed and built by Salem Engineering Company. Two Horsburgh & Scott Helical Speed Reducers are used on each crane...the lift drive handles a cover weighing about 28 tons and operates at a speed of 6′ per minute... the traverse drive moves the crane at a speed of 88′ per minute. Many of these cranes have been operating very satisfactorily for twelve to fifteen years... actual tribute to complete engineering design.

THE HORSBURGH & SCOTT CO.
GEARS AND SPEED REDUCERS
5112 HAMILTON AVE. • CLEVELAND 14, OHIO, U. S. A.

Send note on Company Letterhead for Speed Reducer Catalog 46

Glass-Lined Stack

ALREADY known for fusing glass to steel, A. O. Smith Corp. reported a new steel-ceramics union recently when it created and erected a glass-lined smoke stack.

Photo shows the 3-ton section, 44 feet in length and 6 feet in diameter, hoisted aloft by a 120-foot boom crane to form the top section of an 85-foot power house stack. Installation is at the steel fabricating firm's Milwaukee plant.

Combats Corrosion — The firm coated the stack section inside and

TOP SECTION GOES ALOFT
. . . new life for smoke-eaters

out with two glass linings, each approximating 0.005-inch in thickness. Bonding of these linings took place at 1600° F.

Special acid-resisting glass will combat normal corrosion of metal caused by acid condensate in the smoke. It is this corrosive factor which shortens the life of industrial stacks, now made overwhelmingly of steel rather than masonry. It has been estimated that about 5000 such steel stacks are replaced annually in the U. S.

Guinea Pig—Sections of glass-coated steel hung in active smoke stacks for periods ranging up to a year of testing have shown no corrosive deterioration.

Nevertheless this first glass-lined stack will constitute a guinea pig to be kept under observation for the next several years. If all tests prove satisfactory, A. O. Smith expects to find in the process of glass-lining stacks a new commercial adaptation of its techniques.

JESSOP Announces the First Complete Line of Tempered-and-Ground Flat Steels in America!

In keeping with Jessop's drive for unqualified leadership in the production of specialty steels, is this new manufacturing development at the Washington mill. Through a continuous process, carefully-controlled, ground-and-polished carbon, alloy, and stainless flat steels in widths up to 24 inches and in all applicable cut lengths, are available in large quantities. For example, the automatic furnace equipment alone is capable of processing a normal 7,000,000 pounds per year. Such steels in quantity were formerly obtainable only in Europe, on an average delivery schedule of at least 18 months. Now, you can get them from Jessop in a few weeks. This new availability should be of high interest to the makers of band saws, paper mill machinery, food packing equipment, textile machinery, and all others that require tempered steel with fine surface finish, flatness, straightness, accuracy of gauge, and exact composition. When inquiring, mention TRU-GROUND, which is the trade name of this new steel . . . this prime example of Jessop enterprise.

JESSOP

STEEL COMPANY · WASHINGTON, PA.



Model K5-8 Press, one of two Steelwelds in continuous 24-hour service since 1945, punching a series of holes in bridge floor bars.

2,000 Bars slotted every 8-Hour shift

Although originally conceived as machines for bending metal, Steelweld Presses are now serving a wide variety of uses. Two large Steelwelds at the MacDonald, Ohio Plant of the Carnegie-Illinois Steel Corporation are used solely for punching slots in steel bars, beams and T-sections for bridge flooring.

The time of one press is devoted largely to punching slots in bars 1⅜" and 1-7/16" wide by ¼" thick by 6'-2" long. Each bar contains 13 slots ½" wide by ⅝" to ⅞" long, and 24 slots ¼" wide by ⅝" to ⅞" long, a total of 37 slots all punched at one time. Two thousand bars are slotted in an eight hour shift.

Another standard job is that of punching 2-inch long slots on 4-inch centers in I-beams for bridge sections. These are punched 24 at a time. The beams vary in length from 24'-0" to 45'-0". Two hundred 40'-0" beams are punched in an 8-hour period.

Both Steelweld Presses have been in this service 24 hours a day since 1945.



GET THIS BOOK!

CATALOG No. 2010 gives construction and engineering details. Profusely illustrated.

THE CLEVELAND CRANE & ENGINEERING CO.

7832 East 281st Street, Wickliffe, Ohio

STEELWELD

BENDING PRESSES

BRAKING • FORMING • BLANKING • DRAWING • CORRUGATING • PUNCHING

The Market Outlook

THE REST of this year will be a test period for the new and higher steel prices.

Will the market stand them? The increases come as steel supply and demand are headed toward a balance, which some analysts believe will be attained in the last quarter of this year. Will the higher steel prices hasten the reaching of a complete balance between steel supply and demand by choking off demand?

THE COST—In effect, there have been two price increases this year. They total approximately 8%, or $9 a ton. One of the increases occurred a few weeks ago when producers adjusted their price extras to reflect changes that took place in production costs while prices were frozen under government controls. While some of the extras were reduced, the over-all effect of the adjustments was an upward movement which increased by 4.5 per cent the average price a user pays for steel from the mill.

SECOND INCREASE—The second increase started last week by way of changes in base prices to compensate for the 8.5-cents-an-hour wage raise granted a few days earlier to the steelworkers. First to make the move on both wages and prices was U. S. Steel Corp. Average of the advance in its base prices was two-tenths of a cent per pound, or $4 a ton, for carbon steel, making the new average price for carbon steel about 6 cents a pound. This is an increase of approximately 3.5 per cent.

INEVITABLE— Neither of the two increases was unexpected, and there has been little or no opposition to them. In both 1951 and 1952, the steel industry's net earnings per dollar of sales declined, and in the latter year amounted to 4.91 cents, which steel companies said is too low to maintain a strong steel industry. As a result there was little doubt that steel price extras needed revamping in view of the inflation that continued in the nation's economy while steel prices were frozen. And it was no surprise that the cost of the wage increase was passed on to the steel consumer in the form of an increase in base prices. In both instances the steel industry had prepared the public for the increases by stating what was coming.

THE TEST—Regardless of the justification for the increases they will have to stand the survival test of the market place.

Many steel consumers are just now feeling the impact of the increases in extras. They've received invoices for steel delivered in May, first full month in which the new extras prevailed. Now that they're comprehending the extent of the increases they're questioning their ability to pass on additional costs where finished products are currently competitive or are approaching that point.

With the steelworkers' wage settlement erasing the possibility of a general strike in the steel industry it remains to be seen whether any great amount of the heavy demand for steel stemmed from efforts to build a protective inventory of material.

PRODUCTION PROBLEMS—If steel demand doesn't decline, the steel industry will find it increasingly difficult this summer to meet demand. Handicaps to production will be summer vacations and furnace repairs. While repairs are already shrinking the steel production rate it is possible they will become even more numerous in view of the length of time mills have pushed facilities to the limit. The week ended June 20 was the third consecutive one of decline in operating rates. A 1.5-point reduction that week lowered production of steel for ingots to 98 per cent of capacity.

NATIONAL STEELWORKS OPERATIONS



DISTRICT INGOT RATES

(Percentage of capacity engaged at leading production points)

	Week Ended June 20	Change	Same Week 1952	Same Week 1951
Pittsburgh	99.5	+ 2*	2	101
Chicago	104.5	— 0.5*	7.5	104.5
Mid-Atlantic	98	0	19	102
Youngstown	90	—15	0	105
Wheeling	99.5	— 0.5	51.5	98.5
Cleveland	99.5	+ 1	0	102
Buffalo	106.5	0	0	104
Birmingham	101	0	0.5	100
New England	85	—10	25	85
Cincinnati	95	0	58.5	100
St. Louis	99	+ 3*	38.5	92
Detroit	106	— 4	32	99
Western	108	— 3	33	102
Estimated National Rate	98	— 1.5	13	103

*Change from preceding week's revised rate.

Weekly steelmaking capacity is estimated at 2,254,459 net tons in 1953; 2,077,040 tons in 1952; 1,999,034 tons in 1951.

The Metalworking Outlook—p. 37 *Production-Engineering News—p. 85*

Composite Market Averages

FINISHED STEEL PRICE INDEX: Bureau of Labor Statistics	June 16 1953	June 9 1953	Month Ago	May Average
(1947-1949=100)	136.6	136.6	135.8	133.7

AVERAGE PRICES (BUREAU OF LABOR STATISTICS)
Week Ended June 16, 1953

Units are 100 lb except where otherwise noted. For complete description of products see insert following p. 28, STEEL, Sept. 8, 1952.

Rails	$4.075	Sheets, C.R. carbon	$5.625
Track spikes	6.875	Sheets, galv.	6.765
Track bolts	10.175	Strip, C.R., carbon	5.100
Tie plates	4.925	Strip, C.R. stainless (lb)	0.333
Joint bars	5.075	Pipe, black, buttweld (100 ft)	7.500
Plates, carbon	4.288	Pipe, galv., buttweld (100 ft)	9.166
Structural shapes	4.400	Boiler tubes (100 ft)	36.168
Bars, tool steel (lb)	1.580	Tin plate (100 lb base box)	8.950
Bars, 3120 alloy	7.025	Terne plate (100 lb base box)	7.750
Bars, stainless (lb)	0.153	Wire, carbon, merchant	6.392
Bars, carbon	4.400	Wire, fence, galv.	7.017
Bars, reinforcing	4.250	Nails (100 lb kegs)	7.410
Bars, C.F. carbon	6.275	Wire, barbed (80 rod spool)	6.160
Sheets, H.R., carbon	4.375	Woven wire fence (20 rod roll)	13.629

FINISHED PRICE INDEX, Weighted: Calculated by STEEL*	June 18 1953	Week Ago	Month Ago	Year Ago	5 Yrs. Ago
Index (1935-39 av.=100)	187.38†	182.82	181.31	171.92	135.02
Index in cents per lb.	5.076†	4.953	4.912	4.657	3.658

ARITHMETICAL PRICE COMPOSITES: Calculated by STEEL*

Finished Steel NT	$111.93	$111.28	$110.98	$106.32	$80.27
No. 2 Fdry, Pig Iron, GT	55.04	55.04	55.04	52.54	40.96
Basic Pig Iron, GT	54.66	54.66	54.66	52.16	40.69
Malleable Pig Iron, GT	55.77	55.77	55.77	53.27	41.54
Steelmaking Scrap, GT	39.83	39.50	39.00	43.00	40.67

* For explanation of weighted index see STEEL, Sept. 19, 1949, p. 54; of arithmetical price composite, STEEL, Sept. 1, 1952, p. 130.
† Preliminary.

Comparison of Prices

Comparative prices by districts, in cents per pound except as otherwise noted. Delivered prices based on nearest production point.

FINISHED MATERIALS	June 18 1953	Week Ago	Month Ago	Year Ago	5 Yrs. Ago
Bars, H.R., Pittsburgh	4.15	3.95	3.95	3.70	2.875
Bars, H.R., Chicago	4.15	3.95	3.95	3.70	2.875
Bars, H.R., del. Philadelphia	5.302	4.502	4.502	4.252	3.65
Bars, C.F., Pittsburgh	5.20	4.925	4.925	4.55	3.50
Shapes, Std., Pittsburgh	4.10	3.85	3.85	3.65	2.775
Shapes, Std., Chicago	4.10	3.85	3.85	3.65	2.775
Shapes, del., Philadelphia	4.38	4.13	4.13	3.93	2.98
Plates, Pittsburgh	4.10	3.90	3.90	3.70	2.925
Plates, Chicago	4.10	3.90	3.90	3.70	2.925
Plates, Coatesville, Pa.	4.35	4.35	4.35	4.15	3.45
Plates, Sparrows Point, Md.	4.10	3.90	3.90	3.70	2.95
Plates, Claymont, Del.	4.35	4.35	4.35	4.15	3.65
Sheets, H.R., Pittsburgh	3.925	3.775	3.775	3.60-75	2.775
Sheets, H.R., Chicago	3.925	3.775	3.775	3.60	2.775
Sheets, C.R., Pittsburgh	4.775	4.575	4.575	4.35	3.50
Sheets, C.R., Chicago	4.775	4.575	4.575	4.35	3.50
Sheets, C.R., Detroit	4.775	4.775	4.775	4.55	3.71
Sheets, Galv., Pittsburgh	5.275	5.075	5.075	4.80	3.90
Strip, H.R., Pitts.	3.975-4.225	3.975-4.225	3.975-4.225	3.75-4.00	3.05
Strip, H.R., Chicago	3.925	3.725	3.725	3.50	2.775
Strip, C.R., Pittsburgh	5.10-5.80	5.10-5.80	5.10-5.80	4.65-5.35	3.775
Strip, C.R., Chicago	5.70	5.35	5.35	4.90	3.60
Strip, C.R., Detroit	5.30-6.05	5.30-6.05	5.30-6.05	4.85-5.60	3.71
Wire, Basic, Pitts.	5.475-5.525	5.475-5.225	5.475-5.225	4.85-5.10	3.725
Nails, Wire, Pittsburgh	6.55	6.35	6.35	5.90-6.20	5.125
Tin plate, box, Pittsburgh	$8.95	$8.95	$8.95	$8.70	$6.60
SEMIFINISHED					
Billets, forging, Pitts. (NT)	$70.50	$70.50	$70.50	$66.00	$54.00
Wire rods, ⅜-⅝", Pitts.	4.425	4.425	4.425	4.10-30	3.175
PIG IRON, Gross Ton					
Bessemer, Pitts.	$55.50	$55.50	$55.50	$53.00	$43.00
Basic, Valley	54.50	54.50	54.50	52.00	39.00
Basic, del. Phila.	59.25	59.25	59.25	56.75	42.17
No. 2 Fdry, Pitts.	55.00	55.00	55.00	52.50	42.50
No. 2 Fdry, Chicago	55.00	55.00	55.00	52.50	39.00
No. 2 Fdry, Valley	55.00	55.00	55.00	52.50	39.50
No. 2 Fdry, del. Phila.	59.75	59.75	59.75	57.25	42.67
No. 2 Fdry, Birm.	51.38	51.38	51.38	48.88	39.38
No. 2 Fdry (Birm.) del. Cin.	58.93	58.93	58.93	55.49	45.09
Malleable, Valley	55.00	55.00	55.00	52.50	39.50
Malleable, Chicago	55.00	55.00	55.00	52.50	39.50
Charcoal, Lyles, Tenn.	68.50	68.50	68.50	66.00	58.00
Ferromanganese, Etna, Pa.	200.00†	200.00†	200.00†	188.00‡	151.00*

*F.o.b. cars, Pittsburgh; 78-82% Mn, per gross ton. †74-76% Mn, per net ton. ‡78-82% Mn, per gross ton.

SCRAP, Gross Ton (Including broker's commission)

No. 1 Heavy Melt, Pitts.	$40.50	$39.50	$39.50	$44.00	$40.25
No. 1 Heavy Melt, E. Pa.	41.50	41.50	41.50	42.50	42.50
No. 1 Heavy Melt, Chicago	37.50	37.50	36.00	42.50	39.25
No. 1 Heavy Melt, Valley	42.50	41.50	41.50	44.00	40.25
No. 1 Heavy Melt, Cleve.	40.50	39.00	39.00	43.00	39.75
No. 1 Heavy Melt, Buffalo	40.75	40.75	41.75	43.00	44.00
Rails, Rerolling, Chicago	47.50	47.50	47.50	52.50	54.50
No. 1 Cast, Chicago	39.00	38.00	39.50	45.00	68.50

†F.o.b. shipping point.

COKE, Net Ton

Beehive, Furn, Connlsvl.	$14.75	$14.75	$14.75	$14.75	$13.00
Beehive, Fdry, Connlsvl.	17.00	17.00	17.00	17.50	15.125
Oven Fdry, Chicago	24.50	24.50	24.50	23.00	19.50

PIG IRON

F.o.b. furnace prices as reported to STEEL. Minimum delivered prices are approximate and do not include 3% federal tax. Key to producing companies on pages 144-145.

PIG IRON, Gross Ton	Basic	No. 2 Foundry	Malleable	Bessemer
Bethlehem,Pa. B2	$56.50	$57.00	$57.50	$58.00
NewYork, del.	....	60.78	61.28	....
Newark, del.	59.52	60.02	60.52	61.02
Philadelphia, del.	59.25	59.75	60.25	60.75
Birmingham District				
AlabamaCity,Ala. R2	50.88	51.38	....	....
Birmingham R2	50.88	51.38	....	....
Birmingham S9	....	51.38	....	....
Woodward,Ala. W15	50.88	51.38	....	....
Cincinnati, del.	....	58.93	....	....
Buffalo District				
Buffalo R2	54.50	55.00	55.50	....
Buffalo H1	54.50	55.00	55.50	....
Tonawanda,N.Y. W12	54.50	55.00	55.50	....
No.Tonawanda,N.Y. T9	....	55.00	55.50	....
Boston, del.	65.15	65.65	66.15	....
Rochester,N.Y., del.	57.52	58.02	58.52	....
Syracuse,N.Y., del.	58.62	59.12	59.62	....
Chicago District				
Chicago I-3	54.50	55.00	55.00	55.50
Gary,Ind. U5	54.50	....	55.00	....
IndianaHarbor,Ind. I-2	54.50	....	55.00	....
So.Chicago,Ill. W14	54.50	55.00	55.00	....
So.Chicago,Ill. Y1	54.50	55.00	55.00	....
So.Chicago,Ill. U5	54.50	....	55.00	55.50
Milwaukee, del.	56.67	57.17	57.17	57.67
Muskegon,Mich., del.	....	61.30	61.30	....
Cleveland District				
Cleveland A7	54.50	55.00	55.00	55.50
Cleveland R2	54.50	55.00	55.00	....
Akron,O., del. from Cleve.	57.11	57.61	57.61	58.11
Lorain,O. N3	54.50	....	....	55.50
Duluth I-3	....	....	55.00	....
Erie,Pa. I-3	54.50	55.00	55.00	55.50
Everett,Mass. E1	....	59.50	60.00	....
Fontana,Calif. K1	60.50	61.00	....	....
GraniteCity,Ill. G4	56.40	56.90	57.40	....
St.Louis, del. (Inc. tax)	57.15	57.65	58.15	....
Ironton,Utah C11	54.50	55.00	....	....
Geneva,Utah C11	54.50	55.00	....	....
LoneStar,Texas. L6	50.50	*51.00	51.00	....
Minnequa,Colo. C10	56.50	57.50	57.50	....
Rockwood,Tenn. T3	....	....	58.50	....
Pittsburgh District				
NevillelsIand,Pa. P8	....	55.00	55.00	55.50
Pitts.,N.&S. sides, Ambridge				
Aliquippa, del	....	56.37	56.37	56.87
McKeesRocks, del.	....	56.04	56.04	56.54
Lawrenceville, Homestead,				
Wilmerding, Monaca, del.	....	56.66	56.66	57.16
Verona, Trafford, del.	....	57.19	57.19	57.69
Brackenridge, del.	....	57.45	57.45	57.95
Bessemer,Pa. U5	54.50	....	55.00	55.50
Clairton,Rankin,So.Duquesne, Pa.U5	54.50	....	....	....
McKeesport,Pa. N3	54.50	....	....	55.50
Monessen,Pa. P7	56.50	....	....	....
Sharpsville,Pa. S6	....	....	55.00	55.50
Steelton, Pa. B2	56.50	57.00	57.50	58.00
Swedeland,Pa. A3	58.50	59.00	59.50	60.00
Toledo,O. I-3	54.50	55.00	55.00	55.50
Cincinnati, del.	59.97	60.47	....	....
Troy,N.Y. R2	56.50	57.00	57.50	58.00
Youngstown District				
Hubbard,O. Y1	54.50	55.00	55.00	....
Youngstown Y1	54.50	55.00	55.00	....
Youngstown U5	54.50	....	....	55.50
Mansfield,O., del.	59.15	59.65	59.65	60.15

* Low phos, southern grade.

PIG IRON DIFFERENTIALS

Silicon: Add 50 cents per ton for each 0.25% Si or percentage thereof over base grade, 1.75-2.25%, except on low phos iron on which base is 1.75-2.00%.
Phosphorus: Deduct 38 cents per ton for P content of 0.70% and over.
Manganese: Add 50 cents per ton for each 0.50% manganese over 1% or portion thereof.
Nickel: Under 0.50% no extra; 0.50-0.74%, incl., add $2 per ton and each additional 0.25%, add $1 per ton.

BLAST FURNACE SILVERY PIG IRON, Gross Ton
(Base 6.0-6.50% silicon; add $1.50 for each 0.5% Si)

Jackson,O. G2, J1	$65.50
Buffalo H1	66.75

ELECTRIC FURNACE SILVERY PIG IRON, Gross Ton
(Base 14.01-14.50% silicon; add $1 for each 0.5% Si to 18%; $1 for each 0.5% Mn over 1%; $2 per gross ton premium for 0.045% max P)

NiagaraFalls,N.Y. P15	$91.00
Keokuk,Iowa, Openhearth & Fdry, freight allowed K2	92.50
Keokuk,OH & Fdry., 12½ lb piglets, 16% Si, frt. allowed K2	95.50
Wenatchee,Wash., OH & Fdry., freight allowed K2	92.50

CHARCOAL PIG IRON, Gross Ton
(Low phos semi-cold blast; differential charged for silicon over base grade; also for hard chilling iron Nos. 5 & 6)

Lyles,Tenn. T3	$68.50

LOW PHOSPHORUS PIG IRON, Gross Ton

Cleveland, intermediate, A7	$59.50
Steelton,Pa. B2	62.50
Philadelphia, delivered	66.05
Troy,N.Y. R2	62.50

(Material in this department is protected by copyright and its use in any form without permission is prohibited)

NONFERROUS METALS

(Cents per pound, carlots, except as otherwise noted)

Primary Metals

Copper: Electrolytic 29.75-30.00c, Conn. Valley; Lake nom.; foreign electrolytic, del. 29.75-30.00c.

Brass Ingots: 85-5-5-5 (No. 115) 26.00c; 88-10-2 (No. 215) 34.75c; 80-10-10 (No. 305) 30.00c; No. 1 yellow (No. 405) 21.25c.

Zinc: Prime western 11.00c; brass special 11.25c; intermediate 11.50c; East St. Louis; high grade 12.35c, and special high grade 12.50c delivered.

Lead: Common 13.30c; chemical 13.40c; corroding 13.40c; St. Louis.

Primary Aluminum: 99% plus, ingots 20.50c, pigs 19.50c. Base prices for 10,000 lb and over. Freight allowed on 500 lb or more but not in excess of rate applicable on 30,000 lb c.l. orders.

Secondary Aluminum: Piston alloys 22.75-23.75; No. 12 foundry alloy (No. 2 grade) 22.00-23.00; steel deoxidizing grades, notch bars, granulated or shot: Grade 1, 23.75-24.50; grade 2, 23.00-23.75; grade 3, 22.00-22.50; grade 4, 21.00-21.50.

Magnesium: Commercially pure (99.8%) standard ingots, 10,000 lb and over 27.00c, f.o.b. Freeport, Tex.

Tin: Grade A, prompt RFC, 121.50c; outside market 92.00c.

Antimony: American 99-99.8% and over but not meeting specifications below 34.50c; 99.8% and over (arsenic 0.05% max., other impurities 0.1% max.) 35.00c; f.o.b. Laredo, Tex., for bulk shipments.

Nickel: Electrolytic cathodes, 99.9%, **base sizes** at refinery, unpacked, 60.00c; 26-lb pigs 62.65c; "XX" nickel shot, 63.65c; "F" nickel shot or ingots, for addition to cast iron, 60.00c. Prices include import duty.

Mercury: Open market, spot, New York, $189-$193 per 76-lb flask.

Cadmium: "Regular" straight or flat forms, $2 dedl.; special or patented shapes $2.15.

Beryllium-Copper: 3.75-4.25% Be, $40.00 per lb of contained beryllium, with balance as copper at market price on date of shipment, f.o.b. Reading, Pa. or Elmore, O.

Cobalt: 97.99%, $2.40 per lb for 500 lb (kegs); $2.42 per lb for 100 lb (case); $2.47 per lb under 100 lb.

Gold: U. S. Treasury, $35 per ounce.

Silver: Open-market, New York 86.25c per oz.

Platinum: $90-$93 per ounce from refineries.

Palladium: $23-$24 per troy ounce.

Iridium: $165-$175 per troy ounce.

Titanium: (sponge form): $5 per pound.

Rolled, Drawn, Extruded Products

COPPER AND BRASS

(Cents per pound, f.o.b. mill, effective Apr. 1, 1953. Listings are lowest quotations.)

Sheet: Copper 50.48; yellow brass 42.87; commercial bronze, 95% 49.89; 90% 48.76; red brass, 85% 47.11; 80% 46.99; best quality, 44.43; nickel silver, 18%, 59.84; phosphor-bronze grade A, 5%, 70.50.

Rod: Copper, hot-rolled 46.83; cold-drawn 48.08; yellow brass free cutting, 36.68; commercial bronze 95% 49.58; 90% 48.45; red brass 85%, 46.80; 80%, 45.68.

Seamless Tubing: Copper 50.42; yellow brass 45.78; commercial bronze, 90%, 51.32; red brass, 85%, 49.92.

Wire: Yellow brass 43.16; commercial bronze, 95%, 50.18; 90%, 49.05; red brass, 85%, 47.40; 80%, 46.28; best quality brass, 44.72.

(Base prices effective Apr. 1, 1953)

Copper Wire: Bare, soft, f.o.b. eastern mills, 100,000 lb lots, 37.45; 30,000 lb lots, 37.58; l.c.l. 38.08. Weatherproof, 100,000 lb, 37.85; 30,000 lb, 38.10; l.c.l., 38.60. Magnet wire del., 15,000 lb or more 43.93; l.c.l., 44.68.

ALUMINUM

(30,000 lb base; freight allowed on 500 lb or more, but not in excess of rate applicable on 30,000 lb c.l. orders. Effective Jan. 22, 1953.)

Sheets and Circles: 2s and 3s mill finish c.l.

Thickness Range Inches	Widths or Diameters, In., Inc.	Flat Sheet Base*	Coiled Sheet Base	Coiled Sheet Circle† Base
0.249-0.136	12-48	32.9	...	...
0.135-0.096	12-48	33.4	...	...
0.095-0.077	12-48	34.1	31.8	36.3
0.076-0.061	12-48	34.7	32.0	36.5
0.060-0.048	12-48	35.0	32.2	36.8
0.047-0.038	12-48	35.5	32.6	37.1
0.037-0.030	12-48	35.9	33.0	37.8
0.029-0.024	12-48	36.5	33.3	38.3
0.023-0.019	12-36	37.1	34.0	39.0
0.018-0.017	12-36	37.9	34.6	39.9
0.016-0.015	12-36	38.8	35.4	41.1
0.014	12-24	39.8	36.4	42.4
0.013-0.012	12-24	40.9	37.1	43.4
0.011	12-24	41.9	38.3	45.0
0.010-0.0095	12-24	43.1	39.4	46.6
0.009-0.0085	12-24	44.3	40.7	48.5
0.008-0.0075	12-24	45.8	41.9	50.3
0.007	12-18	47.3	43.4	52.6
0.006	12-18	48.9	44.8	57.6

* Lengths 72 to 180 inches. † Maximum diameter, 26 inches.

Screw Machine Stock: 5000 lb and over.

Dia. (in.) or distance across flats	—Round— 17S-T4	Hexagonal 17S-T4
0.125	56.8	...
0.156-0.188	48.0	...
0.219-0.313	45.3	...
0.375	43.7	52.4
0.406	43.7	...
0.438	43.7	52.4
0.469	43.7	...
0.500	43.7	52.4
0.531	43.7	...
0.563	43.7	49.2
0.594	43.7	...
0.625	43.7	49.2
0.688	43.7	49.2
0.750-1.000	42.6	46.4
1.063	42.6	44.8
1.125-1.500	41.0	44.8
1.563	40.5	...
1.625	39.8	43.2
1.688-2.000	39.8	...

LEAD

(Prices to jobbers f.o.b. Buffalo, Cleveland, Pittsburgh) **Sheets:** Full rolls, 140 sq ft or more $18.50 per cwt; add 50c cwt 100 sq ft to 140 sq ft. Pipe: Full coils $18.50 per cwt. **Traps and bends:** List prices plus 30%.

ZINC

Sheets 23.00c, f.o.b. mill 36,000 lb and over. Ribbon zinc in coils, 19.50-20.50c, f.o.b. mill, 36,000 lb and over. Plates, not over 12-in., 20.75-21.75c; over 12-in. 20.75-21.75c.

"A" NICKEL

(Base prices f.o.b. mill effective Mar. 9, 1953) Sheets, cold-rolled 86.50c. Strip, cold-rolled 92.50c. Rods and shapes, 82.50c. Plates, 84.50c. Seamless tubes 115.50c.

MONEL

(Base prices f.o.b. mill effective Mar. 9, 1953) Sheets, cold-rolled 67.50c. Strip, cold-rolled 70.50c. Rods and shapes, 65.50c. Plates 66.50c. Seamless tubes, 100.50c. Shot and blocks, 57.00c.

MAGNESIUM

Extruded Rounds 12 in. long, 1.31 in. in diameter, less than 25 lb 58.00c-65.00c; 25 to 99 lb, 48.00c-55.00c; 100 lb to 5000 lb, 44.00c.

TITANIUM

(Prices per lb, 10,000 lb and over, f.o.b. mill) Sheets, $15; sheared mill plate, $12; strip, $15; wire, $10; forgings, $6; hot-rolled and forged bars, $6.

Plating Materials

Chromic Acid: 99.9% flakes, f.o.b. Philadelphia, carloads 27.00c; 5 tons and over 27.50c; 1 to 5 tons, 28.00c; less than 1 ton 28.50c.

Copper Anodes: Base 2000 to 5000 lb; f.o.b. shipping point, freight allowed: Flat, rolled, 42.15c; oval 41.68c.

Nickel Anodes: Rolled, oval, carbonized, carloads 81.00c; 5000 to 29,999 lb, 83.00c; 500 to 4999 lb, 85.00c; 1 to 499 lb, 89.00c, f.o.b. Cleveland.

Nickel Chloride: In 100 lb bags; 10,000 lb and over, 37.00c; 5000 to 9900 lb, 38.00c; 400 to 4900 lb, 40.00c; 300 lb, 42.00c; 200 lb, 43.00c; 100 lb, 45.00c, f.o.b. Cleveland.

Sodium Stannate: 25 lb cans only, less than 100 lb to consumers $1.10 per lb; 100 to 350 lb drums only, 100 to 600 lb 71.60c; 700 to 1900 lb, 69c; 2000 to 9900 lb, 67.3c. Freight allowed east of Mississippi and north of Ohio and Potomac rivers. Based on $1.215 tin.

Tin Anodes: Bar, 1000 lb and over, $1.42; 500 to 999 lb, $1.425; 200 to 499 lb, $1.43; less than 200 lb, $1.445. Freight allowed east of Mississippi and north of Ohio and Potomac. Based on $1.215 tin.

Zinc Cyanide: 100 lb drums, less than 10 drums 54.30c, 10 or more drums, 52.30c, f.o.b. Niagara Falls, N. Y.

Stannous Sulphate: 100 lb kegs or 400 lb bbl, less than 2000 lb $1.11; more than 2000 lb, $1.09. Freight allowed east of Mississippi and north of Ohio and Potomac rivers. Based on $1.215 tin.

Stannous Chloride (Anhydrous): In 400 lb bbl, $1.25; 100 lb kegs $1.26, f.o.b. Carteret, N. J., freight allowed on 100 lb or more. Based on $1.215 tin.

Scrap Metals

Brass Mill Allowances

(Prices in cents per pound for less than 20,000 pounds, f.o.b. shipping point; on lots over 20,000 pounds at one time of any or all kinds of scrap, add 1 cent per pound.)

	Clean Heavy	Rod Ends	Clean Turnings
Copper	28.625	28.625	27.875
Yellow Brass	21.375	21.125	19.625
Commercial Bronze			
95%	27.250	27.000	26.500
90%	26.125	25.875	25.375
Red Brass			
85%	25.125	24.875	24.375
80%	24.125	23.875	23.375
Best Quality(71-80%)	22.500	22.250	21.750
Munts metal	20.000	19.750	19.250
Nickel silver, 10%	25.250	25.000	12.625
Phos. Bronze, A	30.625	30.375	29.375
Naval Brass	20.000	19.750	19.250
Manganese Bronze	20.000	19.750	19.250

REFINERS' BUYING PRICES

(Cents per pound, delivered refinery, carload lots)

No. 1 copper 24.00; No. 2 copper 22.50; light copper 21.00; refinery brass (60% copper) per dry copper content 20.00.

INGOT MAKERS' COPPER AND BRASS SCRAP BUYING PRICES

(Cents per pound, carlots, delivered)

No. 1 copper 24.00; No. 2 copper, 22.50; light copper 21.00; No. 1 composition solids, 18.00-18.50; radiators 14.00-14.50; heavy yellow brass solids, 14.00-14.50; yellow brass turnings 13.50.

SMELTERS' BUYING PRICES FOR SCRAP ALUMINUM

(Carlots, delivered)

2S aluminum clippings, 16.50-17.00c; mixed clippings, 15.50-16.00c; old aluminum sheet, 13.00-13.50c; old aluminum cast, 12.75-13.50c; borings and turnings, 13.50-14.00.

DEALERS' BUYING PRICES

(Cents per pound, New York, in ton lots)

Copper and brass: Heavy copper and wire, No. 1 23.00-23.50; No. 2 20.00-20.50; light copper 18.00-18.50; No. 1 composition red brass 17.00; No. 1 composition turnings 16.50; mixed brass turnings 10.00; new brass clippings 17.50; No. 1 brass rod turnings 16.00; light brass 10.00; heavy yellow brass 12.50; new brass rod ends 16.50; auto radiators, unsweated 13.00; cocks and faucets 15.00; brass pipe 16.00.

Aluminum: Clippings 2S 13.00; old sheets 9.00; crankcase 9.00; borings and turnings 6.50; pistons and struts 6.50.

Tin: No. 1 pewter 55.00; block tin pipe 80.00; No. 1 babbitt 45.00.

Lead: Heavy 10.50-11.00; battery plate 6.00-6.25; linotype and stereotype 12.75-13.25; electrotype 11.00-11.75; mixed babbitt 11.50-12.50.

Zinc: Old zinc, 4.50; new die cast scrap, 4.50; old die cast scrap, 3.50.

Nickel: Sheets and clips $1.00; rolled anodes $1.00; turnings 85.00; rod ends $1.00.

Monel: Clippings 33.00; old sheet 30.00; turnings 25.00; rods 33.00.

DAILY PRICE RECORD

1953	Copper	Lead	Zinc	Tin	Aluminum	Antimony	Nickel	Silver
June 17-18	29.75-30.00	13.30	11.00	92.00	20.50	34.50	60.00	85.25
June 16	29.75-30.00	13.30	11.00	92.50	20.50	34.50	60.00	85.25
June 15	29.75-30.00	13.30	11.00	93.00	20.50	34.50	60.00	85.25
June 12-13	29.75-30.00	13.30	11.00	93.50	20.50	34.50	60.00	85.25
June 11	29.75-30.00	13.30	11.00	93.00	20.50	34.50	60.00	85.25
June 10	29.75-30.00	13.05	11.00	92.50	20.50	34.50	60.00	85.25
June 9	29.75-30.00	13.05	11.00	91.75	20.50	34.50	60.00	85.25
June 8	29.75-30.00	13.05	11.00	92.75	20.50	34.50	60.00	85.25
June 5-6	29.75-30.00	13.05	11.00	93.50	20.50	34.50	60.00	85.25
June 4	29.75-30.00	13.05	11.00	95.50	20.50	34.50	60.00	85.25
June 3	29.75-30.00	13.05	11.00	95.75	20.50	34.50	60.00	85.25
June 1-2	29.75-30.00	13.05	11.00	95.00	20.50	34.50	60.00	85.25
May Avg.	29.845	12.55	11.00	97.240	20.50	34.50	60.00	85.25
Apr. Avg.	30.755	12.473	11.00	102.567	20.50	34.50	60.00	85.25

NOTE: Copper: Electrolytic, del. Conn. Valley; Lead, common grade, del. St. Louis; Zinc, prime western, E. St. Louis; Tin, Straits, del. New York; Aluminum primary ingots, 99%, del.; Antimony, bulk f.o.b. Laredo, Tex.; Nickel, electrolytic cathodes, 99.9% base sizes at refinery unpacked. Silver, open market, New York. Prices, cents per pound; except silver, cents per ounce.

Nonferrous Metals

Prices of nonferrous metals are moving toward new balance with one another. While aluminum and perhaps lead and zinc will rise, copper and tin will drop

REORIENTATION of metal prices is again shaping up. It's one of the two strongest trends in the metals picture today. The other is steady, unspectacular acceleration toward market normalcy that should be complete everywhere by year end.

Steel price hikes will have some bearing on the pending shuffle in nonferrous prices. Other factors include wage negotiations facing the domestic industry, supply-demand considerations and the final shakeoff of control years' distortions.

Going Up—Aluminum is destined to head higher. Already scattered adjustments on a handful of products have been put into effect without fanfare. An across-the-board raise will be hard to avoid with any wage settlement. Industry's belief in the strong possibility of higher aluminum prices could be responsible for much of the pressure on aluminum mills today, and could be causing order duplication.

Also trending upward are lead and zinc, though neither indicate it with any confidence in daily markets. Chief reason for zinc to move up, says one industry man, is that it can't go much lower. Actually, the metal hasn't changed price since March, and metal men believe the crisis is past as European demand shows signs of revival and domestic consumption stays strong.

Lead has advanced twice in the last month, though in somewhat self-conscious quarter-cent increments, to 13.50 cents, New York basis. Some lead experts believe it will stay there a while. Others say a 14-cent level is not unlikely.

On the Downgrade—Not all metals are going up though. Copper, tin and their alloys will be lower before summer is through, say buyers. Chilean copper still brings 36.5 cents and that country understandably will hold out as long as it can get that price, even if some production isn't sold. Sooner or later Chile will have to concede, however. Danger is that the piled-up metal then released would depress the market and push prices down further.

Tin still fluctuates daily with international happenings and disposition of trades, is likely to continue thus for an indefinite period. Mercury has fallen off $3 in a week's time, in true warm-weather fashion.

Aluminum Stocks Improve

Warehouse stocks of aluminum products are at their best state in years, averaging around 75 per cent of normal in most cases. Better deliveries from mills, changes in M-11 and changes in M-88 and imports have been held responsible for the improvement. Stocks aren't complete in many lines though. Sheet is particularly tough, and a near-universal warehouse practice is to supplement domestic supplies by importations.

Importers report a slight quieting in inquiries with warm weather. Flat sheet and strip, chiefly 52S, 2S and 3S are in strongest demand. Deliveries take only 8 to 10 weeks for the tightest products.

Freedom for Beryllium-Copper

Stripping of controls from copper wrote finis to restrictions on beryllium-copper products too. Today there is little likelihood of shortages, though demand remains good in most products. Deliveries are somewhat extended on rolling mill products only.

Rod, bar and wire are available for prompt shipment, with redraw wire moving well. Seamless tubing still commands extended deliveries but supply has turned easier in recent weeks. Much of the seamless tubing produced goes into such aircraft parts as bourdon tubes, while a lot of the strip goes into diaphragms and pressure-sensitive elements.

Order balance of mills is still overweighed in favor of strip, though, indicating strong activity in instruments, controls, electronics, business machines, electrical equipment and automotive lines. Forging billets, used extensively for seam welder wheels, are moving well.

Casting ingot sales are steady but demand for master alloys, particularly beryllium-copper, are spotty. Stock deliveries are possible in both. Beryllium-aluminum, regarded as a "comer" for use in grain refining, ignition temperature control and deoxidizing, is in a more extended delivery position, as is beryllium-magnesium-aluminum, used chiefly to control ignition temperature.



Source: Copper Institute

Aluminum Allotments

Independent fabricators will get 45,000 tons of primary aluminum from Alcoa, Reynolds and Kaiser in the third quarter, in addition to DMS setasides. That's about the same amount they're presently getting, but 9000 tons more than minimum amounts required by GSA contracts. All of this metal has been contracted for by the independents in advance.

GSA estimates third-quarter aluminum output at 325,000 tons, of which about 110,000 tons will come from new facilities.

Nonferrous Briefs

- Warehouses say brass mill stocks are about 70 per cent of normal today, with brass rod being the hardest product to get delivery on.
- Battery smelting charge is again up to $40-$45, indicating a softening in secondary lead demand.
- Aluminum rod, cable, foil and roll-form shapes can still be ordered for August delivery.
- Secondary copper production in May fell to 9632 tons from April level of 15,185 tons. Deliveries of refined copper to consumers reached an eight-year high of 146,815 tons.
- Kaiser Aluminum & Chemical Corp. is now supplying a new magnesium-type aluminum sheet alloy for general metalworking requirements—K155. It is said to form easily, have good corrosion resistance, take anodized finishes well. K155 is available in plate, flat sheet, coil and circle form in all tempers in the H1 and H3 groups.

SLAB ZINC

every grade of ZINC
for urgent military and
civilian requirements



AMERICAN ZINC SALES COMPANY

Distributors for

AMERICAN ZINC, LEAD & SMELTING COMPANY

Columbus, O. Chicago St. Louis New York

Semifinished and Finished Steel Products

Mill prices as reported to STEEL, cents per pound except as otherwise noted. Changes shown in italics.
Code numbers following mill points indicate producing company; key on pages 144-145.

INGOTS, Carbon, Forging (NT)
Fontana,Calif. K1 ....$81.00
Munhall,Pa. U5 ....54.00
Seattle S24 ....75.00
INGOTS Alloy (NT)
Detroit R7 ....$57.00
Fontana,Calif. K1 ....83.00
Houston S5 ....65.00
Midland,Pa. C18 ....57.00
Munhall,Pa. U5 ....*62.00*
BILLETS, BLOOMS & SLABS
Carbon, Rerolling (NT)
Bessemer,Pa. U5 ....*$62.00*
Clairton,Pa. U5 ....*62.00*
Ensley,Ala. T2 ....*62.00*
Fairfield,Ala. T2 ....*62.00*
Fontana,Calif. K1 ....78.00
Gary,Ind. U5 ....*62.00*
Johnstown,Pa. B2 ....*62.00*
Lackawanna,N.Y. B2 ....*62.00*
Munhall,Pa. U5 ....*62.00*
So.Chicago,Ill. U5 ....*62.00*
So.Duquesne,Pa. U5 ....*62.00*
Carbon, Forging (NT)
Bessemer,Pa. U5 ....*$75.50*
Buffalo R2 ....70.50
Canton,O. R2 ....70.50
Clairton,Pa. U5 ....*75.50*
Cleveland R2 ....70.50
Conshohocken,Pa. A3 ..77.50
Detroit R7 ....73.50
Ensley,Ala. T2 ....*75.50*
Fairfield,Ala. T2 ....*75.50*
Fontana,Calif. K1 ....89.50
Gary,Ind. U5 ....*75.50*
Geneva,Utah C11 ....70.50
Houston S5 ....78.50
Johnstown,Pa. B2 ....*75.50*
Lackawanna,N.Y. B2 ....*75.50*
LosAngeles B3 ....89.50
Munhall,Pa. U5 ....*75.50*
Seattle B3, S24 ....89.50
So. Chicago R2, W14 ..70.50
So.Chicago U5 ....*75.50*
So.Duquesne,Pa. U5 ....*75.50*
So.SanFrancisco B3 ....89.50
Alloy, Forging (NT)
Bethlehem,Pa. B2 ....$76.00
Buffalo R2 ....76.00
Canton,O. R2 ....76.00
Canton,O. T7 ....78.60
Conshohocken,Pa. A3 ..83.00
Detroit R7 ....79.00
Fontana,Calif. K1 ....95.00
Gary,Ind. U5 ....*82.00*
Houston S5 ....84.00
Ind.Harbor,Ind. Y1 ....76.00
Johnstown,Pa. B2 ....76.00
Lackawanna,N.Y. B2 ..76.00
LosAngeles B3 ....96.00
Massillon,O. R2 ....76.00
Midland,Pa. C18 ....76.00
Munhall,Pa. U5 ....*82.00*
Seattle S24 ....96.00
So.Chicago R2, W14 ..76.00
So.Chicago U5 ....*82.00*
So.Duquesne,Pa. U5 ....*82.00*
Struthers,O. Y1 ....76.00
Warren,O. C17 ....76.00
ROUNDS, SEAMLESS TUBE (NT)
Buffalo R2 ....$87.50
Canton,O. R2 ....87.50
Cleveland R2 ....87.50
Fontana,Calif. K1 ....108.50
Gary,Ind. U5 ....87.50
Massillon,O. R3 ....87.50
So.Chicago,Ill. R2 ....87.50
So.Duquesne Pa. U5 ..87.50
SHEET BARS (NT)
Fontana,Calif. K1 ....$93.18
SKELP
Aliquippa,Pa. J5 ....*3.85*
Munhall,Pa. U5 ....*3.75*
Warren,O. R2 ....3.55
Youngstown R2, ...3.55
Youngstown, U5 ....*3.75*
WIRE RODS
Alton,Ill. L1 ....4.70
AlabamaCity,Ala. R2 ..4.325
Buffalo W12 ....4.325
Cleveland A7 ....*4.525*
Donora,Pa. A7 ....*4.525*
Fairfield,Ala. T2 ....*4.525*
Fontana,Calif. K1 ....5.125
Houston S5 ....4.725
Johnstown,Pa. B2 ....4.325
Joliet,Ill. A7 ....*4.525*
KansasCity,Mo. S5 ....4.665
LosAngeles B3 ....5.125
Minnequa,Colo. C10 ..4.575
Monessen,Pa. P7 ....4.525
No.Tonawanda,N.Y. B11 4.325
Pittsburgh,Calif. C11 ....*5.175*
Portsmouth,O. P12 ....4.525
Roebling,N.J. R5 ....4.425
So.Chicago,Ill. R2 ....4.325
SparrowsPoint,Md. B2..4.425
Sterling,Ill.(1) N15 ....4.325
Struthers,O. Y1 ....4.325
Torrance,Calif. C11 ....*5.325*
Worcester,Mass. A7 ....*4.825*
SHEET STEEL PILING
Ind.Harbor,Ind. I-2 ....*4.925*
Lackawanna,N.Y. B2 ..4.675
Munhall,Pa. U5 ....*4.925*
So.Chicago,Ill. U5 ....*4.925*
STRUCTURALS
Carbon Steel Stand. Shapes
AlabamaCity,Ala. R2 ..3.85
Aliquippa,Pa. J5 ....*4.10*
Bessemer,Ala. T2 ....*4.10*
Bethlehem,Pa. B2 ....3.90
Clairton,Pa. U5 ....*4.10*
Fairfield,Ala. T2 ....*4.10*
Fontana,Calif. K1 ....4.50
Gary,Ind. U5 ....*4.10*
Geneva,Utah C11 ....*4.10*
Houston S5 ....4.25
Ind.Harbor,Ind. I-2 ....*4.10*
Johnstown,Pa. B2 ....*4.15*
KansasCity,Mo. S5 ....4.45
Lackawanna,N.Y. B2 ....*4.15*
LosAngeles B3 ....4.45
Minnequa,Colo. C10 ....4.30
Munhall,Pa. U5 ....*4.10*
Niles,Calif.(22) P1 ....4.56
Phoenixville,Pa. P4 ....4.95
Seattle B3 ....4.50
So.Chicago,Ill. W14 ....3.85
So.Chicago U5 ....*4.10*
So.SanFrancisco B3 ....4.40
Torrance,Calif. C11 ....*4.80*
Weirton,W.Va. W6 ....4.10
Wide Flange
Bethlehem,Pa. B2 ....*4.15*
Clairton,Pa. U5 ....*4.10*
Fontana,Calif. K1 ....5.05
Lackawanna,N.Y. B2 ....*4.15*
Munhall,Pa. U5 ....*4.10*
So.Chicago,Ill. U5 ....*4.10*
Alloy Stand. Shapes
Clairton,Pa. U5 ....*5.00*
Fontana,Calif. K1 ....6.125
Gary,Ind. U5 ....*5.00*
Munhall,Pa. U5 ....*5.00*
So.Chicago,Ill. U5 ....*5.00*
H.S., L.A. Stand. Shapes
Aliquippa,Pa. J5 ....*6.175*
Bessemer,Ala. T2 ....*6.175*
Bethlehem,Pa. B2 ....*6.20*
Clairton,Pa. U5 ....*6.175*
Fairfield,Ala. T2 ....*6.175*
Fontana,Calif. K1 ....6.45
Gary,Ind. U5 ....*6.175*
Geneva,Utah C11 ....5.80
Ind.Harbor,Ind. I-2 ....5.80
Ind.Harbor,Ind. Y1 ....6.30
Johnstown,Pa. B2 ....5.80
Lackawanna,N.Y. B2 ....*6.20*
LosAngeles B3 ....6.35
Munhall,Pa. U5 ....*6.175*
Seattle B3 ....6.40
So.Chicago,Ill. U5 ....*6.175*
So.SanFrancisco B3 ....6.30
Struthers,O. Y1 ....6.30
H.S., L.A. Wide Flange
Bethlehem,Pa. B2 ....*6.20*
Lackawanna,N.Y. B2 ....*6.20*
Munhall,Pa. U5 ....*6.125*
So.Chicago,Ill. U5 ....*6.125*
BEARING PILES
Munhall,Pa. U5 ....*4.10*
So.Chicago,Ill. U5 ....*4.10*
PLATES,High-Strength Low-Alloy
Aliquippa,Pa. J5 ....*6.25*
Bessemer,Ala. T2 ....*6.25*
Clairton,Pa. U5 ....*6.25*
Cleveland R2 ....5.95
Cleveland J5 ....*6.25*
Conshohocken,Pa. A3 ..6.20
Ecorse,Mich. G5 ....6.90
Fairfield,Ala. T2 ....*6.25*
Fontana,Calif.(30) K1 ..6.65
Gary,Ind. U5 ....*6.25*
Geneva,Utah C11 ....*6.25*
Ind.Harbor,Ind. I-2 ....5.95
Ind.Harbor,Ind. Y1 ....6.45
Johnstown,Pa. B2 ....5.95
Munhall,Pa. U5 ....*6.25*
Pittsburgh J5 ....*6.25*
Seattle B3 ....6.85
Sharon,Pa. S3 ....5.95
So.Chicago,Ill. U5 ....*6.25*
SparrowsPoint,Md. B2..5.95
Warren,O. R2 ....5.95
Youngstown U5 ....*6.25*
Youngstown Y1 ....6.45
PLATES, Open-Hearth Alloy
Claymont,Del. C22 ....5.35
Coatesville,Pa. L7 ....5.75
Conshohocken,Pa. A3 ..5.55
Fontana,Calif. K1 ....6.30
Gary,Ind. U5 ....*5.55*
Johnstown,Pa. B2 ....5.25
Munhall,Pa. U5 ....*5.55*
Sharon,Pa. S3 ....5.70
So.Chicago,Ill. U5 ....*5.55*
SparrowsPoint,Md. B2..5.25
FLOOR PLATES
Cleveland J5 ....*5.15*
Conshohocken,Pa. A3 ....*5.15*
Ind.Harbor,Ind. I-2 ....*5.15*
Munhall,Pa. U5 ....4.95
So.Chicago,Ill. U5 ....4.95
PLATES, Carbon A.R.
Fontana,Calif. K1 ....5.70
Geneva,Utah C11 ....*5.25*
PLATES, Carbon Steel
AlabamaCity,Ala. R2 ..3.90
Aliquippa,Pa. J5 ....*4.10*
Ashland,Ky. (15) A10 ....*4.10*
Bessemer,Ala. T2 ....*4.10*
Clairton,Pa. U5 ....*4.10*
Claymont,Del. C22 ....4.35
Cleveland R2 ....3.90
Cleveland J5 ....*4.10*
Coatesville,Pa. L7 ....4.35
Conshohocken,Pa. A3 ....*4.55*
Ecorse,Mich. G5 ....4.45
Fairfield,Ala. T2 ....*4.10*
Fontana,Calif.(30) K1 ..4.55
Gary,Ind. U5 ....*4.10*
GraniteCity,Ill. G4 ....4.60
Geneva,Utah C11 ....*4.10*
Harrisburg,Pa. C5 ....6.50
Houston S5 ....4.30
Ind.Harbor,Ind. I-2 ....*4.10*
Johnstown,Pa. B2 ....*4.10*
Lackawanna,N.Y. B2 ....*4.10*
Minnequa,Colo. C10 ....4.70
Munhall,Pa. U5 ....*4.10*
Pittsburgh J5 ....*4.10*
Riverdale,Ill. A1 ....*4.10*
Seattle B3 ....4.80
Sharon,Pa. S3 ....4.15
So.Chicago,Ill. W14 ....3.90
So.Chicago U5 ....*4.10*
SparrowsPoint,Md. B2 ....*4.10*
Steubenville,O. W10 ....3.90
Warren,O. R2 ....3.90
Weirton,W.Va. W6 ....4.20
Youngstown R2, Y1 ....3.90
Youngstown U5 ....*4.10*
PLATES, Wrought Iron
(Add 4.7% to base, extras)
Economy,Pa. B14 ....8.60
BARS, Hot-Rolled Carbon
AlabamaCity,Ala. R2 ..3.95
Aliquippa,Pa. J5 ....*4.15*
Alton,Ill. L1 ....4.50
Atlanta,Ga. A11 ....4.25
Bessemer,Ala. T2 ....*4.15*
Buffalo R2 ....3.95
Canton,O. R2 ....3.95
Clairton,Pa. U5 ....*4.15*
Cleveland R2 ....3.95
Detroit R7 ....4.10
Ecorse,Mich. G5 ....4.30
Emeryville,Calif. J7 ....4.70
Fairfield,Ala. T2 ....*4.15*
Fontana,Calif. K1 ....4.65
Gary,Ind. U5 ....*4.15*
Houston S5 ....4.35
Ind.Harbor,Ind. I-2 ....*4.15*
Johnstown,Pa. B2 ....*4.75*
KansasCity,Mo. S5 ....4.55
Lackawanna,N.Y. B2 ....*4.75*
LosAngeles B3 ....4.65
Milton,Pa. B6 ....4.55
Minnequa,Colo. C10 ....4.40
Niles,Calif. P1 ....4.65
N.Tonawanda,N.Y. B11..3.95
Pittsburg,Calif. C11 ....*4.85*
Pittsburgh J5 ....*4.15*
Portland,Oreg. O4 ....4.70
Seattle B3, N14, S24 ..4.70
So.Chicago R2, W14 ...3.95
So.Chicago U5 ....*4.15*
So.Duquesne,Pa. U5 ....*4.15*
So.SanFran.,Calif. B3...4.70
Sterling,Ill. N15 ....4.55
Struthers,O. Y1 ....3.95
Torrance,Calif. C11 ....*4.85*
Weirton,W.Va. W6 ....4.10
Youngstown R2 ....3.95
Youngstown U5 ....*4.15*
BAR SHAPES, Hot-Rolled Alloy
Clairton,Pa. U5 ....*5.20*
Gary,Ind. U5 ....*5.20*
Youngstown U5 ....*5.20*
BAR SIZE ANGLES; S. Shapes
Aliquippa,Pa. J5 ....*4.15*
Atlanta A11 ....4.25
Niles,Calif. P1 ....4.65
SanFrancisco S7 ....5.00
BARS, Hot-Rolled Alloy
Bethlehem,Pa. B2 ....*4.875*
Buffalo R2 ....4.675
Canton,O. T7 ....4.72
Canton,O. R2 ....4.675
Clairton,Pa. U5 ....*4.875*
Detroit R7 ....4.825
Ecorse,Mich. G5 ....5.025
Fontana,Calif. K1 ....5.725
Gary,Ind. U5 ....*4.875*
Houston S5 ....5.075
Ind.Harbor,Ind. I-2 ....*4.875*
Johnstown,Pa. B2 ....*4.875*
KansasCity,Mo. S5 ....5.275
Lackawanna,N.Y. B2 ....*4.875*
LosAngeles B3 ....5.725
Massillon,O. R2 ....4.675
Midland,Pa. C18 ....4.675
So.Chicago R2, W14....4.675
So.Chicago U5 ....*4.875*
So.Duquesne,Pa. U5 ....*4.875*
Struthers,O. Y1 ....4.675
Warren,O. C17 ....4.675
Youngstown U5 ....*4.875*
BARS & SMALL SHAPES, H.R. High-Strength Low-Alloy
Aliquippa,Pa. J5 ....*6.225*
Bessemer,Ala. T2 ....*6.225*
Bethlehem,Pa. B2 ....5.925
Clairton,Pa. U5 ....*6.225*
Cleveland R2 ....5.925
Ecorse,Mich. G5 ....6.675
Fairfield,Ala. T2 ....*6.225*
Fontana,Calif. K1 ....7.175
Gary,Ind. U5 ....*6.225*
Ind.Harbor,Ind. I-2 ....5.925
IndianaHarbor,Ind. Y1..6.425
Johnstown,Pa. B2 ....5.925
Lackawanna,N.Y. B2 ..5.925
LosAngeles B3 ....6.625
Pittsburgh J5 ....*6.225*
Seattle B3 ....6.675
So.Duquesne,Pa. U5 ....*6.225*
So.SanFrancisco B3 ....6.675
Struthers,O. Y1 ....6.425
Youngstown U5 ....*6.225*
BARS, Cold-Finished Alloy
Ambridge,Pa. W18 ....4.925
BeaverFalls,Pa. R2 ....4.925
BeaverFalls,Pa. M12 ....4.925
Buffalo B5 ....4.975
Camden,N.J. P13 ....5.375
Carnegie,Pa. C12 ....4.925
Chicago B5 ....4.925
Chicago W18 ....4.925
Cleveland A7 ....*5.20*
Cleveland C20 ....4.925
Detroit P17, R7 ....5.075
Detroit B5 ....5.125
Donora,Pa. A7 ....*5.20*
Elyria,O. W8 ....4.925
FranklinPark,Ill. N5 ..4.925
Gary,Ind. R2 ....4.925
GreenBay,Wis. F7 ....4.925
Hammond,Ind. L2,M13..4.925
Hartford,Conn. R2 ....5.475
LosAngeles R2 ....6.375
Mansfield,Mass. B5 ....5.475
Massillon,O. R2, R8 ..4.925
Monaca,Pa. S17 ....4.925
Newark,N.J. W18 ....5.375
Plymouth,Mich. P5 ....5.175
Pittsburgh J5 ....*5.20*
Putnam,Conn. W18 ....5.475
Readville,Mass. C14 ....5.475
St. Louis,Mo. M5 ....5.30
So.Chicago,Ill. W14 ....4.925
SpringCity,Pa. K3 ....5.375
Struthers,O. Y1 ....4.925
Waukegan,Ill. A7 ....*5.20*
Youngstown Y1 ....4.925
BARS, Cold-Finished Alloy
Ambridge,Pa. W18 ....6.00
BeaverFalls,Pa. M12 ....6.00
Bethlehem,Pa. B12 ....6.00
Buffalo B5 ....6.00
Camden,N.J. P13 ....6.40
Canton,O. R2 ....6.00
Canton,O. T7 ....5.99
Carnegie,Pa. C12 ....6.00
Chicago B5 ....6.00
Chicago W18 ....6.00
Cleveland A7 ....6.05
Cleveland C20 ....6.00
Detroit P17, R7 ....6.15
Detroit B5 ....6.20
Donora,Pa. A7 ....6.06
Elyria,O. W8 ....6.00
Gary,Ind. R2 ....6.00
Hammond,Ind. L2,M13..6.00
Hartford,Conn. R2 ....6.45
Lackawanna,N.Y. B2 ....6.00
Mansfield,Mass. B5 ....6.45
Massillon,O. R2,R8 ....6.00
Midland,Pa. C18 ....6.00
Monaca,Pa. S17 ....6.00
Newark,N.J. W18 ....6.35
Plymouth,Mich. P5 ....6.20
So.Chicago,Ill. R2, W14..6.00
SpringCity,Pa. K3 ....6.20
Struthers,O. Y1 ....6.00
Warren,O. C17 ....6.00
Waukegan,Ill. A7 ....6.05
Worcester,Mass. A7 ....6.35
Youngstown Y1 ....6.00
Youngstown F3 ....6.00
BARS, Reinforcing (Fabricators)
AlabamaCity,Ala. R2 ..3.95
Atlanta A11 ....4.25
Buffalo R2 ....3.95
Cleveland R2 ....3.95
Emeryville,Calif. J7 ....4.70
Fairfield,Ala. T2 ....*4.15*
Fontana,Calif. K1 ....4.65
Gary,Ind. U5 ....*4.15*
Houston S5 ....4.35
Ind.Harbor,Ind. I-2 ....*4.15*
Johnstown,Pa. B2 ....3.95
KansasCity,Mo. S5 ....4.55
Lackawanna,N.Y. B2 ..3.95
LosAngeles B3 ....4.65
Milton,Pa. B6 ....4.55
Minnequa,Colo. C10 ....4.75
Niles,Calif. P1 ....4.65
Pittsburg,Calif. C11 ....*4.85*
Pittsburgh J5 ....*4.15*
SandSprings,Okla. S5 ..4.85
Seattle B3, N14, S24 ..4.70
So.Chicago,Ill. R2 ....3.95
So.Duquesne,Pa. U5 ....*4.15*
So.SanFrancisco B3 ....4.70
SparrowsPoint,Md. B2 ..3.95
Sterling,Ill. (1) N15 ....4.70
Struthers,O. Y1 ....3.95
Torrance,Calif. C11 ....*4.85*
Youngstown R2 ....3.95
Youngstown U5 ....*4.15*

Key to Producers

A1 Acme Steel Co.
A3 Alan Wood Steel Co.
A4 Allegheny Ludlum Steel
A7 American Steel & Wire
A8 Anchor Drawn Steel Co.
A9 Angell Nail & Chaplet
A10 Armco Steel Corp.
A11 Atlantic Steel Co.
A13 American Cladmetals Co.
B1 Babcock & Wilcox Co.
B2 Bethlehem Steel Co.
B3 Beth. Pac. Coast Steel
B4 Blair Strip Steel Co.
B5 Bliss & Laughlin Inc.
B6 Bolardi Steel Corp.
B8 Braeburn Alloy Steel
B11 Buffalo Bolt Co.
B12 Buffalo Steel Div. H. K. Porter Co.
B14 A. M. Byers Co.
B15 J. Bishop & Co.
C1 Calstrip Steel Corp.
C2 Calumet Steel Div., Borg-Warner Corp.
C4 Carpenter Steel Co.
C5 Central Iron & Steel Div. Barium Steel Corp.
C7 Cleve. Cold Rolling Mills
C8 Cold Metal Products Co.
C9 Colonial Steel Co.
C10 Colorado Fuel & Iron
C11 Columbia-Geneva Steel
C12 Columbia Steel & Shaft.
C13 Columbia Tool Steel Co.
C14 Compressed Steel Shaft.
C16 Continental Steel Corp.
C17 Copperweld Steel Co.
C18 Crucible Steel Co.
C19 Cumberland Steel Co.
C20 Cuyahoga Steel & Wire
C22 Claymont Steel Products Dept., Wickwire Spencer Steel Division
C23 Charter Wire Products
C24 G. O. Carlson Inc.
D2 Detroit Steel Corp.
D3 Detroit Tube & Steel
D4 Disston & Sons, Henry
D6 Driver Harris Co.
D7 Dickson Weatherproof Nail Co.
D8 Damascus Tube Co.
D9 Wilbur D. Driver Co.
E1 Eastern Gas&Fuel Assoc.
E2 Eastern Stainless Steel
E4 Electro Metallurgical Co.
E5 Elliott Bros. Steel Co.
E6 Empire Steel Corp.
F2 Firth Sterling Inc.
F3 Fitzsimons Steel Co.
F4 Follansbee Steel Corp.
F5 Franklin Steel Div., Borg-Warner Corp.
F6 Fretz-Moon Tube Co.
F7 Ft. Howard Steel & Wire
F8 Ft. Wayne Metals Co.
G2 Globe Iron Co.
G3 Globe Steel Tubes Co.
G4 Granite City Steel Co.
G5 Great Lake Steel Corp.
G6 Greer Steel Co.
H1 Hanna Furnace Corp.
H7 Helical Tube Co.
I-1 Igoe Bros. Inc.
I-2 Inland Steel Co.
I-3 Interlake Iron Corp.
I-4 Ingersoll Steel Div., Borg-Warner Corp.
I-7 Indiana Steel & Wire Co.
J1 Jackson Iron & Steel Co.
J3 Jessop Steel Co.
J4 Johnson Steel & Wire Co.
J5 Jones & Laughlin Steel
J6 Joslyn Mfg. & Supply
J7 Judson Steel Corp.
J8 Jersey Shore Steel Co.
K1 Kaiser Steel Corp.
K2 Keokuk Electro-Metals
K3 Keystone Drawn Steel
K4 Keystone Steel & Wire
K7 Kenmore Metals Corp.
L1 Laclede Steel Co.
L2 LaSalle Steel Co.
L3 Latrobe Steel Co.
L5 Lockhart Iron & Steel
L6 Lone Star Steel Co.
L7 Lukens Steel Co.

BARS, Reinforcing
(Fabricated; to consumers)
Huntington,W.Va. W7 ..5.50
Johnstown, ¼-1" B2 ...5.25
KansasCity B5 .....6.05
LosAngeles B3 .....5.45
Marion,O. P11 .....5.25
Seattle B3, N14 .....5.80
Sand Springs S5 .....6.45
So.SanFrancisco B3 ...5.45
SparrowsPt, ¼-1" B2 ..5.25
Williamsport,Pa. S19 ...5.35
RAIL STEEL BARS
ChicagoHts.(3.4) C2 ...4.75
ChicagoHts.(3.4) I-2 ...4.75
Franklin,Pa.(3.4) F5 ...4.75
FortWorth,Tex.(26) T4 ..4.85
Huntngt,W.Va.(3) W7 ..5.75
Marion,O.(3) P11 .....4.75
Moline,Ill.(3) R2 .....4.05
Tonawanda(3.4) B12 ..5.00
Williamsport(3) S19 ...5.25
Williamsport,Pa. S19 ...5.35
BARS, Wrought Iron
(Add 4.7% to base and extras)
Economy,Pa.(S.R.) B14 9.60
Economy,Pa.(D.R.)B14 11.90
Economy(Staybolt) B14 12.20
McK.Rks.(Staybolt) L5.14.50
McK.Rks.(S.R.) L5 ....9.60
McK.Rks.(D.R.) L5 ..13.00
SHEETS, Hot-Rolled Steel
(18 gage and heavier)
AlabamaCity,Ala. R2 ..3.775
Ashland,Ky.(8)A10 ....3.775
Butler,Pa. A10 3.925
Cleveland R2 .....3.775
Cleveland J5 3.925
Conshohocken,Pa. A3 4.025
Detroit M1 .....4.40
Ecorse,Mich. G5 .....3.975
Fairfield,Ala. T2 3.925
Fontana,Calif. K1 ....4.825
Gary,Ind. U5 3.925
Geneva,Utah C11 4.025
GraniteCity,Ill. G4 ....4.30
Ind.Harbor,Ind. I-2 3.925
Irvin,Pa. U5 3.925
Lackawanna,N.Y. B2 3.925
Munhall,Pa. U5 3.925
Niles,O. N12 .....5.425
Pittsburg,Calif. C11 4.025
Pittsburgh J5 3.925
Riverdale,Ill. A1 3.925
Sharon,Pa. S3 .....4.175
So.Chicago,Ill. W14 ...3.775
SparrowsPoint,Md. B2 3.925
Steubenville,O. W10 ...3.775
Torrance,Calif. C11 4.025
Warren,O. R2 .....3.775
Weirton,W.Va. W6 ....3.775
WestLeechburgh,Pa. A4..3.925
Youngstown Y1 .....3.775
Youngstown U5 3.925
SHEETS, H.R. (19 gage)
AlabamaCity,Ala. R2 ..4.925
Dover,O. R1 .....5.825
Mansfield,O. E6 .....5.65
Niles,O. N12 .....5.675
Torrance,Calif. C11 ...5.575
SHEETS, Cold-Rolled
High-Strength Low-Alloy
Cleveland R2 .....6.925
Cleveland J5 7.225
Ecorse,Mich. G5 .....7.475
Fontana,Calif. K1 ....7.975
Gary,Ind. U5 7.225
IndianaHarbor,Ind. Y1 .7.425
IndianaHarbor,Ind. I-2.6.925
Irvin,Pa. U5 7.225
Lackawanna(37) B2 ..6.925
Pittsburgh J5 7.225
SparrowsPoint (38) B2. 6.925
Warren,O. R2 .....6.925
Weirton,W.Va. W6 ....7.275
Youngstown Y1 .....7.425
SHEETS, H.R. (14 ga. heavier)
High-Strength Low-Alloy
Cleveland R2 .....5.675
Cleveland J5 5.90
Conshhocken,Pa. A3 ..5.925
Ecorse,Mich. G5 .....6.225
Fairfield,Ala. T2 5.90
Fontana,Calif. K1 ....6.775
Gary,Ind. U5 5.90
Ind.Harbor,Ind. I-2 ...5.675
Ind.Harbor,Ind. Y1 ....6.175
Irvin,Pa. U5 5.90
Lackawanna(35) B2 ..5.675
Munhall,Pa. U5 5.90
Pittsburgh J5 5.90
Sharon,Pa. S3 .....5.675
So.Chicago,Ill. U5 5.90
SparrowsPoint(38) B2..6.925
Warren,O. R2 .....5.675
Weirton,W.Va. W6 ....6.025
Youngstown U5 5.90
Youngstown Y1 .....6.175
SHEETS, Cold-Rolled Steel
(Commercial Quality)
Butler,Pa. A10 4.775
Cleveland R2 .....4.575
Cleveland J5 4.775
Ecorse,Mich G5 .....4.775
Fairfield,Ala. T2 4.775
Follansbee,W.Va. F4 ..5.575
Fontana,Calif. K1 ....5.675
Gary,Ind. U5 4.775
GraniteCity,Ill. G4 ....5.275
Ind.Harbor,Ind. I-2 4.775
Irvin,Pa. U5 4.775
Lackawanna,N.Y. B2 4.775
Middletown,O. A10 4.775
Pittsburg,Calif. C11 5.775
Pittsburgh J5 4.775
SparrowsPoint,Md. B2 4.775
Steubenville,O. W10 ....4.575
Warren,O. R2 .....4.575
Weirton,W.Va. W6 ....4.575
WestLeechburg,Pa. A4..5.45
Youngstown Y1 .....4.575
SHEETS, Galv'd No. 10 Steel
AlabamaCity,Ala. R2 ..5.075
Ashland,Ky.(8) A10 5.275
Canton,O. R2 .....5.075
Delphos,O. N16 .....5.675
Dover,O. R1 .....5.475
Fairfield,Ala. T2 5.275
Gary,Ind. U5 5.275
GraniteCity,Ill. G4 ....5.275
Ind.Harbor,Ind. I-2 ...5.075
Irvin,Pa. U5 5.275
Kokomo,Ind.(13)C16 ..5.325
MartinFerry,O. W10 ...5.075
Niles,O. N12 .....6.275
Pittsburg,Calif. C11 6.025
SparrowsPoint,Md. B2 .5.075
Steubenville,O. W10 ...5.075
Torrance,Calif. C11 6.025
Weirton,W.Va. W6 ....5.075
SHEETS, Galvanized No. 10, High-Strength Low-Alloy
Irvin,Pa. U5 .....7.625
SparrowsPoint(39) B2..7.775
SHEETS, Galvannealed Steel
Canton,O. R2 .....5.625
Irvin,Pa. U5 5.825
Kokomo,Ind.(13) C16 ..5.875
Niles,O. N12 .....6.825
SHEETS ZINCGRIP STEEL No. 10
Butler,Pa. A10 5.525
Middletown,O. A10 5.525
BLUED Stock, 29 ga.
Yorkville,O. W10 .....7.00
Follansbee,W.Va. F4 ...7.10
Follansbee (23) F4 ....6.425
SHEETS, Enameling Iron
Ashland,Ky.(8) A10 5.175
Cleveland R2 .....4.925
Gary,Ind. U5 5.175
GraniteCity,Ill. G4 ....5.625
Ind.Harbor,Ind. I-2 5.175
Irvin,Pa. U5 5.175
Middletown,O. A10 5.175
Youngstown Y1 .....4.925
BLACK PLATE
(Base Box)
Aliquippa,Pa. J5 .....$6.50
Fairfield,Ala. T2 .....6.60
Gary,Ind. U5 .....6.50
GraniteCity,Ill. G4 ....6.70
Ind.Harbor,Ind. I-2,Y1 .6.50
Irvin,Pa. U5 .....6.50
Niles,O. R2 .....6.50
Pittsburg,Calif. C11 ....7.25
SparrowsPoint,Md. B2 ..6.60
Warren,O. R2 .....6.50
Weirton,W.Va. W6 ....6.50
Yorkville,O. W10 .....6.50
HOLLOWARE ENAMELING
Black Plate (29 gage)
Follansbee,W.Va. F4 ...6.10
Gary,Ind. U5 .....6.10
GraniteCity,Ill. G4 ....6.30
Ind.Harbor,Ind. Y1 ....6.10
Irvin,Pa. U5 .....6.10
Yorkville,O. W10 .....6.35
SHEETS, Culvert No. 16 Pure Iron

	Cu	Cu
	Alloy	Fe
Ashland,Ky. A10	5.875	....
Canton,O. R2 ..	5.925	6.375
Fairfield,Ala. T2	5.875	6.125
Gary,Ind. U5 ...	5.875	6.125
Ind.Harbor I-2 .	5.875	6.125
Irvin,Pa. U5 ...	5.875	6.125
Kokomo,Ind. C16	6.525	....
MartinsFy.,O.W10	5.875	....
Pittsburg,Cal.C11	6.625	....
SparrowsPt.	B2 5.875	....
Torrance,Cal.C11	6.625	....

SHEETS, Culvert, No. 16 Pure Iron
Ashland,Ky. A10 .....6.125
Fairfield,Ala. T2 .....6.125
MartinsFerry,O. W10 ...6.125
SHEETS, Hot-Rolled Ingot Iron 18 Gage and Heavier
Ashland,Ky.(8) A10 ..4.025
Cleveland R2 .....4.375
Ind.Harbor,Ind. I-2 4.175
Warren,O. R2 .....4.375
SHEETS, Cold-Rolled Ingot Iron
Butler,Pa. A10 .....5.075
Cleveland R2 .....5.175
Middletown,O. A10 ....5.075
Warren,O. R2 .....5.175
SHEETS, Galvanized Ingot Iron No. 10 flat
Ashland,Ky.(8) A10 ...5.325
Canton,O. R2 .....5.825
SHEETS, ZINCGRIP Ingot Iron
Butler,Pa. A10 .....5.575
Middletown,O. A10 ....5.575
SHEETS, ALUMINIZED
Butler,Pa. A10 .....8.425
SHEETS, Long Terne, Ingot Iron
Middletown,O. A10 ....5.875
MANUFACTURING TERNES
(Special Coated)
Fairfield,Ala. T2 .....$7.85
Gary,Ind. U5 .....7.75
Irvin,Pa. U5 .....7.75
Yorkville,O. W10 .....7.75
SHEETS, LT. Coated Ternes, 6 lb
Yorkville,O. W10 ....$8.65
SHEETS, Mfg. Ternes, 8 lb
(Commercial Quality)
Gary,Ind. U5 .....$9.75
Yorkville,O. W10 .....9.75
SHEETS, Long Terne Steel
(Commercial Quality)
BeechBottom,W.Va.W105.475
Gary,Ind. U5 5.675
Mansfield,O. E6 .....6.05
Middletown,O. A10 5.675
Niles,O. N12 .....6.275
Weirton,W.Va. W6 ....5.475
ROOFING SHORT TERNES
(8 lb Coated)
Gary,Ind. U5 .....9.75
TIN PLATE, American 1.25 1.50

Coke (Base Box)	lb	lb
Aliquippa,Pa. J5	$8.70	$8.95
Fairfield,Ala. T2	8.80	9.05
Gary,Ind. U5	8.70	8.95
Ind.Har. I-2, Y1.	8.70	8.95
Irvin,Pa. U5 ...	8.70	8.95
Pitts.,Cal. C11 ..	9.45	9.70
Sp.Pt.,Md. B2 ..	8.80	9.05
Warren,O. R2 ..	8.70	...
Weirton,W.Va.W6	8.70	8.95
Yorkville,O. W10.	8.70	8.95

STRIP, Hot-Rolled
High-Strength Low-Alloy
Bessemer,Ala. T2 .....5.65
Conshohocken,Pa. A3 ..5.90
Ecorse,Mich. G5 .....6.30
Fairfield,Ala. T2 .....5.65
Fontana,Calif. K1 .....6.75
Gary,Ind. U5 .....5.65
Ind.Harbor,Ind. I-2 ....5.65
Ind.Harbor,Ind. Y1 ....6.15
Lackawanna,N.Y. B2 ..5.70
LosAngeles(25) B3 ....6.40
Seattle(25) B3 .....6.65
Sharon,Pa. S3 .....5.65
So.SanFrancisco(25)B3 ..6.40
SparrowsPoint,Md. B2..5.70
Warren,O. R2 .....5.65
Weirton,W.Va. W6 ....6.10
Youngstown Y1 .....6.15
Youngstown U5 .....5.65
STRIP, Cold-Rolled
High-Strength Low-Alloy
Cleveland J5 .....7.45
Cleveland A7 .....7.30
Dover,O. G6 .....8.00
Ecorse,Mich. G5 .....8.15
Lackawanna,N.Y. B2 ..7.90
Sharon,Pa. S3 .....7.30
SparrowsPoint,Md. B2 .7.90
Warren,O. R2 .....7.30
Weirton,W.Va. W6 ....7.95
Youngstown Y1 .....7.80
STRIP, Cold-Rolled Alloy Steel
Bridgeprt,Conn.(10)S15 12.15
Carnegie,Pa. S18 .....12.00
Cleveland A7 .....11.40
Dover,O. G6 .....11.90
Fontana,Calif. K1 ....13.30
Harrison,N.J. C18 ....12.00
Midland,Pa. C18 .....12.00
NewBritn,Conn.(10)S15 12.15
Pawtucket,R.I.(11) N8.12.15
Pawtucket,R.I.(12) N8.12.45
Sharon,Pa. S3 .....12.00
Worcester,Mass. A7 ..11.70
Youngstown C8 .....12.00
STRIP, Hot-Rolled Ingot Iron
Ashland,Ky.(8) A10 ..3.975
Warren,O. R2 .....4.325
STRIP, Cold-Rolled Ingot Iron
Warren,O. R2 .....5.70

TIN PLATE, Electrolytic (Base Box)	0.25 lb	0.50 lb	0.75 lb
Aliquippa,Pa. J5	$7.40	$7.65	$8.05
Fairfield,Ala. T2	7.50	7.75	8.15
Gary,Ind. U5	7.40	7.65	8.05
GraniteCity,Ill. G4	7.60	7.85	8.25
IndianaHarbor,Ind. I-2, Y1	7.40	7.65	8.05
Irvin,Pa. U5	7.40	7.65	8.05
Niles,O. R2	7.40	...	...
Pittsburg,Calif. C11	8.15	8.40	8.80
SparrowsPoint,Md. B2	7.50	7.75	8.15
Weirton,W.Va. W6	7.40	7.65	8.05
Yorkville,O. W10	7.40	7.65	8.05

SHEETS, SILICON, H.R. or C.R.(22 Ga.) COILS (Cut lengths ½c lower)	Field	Armature	Electric	Motor	Dynamo
BeechBottom W10 (cut lengths)	....	....	7.85	9.10	9.90
Brackenridge,Pa. A4	....	....	8.35	9.60	10.40
GraniteCity,Ill. G4 (cut lengths)	....	....	8.55	9.80	....
IndianaHarbor,Ind. I-2	*8.05*	*8.35*	*8.85*	*(34)*	....
Mansfield,O. E6 (cut lengths)	7.20	7.35	7.85	9.10	9.90
Newport,Ky. N9 (cut lengths)	....	7.35	7.85	9.10	9.90
Niles,O. N12 (cut lengths)	7.05	7.35	7.85	....	....
Vandergrift,Pa. U5	....	....	*8.85*	....	....
Warren,O. R2	7.55	7.85	8.35	9.60	10.40
Zanesville,O. A10	....	7.85	8.35	9.60	10.40

SHEETS, SILICON (22 Ga. Base)
COILS (Cut Lengths ½c lower)

Transformer Grade	72	65	58	52
BeechBottom W10 (cut lengths)	10.45	11.00	11.70	12.50
Brackenridge,Pa. A4	10.95	....	....	....
Newport,Ky. N9 (cut lengths)	10.45	....	....	....
Vandergrift,Pa. U5	10.95	11.50	12.20	13.00
Warren,O. R2	10.95	....	....	....
Zanesville,O. A10	10.95	11.50	12.20	13.00

H.R. or C.R. COILS AND

CUT LENGTHS, SILICON (22 Ga.)	T-100	T-90	T-80	T-73
Butler,Pa. A10 (C.R.)	....	....	15.35	15.85
Vandergrift,Pa. U5	13.50	14.35	15.35	15.85

STRIP, Cold-Finished, Spring Steel (Annealed)	0.26-0.40C	0.41-0.60C	0.61-0.80C	0.81-1.05C	1.06-1.35C
Berea,O. C7	....	6.80	7.40	9.35	11.65
Bridgeport,Conn.(10) S15	5.80	7.65	8.25	10.20	12.50
Bristol,Conn. W1	....	....	8.55	10.50	....
Carnegie,Pa. S18	....	7.65	8.25	10.30	12.50
Cleveland A7	5.10	7.30	8.25	10.20	12.50
Dearborn,Mich. D3	6.05	7.90	8.50	....	....
Detroit D2	6.45	7.50	8.10	....	....
Dover,O. G6	5.70	7.65	8.25	10.20	12.50
FranklinPark,Ill. T6	5.45	7.45	8.40	10.35	12.65
Harrison,N.J. C18	....	....	8.55	10.50	12.80
Mattapan,Mass. T6	5.95	7.60	8.55	10.50	12.80
NewBritn.,Conn.(10) S15	5.80	7.65	8.25	10.20	12.50
NewCastle,Pa. B4	5.80	7.65	8.25	10.20	....
NewCastle,Pa. E5	5.80	7.65	8.25	10.20	12.50
NewHaven,Conn. D2	6.70	7.60	8.20	....	....
NewYork W2	....	7.95	8.55	10.50	12.80
Pawtucket,R.I. N8: Cleve.orPitts.Base	....	7.65	8.25	10.20	12.50
Worcester,Mass.,Base	6.30	7.95	8.55	10.50	12.80
Sharon,Pa. S3	5.80	7.65	8.25	10.20	12.50
Trenton,N.J. R5	....	7.95	8.55	10.50	12.80
Wallingford,Conn. W2	6.30	7.60	8.20	10.15	12.65
Warren,O. T5	6.20	7.65	8.25	10.20	12.50
Weirton,W.Va. W6	5.80	7.65	8.25	10.20	12.50
Worcester,Mass. A7	5.40	7.60	8.55	10.50	12.80
Worcester,Mass. T6	5.95	7.60	8.55	10.50	12.80
Youngstown C8	....	7.65	8.25	10.20	12.50
Spring Steel (Tempered)					
Trenton,N.J. R5	....	*11.875*	*14.075*	*16.925*	
Harrison,N.J. C18	....	....	10.30	12.50	15.25
New York W3	....	....	10.30*	12.50*	15.35*
Youngstown C8	....	....	10.30	12.50	15.35

* Plus $1.575 per 100 lb

M1 McLouth Steel Corp.
M4 Mahoning Valley Steel
M5 Medart Co.
M6 Mercer Tube & Mfg. Co.
M8 Mid-States Steel & Wire
M12 Moltrup Steel Products
M13 Monarch Steel Co.
M16 Md. Fine & Special Wire
M17 Metal Forming Corp.

N2 National Supply Co.
N3 National Tube Div.
N5 Nelsen Steel & Wire Co.
N6 NewEng.HighCarb.Wire
N8 Newman-Crosby Steel
N9 Newport Steel Corp.
N12 Niles Rolling Mill Div.
N14 Nrthwst. Steel Roll. Mills
N15 Northwestern S.&W. Co.
N16 New Delphos Mfg. Co.

O3 Oliver Iron & Steel Corp.
O4 Oregon Steel Mills

P1 Pacific States Steel Corp.
P2 Pacific Tube Co.
P4 Phoenix Iron & Steel Co.
P5 Pilgrim Drawn Steel
P6 Pittsburgh Coke & Chem.
P7 Pittsburgh Steel Co.
P9 Pittsburgh Tube Co.
P11 Pollak Steel Co.
P12 Portsmouth Division Detroit Steel Corp.
P13 Precision Drawn Steel
P14 Pitts. Screw & Bolt Co.
P15 Pittsburgh Metallurgical
P16 Page Steel & Wire Div., Amer. Chain & Cable
P17 Plymouth Steel Co.

R1 Reeves Steel & Mfg. Co.
R2 Republic Steel Corp.
R3 Rhode Island Steel Corp.
R5 Roebling's Sons, John A.
R6 Rome Strip Steel Co.
R7 Rotary Electric Steel Co.
R8 RellanceDiv.,EatonMfg.
R9 Rome Mfg. Co.

S1 Seneca Wire & Mfg. Co.
S3 Sharon Steel Corp.
S4 Sharon Tube Co.
S5 Sheffield Steel Corp.
S6 Shenango Furnace Co.
S7 Simmons Co.
S8 Simonds Saw & Steel Co.
S9 Sloss-Sheffield S.&I.Div.
S13 Standard Forgings Corp.
S14 Standard Tube Co.
S15 Stanley Works
S16 Struthers Iron & Steel
S17 Superior Drawn Steel Co.
S18 Superior Steel Corp.
S19 Sweet's Steel Co.
S20 Southern States Steel
S24 Seidelhuber Steel
S25 Stainless Welded Products
S26 Specialty Wire Co. Inc.

T2 Tenn. Coal & Iron Div.
T3 Tenn. Prod. & Chem.
T4 Texas Steel Co.
T5 Thomas Strip Division, Pittsburgh Steel Co.
T6 Thompson Wire Co.
T7 Timken Roller Bearing
T9 Tonawanda Iron Div., Am. Rad. & Stan. San.
T13 Tube Methods Inc.

U4 Universal-Cyclops Steel
U5 United States Steel Corp.
V2 Vanadium-Alloys Steel
V3 Vulcan Crucible Steel Co.

W1 Wallace Barnes Co.
W2 Wallingford Steel Co.
W3 Washburn Wire Co.
W4 Washington Steel Corp.
W6 Weirton Steel Co.
W7 W. Va. Steel & Mfg. Co.
W8 West.Auto.Mach.Screw
W9 Wheatland Tube Co.
W10 Wheeling Steel Corp.
W12 Wickwire Spencer Steel Div.,Colo. Fuel & Iron
W13 Wilson Steel & Wire Co.
W14 Wisconsin Steel Div., International Harvester
W15 Woodward Iron Co.
W18 Wyckoff Steel Co.
Y1 Youngstown Sheet&Tube

STRIP, Hot-Rolled Carbon

Ala.City,Ala.(27) R2	3.725
Alton,Ill. L1	4.20
Ashland,Ky.(8) A10	*3.925*
Atlanta A11	4.275
Bessemer,Ala. T2	*3.925*
Bridgeport,Con.(10)S15	4.225
Buffalo(27) R2	3.725
Butler,Pa. A10	*3.925*
Carnegie,Pa. S18	4.225
Conshohocken,Pa. A3	*4.325*
Detroit M1	4.40
Ecorse,Mich. G5	4.025
Fairfield,Ala. T2	*3.925*
Fontana,Calif. K1	5.175
Gary,Ind. U5	*3.925*
Houston,Tex. S5	4.125
Ind.Harbor,Ind. I-2	*3.925*
Johnstown,Pa.(25) B2	3.725
KansasCity,Mo.(9) S5	4.325
Lackaw'na,N.Y.(32) B2	3.725
LosAngeles(25) B3	4.475
Milton,Pa. B6	4.35
Minnequa,Colo. C10	4.775
NewBritian(10) S15	4.225
N.Tonawanda,N.Y.B11	3.725
Pittsburg,Calif. CI1	*4.675*
Riverdale,Ill. A1	*3.925*
SanFrancisco S7	5.00
Seattle(25) B3	4.725
Seattle N14	4.725
Sharon,Pa. S3	4.225
So.Chicago,Ill. W14	3.725
So.SanFrancisco(25) B3	4.475
SparrowsPoint,Md. B2	3.725
Sterling,Ill. N15	4.725
Torrance,Calif. CI1	*4.675*
Warren,O. R2	3.725
Weirton,W.Va. W6	3.825
WestLeechburgh,Pa. A4	3.975
Youngstown Y1	3.725
Youngstown U5	*3.925*

STRIP, Hot-Rolled Alloy

Bridgeprt,Conn.(10)S15	6.05
Carnegie,Pa. S18	6.45
Fontana,Calif. K1	7.50
Gary,Ind. U5	*6.40*
Houston,Tex. S5	6.50
KansasCity, Mo. S5	6.70
Midland,Pa. C18	5.85
NewBritn.,Conn.(10)S15	6.05
Sharon,Pa. S3	6.45
Youngstown U5	*6.40*

STRIP, Cold-Rolled Carbon

Anderson,Ind.(40) G6	5.50
Bridgeprt,Conn.(10)S15	5.80
Butler,Pa. A10	*5.45*
Cleveland A7, J5	*5.45*
Dearborn,Mich. D3	6.05
Detroit D2	5.50
Detroit M1	5.45
Dover,O.(40) G6	5.50
Ecorse,Mich. G5	5.30
Follansbee,W.Va. F4	5.10
Fontana,Calif. K1	7.00
Franklin Park,Ill.(40)T6	5.35
Ind.Harbor,Ind. I-2	*5.70*
Lackawanna,N.Y. B2	5.10
LosAngeles C1	7.15
Mattapan,Mass. T6	5.95
Middletown,O. A10	*5.45*
NewBritain(10) S15	5.80
NewCastle,Pa. B4	5.80
NewCastle,Pa.(40) E5	5.70
NewHaven,Conn. A7	*5.95*
NewHaven,Conn. D2	5.85
Pawtucket,R.I. R3	6.45
Pawtucket,R.I.(21) N8	6.30
Riverdale,Ill.(40) A1	*5.70*
Rome,N.Y. R6	5.10
Sharon,Pa. S3	5.80
SparrowsPoint,Md. B2	5.10
Trenton,N.J. R5	6.45
Wallingford,Conn. W2	6.30
Warren,O.(40) T5	5.70
Warren,O. R2	5.10
Weirton,W.Va. W6	5.10
Youngstown C8 (40)	5.70
Youngstown Y1	5.10

STRIP, Electro Galvanized

Dover,O. G6	5.50
Warren,O. T5	5.70
Weirton,W.Va. W6	5.10
Youngstown C8	5.70

TIGHT COOPERAGE HOOP

Atlanta A11	4.45
Riverdale,Ill. A1	*4.50*
Sharon,Pa. S3	4.55
Youngstown U5	4.15

ROPE WIRE

Alton,Ill. L1	9.30
Bartonville,Ill. K4	8.95
Buffalo W12 (43)	8.55
Fostoria,O. S1 (43)	8.85
Johnstown,Pa. B2 (43)	8.55
Monessen,Pa. P16 (43)	8.55
Monessen,Pa. P7 (43)	8.80
Muncie,Ind. I-7 (43)	8.75
Palmer,Mass. W12 (43)	8.85
Portsmouth,O. P12 (43)	8.85
Roebling,N.J. R5	*9.25*
SparrowsPt. B2 (43)	8.65
Struthers,O. Y1 (43)	8.55
Worcester J4, T6 (43)	8.85

(A) Plow and Mild Plow; add 0.25c for improved plow.

WIRE, Merchant Quality

(6 to 8 gage)	An'id.	Galv.
AlabamaCity	6.25	6.25†
Aliquippa J5	6.075	6.525†
Atlanta A11	6.325	6.675
Bartonville(19)K4	6.075	6.40
Buffalo W12	6.25	
Cleveland A7	*6.675*	
CrawfordsvilleM8	6.175	6.475
Donora,Pa. A7	*6.675*	*7.075*
Duluth,Minn. A7	*6.675*	*7.075*
Fairfield A2	*6.675*	*7.075*
Houston,Tex S5	6.475	6.80
Johnstown B2	6.075	6.45†
Joliet,Ill. A7	*6.675*	*7.075*
KansasCy.,Mo. S5	6.675	7.00
Kokomo C16	6.175	6.425
LosAngeles B3	7.025	
Minnequa C10	6.325	6.70*
Monessen P7	6.075	6.45
Palmer W12	5.525	
Pitts.,Calif. CI1	*7.625*	*8.025*
Prtsmth.(18)P12	6.475	
Rankin A7	*6.675*	*7.075*
So.Chicago R2	6.075	6.325
So.S.Fran. C10	7.025	7.40*
SparrowsPt, B2	6.175	6.55†
Sterl'g(1)(48)N15	6.375	6.925
Struthers,O. Y1	6.075	6.475
Worcester A7	*6.975*	

*Based on 14c zinc; †14.50c zinc; ‡17.5c zinc.

WIRE (16 gage) (Add 4.7% on base and extras)	Ani'd.	Galv. Stone Stone
Aliquippa J5	10.15	12.15
Bartonville(19)K4	10.25	12.00*
Cleveland A7	12.00	13.55
Crawfrdsville M8	10.73	12.51
Fostoria,O. S1	10.40	13.00
Johnstown B2	10.73	12.58§
Kokomo C16	10.625†	12.325§
Minnequa C10	10.40	12.425*
Palmer,Mass. W12	10.25	12.15
Pitts.,Cal. C11	12.35	13.90
SparrowsPt, B2	10.84	12.68§
Sterling(1) N15	10.73†	12.15†
Waukegan A7	12.00	13.55
Worcester A7	12.30	13.85

*Based on 14c zinc; §14.50c zinc. †Includes 4.7% increase.

WIRE, Manufacturers Bright, Low Carbon

AlabamaCity,Ala. R2	5.225
Aliquippa,Pa. J5 (42)	4.85
Atlanta A11	5.475
Alton,Ill. L1	5.45
Bartonville,Ill. K4	5.325
Buffalo W12	5.225
Chicago W13	5.475
Cleveland C20	5.225
Cleveland A7	*5.525*
Crawfordsville,Ind. M8	5.325
Donora,Pa. A7	*5.525*
Duluth,Minn. A7	*5.525*
Fairfield,Ala. T2	*5.525*
Fostoria,O. (24) S1	5.725
Houston S5	5.625
Johnstown,Pa. B2	5.225
Joliet,Ill. A7	*5.525*
KansasCity,Mo. S5	5.825
Kokomo,Ind C16	5.325
LosAngeles B3	6.175
Minnequa,Colo. C10	5.475
Monessen,Pa. P7	5.475
Newark 6-8 ga I-1	5.88
No.Tonawanda B11	5.225
Palmer,Mass. W12	5.525
Pittsburg,Calif. CI1	*6.475*
Portsmouth,O. P12	5.625
Rankin,Pa. A7	*5.525*
So.Chicago,Ill. R2	5.225
So.SanFrancisco C10	6.175
SparrowsPoint,Md. B2	5.325
Sterling,Ill.(1) N15	5.225
Struthers,O. Y1	5.225
Waukegan,Ill. A7	*5.525*
Worcester,Mass. A7	*5.875*

WIRE, Cold-Rolled Flat

Anderson,Ind. G6	6.95
Buffalo W12 (43)	6.35
Cleveland A7	6.95
Crawf'sville,Ind.M8(43)	6.70
Dover,O. G6	6.95
Fostoria,O. S1 (43)	6.00
Kokomo,Ind. C16 (43)	5.70
FranklinPark,Ill. T6(43)	6.20
Massillon,O. R8 (43)	5.85
Monessen,Pa. P16 (43)	6.35
Monessen,Pa. P7 (43)	6.10
Pawtkt,R.I.(12) N8 (43)	6.85
Trenton,N.J. R5 (43)	*7.25*
Worcester,Mass. A7	7.25
Worcester,Mass. T6 (43)	6.50
Worcester,Mass.W12(43)	6.65

WIRE, Galv'd ACSR for Cores

Bartonville,Ill. K4	8.90
Monessen,Pa. P16 (43)	8.50
Muncie,Ind. I-7 (43)	8.70
Roebling,N.J. R5	*9.30*
SparrowsPt.,Md. B2(43)	8.60
Johnstown,Pa. B2 (43)	8.50

WIRE, MB Spring, High Carbon

Aliquippa,Pa. J5 (43)	6.25
Alton,Ill. L1	6.75
Bartonville,Ill. K4	6.64
Buffalo W12 (43)	6.25
Cleveland A7	*6.925*
Donora,Pa. A7	*6.925*
Duluth,Minn. A7	*6.925*
Fostoria,O. S1 (43)	6.25
Johnstown,Pa. B2 (43)	6.25
Millbury(12) N6 (43)	8.05
Minnequa,Colo. C10(43)	6.50
Monessen,Pa. P7 (43)	6.25
Monessen,Pa P16	6.75
Muncie,Ind. I-7 (43)	6.45
Palmer,Mass W12 (43)	6.55
Pittsburg,Calif. CI1	*7.875*
Roebling,N.J. R5	*6.85*
Portsmouth,O. P12(43)	6.25
So.Chicago,Ill. R2 (43)	6.25
So.SanFran. C10 (43)	7.20
SparrowsPt.,Md. B2 (43)	6.35
Struthers,O Y1 (43)	6.25
Trenton,N.J. A7	*7.225*
Waukegan,Ill. A7	*6.925*
Worcester A7	*7.225*
Worcester, T6, W12 (43)	6.55
Worcester,Mass. J4 (43)	6.75

Wire Upholstery Spring

Aliquippa,Pa. J5	6.275
Alton,Ill. L1	6.50
Buffalo W12	6.275
Cleveland A7	*6.625*
Donora,Pa. A7	*6.625*
Duluth,Minn. A7	*6.625*
Johnstown,Pa. B2	6.275
LosAngeles B3	7.225
Minnequa,Colo. C10	6.525
Monessen,Pa. P7	6.275
Monessen,Pa. P16(42)	6.40
NewHaven,Conn. A7	*6.925*
Palmer,Mass. W12	6.575
Pittsburg,Calif. CI1	*7.575*
Portsmouth,O. P12	6.275
Roebling,N.J. R5	6.575
So.Chicago,Ill. R2	6.275
So.SanFrancisco C10	7.225
SparrowsPoint,Md B2	6.375
Trenton,N.J. A7	*6.925*
Waukegan,Ill. A7	*6.625*
Worcester,Mass. A7	*6.925*

WIRE, Fine & Weaving (8"Coils)

Alton,Ill. L1 (43)	9.20
Bartonville,Ill. K4	9.42
Buffalo W12 (43)	8.90
Chicago W13	9.32
Cleveland A7	10.05
Crawf'sville,Ind. M8(43)	8.90
Fostoria,O. S1 (43))	8.90
Johnstown,Pa. B2 (43)	8.90
Kokomo,Ind C16 (43)	8.90
Monessen,Pa. P16 (43)	8.90
Muncie,Ind. I-7 (43)	9.10
Palmer,Mass. W12 (43)	9.20
Roebling,N.J. R5	*10.35*
Waukegan,Ill. A7	10.05
Worcester,Mass. A7	10.35
Worcester,Mass. T6(43)	9.20

WIRE, Tire Bead

Bartonville,Ill. K4	11.51
Monessen,Pa. P16 (43)	11.40
Roebling,N.J. R5	*12.30*

WOVEN FENCE, 9-15½ Ga. Col.

AlabamaCity,Ala R2	135
Ala.City,Ala.,17-18ga.R2	222
Aliqu'pa,Pa.9-14½ga.J5	139†
Atlanta A11	140
Bartonville,Ill.(19) K4	137
Crawfordsville,Ind. M8	138
Donora,Pa. A7	*140*
Duluth,Minn. A7	*140*
Fairfield,Ala. T2	*140*
Houston,Tex. S5	145
Johnstown,Pa. B2	138
Johnstown 17ga.,6" B2	229
Joliet,Ill. A7	*140*
KansasCity,Mo. S5	149
Kokomo,Ind. C16	140
Minnequa,Colo. C10	146*
Monessen,Pa. P7	138
Pittsburg,Calif. CI1	*163*
Rankin,Pa. A7	*140*
So.Chicago,Ill. R2	135
Sterling,Ill. (1) N15	136

*On 14c zinc; ‡17.5c zinc.

FENCE POSTS	Col.
Chicago Hts.,Ill. C2	*145*
Duluth,Minn. A7 (49)	136
Franklin,Pa. F8	*145*
Huntington,W.Va. W7	145
Johnstown,Pa. B2	148
Marion,O. P11	140
Minnequa,Colo. C10	138
Moline,Ill. R2	136
So.Chicago,Ill. R2	140
Tonawanda,N.Y. B12	148
Williamsport,Pa. S19	158

Wire, Barbed	Col.
AlabamaCity,Ala. R2	144
Aliquippa,Pa. J5	148†
Atlanta A11	149
Bartonville,Ill.(19) K4	146
Crawfordsville,Ind M8	147
Donora,Pa. A7	*153*
Duluth,Minn. A7	*153*
Fairfield,Ala. T2	*153*
Houston,Tex. S5	154
Johnstown,Pa. B2	145
Joliet,Ill. A7	*153*
KansasCity,Mo. S5	158
Kokomo,Ind. C16	149
Minnequa,Colo. C10	153*
Monessen,Pa. P7	147
Pittsburg,Calif. CI1	*174*
Rankin,Pa. A7	*153*
So.Chicago,Ill. R2	144
So.SanFran.,Calif. C10	167*
SparrowsPoint,Md. B2	147
Sterling,Ill.(1)N15	151

*On 14c zinc; ‡17.5c zinc.

BALE TIES, Single Loop	Col.
AlabamaCity,Ala. R2	132
Atlanta A11	135
Bartonville,Ill.(19) K4	132
Crawfordsville,Ind. M8	132
Donora,Pa. A7	*149*
Duluth,Minn. A7	*149*
Fairfield,Ala. T2	*149*
Joliet,Ill. A7	*149*
KansasCity,Mo. S5	144
Kokomo,Ind. C16	134
Minnequa,Colo. C10	137
Pittsburg,Calif. CI1	*173*
So.Chicago,Ill. R2	132
So.SanFran.,Calif. C10	156
SparrowsPoint,Md. B2	134
Sterling,Ill.(1) N15	143

NAILS, Stock

To dealers & mfrs. (7)	Col.
AlabamaCity,Ala. R2	127
Aliquippa,Pa. J5	127
Atlanta A11	130
Bartonville,Ill. (19) K4	127
Chicago,Ill. W13	127
Cleveland A9 (44)	125
Crawfordsville,Ind. M8	127
Donora,Pa. A7	*151*
Duluth,Minn. A7	*151*
Fairfield,Ala. T2	*151*
Galveston,Tex. D7	135
Houston,Tex. S5	135
Johnstown,Pa. B2	127
Joliet,Ill. A7	*151*
KansasCity,Mo. S5	139
Kokomo,Ind. C16	129
Minnequa,Colo. C10 (44)	123
Monessen,Pa. P7	127
Pittsburg,Calif. CI1	*150*
Portsmouth,O. P12	132
Rankin,Pa. A7	*151*
So.Chicago,Ill. R2	127
SparrowsPt. Md. B2	129
Sterling,Ill. (1) N15	127
Worcester,Mass. A7	*157*

NAILS, Cut (100 lb keg.) to dealers (33)

Conshohocken,Pa. A3	$7.80
Wheeling,W.Va. W10	7.80

RAILS

	Std. No. 1	Std. No. 2	All No. 2	60 lb Under
Bessemer,Pa. U5	*4.325*	*4.225*	*4.275*	*5.20*
Ensley,Ala. T2	*4.325*	*4.225*		*5.20*
Fairfield,Ala. T2				*5.20*
Gary,Ind. U5	*4.325*	*4.225*	*4.275*	
Huntington,W.Va. W7				5.00
IndianaHarbor,Ind. I-2	*4.325*	*4.225*	*4.275*	
Johnstown,Pa. B2				(16)5.00
Lackawanna,N.Y. B2	*4.325*			
Minnequa,Colo. C10	4.075	3.975		5.05
Steelton,Pa. B2	*4.325*			
Williamsport,Pa. S19				5.00

Std. Tee Rails

STAPLES, Polished, Stock

To dealers & mfrs. (7)	Col.
AlabamaCity,Ala. R2	126
Aliquippa,Pa. J5	126
Atlanta A11	129
Bartonville,Ill. (19) K4	126
Chicago W13	127
Crawfordsville,Ind. M8	128
Donora,Pa. A7	*153*
Duluth,Minn. A7	*153*
Fairfield,Ala. T2	*153*
Houston,Tex. B2	126
Joliet,Ill. A7	*153*
Kokomo,Ind. C16	128
Minnequa,Colo. C10 (45)	123
Monessen,Pa. P7	127
Pittsburg,Calif. CI1	*152*
Portsmouth,O. P12	132
Rankin,Pa. A7	*153*
So.Chicago,Ill. R2	126
SparrowsPt. Md. B2	128
Sterling,Ill. (1) N15	126
Worcester,Mass. A7	*159*

TRACK BOLTS (20) Treated

KansasCity,Mo. S5(46)	9.85
Lebanon,Pa. (31) B2	9.85
Minnequa,Colo. C10	9.85
Pittsburgh P14	9.85
Pittsburgh O3	10.60

AXLES

Ind.Harbor,Ind. S13	6.15
Johnstown,Pa. B2	5.65

TIE PLATES

Fairfield,Ala. T2	*5.125*
Gary,Ind. U5	*5.125*
Ind.Harbor,Ind. I-2	*5.125*
Lackawanna,N.Y. B2	4.925
Minnequa,Colo. C10	4.925
Pittsburg,Calif. CI1	*5.275*
Seattle B3	5.075
Steelton,Pa. B2	4.925
Torrance,Calif. CI1	*5.275*

JOINT BARS

Bessemer,Pa. U5	*5.275*
Fairfield,Ala. T2	*5.275*
Ind.Harbor,Ind. I-2	*5.275*
Joliet,Ill. U5	*5.275*
Lackawanna,N.Y. B2	5.075
Minnequa,Colo. C10	5.075
Steelton,Pa. B2	5.075

STANDARD TRACK SPIKES

Ind.Harbor,Ind. I-2	*7.05*
Ind.Harbor,Ind. Y1	6.65
KansasCity,Mo. S5	6.90
Lebanon,Pa. B2	6.65
Minnequa,Colo. C10	6.80
Pittsburgh J5	6.65
Seattle B3	7.15
So.Chicago,Ill. R2	6.65
Struthers,O. Y1	6.65
Youngstown R2	6.65

TOOL STEEL

(Prices subject to 4.7% increase)

Grade	$ per lb
Regular Carbon	0.230
Extra Carbon	0.270
Special Carbon	0.325
Oil Hardening	0.350
5% Cr Hot Work	0.350
Hi-Carbon-Cr	0.635

Grade by Analysis

W	Cr	V	Co	
18	4	1	....	1.505
18	4	2	....	1.65-1.66
20.25	4.25	1.6	12.25	3.535-3.675
19	4	2	7	2.460
18.25	4.25	1	4.75	2.125
18	4	2	9	2.445-2.45
13.5	4	3	....	1.6025
9	3.25	0.5	....	1.01

W	Cr	V	Mo	
6.4	4.5	1.9	5	0.96-0.965
6	4	3	6	1.190
1.5	4	1	8.5	0.810

Tool steel producers include: A4, A8, B2, B8, C4, C9, C13, C18, D4, F2, J3, L3, M14, S8, U4, V2 and V3.

FOOTNOTES

(1) Chicago base.
(2) Angles, flats, bands.
(3) Merchant.
(4) Reinforcing.
(6) Chicago or Birm. base.
(7) To jobbers, 3 cols. lower
(8) 16 gage and heavier.
(9) 6 in. and narrower.
(10) Pittsburgh base.
(11) Cleveland & Pitts. base.
(12) Worcester, Mass. base.
(13) Add 0.25c for 17 Ga. & heavier.
(15) ¼" and thinner.
(16) 40 lb and under.
(17) Flats only.
(18) To dealers.
(19) Chicago & Pitts. base.
(20) 0.25c off for untreated.
(21) New Haven, Conn., base.
(22) Del. San Francisco Bay area.
(23) 20 Ga. 36" wide.
(24) Deduct 0.20c, finer than 15 Ga.
(25) Bar mill bands.
(26) Reinforcing mill lengths, to fabricators; to consumers, 5.05c
(27) Bar mill sizes.
(28) Bonderized.
(30) Sheared; add 0.35c for universal mill.
(31) Not annealed.
(32) Rd. or square edge.
(33) To jobbers, deduct 20c
(34) 9.60c for cut lengths.
(35) 72" and narrower.
(36) 54" and narrower.
(37) 15 gage & lighter: 60" & narrower.
(38) 14 gage & lighter: 48" and narrower.
(39) 48" and narrower.
(40) Lighter than 0.035"; 0.035" and heavier, 0.25c higher.
(42) Plus 0.375c per 100 lb.
(43) Plus 4.7% on base and extras.
(44) Plus 45c per 100 lb.
(45) Plus 40c per 100 lb.
(46) Plus 2.2 per cent.
(48) 6.7 gage.
(49) U-post; add 2 cols. for T-post.

BUTTWELD STANDARD PIPE, T & C

Carload discounts from list, %

Size—Inches	⅛		¼		⅜		½		¾		1		1¼		1½		2		2½		3	
List Per Ft.	8.5c		11.5c		17c		23c		27.5c		37c		58.5c		76.5c							
Pounds Per Ft.	0.85		1.13		1.68		2.28		2.73		3.68		5.82		7.62							
	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv
Aliquippa, Pa. J5 (††)	28.75	12.50	31.75	16.50	34.25	20	36.75	21	37.25	22	37.75	22.50	39.25	22.50	39.25	22.50						
Alton, Ill. L1 (††)	25.75	9.5	28.75	13.5	31.25	17	33.75	18.5	34.25	19	34.75	19.5	36.25	19.5	36.25	19.5						
Benwood, W. Va. W10	32.5	13.25	35.5	17.25	38	20.75	38.5	20.5	39	21.5	39.5	22	40	21.75	40	21.75						
Etna, Pa. N2 (†)	28.75	9.50	31.75	13.50	34.25	17	36.75	18.75	37.25	19.75	37.75	20.25	39.25	21	39.25	21						
Fontana, Calif. K1 (††)	15.75	0.50	18.75	3.50	21.75	7	23.75	8	24.25	9	24.75	9.5	26.25	9.5	26.25	9.5						
Ind. Harbor, Ind. Y1 (††)	27.75	11.50	30.75	15.5	33.25	19.0	35.75	20.0	36.25	21.0	36.75	21.50	38.25	21.50	38.25	21.50						
Lorain, O. N3 (*)	*26.25*	*16*	*29.25*	*20*	*31.75*	*23.5*	*34.25*	*23*	*34.75*	*24*	*35.25*	*24.5*	*36.75*	*23*	*36.75*	*23*						
Sharon, Pa. M6	32.5	16.25	35.5	20.25	38	23.75	38.5	22.75	39	23.75	39.5	24.25	40	23.25	40	23.25						
Sparrows Pt., Md. B2	30.5	11.25	33.5	15.25	36	18.75	36.5	18.5	37	19.5	37.5	20	38	19.75	38	19.75						
Youngstown R2 (**)	28.75	12.5	31.75	16.5	34.25	20.0	36.75	21.0	37.25	22.0	37.75	22.5	39.25	22.5	39.25	22.5						
Youngstown Y1 (††)	28.75	12.50	31.75	16.50	34.25	20.0	36.75	21.00	37.25	22.00	37.75	22.50	39.25	22.50	39.25	22.50						
Wheatland, Pa. W9	32.5	13.25	35.5	16.25	38	18.75	38.5	19	39	19.5	39.5	20	40	20.25	40	20.25						

SEAMLESS STANDARD PIPE, T & C

Carload discounts from list, %

Size—Inches	2		2½		3		3½		4		5		6	
List Per Ft	37c		58.5c		76.5c		92c		$1.09		$1.48		$1.92	
Pounds Per Ft	3.68		5.82		7.62		9.20		10.89		14.81		19.18	
	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv
Aliquippa, Pa. J5 (††)	18.25	2.5	22.25	5	24.75	7.50	26.25	9	26.25	9	26.00	8.75	28.50	11.25
Ambridge, Pa. N2 (†)	18.25	..	22.25	...	24.75	....	26.25	....	26.25	....	26.00	....	28.50	....
Lorain, O. N1 (*)	*15.75*	*4.5*	*19.75*	*5.5*	*22.25*	*8*	*24.75*	*9.5*	*23.75*	*9.50*	*23*	*8.75*	*25.5*	*11.25*
Youngstown Y1 (††)	18.25	2.5	22.5	5.0	24.75	7.5	26.25	9.0	26.25	9.0	26.0	8.75	28.5	11.25

ELECTRIC WELD STANDARD PIPE, T & C

Youngstown, R2 (**)	18.25	2.5	22.25	5.0	24.75	7.5	26.25	9.0	26.25	9.0	26.0	8.75	28.5	11.25

RIVETS

F.o.b. Cleveland, and/or freight equalized with Pittsburgh; f.o.b. Chicago, and/or freight equalized with Birmingham except where equalization is too great.

Structural ½-in., larger 8.50c

⅞-in. under .....40 off

BUTTWELD STANDARD PIPE, T & C

Carload discounts from list, %

Size—Inches	⅛		¼		⅜		½		¾		1	
List Per Ft	5.5c		6c		6c		92c		$1.09			
Pounds Per Ft	0.24		0.42		0.57		9.20		10.89			
	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv		
Benwood, W. Va. W10	29.5	+0.25	23.25	+3.5	17.75	+7.75	33	14.25	33	14.25		
Butler, Pa. F6 (†)	28	+1.25	22	+4.75	16	+9.5	..	....	..	....		
Etna, Pa. N2 (†)	28	+1.25	22	+4.75	16	+9.50	30.25	11.50	30.25	11.50		
Sharon, Pa. M6 (‡)	29.5	1.75	23	+2.25	18	+5.25	..	....	..	....		
Sharon, Pa. S4 (†)	28.0	1.75	22	+1.75	16	+5	..	....	..	....		
Sparrows Pt., Md. B2	28.5	+0.75	23	+3.75	18	+7.50	..	....	..	....		
Youngstown R2 (**)	...	...	...	...	...	...	30.25	13	30.25	13		
Wheatland, Pa. W9	28.5	+0.75	23	+3.75	18	+7.50	..	....	..	....		

Galvanized pipe discounts based on zinc price of: (†), 14c; (‡), 12.50c; (**), 11.50c; (*), 5c; (††), 11c; with discounts adjusted depending on price of zinc at time of shipment.

BOILER TUBES

Net base c.l. prices, dollars per 100 ft, mill; minimum wall thickness, cut lengths 10 to 24 ft., inclusive.

O.D.	B.W.	Seamless		Elec. Weld	
In.	Gage	H.R.	C.D.	H.R.	C.D.
1	13	14.80	18.05–18.96	....	....
1¼	13	17.53	21.38–22.45	16.93	....
1½	13	19.37–20.34	23.63–24.81	18.16	....
1¾	13	22.89–24.72	27.92–30.16	20.28	....
2	13	25.65–27.71	31.29–33.81	22.73	....
2¼	13	28.89–31.20	35.24–38.06	25.62	....
2½	12	31.36–33.87	38.25–41.32	28.31	....
2½	12	34.54–37.31	42.14–45.52	31.19	....
2¾	12	37.40–40.39	45.62–49.28	33.77	....
3	12	39.89–43.08	48.65–52.56	35.76	....

STAINLESS STEEL MILL PRICES

(Cents per pound; subject to current lists of extras and standard sale conditions)

AISI Type	Rerolling Ingots	Rerolling Slabs, Billets	Forging Billets	Seamless Tube Billets	H.R. Strip	Shapes; H.R. & C.F. Bars, & Wire	Plates	Sheets	C.R. Strip; Flat Wire
301	16.25	20.50	....	34.25	29.75	35.25	....	46.25	38.25
302	17.25	22.75	29.75	34.50	32.00	35.50	37.50	46.50	41.50
302B	18.50	24.50	30.50	34.50	35.00	35.50	37.50	48.75	44.75
303	18.75	24.75	32.25	37.25	36.75	38.25	39.75	48.75	45.50
304	18.25	23.75	31.00	36.00	34.25	37.25	39.75	48.75	43.75
305	19.50	25.50	....	36.25	37.00	37.50	....	51.75	46.75
308	19.75	26.25	35.25	40.75	38.00	42.00	46.00	55.25	48.00
309	26.50	34.75	43.25	49.25	49.25	50.50	53.75	63.50	62.00
309S	28.50	37.50	47.50	54.50	54.00	55.50	59.00	68.50	68.50
310	33.00	43.25	56.75	66.25	67.50	67.50	69.00	72.25	78.75
314	....	....	....	....	....	....	69.00	74.50	....
316	28.00	36.25	46.75	54.50	55.00	55.50	59.00	64.50	66.50
317	33.00	43.50	58.25	66.75	67.50	68.25	70.75	77.00	79.25
318	33.50	44.00	55.25	64.50	66.25	65.50	68.75	78.00	80.25
321	22.75	29.50	35.25	40.75	42.00	42.00	46.00	55.50	54.50
347	24.50	32.25	39.50	45.75	46.50	46.75	51.25	60.75	59.25
403	....	....	27.00	30.75	....	32.00	34.25	44.00	....
405	16.50	21.75	25.25	29.25	30.50	30.25	31.75	42.50	39.75
410	14.00	18.25	24.00	27.75	26.25	28.75	30.00	40.75	34.25
416	....	....	24.50	28.25	....	29.25	....	....	....
420	22.00	28.50	29.25	34.00	35.50	35.00	38.50	49.25	52.75
430	14.25	18.50	24.50	28.25	27.00	29.25	30.50	43.50	34.75
430F	....	18.75	25.00	28.75	....	29.75	....	....	....
431	14.50	28.50	25.00	28.25	27.50	29.25	30.50	44.00	35.25
440A	....	28.50	29.25	34.00	....	35.00	....	....	....
440B	....	28.50	29.25	34.00	....	35.00	....	....	....
440C	....	....	29.25	34.00	....	35.00	....	....	....
446	....	....	33.75	38.25	53.00	39.50	40.75	59.75	71.00
501	....	....	14.00	14.50	21.25	16.00	18.25	30.50	29.00
502	....	....	15.25	16.00	22.25	17.00	20.00	31.75	30.00

Stainless Steel Producers Are: Allegheny Ludlum Steel Corp.; American Steel & Wire Division, U. S. Steel Corp.; Armco Steel Corp.; J. Bishop & Co.; G. O. Carlson Inc.; Carpenter Steel Co.; Charter Wire Products Co.; Cold Metal Products Co.; Crucible Steel Co. of America; Damascus Tube Co.; Wilbur D. Driver Co.; Driver-Harris Co.; Eastern Stainless Steel Co.; Firth Sterling Inc.; Ft. Wayne Metals Inc.; Helical Tube Co.; Indiana Steel & Wire Co.; Ingersoll Steel Division, Borg Warner Corp.; Jessop Steel Co.; Joslyn Mfg. & Supply Co.; Kenmore Metals Corp.; Maryland Fine & Specialty Wire Co.; McLouth Steel Corp.; Metal Forming Corp.; Page Steel & Wire Division, American Chain & Cable Co. Inc.; Republic Steel Corp.; Rome Mfg. Co.; Sharon Steel Corp.; Simonds Saw & Steel Co.; Specialty Wire Co. Inc.; Stainless Welded Products Inc.; Superior Steel Corp.; Timken Roller Bearing Co.; Tube Methods Inc.; United States Steel Corp.; Universal-Cyclops Steel Co.; Wallingford Steel Co.; Washington Steel Corp.

CLAD STEELS

(Cents per pound; add 4.7% to base price and extras)

Cladding Stainless	Plates: Carbon Base 10%	Plates: Carbon Base 20%	Sheets: Carbon Base 10%	Sheets: Carbon Base 20%	Sheets: Copper Base Both Sides
302	....	....	19.75	26.24-27.50	77.00
304	25.00	29.50	24.50	27.50-27.77	77.00
309	30.50	35.00	....	....	....
310	36.50	41.00	....	....	144.00
316	29.50	34.00	26.00	35.92-36.50	....
317	34.50	39.00	....	....	....
318	33.50	38.00	....	....	....
321	26.50	31.00-32.00	23.00	33.00	111.00
347	27.50	32.00	24.00	33.50-33.83	130.00
405	21.25	27.75	....	....	....
410	20.75	27.25	....	....	....
Nickel	33.55	45.15	....	....	....
Inconel	41.23	54.18	....	....	165.00
Monel	34.93	46.28	....	....	....
Copper*	....	....	....	44.00	....

	Strip: Carbon Base, Cold-Rolled 10%	Strip: Carbon Base, Cold-Rolled Both Sides	Strip: Carbon Base, Hot-Rolled 10%	Strip: Carbon Base, Hot-Rolled Both Sides
Nickel	41.00	54.00	....	....
Copper*	23.70	26.65	20.20	26.40

* Deoxidized. Production points: Stainless plates, sheets, Conshohocken, Pa. A3 and New Castle, Ind. I-4; stainless-clad plates, Claymont, Del. C22, Coatesville, Pa. L7 and Washington, Pa. J3; nickel, inconel, monel-clad plates, Coatesville L7; nickel, copper-clad strip, Carnegie, Pa. S18. Production point for copper-base sheets is Carnegie, Pa. A13.

METAL POWDERS

(Per pound, f.o.b. shipping point in ton lots for minus 100 mesh, except as otherwise noted)

	Cents
Sponge iron:	
98+ % Fe, annealed	18.00
Unannealed	14.50
Swedish, c.l.f. N.Y., c.l., in bags	10.90
Electrolytic iron:	
Annealed, 99.5% Fe	42.50
Unannealed (99+ % Fe)	36.50
Unannealed (99+ % Fe) (minus 325 mesh)	53.50
Powder Flakes	48.50
Carbonyl Iron:	
97.9-99.8% size 5 to 10 microns	83.00-148.00
Aluminum:	
Carlots, freight allowed	31.00
Atomized, 500 lb drums, freight allowed	34.00
Antimony, 500 lb lots	78.00
Brass, 20-ton lots	30.00-39.00
Bronze, 10-ton lots	52.25-60.00
Copper:	
Electrolytic	43.50
Reduced	43.50
Lead	21.75
Magnesium	75.00-85.00
Manganese:	
Minus 100 mesh	57.00
Minus 35 mesh	52.00
Minus 200 mesh	62.00
Nickel unannealed	89.50
Nickel-Silver 5-ton lots	48.50
Silicon	38.50
Solder	8.50*
Stainless Steel, 302	87.00
Zinc, 10-ton lots	17.50-25.00
Tungsten	Dollars
Melting grade, 99% 60 to 200 mesh:	
1000 lb and over	5.35
Less than 1000 lb	5.50
Chromium, electrolytic 99.9% Cr min.	3.50

* plus cost of metal.

BOLTS, NUTS

CARRIAGE, MACHINE BOLTS

(F.o.b. midwestern plants; per cent off list for less than case lots to consumers)

6 in. and shorter:		
½-in. & smaller diam.	11	
⅝-in. & ⅝-in.	15	
¾-in. and larger	14	
Longer than 6 in.:		
All diams.	8	
Lag bolts, all diams.:		
6 in. and shorter	19	
over 6 in. long	16	
Ribbed Necked Carriage	15	
Blank	30	
Plow	30	
Step, Elevator, Tap and Sleigh Shoe	18	
Tire Bolts	8	
Boiler & Fitting-Up Bolts	28	

NUTS

H.P. & C.P.	Reg.	Hvy.
Square:		
½-in. & smaller	10	10
⅝-in. & ⅝-in.	8	1
¾-in.-1½-in.	4	+4
1⅝-in. & larger	22	1
H.P. Hex.:		
½-in. & smaller	12	+3
⅝-in. & ⅝-in.	8	+2
¾-in.-1½-in.	4	+3
1⅝-in. & larger	4	+3
C.P. Hex.:		
½-in. & smaller	22	18
⅝-in. & ⅝-in.	19	13
¾-in. & 1½-in.	15	8
1⅝-in. & larger	2	+4

SEMIFINISHED NUTS

American Standard

(Per cent off list for less than case or keg quantities)

	Reg.	Hvy.
½-in. & smaller	33	26
⅝-in. & ⅝-in.	27	19
¾-in.-1½-in.	21	11
1⅝-in. & larger	5	list

	Light
⅞-in. & smaller	33
1-in. to 1½-in.	26
1⅝-in. to 1½-in.	18

SQUARE HEAD SET SCREWS

(Packaged; per cent off list)

1 in. diam x 6 in. and shorter	37
1 in. and smaller diam. x over 6 in.	24

WAREHOUSE STEEL PRODUCTS

(Representative prices, cents per pound, subject to extras, f.o.b. warehouse. City delivery charges are 20 cents per 100 lb except: New York 30 cents; Philadelphia, 25 cents; Birmingham, Cincinnati, San Francisco, St. Paul, 15 cents.)

	SHEETS			STRIP		BARS			Standard Structural Shapes	PLATES	
	H.R. 18 Ga., Heavier*	C.R.	Gal. 10 Ga.†	H.R.*	C.R.*	H.R. Rds.	C.F. Rds.‡	H.R. Alloy 4140††§		Carbon	Floor
Baltimore	5.96	7.35	7.38	6.68	...	6.56	7.64	11.27	6.59	6.55	7.78
Boston	6.66	7.54	8.93	6.81	...	6.57	7.82	11.98	6.68	6.83	7.98
Buffalo	5.95	6.85	8.71	6.47	...	6.05	7.15	11.85	6.20	6.38	7.67
Birmingham	5.80	6.65	7.70¤	5.80	...	5.80	8.62	...	5.95	6.10	8.15
Charlotte, N. C.	6.75	7.55	8.49	6.70	...	6.80	8.09	...	6.80	6.85	...
Chicago	5.95	6.82	7.75	6.10	...	5.98	7.025	11.45	6.07	6.03	7.18
Cincinnati	6.28	6.89	8.17	6.40	...	6.28	7.38	11.87	6.54	6.55	7.60
Cleveland	5.95	6.82	8.00	6.27	...	6.04	7.10	11.59	6.40	6.25	7.51
Detroit	6.22	7.02	8.04	6.39	6.85	6.27	7.32	11.57	6.54	6.55	7.52
Houston	6.89	...	8.62	7.16	...	7.13	...	...	6.94	6.86	8.24
JerseyCity,N.J.	6.54	7.45	8.72	6.82	...	6.75	7.90	11.84	6.50	6.67	8.01
Los Angeles	7.05	8.70	8.45	7.05	11.20	6.85	9.40	12.75	6.75	6.90	8.90
Milwaukee	6.12	6.99	7.92	6.27	...	6.15	7.30	11.62	6.24	6.20	7.35
Moline, Ill.	6.31	7.17	8.25	6.45	...	6.33	7.37	...	6.42	6.38	...
New York	6.54	7.45	8.72	6.82	...	6.75	7.90	11.84	6.50	6.67	8.01
Newark, N. J.	6.77	7.59	8.72	6.82	...	6.75	7.90	...	6.50	6.67	8.08
Norfolk, Va.	6.75	...	...	7.30	...	7.00	8.50	...	6.85	6.95	7.65
Philadelphia	6.30	7.25	7.89	6.70	8.30	6.57	7.66	11.59	6.30	6.30	7.37
Pittsburgh	5.95	6.82	8.30	6.20	...	5.98	7.12	11.45	6.07	6.03	7.18
Portland, Oreg.	7.80	9.05	9.30	7.50	...	7.25	9.40	...	7.25	7.05	9.25
Richmond, Va.	6.14	6.95	8.68	6.53	...	6.30	7.73	...	6.58	6.68	7.80
St. Louis	6.25	7.12	8.05	6.40	...	6.28	7.43	11.75	6.47	6.43	7.66
St. Paul	6.47	7.48	8.56	6.77	...	6.64	7.78	...	6.73	6.69	7.92
San Francisco	7.15	8.40	9.60	7.05	...	6.85	9.40	12.75	6.75	6.90	8.90
Seattle-Tacoma	7.70	8.20	9.60	7.50	...	7.07	9.54	13.00	6.76	7.05	8.90
Spokane (city)	7.40	9.40	9.80	7.15	...	7.10	9.60	13.20	7.00	7.10	9.15
Washington	6.51	7.86	8.35	7.19	...	7.07	8.15	...	7.10	7.96	8.29

*Prices do not include gage extras; †prices include gage and coating extras, except Birmingham (coating extra excluded) and Los Angeles (gage extra excluded); ‡ includes 35-cent special bar quality extra; § as rolled; †† as annealed. Base quantities, 2000 to 9999 lb except as noted. Cold-rolled strip, 2000 lb and over; cold-finished bars, 2000 lb and over; §—500 to 1499 lb; ¤—1000 to 1999 lb.

Steel Distributors To Raise Prices

Warehousemen study new base price schedules being issued by mills prior to making further revisions in their quotations. Recent advances reflected higher extras.

Cleveland—District warehouse operators anticipate some slackening in demand as the vacation season approaches but so far it isn't noticeable. June volume to date stacks up well with that of May and some sellers feel the total would be larger were their stocks sufficiently in balance to permit caring for all the business offered.

Sheets, except for galvanized, are in limited supply. So are structurals, and certain bar sizes. Light plates are in somewhat tighter supply.

No consumer resistance of consequence was met by the warehouses in advancing prices recently.

Philadelphia—While district warehouses report business so far this month as being well sustained on a daily basis, they see signs of some slacking off before July 1, primarily because certain consumers will start suspending for mass vacations in the closing days of June, continuing on through the early jart of July.

This vacation factor will probably be felt throughout July and August, in one degree or another. Dollar volume, however, will not drop as much as tonnage volume, for the reason that warehouse prices will be soon reflecting the increases in mill base prices.

Boston—Volume with warehouses has eased slightly, or at least buying is more spotty. If carbon sheets and structurals were available, sales volume would be higher. Many warehouses have improved their position on bars and plates in the broader range of sizes and have inventories in balance on most specialties, floor plates, galvanized sheets, stainless in straight chromium grades, tempered wire and tool steels.

Cincinnati—Warehouse volume appears to be slowing up a little in some instances. Vacations are beginning to have their effect. June business will be off some from that of May. Some distributors, however, report business as brisk as ever, so the situation is somewhat spotty.

Galvanized sheets and alloy steel inventories are adequate. Shortages continue in hot and cold-rolled sheets, structurals, bar size angles, mechanical tubing, large round bars and plates, 3/16 and ¼ inch.

San Francisco—Warehouse steel inventories are building up tonnagewise, but there still is considerable imbalance of stocks. Galvanized products, small size cold-finished bars, wire products and hot-rolled strip are in adequate supply. But hot and cold-rolled sheets, structurals, heavy plates and oil country goods are among items for which there is great need for larger supplies.

Seattle—Distributors are doing a normal seasonal business. Following the recent strike shutdowns, buying has been brisk. However, there is little forward ordering.

Plates are in extremely short supply and the July-August outlook offers no relief.

Reinforcing Bars . . .

Reinforcing Bar Prices, Page 144

Seattle — Rolling mill operations continue at capacity. Not many large projects are pending but volume of orders for small tonnages is substantial.

Pacific Westbound Conference has announced a rate of $18 a long ton on reinforcing bars from North Pacific to base ports in Japan, effective July and August under special contract agreement. Additional charges apply to lengths over 12 feet. This includes shorts and remnants, angles, plain rounds etc. A special pig iron rate of $18 long ton from this area to base ports in Japan, Hongkong and Manila is effective to Aug. 31.

You Can Get Better, Lower Cost Processing of Stainless Steel—These Three Ways:

HEAT TREATING

You get more precise heat treating with Houghton Liquid Heats.

Our salt baths devised for stainless steel treatment will preserve the surface. They eliminate danger of inter-granular corrosion, oxidation or other attacks. Heating of parts is uniform and fast.

Houghton salts are carefully compounded to meet predetermined specifications and to remain stable.

MACHINING



Your machines can turn out better parts, faster, with Houghton Cutting Fluids.

Including highly fortified straight cutting oils for slow speeds, and concentrated bases, both oil- and water-soluble types.

Special emphasis is laid on Antisep All-Purpose Base, used in water emulsions and fortified to provide the lubricity, film strength and anti-welding properties required for machining stainless.

FORMING



Houghton Houghto-Draws assure better finished formed parts, longer die life.

Whether your draws are deep or shallow, simple or complex, there is a Houghto-Draw compound ideally suited to your job. It will provide the film strength and controlled lubricity required for the simplest or toughest drawing job.

Applied by brush, spray or dip, according to your requirements.

For more economical, uniform and productive fabrication of stainless, be sure to take advantage of the metalworking know-how and processing products of Houghton. Call the Houghton Man, or write us, outlining your problem. We'll be glad to help. E. F. Houghton & Co., 303 W. Lehigh Ave., Philadelphia 33, Pa.

. . . products of

E. F. HOUGHTON & CO.

PHILADELPHIA · CHICAGO · DETROIT · SAN FRANCISCO

Ready to give you on-the-job service . . .



WORTHINGTON WELDING POSITIONER ELIMINATES time-wasting handling of the work-piece . . . increases arc-time by tilting the work into position for continuous, economical downhand welding. Capacities from 100 lbs to 30 tons. Also: Turning Rolls from 3 to 150 tons, stationary and self-propelled.

A way to get more and better welding from your welders

Every minute your welders spend climbing, turning and propping is *lost* welding time.

Turn this waste time into *all arc-time* with Worthington Welding Positioners that tilt or turn all welds into position—*without delay*—for *continuous* downhand automatic or manual welding. Today's labor scarcity makes this increased production more important than ever.

These Positioners lower costs and boost production up to 50%. Downhand welding is *quicker* (only one pass instead of two or three) . . . *better* (deeper penetration with higher current, heavier electrodes, faster deposition of weld metal) . . . *neater* (weld metal levels itself). There's less rod waste, too.

Where can you see a Worthington Welding Positioner at work near you? Just write Worthington Corporation, Plainfield, N. J., for this information or for Bulletin 210D.



HOW WORTHINGTON WELDING POSITIONERS PRODUCE BETTER WELDS

When the welder has to climb over, prop or flop the work-piece, he may only be able to use downhand welding over a limited area (Figure 1). With a Worthington Welding Positioner, the work is continually tilted or rotated automatically into position for downhand welding (Figure 2).

WORTHINGTON'S UNIVERSAL TABLE TOP makes the Welding Positioner as profitable on job work as mass production. Those "T" slots make the table adaptable to any shape of work-piece and a wide range of sizes. No special jigs or fixtures needed.

Y.2.3

WORTHINGTON

Welding Positioners
Turning Rolls

Higher Prices Posted on Sheet Steel

Entire market is expected to follow lead of U. S. Steel in making upward revisions on flat-rolled products. Higher cost is not expected to cut demand appreciably

Sheet and Strip Prices, Page 145 & 146

New York—Pressure for hot and cold-rolled carbon sheets continues to top that of all other major steel items in this district. Consumers still turn to warehouses and importers for steel to piece out their needs.

Indications point to little let-up in the near future, and while there will probably be less fabricating once the vacation season is under way next month, domestic producers are confident requirements will exceed their capacity. Actually, some are already talking about a carryover into the fourth quarter, which some will be considering more closely a little later on, once they begin opening books for that period.

On the other hand, there is not quite the interest in conversion steel for fourth quarter that there has been for third quarter. All are keeping a close eye on developments in the automotive field. Any appreciable easing in demand from automobile builders would have quite a bearing on the general picture, it is believed.

Meanwhile, household appliance manufacturers as well as those identified with the automobile industry are pressing for tonnage, almost without exception.

Buffalo—Ten carloads of Belgian steel arrived here for use at the Ford Motor Co. stamping plant. This is reported to be the first time steel of this type has come to Buffalo by water to be delivered to a consumer almost next door to the Bethlehem Steel Co. plant in Lackawanna.

Boston—Heavier deliveries of flat-rolled steel are billed at prices carrying the full impact of higher extras imposed through May. For the first time many consumers are now comprehending their increase in sheet and strip costs. They don't like these higher charges and question their ability to pass on costs where finished products are currently competitive or approaching that point.

Expecting another rise in base prices averaging $4 per ton, most consumers are seriously price-minded for the first time since decontrol.

Philadelphia—Demand for hot and cold-rolled sheets continues strong. While there is not the interest in conversion steel for fourth quarter that there was, there is still pressure for tonnage for shipments throughout the third quarter.

Cleveland—Tight supply conditions in the sheet market, especially hot and cold-rolled, are seen through the remainder of the year. Producers are booked solidly through third quarter and could easily book full for fourth quarter were they disposed to enter tonnage that far ahead. Indications are some makers will open books for fourth quarter within the next couple weeks.

Current demand is highlighted by continued pressure from the automotive industry, which, as yet, shows no sign of slackening its manufacturing pace. At the same time, while over-all demand from the appliance industry is somewhat less pressing the appliance makers are taking every pound made available to them. Demand from this field is particularly heavy from makers of clothes dryers, television sets and air conditioners.

Cincinnati—Demand for sheets and strip has turned a little spotty with a few slight cutbacks. This condition, however, is not expected to have any great effect on the long range picture which looks good through fourth quarter.

A third quarter carry-over of 30 days is anticipated in fourth quarter.

Vacations will be staggered in order to maintain production in the sheet and strip mills.

Chicago—At mill level there is no indication of early shrinking in demand for sheets in any category. Users press intensely for both hot and cold-rolled sheets.

Although galvanized sheets show easiness at warehouses and inventories are increasing, mills find no such condition.

Wire . . .

Wire Prices, Page 146

New York—Revisions on several wire items have been announced by John A. Roebling's Sons Co. (Colorado Fuel & Iron Corp. subsidiary), Trenton, N. J. Base prices as well as extras have been revised, but major effect of the increases is reflected in the extras.

New schedules call for the following on spring steel tempered—.61-.80 carbon max., 11.875c per pound, f.o.b. Trenton; .81-1.05, 14.075c; and 1.06-1.35, 16.925c. Previous addition of $31.50 per ton has been eliminated.

Wire rope—improved plow steel is now 9.50c f.o.b. Roebling, N. J.; and plow steel grade, 9.25c. A.C.S.R. core wire is 9.30c per pound, Roebling; MB spring wire, 6.85c per pound, Roebling; fine and weaving wire, 10.35c, Roebling; tire bead wire, 12.30c, Roebling; cold rolled flat wire, 7.25c, Trenton.

On the establishment of these prices the company no longer adds 4.7 per cent on base and extras.

Boston—Some wire products are sold through third quarter but there are substantial openings for others. Rope wire is slow and rope is available from stock.

Shipments are heavy this month, but will slump in July. Numerous consumers will not take in July shipments because of vacations.

Folsom Dam Gate

This steel structure is a retaining gate for Folsom Dam, Roseville, Calif. It is the first of eight of the huge steel gates to be fabricated at the Maywood, Calif., plant of Consolidated Western Steel Division, U. S. Steel Corp., Pittsburgh. Each gate, over 50 feet high, is fully assembled inspected, dismantled and then sh'pped

Tubular Goods . . .

Tubular Goods Prices, Page 147

Boston—Buttweld pipe orders from distributors and direct shipments for August are up from the two previous months. The former are restocking after turning down part of the tonnage offered since May. Some building of inventory accounts for the upturn in direct shipments.

Structural Shapes . . .

Structural Shape Prices, Page 144

Philadelphia—In structurals, some builders are waiting for the price situation in steel to jell before going ahead with plans. Actually, they have not only in mind what is going to happen in steel prices but the effect of the increases on building components and other items that would be required.

Boston — Structural fabricators' backlogs are heavy, extending into next year on girder contracts. Orders have slackened and some larger shops now are shipping more tonnage than they are booking.

Plain structural shapes are tight in all sizes and district shops are forced to pay premiums for fill-in requirements. Some foreign structural steel is being bought.

New York—While there is a fair smattering of private work, including a 1750-ton office building at 5th avenue and 46th street, and a 2000-ton shopping center in White Plains, N. Y., bridge work still dominates the local structural market. Several sizable jobs have been placed and others are actively pending—mostly in connection with New York state thruway work.

Steel Bars . . .

Bar Prices, Page 144

Cleveland—Bar mills are booked solidly through third quarter and the prospects are not promising for any easing in supply conditions before fourth quarter. Producers say they could book tonnage into next year were they so disposed. Consequently, they anticipate no difficulty in filling schedules over remainder of the year even though there should be some slackening in manufacturing industry.

Automotive requirements are pressing and converters are having a time getting all the hot bars they need to meet demands on them for cold-finished.

New York—Second only to that for hot and cold-rolled sheets in intensity, hot carbon bar demand remains active. Producers who have opened books for all of third quarter, and practically all now have, are fully covered for the period. They anticipate an active last half, although admit there may be some tapering in fourth quarter.

Hot alloy bar demand does not appear to be quite as brisk as it was. Tonnage is available for late August and perhaps even better can be done by consumers if disposed to shop around. Cold drawn carbon bar sell-



DO YOU NEED AN OXYGEN SUPPLY THAT IS...

- ✓ 1 dependable?
- ✓ 2 flexible?
- ✓ 3 economical?

1 If a complete or partial failure in your high-purity oxygen supply would hurt your production — you need a *dependable* supply. Airco can meet your demands for high-purity oxygen when and where you need it. Our vast network of plants in industrial areas is backed by adequate storage facilities, and a fleet of oxygen delivery trucks.

2 If your oxygen consumption varies like the typical example shown — you certainly need a *flexible* supply. You can meet peak requirements without the cost of extensive storage facilities — yet pay only for the exact amount you need when the demand lightens, without the many costs of idle capacity — by buying Airco oxygen.

3 No matter how much oxygen you use — you want an *economical* supply. Airco oxygen of a uniform high-purity is produced in volume for a nation-wide market — to give you, the individual user, low cost.

Call or write your nearest Airco office for help in planning the most economical oxygen supply for your needs. Airco specialists can help you *use* oxygen most efficiently, too.

AIRCO®

DEALERS AND OFFICES IN MOST PRINCIPAL CITIES

AIR REDUCTION

60 East 42nd Street • New York 17, N. Y.

Air Reduction Sales Co. • Air Reduction Magnolia Co. • Air Reduction Pacific Co.
Represented Internationally by Airco Company International
Divisions of Air Reduction Company, Incorporated

at the frontiers of progress you'll find

AN AIR REDUCTION PRODUCT

Here's Why Last Year More Press Buyers Bought



• Front view WARCO welded steel frame OBI press.



• Front view WARCO cast steel frame OBI press.

• Rear view WARCO welded steel frame OBI press, showing popular WARCO pneumatic friction clutch and brake unit.

Warco®

O.B.I. Presses Than ever Before

The Warco Open Back Inclinable Press Line is designed and built from the frame out to give maximum performance with minimum maintenance.

The slide operates in long hand scraped gibways. The main bearings and crank-pin bearings are provided with heavy walled renewable bronze bushings. The crankshaft is of one piece heat-treated and normalized steel forging. Bearings are drilled and tapped and supplied with either Alemite fittings or piped Alemite system. All Warco O.B.I. Presses are supplied with Warco's popular pneumatic clutch and brake units.

Many other quality features go to help Warco O.B.I. Presses constantly gain greater acceptance with leading press users. It will pay you, too, to look over the Warco line before buying new presses.

THE FEDERAL MACHINE & WELDER COMPANY

WARREN, OHIO

Federal® WELDERS

Warco® PRESSES

ers are well booked through the third quarter and well into October in some cases. However, an easing in warehouse demand is taking off some of the pressure.

Philadelphia—Hot carbon bar sellers do not expect to open books for fourth quarter for at least another 10 days or more. Most producers believe that with the passing of the Controlled Materials Plan at the end of this month they will be under no obligation to open books for fourth quarter on non-rated carbon tonnage 90 days in advance of the period.

Boston—Alloy bar openings filled for third quarter at less feverish rate than for hot and cold-rolled carbon schedules. Bar inventories are in somewhat better balance with both consumers and warehouses, not only on the smaller, but the medium sizes as well. Heavy flats and rounds are difficult to obtain.

Military requirements are sustained, but defense contracts are frequently placed with deliveries to start against full mill schedules.

Cincinnati—Alloy bars appear in far better supply than they have been at any time in recent months. Warehouses report fairly good inventories in all sizes. On the other hand, carbon bars, particularly in flats and smaller sizes, remain in critical supply. Heavier bars are more plentiful.

Chicago—General weakness in demand for farm implements is reflected in steel bars. This is not causing any over-all easing in pressure because demand from other consuming fields remains strong. The situation might be different were it not for the military shell program.

Plates . . .

Plate Prices, Page 144

Boston—Light gage narrow plates are tightening up as some sheet-strip mills rolling plates have gone back to lighter flat rolled. On the other hand the volume of medium, and, in some cases, heavier plates has improved, although limited tonnage is available for third quarter.

In scattered cases plate shops are slightly less active and requirements are down. Plate fabricators are operating with subnormal stocks, but warehouses have a better range of sizes to meet flame-cutting to shape needs.

Philadelphia—Most plate sellers are booked up for the entire third quarter. Exceptions are those who have not opened their books for the entire three months, on the theory that they would bring their schedules in a little better balance by moving more conservatively.

Prices reduced 15% on Standard Carboloy Tools



STANDARD CARBOLOY TOOLS (right-hand styles not shown): over 15 million of these famous carbide tools — for 80% of all single-point tool applications — have been used by industry. With them, and with the new Carboloy MTI Plan, you can reduce your single-point tool stocks up to *30 per cent or more*. SEND COUPON.

Now you can make excellent savings across the board when you order single-point Standard Carboloy Tools, styles A through G. Effective June 22, 1953, prices have been reduced *15 per cent* on all sizes of these famous Carboloy "Standards."

OTHER PRICE CUTS

Besides the Standard Tool reductions, prices have been adjusted downward on many other Carboloy cemented carbide single-purpose tools and blanks. Reductions range from *5 per cent* up to *30 per cent* on these items.

Large demand and increased production facilities are responsible for the reductions. The new Carboloy plant at Edmore, Michigan, has recently reached full production on these popular tools. In addition, facilities at the main plant in Detroit have been increased.

NEW ADDITIONS TO STANDARD LINES

Along with the price cuts, a number of Carboloy items have now been taken off the "special" lists, and are available as standard stock products. These are Solid Square Boring Tools, Rectangular Reamer Blanks, Stone Cutting Blanks and 20 new sizes of Solid Rectangular Strips.

SEND COUPON FOR FREE "BRIEF-A-LOG", GT-265—a handy condensed catalog that lists new low prices, specifications, and new Standard Tools and Blanks.

CARBOLOY
DEPARTMENT OF GENERAL ELECTRIC COMPANY

"Carboloy" is the registered trademark for the products of the Carboloy Department of General Electric Company

CARBOLOY Department of General Electric Company
11141 E. 8 Mile Avenue, Detroit 32, Michigan

☐ Rush me your "Brief-A-Log" GT-265 — a condensed catalog covering new low prices, and with complete specifications and prices on all Standard Carboloy Tools and Blanks.

☐ I would like to know how Standard Carboloy Tools can help me cut my tool inventories. Send me, free, your literature on the new MTI Plan.

Name _____

Company _____

Address _____

City _____ Zone _____ State _____



OSTUCO TUBING is versatile!



OSTUCO TUBING is versatile!



OSTUCO TUBING is versatile!



OSTUCO TUBING is versatile!





whips new ideas into shape

Whatever your ideas for creating new and better products, it will pay to explore the many advantages of OSTUCO Tubing—the strong, light-weight material that whips even the most stubborn design problems into line with surprising ease.

OSTUCO TUBING can be forged or fabricated beyond recognition as a tube—machined and finished to your exact requirements—quickly joined in assemblies by a large variety of mechanical or welding methods.

Modernized and greatly expanded facilities for *manufacturing*, *shaping*, and *fabricating* tubing, all at one plant—plus our own steel source as a member of the Copperweld family—enable OSTUCO to speed deliveries, assure uniform high quality, and cut your final costs. Write for informative booklet "Fabricating and Forging Steel Tubing."

From Your Blueprint . . . to Your Product
OSTUCO TUBING
Tapering • Swaging • Flanging • Bending
Upsetting • Expanding • Reducing • Beading
End closing • Spinning • Drilling • Slotting
Notching • Flattening • Shaping • Trimming
Threading • Angle Cutting • And Many Others

THE OHIO SEAMLESS TUBE COMPANY

Manufacturers and Fabricators of Seamless and Electric Welded Steel Tubing

Plant and General Offices: SHELBY, OHIO

OSTUCO SHELBY, OHIO

SALES OFFICES: Birmingham, P. O. Box 2021 • Chicago, Civic Opera Bldg., 20 N. Wacker Dr. Cleveland, 1328 Citizens Bldg. • Dayton, 511 Salem Ave. • Detroit, 520 W. Eight Mile Road, Ferndale • Houston, P. O. Box 17007 • Los Angeles, Suite 300-170 So. Beverly Drive, Beverly Hills • Moline, 617 15th St. • New York, 70 East 45th St. • Philadelphia, 2004 Packard Bldg., 15th & Chestnut • Pittsburgh, 1206 Pinewood Drive • St. Louis, 1230 North Main St. • Seattle, 3104 Smith Tower • Syracuse, 2350 Bellevue Ave. • Tulsa, 245 Kennedy Bldg. • Wichita, 622 E. Third St. • *Canadian Representative:* Railway & Power Corp., Ltd.

Conversion Steel . . .

Chicago — Consumers who have been making generous use of conversion steel to augment mill tonnage and thereby increase product output continue to shy away from fourth quarter premium commitments but they are expanding such activity for third quarter.

For some time interest in conversion steel has narrowed down to the automobile industry. Apparently car builders are convinced they will need all the steel they can lay their hands on in the July-September quarter but beyond that they are not so sure. Fourth quarter deals are discussed with steel mills, but the interest appears largely exploratory. Independent car builders show more hesitancy over the future than the big three.

Pig Iron . . .

Pig Iron Prices, Page 140

Cleveland—Spotty foundry operations are reflected in lessened demand pressure on merchant iron sellers but there is no surplus iron yet in evidence here. One of the larger merchant producers reports it is easily disposing of all its output, pressure from the automotive shops offsetting any lag in demand from other consuming quarters.

Foundry iron inventories are limited, an instance of this coming to light last week when a jobbing foundry had to scurry to get in iron to meet melting requirements for a castings order it had just booked.

Producers are in receipt of a few requests for suspension of shipments with vacations getting under way, but in many instances the foundries, especially the automotive shops, will continue to take in iron without interruption.

Philadelphia—German foundry iron is being offered here in cargo lots as low as $53 f. o. b. cars Philadelphia, duty paid. While no sales have been reported, the offering represents a drop of at least $3 or so under the domestic delivered price. The tonnage is for delivery in July and August.

Meanwhile, some small lots of Spanish iron are still being received against old contracts. This iron is intermediate low phos grade and is being consumed by some of the malleable shops in this area. Vacation season is beginning to have an adverse effect on the movement of foundry iron.

Boston—Pig iron shipments are light with melting schedules beginning to fall off for vacation shutdowns. Most foundries have built up


At Portable Electric Tools, Inc., Chicago, costs went down 25% when this Delta air-powered hydraulic drill unit went into production on body housing of PET ¼" portable electric drill.

Portable Electric Tools, Inc.

Cuts Production Costs 25% with

DELTA Air Hydraulic DRILL UNITS

Portable Electric Tools, Inc., of Chicago combined two model 19-150 Delta Air-Powered Hydraulic Drill Units and a standard Delta drill press table to build a simplified, single-purpose production machine. Their aim was to increase unit production and cut operating costs.

The principal operation performed on this machine is the simultaneous boring of two brush holder holes in the PET "Super-Duty" ¼" portable drill body. Exacting accuracy is required because these holes are then used for locating the part for all other machining operations on the aluminum castings.

HERE ARE THE RESULTS:

"The Delta hydraulic drill unit has given us more than 25% production savings," says Walter Sundberg, Superintendent of Production Machining.

Tolerances held are plus .0005 and minus .0000.

Average output per hour, 150 bodies. No mechanical, service or maintenance problems, even when the machine has run three shifts for long periods.

Women workers with no previous experience operate the machine.

WHAT'S YOUR SPECIAL PROBLEM?

Delta air-powered hydraulic drill units can do for you what they've done for Portable Electric Tools, Inc. Your authorized Delta drill unit dealer will show you how to cut costs with this low-priced, high accuracy, high production drill unit. Our Catalog suggests many applications. Use the coupon.



DELTA QUALITY MAKES THE DIFFERENCE

DELTA Quality Power Tools

Another Product of Rockwell

Delta Power Tool Division
ROCKWELL MANUFACTURING COMPANY
638F N. Lexington Ave., Pittsburgh 8, Pa.
[ ] Please send me catalog AD-723
[ ] Send name of nearest authorized Delta drill unit dealer.

Name .....
Position .....
Company .....
Address .....
City ..... Zone ..... State .....

GASMACO INDUSTRIAL FURNACES

OIL OR GAS FIRED FOR ALL TYPES OF HEAT TREATING

GASMACO furnaces are designed for long, trouble-free service on a wide range of applications. Equipped to handle material of nearly any size or shape, they are ideally suited for forging, heat treating, spheroidizing and annealing.





Exclusive features of GASMACO furnaces are Silicon Carbide Tubes and Rollers which permit operating temperatures up to 2500° F., with fewer replacements. Complete control of the furnace atmosphere is maintained. Annealing is accomplished without decarburization or scale in simple, inexpensive car, pusher, conveyor, chain or roller hearth type furnaces.





All GASMACO furnaces are individually designed to fit your particular furnace requirements and to assure maximum operating economy. It will pay you to investigate these furnaces for your next heat treating job.

SALES REPRESENTATIVES

LEWIS C. BAXTER
2207 Ashland Avenue
Toledo 10, Ohio

McCONNELL SALES & ENGR. CORP.
2809 Central Avenue
Birmingham 9, Alabama

C. E. NOBLE
The Noble Equip. Co.
P.O. Box 39 • LaGrange, Ohio

KLIKA-STRIEBEL CO.
53 West Jackson, Rm. 1040
Chicago 4, Illinois

CHRISTY FIREBRICK CO.
506 Olive Street
St. Louis 1, Missouri

THE GAS MACHINERY COMPANY
16116 WATERLOO ROAD
CLEVELAND 10, OHIO

Designers • Fabricators • Erectors
Gas Plant Equipment and Industrial Furnaces
THE GAS MACHINERY CO. (Canada), Ltd.
HAMILTON, ONTARIO

stocks to carry them through July, or will have done so by the end of this month.

Larger consumers are not operating anywhere near capacity, although shops supplying machine tool castings are maintaining the melt fairly well, but below the earlier peak. Several machine tool sub-contracts have expired or have been curtailed. The district blast furnace is starting to pile foundry and malleable grades in slightly heavier volume.

New York—Pig iron sellers are receiving an increasing number of notices from foundries here to hold up shipments during the early part of July as these plants are closing down for mass vacations of one to two weeks.

Buffalo—Automotive demand for merchant pig iron continues heavy. Shipments to nearby and Michigan motor castings shops are active. Easier tendencies are noted among smaller general foundries but the large melters continue to call for heavy tonnage.

Steel Export Prices Raised

New York — United States Steel Export Co. increased export steel prices effective June 17 in line with the U. S. Steel's changes in domestic prices. The new schedule follows:

Carbon billets, blooms and slabs	
Rerolling quality	$72.00
Forging quality	85.50
Tube rounds	102.50
H.R. Bars	4.77
Skelp	4.37
Shapes	4.70
CB sections	4.70
Bearing piles	4.70
Plates	4.70
Floor plates	5.75
Sheet piling	5.47
Reinforcing bars	4.77
Cold finished bars	5.84
Hot Rolled Sheets	4.68
Cold rolled sheets	5.53
Galvanized sheets	6.13
Vitrenamel sheets	6.03
Electrical sheets, Hot rolled	
Electrical grade	9.12
Hot rolled strip	4.55
Cold rolled strip	6.09
Tight cooperage hoop	4.97
Wire rods	5.03
Bright nail wire	6.12
Black annealed wire	6.87
Galvanized plain wire	7.42
Nails bright	7.25
Staples bright	7.34
Alloy billets, blooms, slabs	$92.00
Alloy hot rolled bars	5.48
Alloy hot rolled bar shapes	5.80
Alloy plates	6.15
Alloy standard shapes	5.60
Alloy hot rolled strip	7.02
Alloy cold finished bars	6.97
High strength plates	6.85
High strength shapes	6.77
High strength CB sections	6.72
High strength hot rolled sheets	6.65
High strength cold rolled sheets	7.93
High strength hot rolled bars	6.83
Manten plates	5.75
Manten shapes	5.65
Manten CB sections	5.70
Manten HR bars	5.55
Manten HR sheets	5.83
AR plates	5.85
AR HR bars	5.90
AR HR sheets	5.83

Y&M makes "what it takes"

FOR INDUSTRY'S BIG PRODUCTION JOB



COOLING BED FOR ROUND BARS

Y&M Products

- PARALLOY ROLLS (PINCH, COILER, TENSION, STEEL MILL)
- HYDRAULIC SLAB AND BILLET PILERS
- STRIP AND SHEET OILING EQUIPMENT
- SHEET SCRUBBER AND CLEANING LINES
- HOT SAWS—ROCKING AND SLIDE TYPES
- HOT BEDS—COOLING BEDS—TRANSFERS
- BILLET EJECTORS—PINCH ROLL STANDS
- SLITTERS—SPECIAL SHEARS AND GAUGES
- TILTING TABLES—TRAVELING AND LIFTING TABLES
- CONTINUOUS PICKLING LINES—ROLLER LEVELLERS
- FURNACE CHARGING EQUIPMENT—FURNACE PUSHERS
- STRIP STEEL COILERS AND REELS—SCRAP BALLERS
- RAILROAD SPIKE FORMING MACHINES—ROLL LATHES
- SHEET GALVANIZING LINES—WIRE PATENTING FRAMES
- STRETCHER LEVELLERS—ANGLE AND SHAPE STRAIGHTENERS
- ROLLING MILL TABLES—GEAR AND INDIVIDUAL MOTOR TYPES
- DUCTILE CASTINGS (80,000 PSI)
- MACHINERY BUILT TO CUSTOMER'S DESIGN AND DETAIL DRAWINGS



HOT SAW



SHEAR GAUGE STRUCTURAL MILL SHEAR TABLE



42 ROLL LATHE

The Youngstown Foundry & Machine Co.

OVER SIXTY YEARS OF SERVICE TO THE STEEL INDUSTRY

Youngstown, Ohio

5

In the Yard or in the Plant...

EUCLID'S "pace" the Assembly Line

Euclid Cranes prove an important link in the chain of operations required to convert incoming materials into outgoing products in a vast number of manufacturing plants. Facility of movement through ease of precision control enables "Euclids" to handle a large variety of production operations, and to readily "pace" the assembly line. Write us concerning your crane problems. We'll be pleased to submit a proposal.

EUCLID CRANES AND HOISTS Raise Profits

THE EUCLID CRANE & HOIST CO. 1365 CHARDON ROAD EUCLID, OHIO

IN TROUBLE?

We can be your mill source for

LARGE ROUNDS

GREEN RIVER STEEL CORPORATION

OWENSBORO, KENTUCKY

Iron Ore . . .

Iron Ore Prices, Page 165

Cleveland—Lake iron ore shipments in the week ended June 15 totaled 3,273,574 gross tons, according to the Lake Superior Iron Ore Association. This was the second highest weekly tonnage on record, being surpassed only by the 3,384,481 tons shipped in the week ended Sept. 8, 1952.

Shipments in the 1953 season to date now total 28,821,195 tons, up more than 7 million tons compared with the movement in the like period of 1952.

Scrap . . .

Scrap Prices, Page 168

Buffalo—Cast scrap prices plunged an additional $2 per ton as cupola cast fell to $36 to $36.50. Dealers report difficulty finding outlets for cast. Steelmaking grades are steadier as outside buying from the Valley is reported in the midstate area. Dealers are busy shipping against recent orders placed within prevailing price ranges. Water shipments continue heavy with 2000 tons arriving by barge and an additional 6000 tons enroute.

Philadelphia—While the market for steel scrap reflected a stronger tone a few days ago this buoyancy seems to have passed, with prices still unchanged on all the major grades. Somewhat more active buying in western Pennsylvania did not affect this district as much as some had contemplated. However, there is a little more activity here in No. 2 bundles with enough business done to indicate a spread of around $32 to $33, delivered.

Pittsburgh — Small purchases in this district indicate a firming of sentiment in scrap with the majority of grades moving at about $1 per ton higher than last week. Renewed interest seems apparent in open-hearth grades. While no healthy buying is yet apparent, trade interests feel that the market is moving into a more favorable position.

Cleveland—Definitely stronger tone prevails in the scrap market with the threat of a steel strike removed. But the improvement is largely sentimental with the trade still uncertain whether the upturn in the market currently under way is anything more than a "flash-in-the-pan."

An encouraging factor is a pick-up in buying at some points, substantial sale of heavy melting steel being reported at Youngstown at

(*Please Turn to Page* 165)

wire cloth of **MONEL** or **STAINLESS STEEL** may be your answer



● Finding the right wire cloth to fit *precisely* the job it has to do in your product, means more than good quality and uniformity . . . more than the right type and size of wire, or mesh, or type of weave. It has to be right metallurgically and chemically . . . to prevent failures . . . to improve your product performance.

Reynolds stainless steel, or Monel metal cloth has a remarkable range of properties, in addition to resisting chemical and atmospheric corrosion. Stainless steel resists oxidation, and oxidizing solutions. It resists many acids; acid and alkaline salts; acetone, ethyl alcohol, benzene, chloroform, etc.

Stainless steel wire cloth as Reynolds makes it, is shock-resistant and non-magnetic, with good weldability . . . is strong enough to defy high temperatures and resist scaling; tough enough to take sub-zero temperatures to minus 320° F. *Consult Reynolds engineers.* No cost or obligation.

Reynolds WIRE CLOTH protects performance

REYNOLDS WIRE DIVISION, NATIONAL-STANDARD CO., **DIXON, ILLINOIS**

Divisions of National-Standard Co.

ATHENIA STEEL...*Clifton, N. J.*	Flat, High Carbon, Cold Rolled Spring Steel
NATIONAL-STANDARD...*Niles, Mich.*	Tire Wire, Fabricated Braids and Tape
WAGNER LITHO MACHINERY...*Jersey City, N. J.*	Metal Decorating Equipment
WORCESTER WIRE WORKS...*Worcester, Mass.*	Round and Shaped Steel Wire, Small Sizes

NS NATIONAL-STANDARD Company NILES, MICHIGAN

CURRENT FERROALLOY QUOTATIONS

Prices as reported to STEEL

MANGANESE ALLOYS

Spiegeleisen: (19-21% Mn, 1-3% Si). Carlot per gross ton, $85, Palmerton, Pa.; $85, Pittsburgh and Chicago; (16% to 19% Mn) $1 per ton lower.

Standard Ferromanganese: (Mn 78-82%, C 7% approx.) Carload, lump, bulk $225 per gross ton of alloy, c.l. packed $237; gross ton lots, packed, $252; less gross ton lots, packed $269; f.o.b. Philo or Marietta, O., Lynchburg, Va. Base price: $226, Anaconda, Mont. **(Mn 74-76%, C 7% approx.)** Base price per net ton $200, Etna, Johnston and Sheridan, Pa.

Shipment from Pacific Coast warehouses by one seller, add $33 to above prices f.o.b. Los Angeles, Oakland, Portland, Oreg. Shipment from Chicago warehouse, ton lots $267; less gross ton lots, $284, f.o.b. Chicago. Add or subtract $2.80 for each 1% or fraction thereof, of contained manganese over 82% and under 78%, respectively.

(Mn 76-80%) 13.15c per pound of contained Mn, f.o.b. Alloy, W. Va.; Niagara Falls, N. Y.; Ashtabula, O.

Low-Carbon Ferromanganese, Regular Grade: (Mn 85-90%). Carload, lump, bulk, max. 0.07% C, 27.95c per lb of contained Mn. carload packed 28.7c, ton lots 29.8c, less ton 31.0c. Delivered. Deduct 0.5c for max, 0.15% C grade from above prices, 1c for max, 0.30% C, 1.5c for max 0.50% C, and 4.5c for max 75% C—max 7% Si. **Special Grade:** (Mn 90% min, C 0.07% max, P. 0.06% max). Add 0.5c to the above prices. Spot, add 0.25c.

Medium-Carbon Ferromanganese: (Mn 80-85%, C. 1.5% max). Carload, lump, bulk 21.35c per lb of contained Mn, carload packed 22.1c, ton lot 23.2c, less ton 24.4c. Delivered. Spot, add 0.25c.

Manganese metal, 2" x D (Mn 96% min, Fe 2% max, Si 1% max. C 0.2% max): Carload, lump, bulk, 36.2c per lb of metal; packed, 36.95c; ton lot 38.45c; less ton lots 40.45c. Delivered. Spot, add 2c.

Electromanganese: Carload, 30c; ton lots, 32c; 250 to 1999 lb, 34c. Premium for hydrogen-removed metal, 1.5c per pound, f.o.b. cars Knoxville, Tenn. Freight allowed to St. Louis or to any point east of Mississippi.

Silicomanganese: (Mn 65-68%). Contract, lump, bulk, 1.50% C grade, 18-20% Si, 11.4c per lb of alloy, carload packed, 12.15c, ton lots 13.05c, less ton 14.05c. Freight allowed. For 2% C grade, Si 15-17%, deduct 0.2c from above prices. For 3% C grade, Si 12-14.5%, deduct 0.5c from above prices. Spot, add 0.25c.

TITANIUM ALLOYS

Ferrotitanium, Low-Carbon: (Ti 20-25%, Al 3.5% max. Si 4% max, C 0.10% max). Contract, ton lots 2" x D, $1.50 per lb of contained Ti; less ton $1.55. (Ti 38-43%, Al 8% max. Si 4% max, C 0.10% max). Ton lots $1.35, less ton $1.37, f.o.b. Niagara Falls, N. Y., freight allowed to St. Louis. Spot add 5c.

Ferrotitanium, High-Carbon: (Ti 15-18%, C 6-8%). Contract $177 per net ton, f.o.b. Niagara Falls, N. Y., freight allowed to destinations east of Mississippi river and north of Baltimore and St. Louis.

Ferrotitanium, Medium-Carbon: (Ti 17-21%, C 2-4.5%.) Contract $195 per ton, f.o.b. Niagara Falls, N. Y., freight not exceeding St. Louis rate allowed.

CHROMIUM ALLOYS

High-Carbon Ferrochrome: Contract, c.l., lump, bulk 24.75c per lb of contained Cr., c.l. packed 25.65c, ton lot 26.80c, less ton 28.20c. Delivered. Spot, add 0.25c.

Low-Carbon Ferrochrome: (Cr. 67-72%) Contract, carload, lump, bulk, max. 0.03% C 37.60c per lb contained Cr, 0.04% C 35.50c, 0.06% C 34.50c, 0.10% C 34.00c, 0.15% C 33.75c, 0.20% C 33.50c, 0.50% C 33.25c, 1% C 33.00c, 1.50% C 32.85c, 2% C 32.75c. Carload packed add 1.1c, ton lot 2.2c, less ton add 3.9c. Delivered. Spot, add 0.25c.

Foundry Ferrochrome, High Carbon: (Cr 62-66%, C 5-7%) Contract, c.l. 8 M x D, bulk, 26.25c per lb of contained Cr. C.l., packed 27.15c, ton 28.50c, less ton 30.25c. Delivered. Spot, add 0.25c.

Foundry Ferrochrome, Low Carbon: (Cr. 50-54%, Si 28-32%, C 1.25% max.) Contract, carload, packed, 8 M x D, 18.35c per lb of alloy; ton lot 19.2c; less ton lot, 20.4c, delivered; spot, add 0.25c.

Low-Carbon Ferrochrome Silicon: (Cr 34-41%, Si 42-49%, C 0.05% max.) Contract, carload, lump, 4" x down and 2" x down, bulk, 25.75c per lb of contained chromium plus 12.4c per pound of contained silicon; 1" x down, bulk 25.90c per pound of contained chromium plus 12.60c per pound of contained silicon. F.o.b. plant; freight allowed to destination.

Ferrochrome Silicon, No. 2: (Cr 36-39%, Si 26-39%, Al 7-9%, C 0.05% max.) 25.75c per lb of contained silicon plus 16.4c per lb of contained silicon plus aluminum 3" x down, delivered.

Chromium Metal: (Min 97% Cr and 1% Fe) contract carload, 1" x D; packed, max 0.50% ton lots $1.14, less ton $1.16. Delivered. Spot, add 5c; prices on 0.10 per cent carbon grade, C grade, $1.12 per lb of contained chromium. up 4c.

CALCIUM ALLOYS

Calcium-Manganese-Silicon: (Ca 16-20%, Mn 14-18% and Si 53-59%). Contract, carload, lump, bulk 20.0c per lb of alloy, carload packed 20.8c, ton lot 22.3c, less ton 23.3c. Delivered. Spot add 0.25c.

Calcium-Silicon: (Ca 30-33%, Si 60-65%, Fe 1.50-3%). Contract, carload, lump, bulk 10.0c per lb of alloy, carload packed 20.2c, ton lot 22.1c, less ton 23.6c. Deld. Spot add 0.25c.

SILICON ALLOYS

25-30% Ferrosilicon: Contract, carload, lump, bulk, 20.0c per lb of contained Si, packed 21.40c; ton lot 22.50c, f.o.b. Niagara Falls, freight not exceeding St. Louis rate allowed.

50% Ferrosilicon: Contract, carload, lump, bulk, 12.40c per lb of contained Si, carload packed 14.0c, ton lot 15.45c, less ton 17.1c. Delivered. Spot, add 0.45c.

Low-Aluminum 50% Ferrosilicon: (Al 0.40% max.) Add 1.3c to 50% ferrosilicon prices.

75% Ferrosilicon: Contract, carload, lump, bulk, 14.3c per lb of contained Si, carload packed 15.6c, ton lot 16.75c, less ton 18.0c. Delivered. Spot, add 0.8c.

90-95% Ferrosilicon: Contract, carload, lump, bulk, 17.0c per lb of contained Si, carload packed 18.2c, ton lot 19.15c, less ton 20.2c. Delivered. Spot, add 0.25c.

Silicon Metal: (Min 97% Si and 1% max Fe) C.l. lump, bulk, regular 18.5c per lb of Si, c.l. packed 19.7c, ton lot 20.6c, less ton 21.6c. Add 0.5c for max, 0.10% calcium grade. Deduct 0.5c for max 2% Fe grade analyzing min 96% Si. Spot, add 0.25c.

Alsifer: (Approx. 20% Al, 40% Si, 40% Fe) Contract, basis f.o.b. Niagara Falls, N. Y., lump, carload, bulk, 9.90c per lb of alloy, ton lots packed 11.30c, 20 to 1999 lb 11.65c, smaller lots 12.15c.

ZIRCONIUM ALLOYS

12-15% Zirconium Alloy: (Zr 12-15%, Si 30-43%, Fe 40-45%, C 0.20% max.). Contract, c.l. lump bulk 7.0c per lb of alloy, c.l. packed 7.75c, ton lot 8.5c, less ton 9.35c. Delivered. Spot, add 0.25c.

35-40% Zirconium Alloy: (Zr 35-40%, Si 47-52%, Fe 8-12%, C 0.50% max.). Contract, carload, lump, packed 20.25c per lb of alloy, ton lot 21c, less ton 22.25c Freight allowed. Spot add 0.25c.

VANADIUM ALLOYS

Ferrovanadium: Open-hearth Grade (V 35-55%, Si 8-12% max, C 3-3.5% max). Contract, any quantity, $3.10 per lb of contained V. Delivered. Spot, add 10c **Crucible-Special Grades** (V 35-55%, Si 2-3.5% max, C 0.5-1% max), $3.20. **Primos and High Speed Grades** (V 35-55%, Si 1.50% max, C 0.20% max) $3.30.

Grainal: Vanadium Grainal No. 1, $1 per lb; No. 6, 68c; No. 79, 50c. freight allowed.

Vanadium Oxide: Contract, less carload lots $1.28 per lb contained V_2O_5, freight allowed. Spot, add 5c.

TUNGSTEN ALLOYS

Ferrotungsten: (70-80%), 10,000 lb W or more, $4.35 per lb of contained W; 2000 lb W to 10,000 lb W, $4.45; less than 2000 lb W, $4.57, f.o.b. Niagara Falls, N. Y.

BORON ALLOYS

Ferroboron: (B 17.50% min, Si 1.50% max, Al 0.50% max, C 0.50% max). Contract, 100 lb or more, 1" x D, $1.20 per lb of alloy. Less than 100 lb $1.30. Delivered, spot, add 5c. F.o.b. Washington, Pa., prices, 100 lb and over, are as follows: Grade A (10-14% B) 75c per pound; Grade B (14-18% B) $1.20; Grade C (19% min B) $1.50.

Borosil: (3 to 4% B, 40 to 45% Si). $5.25 per lb contained B, delivered to destination.

Bortam: (B 1.5-1.9%). Ton lots, 45c per lb; smaller lots, 50c per lb.

Carbortam: (B 1 to 2%) contract, lump, carloads 9.50c per lb, f.o.b. Suspension Bridge, N. Y. freight allowed same as high-carbon ferrotitanium.

BRIQUETTED ALLOYS

Chromium Briquets: (Weighing approx. 3¾ lb each and containing exactly 2 lb of Cr). Contract, carload, bulk, 14.50c per lb of briquet, carload packed 15.2c, ton 16.0c, less ton 16.9c Deld. Add 0.25c for notching. Spot, add 0.25c.

Ferromanganese Briquets: (Weighing approx. 3 lb and containing exactly 2 lb of Mn). Contract, carload, bulk 12.45c per lb of briquet, c.l. packaged 13.25c, ton lot 14.05c, less ton 14.95c. Delivered. Add 0.25c for notching. Spot, add 0.25c.

Silicomanganese Briquets: (Weighing approx. 3½ lb and containing exactly 2 lb of Mn and approx. ½ lb of Si). Contract, c.l. bulk 12.65c, per lb of briquet, c.l. packed 13.45c, ton lot 14.25c, less ton 15.15c. Delivered. Add 0.25c for notching. Spot, add 0.25c.

Silicon Briquets: (Large size — weighing approx. 5 lb and containing exactly 2 lb of Si). Contract, carload, bulk 6.95c per lb of briquet, c.l. packed 7.75c, ton lot 8.85c, less ton 9.45c. Delivered. Spot, add 0.25c.
(Small size—weighing approx. 2½ lb and containing exactly 1 lb of Si). Carload, bulk 7.1c, c.l. packed 7.9c, ton lot 8.7c, less ton 9.6c. Delivered. Add 0.25c for notching, small size only. Spot, add O.25c.

Molybdic-Oxide Briquets: (Containing 2½ lb of Mo each) $1.14 per pound of Mo contained, f.o.b. Langeloth, Pa.

OTHER FERROALLOYS

Ferrocolumbium: (Cb 56-60%, Si 8% max, C 0.4% max). Contract, ton lot, 2" x D, $4.90 per lb of contained Cb, less ton $4.95. Delivered. Spot, add 10c.

Ferrotantalum—Columbium: (Cb 40% approx. Ta 20% approx, and Cb and Ta 60% min, C 0.30% max) ton lots, 2" x D, $3.75 per lb of contained Cb plus Ta, deld.; less ton lots $3.80.

Silicaz Alloy: (Si 35-40%, Ca 9-11%, Al 6-8%, Zr 3-5%, Ti 9-11%, B 0.55-0.75%). Carload packed, 1" x D, 45c per lb of alloy, ton lot 47c, less ton 49c. Delivered.

SMZ Alloy: (Si 60-65%, Mn 5-7%, Zr 5-7%, Fe 20% approx). Contract, carload, packed, ⅛" x 12 M, 17.5c per lb of alloy, ton lots 18.25c, less ton 19.5c. Deld. Spot, add 0.25c.

Graphidox No. 4: (Si 48-52%, Ca 5-7%, Ti 9-11%). C.l. packed, 17.50c per lb of alloy; ton lots 18.50c; less ton lots 20c, f.o.b. Niagara Falls, N. Y.; freight allowed to St. Louis.

V-5 Foundry Alloy: (Cr 38-42%, Si 17-19%, Mn 8-11%). C.l. packed 15c per lb of alloy; ton lots 16.50c; less ton lots 17.75c, f.o.b., Niagara Falls; freight allowed to St. Louis.

Simanal: (Approx. 20% each Si, Mn, Al; bal. Fe) Lump, carload, bulk 14.50c, packed 15.50c; ton lots, packed, 15.75c; less ton lots, packed, 16.25c per lb of alloy, delivered to destination within United States.

Ferrophosphorus: (23-25% based on 24% P content with unitage of $3 for each 1% of P above or below the base); carloads, f.o.b. sellers' works, Mt. Pleasant, Siglo, Tenn., $65 per gross ton.

Ferromolybdenum: (55-75%). Per lb contained Mo f.o.b. Langeloth, $1.32 in all sizes except powdered which is $1.41; Washington, Pa., furnace, any quantity $1.32.

Technical Molybdic-Oxide: Per lb. contained Mo, f.o.b. Langeloth, Pa., $1.14 in cans; in bags, $1.13. f.o.b. Langeloth, Pa.; Washington, Pa., $1.13.



CORRUGATED "MUSCLES" THAT LET PIPES MOVE

PENFLEX METAL HOSE ABSORBS THERMAL EXPANSION . . . PREVENTS JOINT LEAKS

Petroleum still burners like this one in Kermit, Texas, put heavy strains on piping. Thermal expansion, contraction and physical shock make safe sealing of burner pipe joint assemblies a vital requirement.

Penflex flexible metal hose with couplings is used on these burners to absorb any pipe movement due to extreme temperature and pressure changes. Lengths of 4" I.D. interlocking, four-wall galvanized steel hose are installed on each burner. Provides outstanding safety and high, uninterrupted flow of volatile fluids. Leakproof, tough and *flexible*.

Penflex engineers can help you solve flexible tubing application problems. Penflex manufactures a complete line of four-wall, interlocking and seamless welded corrugated tubing . . . from ⅛" I.D. and up . . . automatic barrel fillers, accessories and fittings. Write for illustrated folder, "Flexineering," containing valuable flexible tubing data for your product application.

Pennsylvania Flexible Metallic Tubing Company, Inc., 7219 Powers Lane, Phila. 42, Pa.

Branch Sales Offices: **Boston • New York • Chicago • Houston • Cleveland • Los Angeles**

penflex

HEART OF INDUSTRY'S LIFE LINES



RIGHT ANGLE
(for straight cuts)
MODEL 75-10 RA
MODEL 10-15 RA

WISE ABRASIVE CUT-OFF SAWS

Give you **FASTER CUTS** *with* **MAXIMUM WHEEL LIFE**

GREATER POWER IS THE SECRET

Wise saws are *power packed* with 7½ or 10 h.p. *HEAVY DUTY* motors. This permits faster cuts with extra hard 18" or 20" wheels. These wheels last longer and, in turn, produce more cuts per wheel dollar!

Wise saws also cost less than similar capacity saws—*much less!* Construction throughout is heavy duty. Designed to meet the needs of all industries. New safety guard is unmatched. Number 2 Magnetic Starter is standard equipment.

RIGHT ANGLE OR SWING HEAD TYPES

Both saws have the same outstanding construction and power features. WILL CUT UP TO 6" PIPE AND 8" CHANNEL IN ONLY A MATTER OF SECONDS!



SWING HEAD
(head swings for 90° to 45° mitre cuts)
MODEL 75-10 SH
MODEL 10-15 SH

Write for free descriptive folder No. WS-1000-4. Provides valuable data on recommended wheel grades for different types of cutting.

HENRY H. WISE CO.
945 WILSHIRE BLVD., LOS ANGELES 17, CALIF.

World's largest distributor of Manhattan Abrasive Wheels.

Territories Open
DISTRIBUTORS AND DEALERS WANTED

Versatility counts in
HOT DIP GALVANIZING

any size or shape product, any size
order from the smallest to the largest

Excellent facilities for pickling and oiling

ENTERPRISE
GALVANIZING COMPANY
2525 E. Cumberland Street Philadelphia 25, Pa.

---

mechanical
POWER PRESSES
FOR
ALL INDUSTRIES

ZEH & HAHNEMANN CO.
56 AVENUE A, NEWARK 5, N. J.

THE BELMONT IRON WORKS

STRUCTURAL STEEL—BUILDINGS & BRIDGES

RIVETED—ARC WELDED *Cable Address—Beliron*

Engineers—Fabricators—Erectors—Contractors—Exporters
Shops—Philadelphia—Eddystone—Royersford
Main Office: Phila. 46, Pa.
New York Office—44 Whitehall St., N. Y. 4, N. Y.

COWLES
GANG SLITTING KNIVES

OVER 30 YEARS EXPERIENCE



Standard for *Service* and *Durability*. Ground to extremely close Tolerances and Finish. Made by *Toolmakers.*

COWLES
TOOL COMPANY
2086 W. 110th ST. CLEVELAND 2, OHIO

(*Continued from page* 160)

around $44. This latter, however, has not been confirmed. Prices on the steelmaking grades are up $1 to $2 per ton with No. 1 heavy melting now quoted $40 to $41 and No. 2 heavy melting $36 to $37.

Boston — Prices have firmed on grades that weakened most initially, No. 2 heavy melting and No. 2 bundles. Steelmaking scrap, while not recovering all the ground lost since decontrol, is steadier. Top grade No. 1 steel scrap is scarce and differentials among various grades are scrambled.

New York—Recent flurry in the Pittsburgh area faded quickly at least insofar as it had any bearing on brokers' buying prices here. Actually, brokers are making the same offerings now as they did a week ago, with no important change in any one grade.

Cincinnati—The scrap market has strengthened during the past week. There is little likelihood of a change in open-hearth grade prices for the rest of the month, however. Borings, turnings and cast grades are less stable but no great fluctuations are anticipated in June.

Detroit—The scrap market here is nearly in balance for the time being, most observers believe. Occasional orders cause some prices to rise but conditions are generally stable.

Chicago—There is a stronger tone in the scrap market here but it originates in dealer-broker transactions rather than in consumers buying. Volume of scrap is running light and brokers are experiencing some difficulty in covering on commitments to mills. Prices from $1 to $3 above the latest consuming prices are reported paid by brokers to fulfill their obligations. With good inventories, consumers are in a position to resist the present upward price surge by remaining out of the market.

Los Angeles—The scrap market exhibits no stability. With mill scrap purchases drastically reduced collections, reduced 50-60 per cent currently, are on the toboggan. Dealers report Kaiser Steel Corp. Fontana Works completely out of the market and Columbia-Geneva Steel Division, U. S. Steel Corp. Torrance plants taking only 50 per cent of usual tonnage.

San Francisco—No. 1 cupola cast was a bit weaker last week. The market fluctuated between $38 and $39 a ton, delivered, compared with the steadier figure of $39 the preceding week. Steel grades are unchanged.

Seattle—With mill inventories at high level and many large buyers out of the market, scrap dealers take a pessimistic view of the outlook. Prices have declined to $26.50 for No. 1 heavy melting, and cast iron is down proportionately. One dealer holds a heavy stock of bundles purchased under government ceiling regulations, on which at today's prices he stands to lose $11 a ton.

Conditions are prompting action to obtain official permission to export. Japan is eager to buy and has been importing iron ore from British Columbia and California for months. Dealers claim supply of scrap justifies an active export movement which would stabilize conditions and clear out surplus lower grades for which there is no domestic demand.

No. 1 heavy melting is reported quoted at $54 to $58 in Japan.

The Pacific West Bound Conference has declared an open rate 90-day period on scrap from this coast to Japan, confined to small pieces not over 30 cu. ft. a ton, meaning that any rate agreed between ship and shipper may be applied. The trial period ends Aug. 31.

Rails, Cars . . .

Track Material Prices, Page 146

New York—Domestic freight car orders are light. In May, according to the American Railway Car Institute and the Association of American Railways, orders involved 1651 freight cars which left the order backlog as of June 1 at 57,345. May deliveries totaled 6582, against 6839 in April, and 6857 in May, 1952.

Fasteners . . .

Bolt, Nut, Rivet Prices, Page 147

Cleveland — Industrial fastener makers are working off substantial order backlogs, new business reportedly coming in at a slower pace.

One district producer estimates it has sufficient business on books to support high operations through third quarter, but its backlog is off 35 to 40 per cent from some months back. At the same time competition for orders is increasing in intensity, and reports of price shading are more frequently heard.

This latter situation has producers worried with another steel price increase on the way. The recent advances in steel mill extra charges were absorbed by the fastener makers, but it will be difficult for them to absorb another $4 to $5 per ton increase in base prices. However, with buyers doing more shopping around and price cutting in evidence, some makers anticipate difficulty in

(*Please turn to page* 170)

HEAVY DUTY WHEELBARROWS AVAILABLE FOR PROMPT SHIPMENT!

You have been patiently waiting for Sterling Heavy Duty Wheelbarrows. Now, with a greatly improved material situation, we are in position to make prompt shipment on short notice. Sterling barrows are engineered for hard, everyday service. Phone, wire or mail your order — today.

Model D4S
Engineered to take hard punishment in industrial plants, railroads, foundries, etc.

Model DF4-S
Equipped with steel plate reinforcement for wheeling extra heavy loads in foundries, etc.

All Models equipped with either steel wheels or wheels having zero pressure tires or pneumatic tires.

STERLING WHEELBARROW CO., Milwaukee 14, Wis.

Look for this Mark of STERLING Quality

Sterling WHEELBARROWS

A-5621-14R

ACCURATE PERFORATING CO.



RATES *A+* WHEN THE JOB CALLS FOR PERFORATED MATERIALS

STEEL AVAILABLE FROM ACCURATE'S STOCK

You get value-PLUS when you choose Accurate to fill your perforating needs. Experienced "Know How" in precision perforating...free engineering consultation service ...an unsurpassed stock of tools and dies...fast, dependable service. These advantages add up to a top grade perforating job.

SERVICING THESE INDUSTRIES:
AIRCRAFT • AUTOMOTIVE • BUILDING CONSTRUCTION • COMMUNICATIONS • ELECTRICAL EQUIPMENT • FOOD PROCESSING • HEATING • MINING • RADIO AND RADAR • RAILROADS • SHIP BUILDING • STEEL • LAUNDRY EQUIPMENT • VENTILATING

IN THESE MATERIALS:
ALUMINUM • BRASS • BRONZE • COPPER • LEAD • MONEL METAL • STEEL • STAINLESS STEEL • MASONITE • PLYWOOD • PAPER

Write today for your free catalog on Accurate Perforated materials.

ACCURATE
PERFORATING COMPANY
1101 S. KEDZIE AVENUE • CHICAGO 12, ILLINOIS

"AN ARMFUL AT EVERY GRAB"
IN
ALL TYPES OF SCRAP
AND
MORE GRABS PER DAY WITH
OWEN GRAPPLES

WRITE FOR the SCRAP GRAPPLE CATALOG

THE OWEN BUCKET CO. 6012 Breakwater Ave., Cleveland, O.

BRANCHES: NEW YORK • PHILADELPHIA • CHICAGO • BERKELEY, CALIF.

MANUFACTURERS OF THE FAMOUS OWEN CLAMSHELL BUCKETS

The *Cleveland Steel Tool Co.*
• PUNCHES • DIES • CHISELS • RIVET SETS •
IF IT'S *RIVETED* YOU *KNOW* IT'S SAFE
WE FEATURE SPECIAL PUNCHES & DIES
660 E. 82nd ST., CLEVELAND, O.

SPRINGS
STAMPINGS
WIRE FORMS



M. D. Hubbard Spring Company
604 CENTRAL AVE. PONTIAC, MICH.

OHIO LOCOMOTIVE CRANES

25 TO 50 TON CAPACITY

DIESEL • GASOLINE • ELECTRIC • STEAM

THE OHIO LOCOMOTIVE CRANE CO.
BUCYRUS, OHIO

H&G Insert Chaser DIE HEADS



famous for accuracy and straightness of threads, low chaser costs, less downtime, more pieces per day.

THE EASTERN MACHINE SCREW CORP., 22-42 Barclay Street, New Haven, Conn.
Pacific Coast Representative: *A. C. Borbringer, 334 N. San Pedro St., Los Angeles, California.* Canada: *F. F. Barber Machinery Co., Toronto, Canada.*

WHITEHEAD STAMPINGS



For half-a-century, WHITEHEAD has been a dependable, accurate, and economical source. Let Whitehead see your blueprints, and quote you. Send for this catalog.

WHITEHEAD STAMPING CO.

1667 W. LAFAYETTE • DETROIT 16, MICH.

INTRODUCTION TO THE STUDY OF HEAT TREATMENT OF METALLURGICAL PRODUCTS
By Albert Portevin

Fundamental knowledge and essential principles of heat treatment of steel are presented in simple and understandable manner. Research engineers, metallurgical students and steel plant metallurgists engaged in metallurgical investigations and the heat treatment of ferrous and non-ferrous metals will find this book of inestimable value.

246 pages — 4 tables
69 illustrations — Price $5.00 Postpaid

THE PENTON PUBLISHING CO.
Book Department, 1213 W. 3rd St., Cleveland 13, O.

ORES–COKE–REFRACTORIES

Prices as reported to STEEL; changes shown in Italic.

ORES

Lake Superior Iron Ore

(Prices effective for ore delivered up to and including June 30, 1953; gross ton, 51.50% iron natural, rail or vessel, lower lake ports.)

Old range bessemer	$10.10
Old range nonbessemer	9.95
Mesabi bessemer	9.85
Mesabi nonbessemer	9.70
Open-hearth lump	10.95
High phosphorus	9.70

The foregoing prices are based on upper lake rail freight rates, lake vessel freight rates, handling and unloading charges, and taxes thereon, which were in effect on Dec. 31, 1952, and increases or decreases after such date are for buyer's account.

Eastern Local Iron Ore

Cents per unit del. E. Pa.

Foundry and basic 56-62% concentrates contract	17.00-18.00

Foreign Iron Ore

Cents per unit, c.i.f. Atlantic ports

Swedish basic, 60 to 68%:	
Spot	nom.
Long-term contract	22.00
North African hematites (spot)	24.00-26.00
Brazilian iron ore, 68-69% (spot)	25.00

Tungsten Ore

Net ton unit, duty paid

Foreign wolframite and scheelite, per net ton unit	$55.00
Domestic scheelite, mine	63.00

Manganese Ore

Manganese, 48% nearby, $1.18-1.21 per long ton unit, c.i.f. U. S. ports, duty for buyer's account; shipments against old contracts for 48% ore are being received from some sources at 90-93c.

Chrome Ore

Gross ton, f.o.b. cars, New York, Philadelphia, Baltimore, Charleston, S. C., plus ocean freight differential for delivery to Portland, Oreg., or Tacoma, Wash.

Indian and African

48% 2.8:1	$40.00-$42.00
48% 3:1	44.00-46.00
48% no ratio	32.00-34.00

South African Transvaal

44% no ratio	$27.00-28.00
48% no ratio	34.00-35.00

Brazilian

44% 2.5:1 lump	nom. $32

Domestic

(Rail nearest seller)

48% 3:1	$39.00

Molybdenum

Sulphide concentrates per lb. molybdenum content, mines	$1.00

REFRACTORIES

Fire Clay Brick

High-Heat Duty: Pueblo, Colo., $89.00; Ashland, Grahn, Hayward, Hitchins, Haldeman, Olive Hill, Ky., Athens, Troup, Tex., Beech **Creek, Clearfield, Curwensville, Lochhaven,** Lumber, Orviston, West Decatur, Pa., Bessemer, Ala., Farber, Mexico, St. Louis, Vandalia, Mo., Ironton, Oak Hill, Parral, Portsmouth, O., Ottawa, Ill., Stevens Pottery, Ga., Woodbridge, N. J., $99.30; Salina, Pa., $104.55; Niles, O., $109; Los Angeles, Pittsburg, Calif., $132.30.

Silica Brick

Standard: Alexandria, Claysburg, Mt. Union, Sproul, Pa., Ensley, Ala., Portsmouth, O., $99.30; Hays, Pa., $105.10; Niles, O., $107; E. Chicago, Ind., Joliet, Rockdale, Ill., $109.70; Cutler, Utah, $116.55; Los Angeles, $122.85.

Insulating Fire Brick

2300° *F:* Massillon, O., $178.50; Clearfield, Pa., $179.55; Augusta, Ga., Beaver Falls, Zelienople, Pa., Mexico, Mo., $186.90.

Ladle Brick

Dry Pressed: Bessemer, Ala., $64.60; Alsey, Ill., Chester, New Cumberland, W. Va., Freeport, Johnstown, Merrill Station, Pa., Wellsville, O., $69.30; Mexico, Mo., $73.50; Clearfield, Pa., Portsmouth, O., $83; Perla, Ark., $92.40; Los Angeles, $110.25; Pittsburg, Calif., $111.30.

Sleeves

Reesdale, Pa., $127; Johnstown, Pa., $127.30; Clearfield, Pa., $135; St. Louis, $138; Athens, Tex., $140.90.

Nozzles

Reesdale, Pa., $203.20; Johnstown, Pa., $208.40; Clearfield, Pa., $219.45; St. Louis, $224.65; Athens, Tex., $225.20.

Runners

Reesdale, Pa., $158.20; Johnstown, Pa., $161.70; Clearfield, Pa., $168.60; St. Louis, $170.30; Athens, Tex., $174.40.

High-Alumina Brick

50 *Per Cent:* Clearfield, Pa., St. Louis, Mexico, Mo., $166.30; Danville, Ill., $169.30.
60 *Per Cent:* St. Louis, Mexico, Vandalia, Mo., $210.20; Danville, Ill., $213.20.
70 *Per Cent:* St. Louis, Mexico, Vandalia, Mo., $244.85; Danville, Ill., $247.85; Clearfield, Pa., $252.

METALLURGICAL COKE

Price per net ton

Beehive Ovens

Connellsville, furnace	$14.50-15.00
Connelsville, foundry	16.50-17.00
New River foundry	20.80
Wise county foundry	15.95
Wise county, furnace	15.20

Oven Foundry Coke

Kearney, N. J. ovens	$24.00
Everett, Mass., ovens	
New England, del.	*26.00
Chicago ovens	24.50
Chicago, del.	26.00
Terre Haute, ovens	24.05
Milwaukee, ovens	25.25
Indianapolis, ovens	24.25
Chicago, del.	28.12
Cincinnati, del.	25.85
Painesville, O., ovens	25.50
Cleveland, del.	27.43
Erie, Pa., ovens	25.00
Birmingham, ovens	21.65
Cincinnati, del.	26.58
LoneStar, Tex. ovens	18.50
Philadelphia, ovens	23.95
Swedeland, Pa., ovens	23.85
St. Louis, ovens	
St. Louis, del.	26.00
St. Paul, ovens	**23.75**
Portsmouth, O., ovens	24.00
Cincinnati, del.	26.62
Detroit, ovens	25.50
Detroit, del.	26.50
Buffalo, del.	28.08
Flint, del.	28.23
Pontiac, del.	27.06
Saginaw, del.	28.58

*Or within $4.55 freight zone from works.

COAL CHEMICALS

Spot, cents per gallon, ovens

Pure benzol	36.00
Toluol, one deg.	30.00-33.00
Industrial xylol	30.00-33.50

Per ton, bulk, ovens

Sulphate of ammonia	$44-45
Birmingham area	$49.50

Cents per pound, ovens

Phenol, 40 (carlots, nonreturnable drums)	17.25

FLUORSPAR

Metallurgical grade, f.o.b. shipping point, in Ill., Ky., net tons, carloads, effective CaF_2 content 72.5%, $44; 70%, $42.50; 60%, $38.

Imported, net ton, duty paid, metallurgical grade, $35-$36.

QUANTITY PRODUCTION OF GREY IRON CASTINGS

ONE OF THE NATION'S LARGEST AND MOST MODERN PRODUCTION FOUNDRIES

ESTABLISHED 1866
THE WHELAND COMPANY
CHATTANOOGA 2, TENN.

WARD STEEL CO.

We specialize in
FINISHED STEEL
BARS—TUBES—STRIP

PROMPT WAREHOUSE SERVICE ONLY

Most Complete Stock in America of
BLUE TEMPERED SPRING STEEL

We believe that the way to sell is to carry a stock which permits satisfying any reasonable warehouse demand.

87A Rindge Ave. Ext. Phone UN 4-2460
CAMBRIDGE 40, MASS.

Branches
3042-3058 W. 51st Street, CHICAGO, ILL.
Phone: Grove Hill 6-2600

Fenner Street, Providence, R. I.
Phone: Gaspee 1-5573, 1-8573

IRON AND STEEL SCRAP

Consumer prices, per gross ton, except as otherwise noted, including broker's commissions, as reported to STEEL. Changes shown in italics.

STEELMAKING SCRAP COMPOSITE

June 18	$39.83
June 11	39.50
May avg.	39.17
June 1952	42.63
June 1948	40.67

Based on No. 1 heavy melting grade at Pittsburgh, Chicago and eastern Pennsylvania.

PITTSBURGH

(Delivered consumer plant)

No. 1 heavy melting	*40.00-41.00*
No. 2 heavy melting	*35.00-36.00*
No. 1 bundles	*40.00-41.00*
No. 2 bundles	*34.00-35.00*
No. 1 busheling	*40.00-41.00*
Machine shop turnings	*26.00-27.00*
Mixed borings, turnings	*26.00-27.00*
Short shovel turnings	*31.00-32.00*
Cast iron borings	29.00-30.00
Cut structurals	*48.00-49.00*
Heavy turnings	39.00-40.00
Punchings & plate scrap	*48.00-49.00*
Electric furnace bundles	44.00-45.00

Cast Iron Grades

No. 1 cupola	*41.00-42.00*
Charging box cast	*42.00-43.00*
Heavy breakable cast..	37.00-38.00
Unstripped motor block	35.00-36.00
No. 1 machinery cast..	49.00-50.00

Railroad Scrap

No. 1 R.R. heavy melt.	46.00-47.00
Rails, 2-ft. and under.	51.00-52.00
Rails, 18-in. and under	*52.00-53.00*
Rails, random lengths.	47.00-48.00
Railroad specialties	51.00-52.00

CLEVELAND

(Delivered consumer plant)

No. 1 heavy melting	*40.00-41.00*
No. 2 heavy melting	*36.00-37.00*
No. 1 bundles	*40.00-41.00*
No. 2 bundles	*35.00-36.00*
No. 1 busheling	*40.00-41.00*
Machine shop turnings	*23.00-24.00*
Mixed borings, turnings	*27.00-28.00*
Short shovel turnings	*27.00-28.00*
Cast iron borings	*27.00-28.00*
Low phos.	*45.00-46.00*
Alloy free, short shovel turnings	30.00-31.00
Electric furnace bundles	*42.00-43.00*

Cast Iron Grades

No. 1 cupola	43.50-44.00
Charging box cast	42.00-43.00
Stove plate	42.00-43.00
Heavy breakable cast..	37.00-38.00
Unstripped motor blocks	27.00-28.00
Brake shoes	36.00-37.00
Clean auto cast	45.00-46.00
No. 1 wheels	40.00-41.00
Burnt cast	35.00-36.00
Drop broken machinery	43.00-45.00

Railroad Scrap

No. 1 R.R. heavy melt.	46.00-47.00
R.R. Malleable	49.00-50.00
Rails, 3-ft. and under	52.00-53.00
Rails, 18-in. and under	55.00-56.00
Rails, random lengths.	48.00-49.00
Cast steel	49.00-50.00
Railroad specialties	50.00-51.00
Uncut tires	49.00-50.00
Angles, splice bars	52.00-53.00
Rails, rerolling	53.00-54.00

YOUNGSTOWN

(Delivered consumer plant)

No. 1 heavy melting	*42.00-43.00*
No. 2 heavy melting	*37.00-38.00*
No. 1 bundles	*42.00-43.00*
No. 2 bundles	*36.00-37.00*
Machine shop turnings	*24.00-25.00*
Short shovel turnings	*28.00-29.00*
Cast iron borings	*28.00-29.00*
Low phos.	*43.00-44.00*
Electric furnace bundles	*43.00-44.00*

Railroad Scrap

No. 1 R.R. heavy melt.	46.00-47.00

PHILADELPHIA

(Delivered consumer plant)

No. 1 heavy melting...	41.00-42.00
No. 2 heavy melting...	37.00-38.00
No. 1 bundles	41.00-42.00
No. 2 bundles	Nominal
No. 1 busheling	41.00-42.00
Machine shop turnings.	27.00-28.00
Mixed borings, turnings	32.00
Short shovel turnings..	33.00
Structurals & Plate....	45.00-46.00
Heavy turnings	39.50-40.50
Couplers, springs, wheels	50.00

Cast Iron Grades

No. 1 cupola	39.00
Charging box cast	40.00
Heavy breakable cast..	43.00
Unstripped motor blocks	29.00
Drop broken machinery	47.00-48.00

NEW YORK

(Brokers' Buying Prices)

No. 1 heavy melting...	33.00-34.00
No. 2 heavy melting...	29.00-30.00
No. 2 bundles	Nominal
Machine shop turnings.	17.00-19.00
Mixed borings, short turnings	22.00-23.00
Low phos. (structural & plate)	37.00-38.00
Shovel turnings	22.50-23.50

Cast Iron Grades

No. 1 cupola	33.00-34.00
Unstripped motor blocks	22.50-23.00

DETROIT

No. 1 heavy melting...	33.00-34.00
No. 2 heavy melting	*28.00-29.00*
No. 1 bundles	37.00-38.00
No. 2 bundles	*25.00-26.00*
No. 1 busheling	36.50-37.50
Machine shop turnings	*15.00-16.00*
Mixed borings, turnings	*15.00-16.00*
Short shovel turnings..	18.00-19.00
Punchings & plate scrap	40.00-41.00

Cast Iron Grades

No. 1 cupola	43.00
Charging box cast	35.00-36.00
Stove plate	35.00-36.00
Heavy breakable	29.00-30.00
Unstripped motor blocks	30.00
Clean auto cast	42.00-43.00
Malleable	44.00

CINCINNATI

(Delivered consumer plant)

No. 1 heavy melting...	41.00
No. 2 heavy melting...	37.00
No. 1 bundles	41.00
No. 2 bundles	34.00
No. 1 busheling	41.00
Machine shop turnings.	21.00
Mixed borings, turnings	23.00*
Short shovel turnings...	25.00*
Cast iron borings	23.00*

Cast Iron Grades

No. 1 cupola	43.00
Charging box cast	38.00
Stove plate	28.00*
Burnt cast	28.00*
Heavy breakable cast..	37.00*
Unstripped motor blocks	30.00
Brake shoes	29.00*
Clean auto cast	38.00
Drop broken machinery	48.00

Railroad Scrap

No. 1 R.R. heavy melt.	*44.00*
Malleable	45.00
Rails, 18-in. and under	53.00
Rails, random lengths..	45.00

*F.o.b. shipping point.

CHICAGO

No. 1 heavy melting..	37.00-38.00
No. 2 heavy melting	*35.00-36.00*
No. 1 factory bundles..	40.00-41.00
No. 1 dealer bundles..	37.00-38.00
No. 2 bundles	*32.00-33.00*
No. 1 busheling	37.00-38.00
Machine shop turnings.	20.00-21.00
Mixed borings, turnings	20.00-21.00
Short shovel turnings..	22.00-23.00
Cast iron borings	*22.00-23.00*
Cut structurals	*41.00-42.00*
Punchings & plate scrap	41.00-42.00
Electric furnace bundles	*42.00-43.00*

Cast Iron Grades

No. 1 cupola	*38.00-40.00*
Stove plate	32.00-34.00
Unstripped motor blocks	35.00-37.00
Clean auto cast	40.00-42.00
Drop broken machinery	42.00-43.00

Railroad Scrap

No. 1 R.R. heavy melt	40.00-41.00
R.R. Malleable	39.00-41.00
Rails, 2-ft. and under	*50.00-51.00*
Rails, 18-in. and under	*52.00-53.00*
Angles, splice bars	*46.00-48.00*
Rails, rerolling	47.00-48.00

BIRMINGHAM

No. 1 heavy melting	*31.00-32.00*
No. 2 heavy melting	27.00-28.00
No. 1 bundles	29.50-30.50
No. 2 bundles	*29.00-30.00*
Machine shop turnings.	20.75-21.75
Short shovel turnings..	22.75-23.75
Cast Iron borings	22.75-23.75
Cut structurals	39.00-40.00
Electric furnace bundles	32.00-33.00

Cast Iron Grades (F.o.b. Shipping Point)

No. 1 cupola	*39.00-40.00*
Charging box cast	30.00-31.00
Stove plate	*35.00-36.00*
Heavy breakable cast..	30.00-31.00
Unstripped motor blocks	34.00-35.00
No. 1 wheels	46.00-47.00

Railroad Scrap

No. 1 R.R. heavy melt.	35.00-36.00
Rails, 2-ft. and under.	45.00-46.00
Rails, random lengths.	42.00-43.00
Angles, splice bars	45.00-46.00
Rails, rerolling	45.00-46.00

ST. LOUIS

(Brokers' Buying Prices)

No. 1 heavy melting...	35.00-36.00
No. 2 heavy melting...	33.00-34.00
No. 1 bundles	34.00
No. 2 bundles	31.00-32.00
Machine shop turnings.	17.00-18.00
Short shovel turnings..	20.00

Cast Iron Grades

No. 1 cupola	41.00-42.00
Charging box cast	33.00-34.00
Heavy breakable cast..	33.00-34.00
Unstripped motor blocks	33.00-34.00
Brake shoes	41.00
Clean auto cast	44.00
Burnt cast	33.00-34.00

Railroad Scrap

Malleable	36.00
Rails, 18-in. and under	53.00-54.00
Rails, random lengths.	39.00-40.00
Uncut tires	44.00
Angles, splice bars	45.00-46.00
Rails, rerolling	48.00-49.00

BUFFALO

No. 1 heavy melting...	40.50-41.00
No. 2 heavy melting...	38.00-38.50
No. 2 bundles	36.00-36.50
No. 1 bundles	40.50-41.00
No. 2 busheling	40.50-41.00
Machine shop turnings.	23.50-24.00
Mixed borings, turnings	29.00-29.50
Short shovel turnings..	29.50-30.50
Cast iron borings	29.00-29.50
Low phos.	44.50-45.00

Cast Iron Grades (F.o.b. Shipping Point)

No. 1 cupola	*36.00-36.50*
No. 1 machinery	42.00-43.00

Railroad Scrap

Rails, random lengths.	45.75-46.75
Rails, 2 ft. and under.	51.75-52.75

BOSTON

(Brokers' Buying Prices; f.o.b. shipping points)

No. 1 heavy melting...	30.00-31.00
No. 2 heavy melting	*26.50-27.00*
No. 1 bundles	33.00-34.00
No. 2 bundles	*25.00-26.00*
Machine shop turnings.	17.00-17.50
Mixed borings, turnings	19.00-20.00
Short shovel turnings..	21.00-21.50
No. 1 cast	32.00-34.00
Mixed cupola cast	26.00-28.00
No. 1 machinery cast	*36.00-38.00*

SEATTLE

(Delivered consumer plant)

No. 1 heavy melting...	31.00
No. 2 heavy melting...	27.00
No. 1 bundles	30.00
No. 2 bundles	24.00
No. 3 bundles	20.00
Machine shop turnings.	15.00
Mixed borings, turnings	15.00
Short shovel turnings..	15.00
Electric furnace, No. 1.	38.00

Cast Iron Grades (F.o.b. Shipping Point)

No. 1 cupola	40.00
Heavy breakable cast..	36.00-38.00
Unstripped motor blocks	29.00
No. 1 wheels	38.00-40.00

Railroad Scrap

Rails, random lengths.	38.00

SAN FRANCISCO

No. 1 heavy melting....	28.00
No. 2 heavy melting....	24.00
No. 1 bundles	25.00
No. 2 bundles	22.00
No. 1 busheling	28.00
Machine shop turnings.	10.00
Mixed borings, turnings	29.00
Short shovel turnings..	29.00
Cast iron borings	29.00
Cut structurals	38.00
Heavy turnings	34.00
Punchings & plate scrap	37.50
Electric furnace bundles	37.00

Cast Iron Grades

No. 1 cupola	38.00-39.00
Charging box cast	47.00
Stove plate	46.00
Heavy breakable cast..	45.00
Unstripped motor blocks	41.00
Brake shoes	41.00
Clean auto cast	52.00
No. 1 wheels	47.00
Burnt cast	41.00
Drop broken machinery	52.00

Railroad Scrap

No. 1 R.R. heavy melt.	37.00
Malleable	55.00
Rails, 3-ft. and under.	42.00
Rails, 18-in. and under.	45.00
Rails, random lengths.	39.00
Cast steel	40.00
Uncut tires	39.00
Angles, splice bars	42.00
Rails, rerolling	44.00

LOS ANGELES

No. 1 heavy melting..	24.00
No. 2 heavy melting...	20.00
No. 1 bundles	24.00
No. 2 bundles	20.00
Machine shop turnings	8.00

Cast Iron Grades (F.o.b. Shipping Point)

No. 1 cupola	40.00-43.00

HAMILTON, ONT.

(Delivered Prices)

Heavy melting	$32.50
No. 1 bundles	32.50
No. 2 bundles	32.50
Mechanical bundles	28.50
Mixed steel scrap	28.50
Mixed borings, turnings	26.50
Rails, remelting	32.50
Rails, rerolling	41.50
Busheling	26.50
Busheling new factory:	
Prep'd	30.50
Unprep'd	28.50
Short steel turnings	26.50

Cast Iron Grades

No. 1 machinery cast..	50.00

† F.o.b., shipping point.

for the purchase or sale of | *scrap*



CONSULT OUR NEAREST OFFICE FOR THE PURCHASE AND SALE OF SCRAP

LURIA BROTHERS AND COMPANY, INC.

PLANTS
LEBANON, PENNA.
READING, PENNA.
DETROIT (ECORSE), MICHIGAN
MODENA, PENNA.
PITTSBURGH, PENNA.
ERIE, PENNA.

MAIN OFFICE
LINCOLN-LIBERTY BLDG.
Philadelphia 7, Penna.

OFFICES
BIRMINGHAM, ALA. CLEVELAND, OHIO LOS ANGELES, CAL. READING, PENNA.
BOSTON, MASS. DETROIT, MICH. NEW YORK, N. Y. ST. LOUIS, MO.
BUFFALO, N. Y. HOUSTON, TEXAS PITTSBURGH, PA. SAN FRANCISCO, CAL.
CHICAGO, ILLINOIS LEBANON, PENNA. PUEBLO, COLORADO SEATTLE, WASH.

LEADERS IN IRON AND STEEL SCRAP SINCE 1889

(*Continued from page 165*)

marking up their prices unless order volume markedly rises.

Currently, automotive demand for fasteners is providing strong support but other consuming avenues are becoming noticeably cautious.

Ferroalloys . . .

Ferroalloy Prices, Page 162

New York—Electro Metallurgical Co., division of Union Carbide & Carbon Corp., has announced a new base price of 13.15 cents per pound of contained manganese, f.o.b. shipping point, for standard ferromanganese containing 76 to 80 per cent manganese. This new price reflects a slight increase and is effective June 15 on a spot basis and July 1 for contract users.

The new price involves a change in quoting to a per pound of contained manganese basis. This change is consistent with the company's pricing of practically all other ferroalloys containing a single element other than iron. A reduction in the manganese range from 78-82 per cent to 76-80 per cent, also effected, is said to be necessitated by the lower average quality of available manganese ores.

According to the company, the manganese content of its standard ferromanganese may not be materially changed from the level of recent months, at least for the time being. At the same time, it states, some upward revisions in the prices of a few highly specialized alloys are being put into effect to compensate for higher costs resulting from increased cost of special raw materials required in their production.

New York—The Vanadium Corp. of America has reduced prices on Graphidox No. 4 a half cent to 17.5 cents per pound of alloy, packed in carlots, 18.5 cents in ton lots and 20 cents in less than ton lots—all f.o.b. Niagara Falls, N. Y.; freight allowed to St. Louis.

STRUCTURAL SHAPES . . .

STRUCTURAL STEEL PLACED

10,115 tons, state bridges, Ohio State Turnpike, Lorain, Erie and Sandusky counties, Ohio, to Bethlehem Steel Co., Bethlehem, Pa., direct through Ohio Turnpike Commission, Columbus, O.

2115 tons, research laboratory, Westinghouse Electric Corp., Churchill Borough, Pa., through Starrett Bros. & Eken, New York city, to Ingalls Iron Works, Birmingham.

2000 tons, two buildings, Cross County Shopping Center, White Plains, N. Y., to Bethlehem Steel Co., Bethlehem, Pa.

2000 tons, central repair shops, Marine Corps depot, Albany, Ga., to Hartley Boiler Works, Montgomery, Ala.; Batson-Cook Co., West Point, Ga., general contractor.

1800 tons, boiler supports, Morro Bay, Calif., Combustion Engineering-Superheater Corp., New York, to Consolidated Western Steel Division, United States Steel Corp., Los Angeles.

1750 tons, office, Psaty & Fuhrman, 5th Ave. and 46th St., New York, to Schacht Steel Construction, Inc., that city.

1190 tons, highway bridge, Bronx county, New York, through Charles F. Vachres Inc., to Lehigh Structural Steel Co., Allentown, Pa.

1050 tons, tube mill, Bridgeport Brass Co., Bridgeport, Conn., to Haarmann Structural Steel Co., Holyoke, Mass., through H. K. Ferguson Co., New York, general contractor.

1000 tons, structurals and bars, women's dormitory, Ohio State University, Columbus, O., to the J. T. Edwards Co., Columbus, structurals, and the Pollak Steel Co., Cincinnati, reinforcing, through James I. Barnes Construction Co., Springfield, O., general contractor.

730 tons, electronics shop, naval shipyard, Boston, to American Bridge Division, United States Steel Corp., Pittsburgh; S. & A. Allen Construction Co., Boston, general contractor.

640 tons, state highway bridges, Windsor-Hartford, Conn., to Phoenix Bridge Co., Phoenixville, Pa.; Brunalli Construction Co., Southington, Conn., general contractor.

600 tons, boiler supports, Salt Lake City, Utah, Combustion Engineering-Superheater Corp., New York, to the Maxwell Steel Co.

500 tons, structurals and bars, senior high school, Natick, Mass., to West End Iron Works Cambridge, Mass., structurals; and United States Steel Supply Division, United States Steel Corp., Cambridge, reinforcing, through B. Perini & Sons Inc., Framingham, Mass., general contractor.

500 tons, estimated, structurals and bars chemistry-physiology building, University of Tennessee medical school, Memphis, to Decatur Iron Works, Decatur, Ala., (structurals), and Jones & Laughlin Steel Corp. (bars); Harmon Construction Co., Oklahoma City, Okla., general contractor.

500 tons, boiler supports, Red Rock, Ariz., Combustion Engineering-Superheater Corp., to Austin Bros., Dallas, Tex.

450 tons, structurals, bars and miscellaneous iron, Wakefield school, Arlington, Va., to Barber & Ross Co., Washington (structurals), Ceco Erection Co., Washington, (reinforcing), and Washington Stair & Ornamental Iron Works, (miscellaneous iron); Iron & Reynolds, Inc., Washington, general contractor.

360 tons, warehouse and office, Fisher Bros. Steel Corp., Englewood, N. J., to Bergen Point Iron Works, Bayonne, N. J.

325 tons, power station, Mandan, N. D., for Ebasco Services, New York, to Warden-Allen, Chicago.

300 tons, galvanized fabricated structural steel.

Steel Continues Record Production Through May

STEEL PRODUCTION continues to set its monthly records with 9,998,000 net tons for ingots and steel castings in May, second highest monthly output on record and highest ever for the month.

Surpassed only by the 10,168,098 tons in March, the May figure brings the five-month total up to 48,542,377 tons, an 11.9 per cent increase over the same period last year.

Big Difference — Production last month, which was nearly half-a-million tons greater than in April, was about 1.8 million tons greater than in May, 1952. Main reason for the wide gap was the walkout in late April-early May last year in the midst of the seizure of the steel industry by the government.

The American Iron & Steel Institute monthly report puts rate of production at 100.1 per cent of capacity for May.

	OPEN-HEARTH		BESSEMER		ELECTRIC		TOTAL		Calculated weekly	No. of weeks
	Net tons	% of capacity	Net tons	% of capacity	Net tons	% of capacity	Net tons	% of capacity	production (net tons)	in mos.
1953										
January	8,841,679	101.4	350,000	88.9	706,083	81.2	9,897,962	99.1	2,234,303	4.43
February	7,939,299	100.8	329,389	92.6	664,091	84.6	8,932,779	99.1	2,233,195	4.00
March	9,050,773	103.7	354,710	90.0	762,615	87.7	10,168,098	101.8	2,295,282	4.43
1st Qtr.	25,831,751	102.0	1,034,299	90.4	2,132,789	84.5	28,998,839	100.0	2,254,964	12.86
*April	8,493,909	100.5	334,605	87.7	717,024	85.2	9,545,538	98.7	2,225,067	4.29
†May	8,926,000	102.3	355,000	90.1	717,000	82.5	9,998,000	100.1	2,257,000	4.43
1952										
1st Qtr.	24,207,329	102.5	1,168,871	87.4	1,824,524	89.1	27,200,724	100.7	2,092,363	13.00
April	7,101,199	91.1	323,006	73.2	567,935	84.1	7,992,140	89.7	1,862,970	4.29
May	7,291,865	90.6	318,642	69.9	595,135	85.3	8,205,642	89.2	1,852,289	4.43

Note—The percentages of capacity in 1953 are calculated on weekly capacities of 1,969,275 net tons open-hearth, 88,934 net tons bessemer and 196,250 net tons electric ingots and steel for castings, total 2,254,459 net tons; based on annual capacities as of Jan. 1, 1953, as follows: Open-hearth 102,677,980 net tons, bessemer 4,637,000 net tons, electric 10,232,490 net tons, total 117,547,470 net tons. The percentages of capacity operated in 1952 are calculated on weekly capacities of 1,816,637 net tons open-hearth, 102,926 net tons bessemer and 157,477 net tons electric ingots and steel for castings, total 2,077,040 net tons; based on annual capacities as of Jan. 1, 1952, as follows: Open-hearth 94,973,780 net tons; bessemer 5,381,000 net tons; electric 8,232,890 net tons; total 108,587,670 net tons.

*Revised.
†Preliminary figures, subject to revision.

MOTORS, GENERATORS, TRANSFORMERS
1—1500 H.P.
Bought and Sold
New and Rebuilt
ELECTRIC EQUIPMENT CO.
ROCHESTER 1, N. Y.

RAILS NEW and RELAYING
Your exact trackage needs filled "Faster From Foster" Track Tools & Accessories are properly matched and fabricated to meet all requirements and shipped from a reliable source.
"FASTER from FOSTER"
RENT STEEL SHEET PILING
All Lengths, Sections, all standard makes your job requires. Also Rent Pile Hammers, Pile Extractors.
TRACK ACCESSORIES • PIPE • WIRE ROPE
L. B. FOSTER CO.
Pittsburgh 30, Pa. New York 7, N.Y.
Chicago 4, Ill. Houston 2, Tex.

RAILROAD EQUIPMENT—*FOR SALE*

USED **AS IS** **RECONDITIONED**

STANDARD GAUGE FREIGHT CARS

Box, Steel Sheathed, 40-Ton Capacity
Box, Double Sheathed, 50-Ton Capacity
Box, Single Sheathed, 50-Ton Capacity
Flat, 50-Ton, Steel Underframe, 40'6" Long
Gondolas, Composite, or All Steel 50-Ton and 70-Ton
Hoppers, Twin, All-Steel, 50-Ton, Cross Dump
Ore Hoppers, All-Steel, 50-Ton, Heavy Duty
Tank, 3,000-Gallon, High Pressure
Tank, 8,000-Gallon, Coiled and Non-Coiled

Hoppers, All-Steel, 70-ton, Triple Hopper Cross Dump

EXTRA LONG FLAT CARS

40 & 50-Ton Capacity, Length 70' and 74'
70-Ton Capacity, Length 60'0", All-Steel, Fishbelly Underframes

STANDARD GAUGE AIR DUMP CARS

Side Dump, 20-Yd., 40-Ton, Lift Door
End Dump, 20-Yd., 50-Ton, Drop Door
Side Dump, 30-YD., 50-TON, DROP DOOR

CABOOSE CARS

Eight Wheel, Cupola Type

OTHER EQUIPMENT

Jordan Spreader
Locomotive Cranes
Overhead Cranes
Railroad Track Scales

STANDARD GAUGE DIESEL-ELECTRIC ROAD SWITCHING LOCOMOTIVE

300 H.P., 70-Ton, Type 0-4-4-0
NEW AND RELAYING RAIL

Send us your inquiries **WE BUY FREIGHT CARS FOR DISMANTLING** ***Send us your offerings***

IRON & STEEL PRODUCTS, INC.

REPAIR PARTS For All Types of Freight Cars

General Office
13462 S. Brainard Ave.
Chicago 33, Illinois
Phone: BAyport 1-3456

New York Office
50-D. Church Street
New York 7, N. Y.
Phone: BEekman 3-8230

STORAGE TANKS
6,000 Gallon
8,000 Gallon
10,000 Gallon

"ANYTHING containing IRON or STEEL"

CLASSIFIED

Help Wanted

FOUNDRY METALLURGIST required with experience in cast iron foundry practice. Prepared to travel. State age, experience, and salary required. Write Box 750, STEEL, Penton Bldg., Cleveland 13, Ohio.

WANTED: A FOUNDRY TECHNOLOGIST Preferably with some experience in cast iron. Should be prepared to travel. State salary required and full qualifications. Write Box 751, STEEL, Penton Bldg., Cleveland 13, Ohio.

OPPORTUNITY
For man under age 40 with some metallurgical training and/or experience with annealing operations to supervise annealing department in medium size steel wire mill in East. Excellent opportunity for right man to advance. Applications should state education, experience, references, and expected wages. Replies treated confidentially. Reply Box 752, STEEL, Penton Bldg., Cleveland 13, Ohio.

Positions Wanted

PLANT MANAGER with 25 years' experience in Costs, Production and Management functions, M.I.T. graduate. Write Box 758, STEEL, Penton Bldg., Cleveland 13, Ohio.

PLANT MANAGER—15 years' experience, wants to buy part interest or control in small manufacturing plant. Write Box 754, STEEL, Penton Bldg., Cleveland 13, Ohio.

Employment Service

SALARIED POSITIONS $3,500 TO $35,000. WE offer the original personal employment service (established 43 years). Procedure of highest ethical standards is individualized to your personal requirements. Identity covered; present position protected. Ask for particulars. R. W. BIXBY, INC., 110 Dun Bldg., Buffalo 2, N. Y.

IF YOU HAVE AN OPPORTUNITY TO OFFER

Use the "Help Wanted" columns of STEEL. Your advertisement in STEEL will put you in touch with qualified, high-calibre men who have had wide training in the various branches of the Metal Producing and Metalworking industries.

SALES ENGINEER

Experienced salesman with engineering background, familiar with mechanical power drives, to represent a well established Detroit universal joint manufacturer. Would contact present customers and solicit new accounts, working out of Detroit headquarters.

Excellent earnings opportunity. Replies held in strict confidence. Give qualifications, references, extent of experience, etc. Reply Box 749, STEEL, Penton Bldg., Cleveland 13, Ohio.

PLANT MANAGER for STRUCTURAL STEEL FABRICATING PLANT

A-A-A-1 company wants experienced Plant Manager to take charge of structural steel fabricating plant. Plant has 2500-3000 ton monthly capacity. Located in Midwest. Applicant must be completely familiar with all phases of structural steel fabrication for heavy bridges and building fabrication. This is a once-in-a-lifetime opportunity for the right person who possesses necessary experience, executive ability, and technical knowledge. Write full details, including age, education, and experience. Salary open.

Reply Box 748, STEEL
Penton Bldg., Cleveland 13, Ohio

FOR SALE

(3) 25 Ton HENRY & WRIGHT DIEING PRESSES 1½" Stroke—With Double Roll Feeds. One with Scrap Cutter.
BLISS HIGH PROD. PRESSES
#630 45 Ton and #650 75 Ton 1" Strokes With Double Roll Feed & Scrap Cutters. LATE TYPE. (Send for list of other Presses & Metal Working Mach.)
SEABOARD STEEL CO., New Haven, Conn.

FOR SALE

1—#6 HILLES & JONES VERTICAL OPEN SIDE BAR SHEAR, CAPACITY 3½" ROUNDS, INCLUDING 15 HP, 230 VOLT D.C. MOTOR. EST. WT. 50,000 LBS.

FRANK B. FOSTER, INC.
2220 Oliver Building Pittsburgh 22, Pa.
Cable Address: "Foster Pittsburgh"

STAINLESS STEEL FOR SALE

Approximately 10 tons of miscellaneous size sheets of Type 18-8, 302 and 304 stainless steel sheets, 10, 14 and 16 gauge, 2-B and #4 finish.

Contact
Girton Mfg. Co. Millville, Penna.

MANUFACTURERS REPRESENTATIVE

Actively engaged in Maryland, Virginia and North Carolina since 1946, now doing over $400,000 annually for one account, calling on Metal & Chemical Processing Industries desires one additional line. Established and financially responsible. Write Box 756, STEEL, Penton Bldg., Cleveland 13, Ohio.

MANUFACTURER'S REPRESENTATIVE

Experienced and successful agent or organization with mechanical engineering background wanted to represent nationally known 56-year old manufacturer of blast cleaning equipment, dust collecting systems, and foundry supplies. Several territories open. Write in confidence giving full details on experience and lines currently represented.

Write Box 757, STEEL
Penton Bldg., Cleveland 13, Ohio


an ACCO product
WIRE
ROUND
FLAT
OR
SHAPED
PAGE
makes them all...
LOW CARBON
HIGH CARBON
STAINLESS
SPECIAL ALLOY
ARMCO IRON
YOU draw the Shape
—Page can draw the Wire
Tell us the way you want it. We'll follow your specifications.
Cross-sectional areas up to .250" square; widths up to 3/8"; width-to-thickness ratio not to exceed 6 to 1.
Wire or Write Today
PAGE WIRE
ACCO
PAGE STEEL AND WIRE DIVISION
AMERICAN CHAIN & CABLE
Monessen, Pa., Atlanta, Chicago, Denver, Detroit, Los Angeles, New York, Philadelphia, Portland, San Francisco, Bridgeport, Conn.

Kingston steam plant, Tennessee Valley Authority, Knoxville, Tenn.

265 tons, municipal sanitation garage, New York, through Ranes Construction Co., to J. & B. Iron Works, that city.

260 tons, central heating plant, air field base, Dover, N. J., to City Iron Works, Hartford, Conn., through Frederick Raff Co., Hartford, general contractor; also 65 tons, reinforcing, to Concrete Steel Co., New York.

225 tons, state highway bridge, Rumford, Me., to Bethlehem Steel Co., Bethlehem, Pa.; W. H. Hinman, Inc., North Anson, Me., general contractor; reinforcing bars to Bancroft & Martin Rolling Mills, Inc., South Portland, Me.

190 tons, building, Washington, D. C., through Lysett Inc., to Bethlehem Steel Co., Bethlehem, Pa.

180 tons, distributing building, Western Electric Co., Milwaukee, to American Bridge Division, United States Steel Corp., Pittsburgh.

125 tons, industrial building, Little Falls, N. J., through Purdy & Henderson Associates, to Jones & Laughlin Steel Corp., Pittsburgh.

125 tons, state bridge, Oneida county, New York, to Ernst Iron Works, Buffalo.

100 tons, trestle, Florida East Coast railroad, St. Augustine, Fla., to Decatur Iron & Steel Co., Decatur, Ala.

STRUCTURAL STEEL PENDING

552± tons, state thruway, Oneida county, New York; D. W. Winkleman, Syracuse, N. Y., low on general contract.

5000 tons, state thruway, Herkimer county, New York; DeFelice & Son, New Haven, Conn., low on general contract.

4500 tons, municipal hospital, Newark, N. J., all bids rejected following a change in political administration; new bids, it is believed, will eventually be asked although no date has been set.

1360 tons, state thruway, Rockland county, New York; DeFelice & Son, New Haven, Conn., low on general contract.

370 tons, viaduct connection, Borough of Manhattan, New York, bids closed.

330 tons, state highway bridge, Erving-Montague, Mass.; Daniel O'Connell & Sons, Inc., Holyoke, Mass., low on general contract.

200 tons, building, Amalgamated Laundry Workers clinic, 222 East 34th street, New York, A. J. Courtnel low on general contract.

150 tons, state bridge, Dauphin county, Pennsylvania, bids July 10.

100 tons plus, Ketchikan, Alaska, high school; Carson Constsruction Co., Helena, Mont., low $2,780,770.

100 tons, manlift structure; Pacific Car & Foundry Co., Seattle, low $29,880 to Seattle Light Department.

Unstated, six sections, transportation facility shops; bids to Atomic Energy Commission, Richland, Wash., June 23.

Unstated, two warehouses, McChord Field, Washington; John H. Sellen Construction Co., Seattle, low $360,995, to U. S. Engineer, Seattle.

Unstated, Richardson highway, Alaska, 2 bridges; Lloyd W. Martin, Fairbanks, low $106,566, to Alaska Road Commission.

Unstated, aircraft maintenance shop, Elelson Field, Alaska; S. S. Mullen, Inc., Seattle, low base $671,435, to U. S. Engineer.

Unstated, addition and repairs, heating plant, Ladd Field, Alaska, fire-damaged; bids to U. S. Engineer, June 26.

Unstated, steel frame addition reactor service building; bids to Atomic Energy Commission, Idaho Falls, Ida., June 24.

REINFORCING BARS . . .

REINFORCING BARS PLACED

305 tons, state bridges, Windsor-Hartford, Conn., to Plantations Steel Co., Providence, R. I.; Brunalli Construction Co., Southington, Conn., general contractor.

130 tons, central repair shops, Marine Corps depot, Albany, Ga., to Ceco Steel Products Co., Atlanta, Ga.; Batson-Cook Co., West Point, Ga., general contractor.

115 tons, police administration and court building, Hartford, Conn., to Scherer Steel Co., Hartford, Conn., Southern New England Construction Co., Hartford, general contractor.

100 tons, including miscellaneous and 45 tons reinforcing, Burlington, Wash., school, to Northwest Steel Rolling Mills, Inc., Seattle.

REINFORCING BARS PENDING

2300 tons, disposal tanks, Hanford Works, Grove, Shepherd, Wilson & Kruge, Seattle, low $2,428,468 to Atomic Energy Commission.

1000 tons, Chandler pumping plants, Columbia Basin project; A. J. Cheff Construction Co., Seattle, low $1,963,084 to Bureau of Reclamation, involving concrete penstock and discharge lines; Lee Hoffman, Beaverton, Oreg., low $1,979,903 specifying steel plate.

800 tons, 1½ million bushel addition to Spokane, Portland & Seattle railroad grain elevator, Port of Vancouver, Wash., (involving 3600 pilings) general contract to Henry George & Sons, Spokane, Wash.; $1.8 million project.

400 tons, Garden State Parkway, contract No. 65, section 8, Ocean county, New Jersey, bids July 6.

395 tons, Garden State Parkway, contract No. 24, section 7, Monmouth county, New Jersey, bids June 18.

175 tons, laterals, etc., Potholes East Canal, Columbia Basin project; also 26,120 ft. 12 to 54-in. concrete pipe, five pump units; bids to Bureau of Reclamation, Ephrata, Wash., July 7.

Unstated, 21 ammunition storage igloos, Ladd Field, Alaska; bids to U. S. engineer, Seattle, July 15.

Unstated, 600,000-gal. concrete reservoir; Great Falls, Mont.; Lease & Leigland, Seattle, low $118,920 to U. S. Engineer, Seattle.

Unstated, concrete water pipe, Clackamas, Oregon; general contract to American Pipe & Construction Co., Portland, Oreg.; $96,415.

PLATES . . .

PLATES PLACED

Unstated, municipal water system, Clackamas, Oreg.; partial award for steel pipe to Beall Pipe & Tank Co., Portland, $65,911.

PLATES PENDING

1700 tons, disposal tanks, Hanford Works; Grove, Shepherd, Wilson & Kruge, Seattle, low to Atomic Energy Commission.

215 tons, new or used steel piling; bids to Centralia, Wash., July 12.

125 tons, fuel tanks, Great Falls, Mont., air base; Chicago Bridge & Iron Co., Seattle, low to U. S. Engineer.

PIPE . . .

CAST IRON PIPE PLACED

1000 tons, 12 to 4 in., system expansion, Clackamas, Oreg., to Hugh G. Purcell, Seattle, for U. S. Pipe & Foundry Co., Burlington, N. J.

330 tons, 12 to 6 in., Enumclaw, Wash. water system, to Hugh G. Purcell, Seattle.

300 tons, 12 to 4 in., District No. 20, Seattle, to Pacific States Cast Iron Pipe Co., Seattle.

200 tons, 10 and 12-inch, New Bedford, Mass., to United States Pipe & Foundry Co., Burlington, N. J.

100 tons, system expansion, Friday Harbor, Wash., to Hugh G. Purcell, Seattle.

CAST IRON PIPE PENDING

530 tons, eight and 12-inch, Boston; bids in.

300 tons, eight-inch, Springfield, Mass.; bids in.

200 tons, 16 and 20-inch, Logan Air Field, Boston; contractor's letting.

100 tons plus, contractor's job; bids in to Tacoma, June 15.

Unstated, 11,350 ft. 8 and 6 in. and accessories, Larson Air Base, Washington state; bids to U. S. Engineer, Walla Walla, July 16.

STEEL PIPE PLACED

300 tons, heating distributing system, air field base, Dover, N. J., to Bethlehem Steel Co., Bethlehem, Pa., and A. M. Byers Co., Pittsburgh, through Frederick Raff Co., Hartford, Conn.

STEEL PIPE PENDING

Unstated, 10,000 ft. 6 inch, galvanized steel and fittings; bids to U. S. Engineer, Walla Walla, Wash., June 24.

UPSON-WALTON turnbuckles

ENGINEERED FOR SAFETY


Turnbuckle heads are drilled and tapped in perfect alignment, so that end fittings pull evenly, and assure maximun strength and safety.
All threads are American National Coarse series, class 2 fit, and will readily assemble with any end fitting threaded to this standard.
Weldless, drop-forged steel, hex-end turnbuckle bodies are made in accurate dies to assure uniformity, dependability, and safety.
U-W

See Your NEARBY DISTRIBUTOR for prompt service from stock. Write for free catalog on wire rope fittings.

THE UPSON-WALTON CO.
12500 ELMWOOD AVENUE
CLEVELAND 11, OHIO
New York • Chicago • Pittsburgh
YOU CAN DEPEND ON UPSON-WALTON'S LONG EXPERIENCE—ESTABLISHED 1871
Manufacturers of ALL THREE
FITTINGS • WIRE ROPE • TACKLE BLOCKS

Advertising Index

Accurate Perforating Co.	166
Aetna-Standard Engineering Co., The	Inside Front Cover
Air Reduction	153
Alan Wood Steel Co.	39
Allegheny Ludlum Steel Corporation	35
Allis-Chalmers	14
Aluminum Import Corporation	130
American Broach & Machine Co., A Division of Sundstrand Machine Tool Co.	133
American Chain & Cable, Page Steel & Wire Division	172
American Shear Knife Co.	132
American Zinc, Lead & Smelting Co.	143
American Zinc Sales Co.	143
Associated Spring Corporation	117
"Automatic" Sprinkler Corporation of America	131
Babcock & Wilcox Co., The, Refractories Division	99
Barnes-Gibson-Raymond, Division of Associated Spring Corporation	117
Barnes, Wallace, Co., Division of Associated Spring Corporation	117
Barnes, Wallace, Co., Ltd., The, Division of Associated Spring Corporation	117
Belmont Iron Works, The	164
Bethlehem Steel Co.	1
B-G-R Cook Plant, Division of Associated Spring Corporation	117
Birdsboro Steel Foundry & Machine Co.	102
Bixby, R. W., Inc.	171
Blaw-Knox Co., Pittsburgh Rolls Division	105
Bridgeport Brass Co.	30, 31
Buffalo Forge Co.	78
Carboloy Department of General Electric Co.	155
Carborundum Co., The	22, 23
Century Electric Co.	97
Chain Belt Co.	81
Cincinnati Milling Machine Co., The	53
Cincinnati Shaper Co., The	27
Cities Service Oil Co.	129
Cleveland Crane & Engineering Co., The	138
Cleveland Steel Tool Co., The	166
Clinton Machine Co., Metalmaster Division	28
Colorado Fuel & Iron Corporation, The, Wickwire Spencer Steel Division	32
Commercial Contracting Corporation	6
Continental Steel Corporation	123
Cowles Tool Co.	164
Cross Co., The	69
Crucible Steel Company of America	72
Danly Machine Specialties, Inc.	110, 111
Delta Power Tool Division, Rockwell Manufacturing Co.	157
Dempster Brothers	26
Detroit Broach Co.	84
Dravo Corporation	34
Dunbar Brothers Co., Division of Associated Spring Corporation	117
Du Pont, E. I., de Nemours & Co., Inc.	21
Eastern Machine Screw Corporation, The	166
Eastern Tool & Stamping Co., Inc.	43
Eastern Kodak Co., Special Products Sales Division	125
Electric Equipment Co.	170
Enterprise Galvanizing Co.	164
Erie Bolt & Nut Co.	109
Euclid Crane & Hoist Co., The	160
Federal Machine & Welder Co., The	154
Federal Products Corporation	12
Firth Sterling, Inc.	17
Foote Bros. Gear & Machine Corporation	33

Continued on following page

DESIGN CHANGE TO STEEL CUTS WEIGHT 50%

MANY machine designs can be simplified by proper application of welded steel construction. Less material is needed since steel can be formed at low cost to efficient engineering shapes. Steel requires less machining and often eliminates such operations as milling and drilling required with conventional castings.

At Ilg Electric Ventilating Co., Chicago, Illinois, changing over this end bracket to steel provides several distinct advantages. Material cost has been cut considerably as only half as much metal is needed. Also pound for pound steel costs less than gray iron. After welding components in a simple fixture, the only machining that remains is to drill seven holes. Former milling operations are eliminated.

Although half the amount of metal is needed with steel, the part is actually stronger and more rigid than the original construction. It is easier to clean and paint and costs 30% less to produce.

Fig. 1. Former design *of machine part required milling and drilling. Weighed 18 pounds, twice as much as steel design.*

Fig. 2. Present construction. *Components are sheared and brake-formed from steel, held in simple fixture for welding. Bearing housing and arms are 10 gauge metal. Weighs only 8½ pounds. Cost is 50% less.*

Machine Design Sheets showing how to simplify designs and cut costs are available on request. Designers and Engineers write on your letterhead to Dept. 1606.

THE LINCOLN ELECTRIC COMPANY
CLEVELAND 17, OHIO
THE WORLD'S LARGEST MANUFACTURER OF ARC WELDING EQUIPMENT

Large or small jobs—

PANGBORN BLAST CLEANING

cuts maintenance cost and time!

Pangborn Blast Cleaning Machine—Cleans tanks, bridges, buildings, and other structures quickly and economically. Ideal for maintenance and other jobs, such as removal of dirt, scale, rust, etc. preparatory to painting. Six sizes, stationary or portable, from . . . **$188** and up.

Pangborn Blast Cabinet—Saves time and money in cleaning small metal parts . . . removing rust, scale, grime, old paint, etc. Produces smooth, clean surfaces on pieces up to 60" x 35" in size. Models from . . . **$319** and up.

Pangborn Unit Dust Collectors—Trap dust at the source. Minimize maintenance, allow reclamation of valuable material . . . **$286** and up.

Pangborn Hydro-Finish Cabinets—Remove directional grinding lines, hold tolerances to .0001". Reduce further finishing of tools, molds, dies . . . **$1410** and up.

Write for details on these machines to: PANGBORN CORPORATION, 1600 Pangborn Blvd., Hagerstown, Md.

Look to Pangborn for the latest developments in Blast Cleaning and Dust Control equipment.

Pangborn

BLAST CLEANS CHEAPER

with the right equipment for every job

Advertising Index

Concluded from preceding page

Foster, Frank B., Inc. 171
Foster, L. B. Co. 170

Gas Machinery Co., The 158
General Electric Co., Carboloy Department 155
Gibson, William D., Co., The, Division of Associated Spring Corporation 117
Girton Manufacturing Co. 171
Graver Tank & Mfg. Co., Inc. 94
Gray Iron Founders' Society, Inc. 108
Great Lakes Steel Corporation 58
Green River Steel Corporation 160

Hevi Duty Electric Co. 106, 107
Horsburgh & Scott Co., The 136
Houghton, E. F., & Co. 149
Hubbard, M. D., Spring Co. 166

Industrial Brownhoist Corporation 29
Inland Steel Co. 44
International Nickel Co., Inc., The 40
Iron & Steel Products, Inc. 171

Jessop Steel Co. 137

Kearney & Trecker Corporation 71
Keystone Steel & Wire Co. 10

Lavallee & Ide, Inc. 65
Lebanon Steel Foundry 96
Lincoln Electric Co., The 173
Linde Air Products Co., A Division of Union Carbide & Carbon Corporation 25
Link-Belt Co. 13
Luria Brothers & Co., Inc. 169

Macleod Co., The 112
Mahon, R. C., Co., The 113
Manross, F. N., & Sons Co., Division of Associated Spring Corporation 117
Master Electric Co., The 75
Mesta Machine Co. 54
Metalmaster Division of Clinton Machine Co. 28
Midvale Co., The 20
Milwaukee Division of Associated Spring Corporation 117

National-Standard Co., Reynolds Wire Division 161
National Steel Corporation 58
New Jersey Zinc Co., The 61
Nilson, A. H., Machine Co., The 121
Nox-Rust Chemical Corporation 103

Ohio Crankshaft Co., The 2
Ohio Division of Associated Spring Corporation 117
Ohio Locomotive Crane Co., The 166
Ohio Seamless Tube Co., The 156
O'Neil-Irwin Mfg. Co. 16
Orban, Kurt, Co., Inc. 134
Osborn Manufacturing Co., The 3
Owen Bucket Co., The 166

Page Steel & Wire Division, American Chain & Cable 172
Pangborn Corporation 174
Pennsylvania Flexible Metallic Tubing Co., Inc. 163
Pittsburgh Gear Co. 124
Pittsburgh Rolls Division of Blaw-Knox Co. 105
Pittsburgh Steel Co., Thomas Strip Division 91
Platecoil Division, Tranter Manufacturing, Inc. 118
Potter & Johnston Co., Subsidiary of Pratt & Whitney Division Niles-Bement-Pond Co. 77

Raymond Manufacturing Co., Division of Associated Spring Corporation 117
Reliance Electric & Engineering Co. 5
Republic Steel Corporation 15
Reynolds Wire Division, National-Standard Co. 161
Roebling's, John A., Sons Corporation 101
Russell, Burdsall & Ward Bolt & Nut Co. 62
Rust Furnace Co. 93
Ryerson, Joseph T., & Son, Inc. 36

Seaboard Coil Spring Division of Associated Spring Corporation 117
Seaboard Steel Co. 171
Security Locknut Corporation 95
Sharon Steel Corporation 7
Simonds Saw & Steel Co. 83
Snyder Tool & Engineering Co. 8, 9
Sterling Wheelbarrow Co. 165
Sundstrand Machine Tool Co., American Broach & Machine Co. Division 133
Sun Oil Co. 66

Tennessee Products & Chemical Corporation 4
Thomas Strip Division, Pittsburgh Steel Co. 91
Timken Roller Bearing Co., The Back Cover
Towmotor Corporation 82
Tranter Manufacturing, Inc., Platecoil Division 118

Union Carbide & Carbon Corporation, Linde Air Products Co. 25
United States Steel Corp., Subsidiaries 114
United States Steel Supply Division, United States Steel Corporation 114
Upson-Walton Co., The 173

Wallingford Steel Co., The 152
Ward Steel Co. 167
Wean Equipment Corporation 18, 19
Wheland Co., The 167
Whitehead Stamping Co. 166
Whiting Corporation 11
Wickwire Spencer Steel Division of The Colorado Fuel & Iron Corporation 32
Willson Products, Inc. 104
Wilson, Lee, Engineering Co., Inc. Inside Back Cover
Wise, Henry H., Co. 164
Worthington Corporation 150

Yale & Towne Manufacturing Co., The 135
Yoder Co., The 24
Youngstown Foundry & Machine Co., The 159

Zeh & Hahnemann Co. 164

Table of Contents, Page 5

Classified Advertising, Pages 170, 171

LEE WILSON
Chairman of the Board

20th year of annealing development



Twenty years ago penicillin, jet planes, radar control and atom bombs were unheard of . . . the nation was in the grip of its most disastrous depression and the steel business was practically at a standstill . . . yet, this was the time Lee Wilson chose to introduce his radiant tube annealing furnace. Steelmakers agreed that here was a great advancement in annealing practice, and as business picked up and steel came alive these steelmen adopted the Lee Wilson system. Constantly working to improve annealing processes, Lee Wilson, a few years later, announced a high convection method for annealing steel and again steel leaders approved.

Today Wilson Furnaces can be found in every leading steel making center the world over . . . and the new Wilson Single Stack Portable Base Furnace is an important topic of conversation whenever annealing is discussed.

In the past twenty years there have been many earth-shaking developments in practically every field of endeavor. To people interested in producing better steel, faster, at lower costs, the constantly new annealing processes of Lee Wilson have been a great part of this advancement.

Lee Wilson Engineering Co., Inc.

Cleveland, Ohio

How TIMKEN® bearings help keep production costs low on a 4-high mill

FEWER time-outs for repair and maintenance mean lower production costs. That's why the work roll, feed reel, tension reel and pinions of this Mesta 4-high tandem cold reduction mill—now in operation at Allegheny Ludlum's West Leechburg plant—are mounted on Timken® tapered roller bearings.

Timken bearings' tapered construction takes all radial and thrust loads in *any* combination. Line contact between rollers and races gives Timken bearings extra load-carrying capacity.

The true rolling motion and extremely smooth surface finish of Timken bearings practically eliminate friction. Shafts and housings are held concentric, closures made more effective. Lubricant stays in—dirt and moisture stay out.

Years of research and development by the Timken Company have resulted in many improvements in roll neck bearing design and performance. For more information about Timken roller bearing applications, write The Timken Roller Bearing Company, Canton 6, Ohio. Cable address: "TIMROSCO".

This symbol on a product means its bearings are the best.

To insure long, trouble-free performance **MESTA MACHINE COMPANY** used Timken tapered roller bearings on the 4-high tandem cold reduction mill illustrated. Typical Timken roll neck application is shown in cutaway.





TIMKEN

TAPERED ROLLER BEARINGS



ROLL NECK BEARING ENGINEERING SERVICE

Our field and service engineers have had years of experience with problems of roll neck bearing design and operation. They'll help you select bearings and design mountings.

The Timken Roller Bearing Company is the acknowledged leader in: 1. advanced design; 2. precision manufacture; 3. rigid quality control; 4. special analysis Timken steels.

NOT JUST A BALL — NOT JUST A ROLLER — THE TIMKEN TAPERED ROLLER — BEARING TAKES RADIAL — AND THRUST — LOADS OR ANY COMBINATION

Guide for STAINLESS STEEL Buyers

SECTION

Growth in the use of stainless steel is increasing the volume of questions as to what mills produce what products. This guide, prepared by the editors of STEEL, is designed to help you locate sources of stainless by products, types and sizes. Included are 28,000 entries, covering 54 producers. For information on base prices of stainless steel, consult the market price section which appears each week in STEEL.

COPYRIGHT, 1953

Section Two

COMPILED BY THE EDITORS OF STEEL PENTON BUILDING • CLEVELAND 13

June 22, 1953

How To Use the Guide

THIS GUIDE shows sizes of finished forms of stainless steels produced by mills in the United States.

To use the guide, turn to the page carrying the product you are interested in. (The accompanying index will help you find the page.) You will notice each product is classified into sections bearing American Iron & Steel Institute type numbers (such as 301, 302, etc.). Three digit numbers beginning with "3" are the chromium-nickel steels; three digit numbers beginning with "4" are the straight chromium steels.

Under each type number the various sizes produced are listed in order, along with the city of production and a code indicating the producer. Key to the code is on p. 2.

Where the words "All Types" are used in lieu of specific type numbers, the mill produces stainless in all of the type numbers in which that product normally is made.

For information on base prices of stainless steel, see the market price pages in STEEL each week.

Further informative data, along with customary size classifications of stainless steel, follow:

SHEETS—They are a product less than 3/16 inch in thickness and 24 inches or over in width. This guide covers four kinds of finish. For coil stock, widths given are maximums. For cut lengths, either a maximum width or a range of width is given, along with maximum lengths. All widths and lengths of sheets are shown in inches in this guide.

PLATES—They are a product 3/16 inch or over in thickness and over 10 inches in width. Either a maximum width or a range of widths, along with maximum lengths, is given.

HOT-ROLLED STRIP—This product is less than 24 inches in width and over .095 inch in thickness. It is customary to sell this product only in coil stock.

COLD-ROLLED STRIP—This product's sizes are: Width of 3/16 inch to ¼ inch exclusive, in thicknesses of .016 inch and less. Width of ¼ inch to ⅜ inch exclusive, in thicknesses of .030 inch and less. Width of ⅜ inch to 24 inches exclusive, in thicknesses of less than .1875 inch.

COLD-ROLLED FLAT WIRE (Cut lengths)—This product's sizes are: Width of 1/16 inch to 3/32 inch exclusive, in thicknesses of .010 inch to .077 inch inclusive. Width of 3/32 inch to ⅛ inch exclusive, in thicknesses of .010 inch to .099 inch inclusive. Width of ¼ inch to 3/16 inch exclusive, in thicknesses of .010 inch to .125 inch inclusive. Width of 3/16 inch to ¼ inch exclusive, in thicknesses of .017 inch to .1875 inch exclusive. Width of ¼ inch to ⅜ inch exclusive, in thicknesses of .031 inch to .1875 inch exclusive.

BARS—They are a product 3/16 inch or more thick and 10 inches or less in width. Where range of thickness and widths is shown for flat bars it does not mean necessarily that the minimum thickness and maximum width can be obtained in one bar.

MECHANICAL TUBING—Minimum and maximum ODs are not necessarily available in the whole range of wall thicknesses listed. The minimum and maximum ODs are often dependent on wall thicknesses.

If you need special types or sizes of stainless steel, consult one or more of the producers listed in this guide.

Index to Products

BARS

Cold-Finished	Page
Flats	99-101
Half ovals	106
Half rounds	104
Hexagons	105
Octagons	104
Ovals (blunt)	105
Ovals (sharp)	105
Rounds	102-103
Rounds (centerless ground)	103
Rounds (turned)	104
Special sections	106
Squares	101
Squares (round cornered)	102
Hot-Rolled	
Flats	92-93
Half ovals	98
Half rounds	97
Hexagons	96-97
Octagons	98
Ovals (blunt)	98
Ovals (sharp)	98
Rounds	95-96
Special sections	98
Squares	93-94
Squares (round cornered)	94-95

PLATES

Cold-Rolled, Sheared	85-86
Hot-Rolled, Sheared	79-84
Hot-Rolled, Universal Mill	84

SHAPES—BAR SIZE

Angles	
Equal leg (fillet)	107
Equal leg (square root)	106
Unequal leg (fillet)	107
Channels	106

SHEETS

No. 1 Finish	
Coils	33-34
Cut lengths	34-44
No. 2B Finish	
Coils	57-60
Cut lengths	60-69
No. 2D Finish	
Coils	45-47
Cut lengths	48-57
No. 4 Finish	
Cut lengths	70-78

STRIP

Cold-Rolled	
Coils	86-89
Cut lengths	89-91
Hot-Rolled	
Coils	86

TUBING

Seamless Cold-Finished	
Rectangular	112
Round	108-111
Square	111-112
Seamless Hot-Finished	
Round	108
Welded Cold-Rolled	
Rectangular	117
Round	113-116
Square	116-117
Welded Hot-Rolled	
Round	117

WIRE

Flat	118
Round, Coarse	118
Round, Fine	118
Shape	118

Key to Producing Companies

AND HOME OFFICE ADDRESSES

A

A4 Allegheny Ludlum Steel Corp.
Oliver Bldg., Pittsburgh 22, Pa.

A5 Alloy Metal Wire Co. Inc.
Prospect Park, Pa.

A7 American Steel & Wire Division
U. S. Steel Corp.
Rockefeller Bldg., Cleveland 13, O.

A10 Armco Steel Corp., Middletown, O.

B

B1 Babcock & Wilcox Co. (The), Tubular Products Division, Beaver Falls, Pa.

B2 Bethlehem Steel Co., Bethlehem, Pa.

B15 J. Bishop & Co. Platinum Works
Malvern, Pa.

C

C4 Carpenter Steel Co. (The), Reading, Pa.; Alloy Tube Division, Union, N. J.; Webb Wire Division, 17 Liberty St., New Brunswick, N. J.

C8 Cold Metal Products Co. (The)
Youngstown 1, O.

C18 Crucible Steel Co. of America
P.O. Box 88, Pittsburgh 30, Pa.

C23 Charter Wire Products, Sterling, Ill.

C24 G. O. Carlson Inc., Thorndale, Pa.

D

D6 Driver-Harris Co., Harrison, N. J.

D8 Damascus Tube Co., Greenville, Pa.

D9 Wilbur B. Driver Co.
150 Riverside Ave., Newark 4, N. J.

E

E2 Eastern Stainless Steel Corp.
Baltimore 3, Md.

F

F2 Firth Sterling Inc.
3113 Forbes St., Pittsburgh 30, Pa.

F8 Ft. Wayne Metals Inc.
3211 MacArthur Dr., Ft. Wayne 6, Ind.

G

G3 Globe Steel Tubes Co., Milwaukee 46, Wis.

H

H7 Helical Tube Corp.
19 Washington St., East Orange, N. J.

I

I-4 Ingersoll Steel Div., Borg-Warner Corp.
310 S. Michigan Ave., Chicago 4, Ill.

I-6 Ellwood Ivins Steel Tube Works Inc.
Oak Lane Station, Philadelphia, Pa.

I-7 Indiana Steel & Wire Co., Muncie, Ind.

J

J3 Jessop Steel Co., Washington, Pa.

J4 Johnson Steel & Wire Co. Inc.
P.O. Box 1211, Worcester 1, Mass.

J6 Joslyn Mfg. & Supply Co.
3700 S. Morgan St., Chicago 9, Ill.

K

K7 Kenmore Metals Corp.
380 Ninth St., Jersey City 2, N. J.

M

M1 McLouth Steel Corp.
300 S. Livernois Ave., Detroit 17, Mich.

M14 McInnes Steel Co., Corry, Pa.

M16 Maryland Fine & Specialty Wire Co. Inc., Cockeysville, Md.

M17 Metal Forming Corp.
1937 Sterling Ave., Elkhart, Ind.

N

N1 National-Standard Co., Niles, Mich.

N3 National Tube Div., U. S. Steel Corp.
525 William Penn Place, Pittsburgh 30.

N8 Newman-Crosby Steel Co., Pawtucket, R.I.

P

P2 Pacific Tube Co., 5710 Smithway St.
Los Angeles 22, Calif.

P16 Page Steel & Wire Div., American Chain & Cable Co. Inc., Monessen, Pa.

P19 Pittsburgh Rolling Mills Inc.
Grant Bldg., Pittsburgh 19, Pa.

R

R2 Republic Steel Corp.
Alloy Steel Division, Massillon, O.;
Steel & Tubes Division
224 E. 131st St., Cleveland 8, O.

R7 Rotary Electric Steel Co.
Box 4606, Detroit 34, Mich.

S

S3 Sharon Steel Corp., Sharon, Pa.

S12 Spencer Wire Corp.
555 Lehigh Ave., Union, N. J.

S14 Standard Tube Co. (The)
24400 Plymouth Rd., Detroit 28, Mich.

S18 Superior Steel Corp.
Grant Bldg., Pittsburgh, Pa.

S21 Shenango Agaloy Tube Co.
Agaloy Division, Springfield, O.

S23 Superior Tube Co., Norristown, Pa.

S25 Stainless Welded Products Inc.
P.O. Box 406, Jersey City 2, N. J.

S26 Specialty Wire Co. Inc.
110 Grove St., Worcester 5, Mass.

T

T7 Timken Roller Bearing Co. (The)
Steel & Tube Division, Canton 6, O.

T11 Trent Tube Co., East Troy, Wis.

T13 Tube Methods Inc., Bridgeport, Pa.

U

U4 Universal-Cyclops Steel Corp.
Bridgeville, Pa.

U5 United States Steel Corp.
525 William Penn Place, Pittsburgh 30.

W

W2 Wallingford Steel Co. (The)
Wallingford, Conn.

W4 Washington Steel Corp., Washington, Pa.

NEED
- Stainless Steel?
- Metallurgical Data?
- Fabricating Information?

A USEFUL GUIDE TO BETTER RESULTS WITH U·S·S STAINLESS STEEL

	grade	characteristics	when or why used
austenitic	U.S.S. 18-8 Type 302	Excellent corrosion resistance.	General all-purpose grade for food, dairy, chemical, and architectural uses.
	U.S.S. 18-8 S Type 304	Carbon is limited to 0.08 maximum.	For applications similar to U.S.S. 18-8 Type 302, but offers superior corrosion resistance in weld-affected areas.
	U.S.S. 18-8 ELC Type 304	Carbon is limited to .03 maximum.	Applications for severe corrosion conditions in welded assemblies which cannot be subsequently annealed.
	U.S.S. 18-8 Ti Type 321 U.S.S. 18-8 Cb Type 347	Similar in general corrosion resistance to U.S.S. 18-8 and U.S.S. 18-8 S. Stabilizing additions immunize corrosion attack on heat-affected areas.	High temperature service, 800 F. to 1600 F. For severe corrosion conditions in welded assemblies which cannot be subsequently annealed.
	U.S.S. 18-8 Mo Type 316	Exceptional corrosion resistance, improved creep strength.	Severe corrosive conditions, particularly those involving pit-type corrosion.
	U.S.S. 18-8 FM Type 303	Galling and seizing reduced, machining greatly improved.	Gears, valves, bolts, screws, or other machined products.
	U.S.S. 25-12 Type 309	Exceptionally stress resistant at high temperature exposure.	In service where temperatures up to 1900 F. are encountered.
	U.S.S. 25-20 Type 310	Offers superior resistance to oxidation.	Applied where very high temperatures are involved.
ferritic	U.S.S. 17 Type 430	Good corrosion resistance.	Automotive and interior architectural trim, some specific chemical applications.
	U.S.S. 27 Type 446	Limited formability, generally not adapted to severe drawing. Excellent scaling resistance.	Principally used at high temperatures up to 2000 F. for static parts not subjected to high stress.
martensitic	U.S.S. 12 Type 410	Martensitic grade, strengthened by conventional heating and quenching.	Engaging mechanical parts, such as pump rods and valves.
	U.S.S. 12 Turbine Type 403	Composition basically same as U.S.S. 12.	Modified analysis suited for turbine blades and similar application.
	U.S.S. 12 AL Type 405	Composition basically same as U.S.S. 12.	Modified analysis for applications requiring field welding where air-hardening cannot be corrected by heat treatment.
	U.S.S. 12 FM Type 416	Added elements give extra machinability over U.S.S. 12.	Used for valve parts and other articles made on automatic machines.
	U.S.S. 5 Type 501	Welding hardens; annealing restores ductility.	Used in petroleum industries for strength, and resistance to corrosion and oxidation at moderately high temperatures.
	U.S.S. 5 S Type 502	Basically same as regular U.S.S. 5.	Modified analysis reduces tendency to weld-harden.

They are waiting for you at U. S. STEEL SUPPLY!

● We have 15 warehouses, located in the principal industrial centers, well stocked with all types of Stainless Steel. This means that very probably there is a U. S. Steel Supply warehouse close to you ready to answer your request for Stainless Steel, and for technical and fabricating information.

Our warehouse network not only means prompt delivery . . . it also means that, on those rare occasions when a particular warehouse may not have a special type of Stainless Steel you need, we can draw on the stocks of all our warehouses to supply you.

Contact your U. S. Steel Supply salesman for Stainless Steel and for information about its use.

SEND FOR A FREE COPY of Fabrication of U·S·S Stainless Steel, which contains information about all phases of Stainless Steel fabrication.

U. S. Steel Supply
208 So. La Salle St., Chicago 4, Ill.

Gentlemen:

Please send me a free copy of Fabrication of U.S.S Stainless Steel.

Name .....

Firm .....

Address .....

City ..... State .....

U.S. STEEL SUPPLY
DIVISION

General Office
208 So. La Salle St., Chicago 4, Ill.

USS

Warehouses and Offices Coast to Coast

UNITED STATES STEEL

3-1616

Advertisers in the Guide

Allegheny Ludlum Steel Corporation 146
Alter Co. 129
American Screw Co. 130
American Steel & Wire Division, United States Steel Corporation 157, 158, 159, 160
Anti-Corrosive Metal Products Co., Inc. 141
Arcos Corporation 136
Armco Steel Corporation 138
Astell, John B., & Co., Inc. 27

Babcock & Wilcox Co., The, Tubular Products Division 20
Bath, Cyril, Co., The 155
Borg-Warner Corporation, Ingersoll Steel Division 140

Carlson, G. O., Inc. 5
Carpenter Steel Co., The 22, 23
Carpenter Steel Co., The, Alloy Tube Division 24, 25
Chicago Steel Service Co. 144
Cincinnati Milling Machine Co., The 15
Cold Metal Products Co., The 134
Columbia-Geneva Steel Division, United States Steel Corporation 157, 158, 159, 160
Craft Manufacturing Co. 26
Crucible Steel Company of America 10, 11, 12, 13

Eastern Stainless Steel Corporation 8
Edgcomb Steel Co. 128
Electro Metallurgical Co., A Division of Union Carbide & Carbon Corporation 18, 19

General Electric Co. 147

Industrial Steels, Inc. 9
Ingersoll Steel Division, Borg-Warner Corporation 140

Jessop Steel Co. 16
Johnson Steel & Wire Co., Inc. 139

Kerns, L. R., Co. 17
Kirk & Blum Manufacturing Co., The 150
Klaff, H., & Co., Inc. 21

Lindberg Steel Treating Co. 133

McInnes Steel Co. 6
McLouth Steel Corporation 132

Macco Products Co. 135
Manufacturers & Fabricators, Inc. 131
Murray, A. B., Co., Inc. 142

National Tube Division, United States Steel Corporation 157, 158, 159, 160

Republic Steel Corporation 120, 121
Rotary Electric Steel Co. 137
Ryerson, Joseph T., & Son, Inc. 32

Sharon Steel Corporation 123, 124, 125, 126
Shenango Agoloy Tube Co. 148, 149
Standard Tube Co., The 145
Superior Steel Corporation 119

Teiner, Roland, Co., Inc. 14
Tennessee Coal & Iron Division, United States Steel Corporation 157, 158, 159, 160
Torrington Manufacturing Co., The 143
Trent Tube Co. 7

Ulbrich, Fred, & Sons 156
Union Carbide & Carbon Corporation, Electro Metallurgical Co. 18, 19
United States Pipe & Foundry Co., Special Products Division 28, 29
United States Steel Corporation, Subsidiaries 3, 157, 158, 159, 160
United States Steel Supply Division, United States Steel Corporation 3, 157, 158, 159, 160

Vanadium Corporation of America 30

Wallingford Steel Co., The 127
Ward Steel Co. 31
Washington Steel Corporation 151, 152, 153, 154
Worcester Pressed Steel Co. 122



When Carlson says
LARGE STAINLESS PLATE

IT IS LARGE PLATE

This type 304 Stainless Steel plate measures 203" x 168" x ½". It is to be pattern cut to customer specification. Accuracy in cutting plates of this (or any) size is the result of a unique Carlson combination . . . skilled employees and specialized equipment.

Produced to chemical industry standards of quality, this plate, weighing 5,180 lbs., is a typical example of the ability of G. O. Carlson, Inc. to meet your needs in a wide variety of stainless analyses.

Remember too, that Carlson can supply you as readily with stainless forgings, tank heads, sheets (No. 1 Finish), bars, rings, ring blanks, flanges, etc. in *any size*, large or small. Also sketch plates cut to your specifications. Many small orders can be filled right out of stock.

When it's Stainless, go to Carlson first!

Stainless Steels Exclusively

CARLSON, INC.

PLATES • FORGINGS • BARS • SHEETS (No. 1 Finish)

THORNDALE, PENNSYLVANIA

District Sales Offices in Principal Cities

MAIN OFFICE AND WORKS

G. O. CARLSON, INC.

Thorndale, Pennsylvania
Phone: Coatesville 2800

DISTRICT SALES OFFICES

BIRMINGHAM 3, ALA.
C. I. Crais Co.
C. I. Crais
529 American Life Bldg.
Phone: Birmingham 53-1032

BUFFALO 3, N. Y.
G. O. Carlson, Inc.
G. E. Schwanhausser
Market Arcade Bldg. (Room 221)
617 Main Street
Phone: Madison 7948

CHICAGO 51, ILL.
G. O. Carlson, Inc.
Kenneth C. Seibert
5903 West Chicago Ave.
Phone: Estebrook 9-0088

CINCINNATI 2, OHIO
G. O. Carlson, Inc.
Frank Chiles
205 East Sixth St.
Phone: Garfield 3629

CLEVELAND 15, OHIO
G. O. Carlson, Inc.
J. J. Moore
1900 Euclid Ave. (Room 225)
Phone: Superior 1-3414

DENVER 4, COLO.
D. W. Jones, Jr.
Manufacturers Representative
Goby Building (Room 103)
1321 Bannock St.
Phone: Keystone 4911

DETROIT 2, MICH.
J. A. Sargent
Manufacturers Service
805-6 New Center Bldg.
Phone: Trinity 2-5100

HOUSTON 19, TEXAS
G. O. Carlson, Inc.
J. G. McCain
3401 Buffalo Drive
P. O. Box 13134
Phone: Jackson 3191

LOS ANGELES 17, CALIF.
C. T. Hansen & Co.
J. T. Hansen
1250 Wilshire Blvd. (Suite 600)
Phone: Madison 6-2383

MILWAUKEE 8, WIS.
A. E. Rasmussen
Sales Representative
1348 North 37th St.
Phone: Division 2-2066

NEWARK 2, N. J.
G. O. Carlson, Inc.
Richard M. Conner
Raymond Commerce Bldg.
(Room 1020)
11 Commerce St.
Phone: Market 3-8094

PHILADELPHIA, PA.
G. O. Carlson, Inc.
Dudley D. Gallup
P. O. Box 190
Bala-Cynwyd, Pa.
Phone: Welsh Valley 4-9938

SALT LAKE CITY 1, UTAH
D. A. Jackson, Inc.
D. A. Jackson
140 West Second South
Phone: Salt Lake City 4-6595

TULSA 1, OKLA.
Robert Duenner & Co.
Robert H. Duenner
P. O. Box 1633
Phone: Tulsa 2-3645

Producers of the Following Types of

STAINLESS

302—303—304—316—321—347—410—416—420

FLATS • ROUNDS • SQUARES • HEXAGONS

	Thick	Wide	Long
BARS	¼"	¾"-4"	8 ft.
	⅜"	½"-6"	10 ft.
	½"	⅝"-6"	10 ft.
FLATS	⅝"-⅞"	¾"-10"	12 ft.
	1"-1¼"	1⅛"-10"	12 ft.
	1⅜"-1¾"	1½"-10"	16 ft.
	1⅞"-3"	2"-12"	16 ft.
	3⅛"-5"	3¼"-16"	16 ft.
ROUNDS	½"-12"	Max. Bar Wgt. 5000 lbs. Max. Bar Lgt. 20 ft.	
SQUARES	½"-12"		
HEXAGONS	½"-5"		

Ends Cold Sawed

Smooth forged, highly desirable for industrial and aeronautical production. Send for our stock and price list.

HAMMERED STEELS & FORGINGS • AIRCRAFT, ALLOY, BRAKE DIE, CARBON STEELS • FREE CUTTING, NITR-ALLOY, STAINLESS, FORGINGS • BARS & SHAPES

McInnes Steel Company

SINCE 1895

Mill: Corry, Pennsylvania

Offices in all Principal Cities



...solves toughest tubing problems

1
PRESSURE TUBING

2
SANITARY TUBING

3
AIRCRAFT TUBING

4
MECHANICAL TUBING

5
HEAT RESISTANT TUBING

6
ORNAMENTAL TUBING

From the scorching heat of jets and the processes of atomic energy to the delicate handling of pharmaceuticals and dairy products, TRENTWELD *welded* stainless steel tubing has proved its ability to outperform other types.

TRENTWELD tubing is produced by tube mill specialists from accurately rolled sheet and strip. The exclusive welding process employed provides an exceptionally sound weld – just as strong and corrosion resistant as the body of the tube itself. No filler rod is used, and even by casual observation the superiority of TRENTWELD is evident.

These advantages account for the popularity of TRENTWELD stainless tubing for many different applications . . . aircraft, beverage, chemical, dairy, food processing, pulp and paper, and household articles. For each of these uses and many others there are many grades, gauges and finishes of TRENTWELD. And TRENTWELD is available in a wide range of sizes from $\frac{1}{8}$" to 40" O.D. Write today, and let us help you solve your tubing problem.

TRENTWELD

STAINLESS STEEL TUBING

TRENT TUBE COMPANY, GENERAL SALES OFFICES, EAST TROY, WISCONSIN (Subsidiary of CRUCIBLE STEEL COMPANY OF AMERICA)

Baltimore* home of EASTERN STAINLESS STEEL Corporation



Manufacturers of Stainless Steel Sheet & Plate ...all types & finishes...for such consumers as:

ATOMIC ENERGY PLANTS
AIRCRAFT INDUSTRY
FOOD INDUSTRY
CHEMICAL INDUSTRY
PETROLEUM INDUSTRY
PULP & PAPER INDUSTRY
SHIPBUILDERS
RAILROADS
HOTELS
HOSPITALS
SCHOOLS & COLLEGES
OTHER INSTITUTIONS

Eastern Stainless Steel Corporation

BALTIMORE 3, MD.

*Our products are available direct from the mill in Baltimore, Maryland, or from our warehouses throughout the U.S.

ES

Anything in STAINLESS

delivered in a hurry from warehouse or mill

Complete stocks of
- SHEET
- PLATE
- BAR
- WIRE
- PIPE
- TUBING
- FITTINGS
- VALVES
- WELDING WIRE

Complete stocks of
- STAINLESS STEEL HARDWARE:
- BOLTS
- NUTS
- WASHERS
- SCREWS
- RIVETS & ALLIED ITEMS

We are strictly a stainless steel outfit, and handle everything from sheets to washers, and billets to nuts. We sell both mill and warehouse at mill price; there is no premium for warehouse shipments. To better acquaint our customers with the varieties of our stainless, we release five weekly stock lists: (1) the complete list; (2) cold heading wire stock list; (3) weaving wire stock list; (4) billet stock list; (5) welding wire stock list. These lists are prepared and mailed weekly for your convenience. They carry descriptions of items ready for immediate shipment from Cambridge stock. In addition to these stock lists, we have prepared a new comprehensive catalog, which you may have for the asking.

Because we wish to assure ourselves and our customers of the very highest quality stainless, we maintain complete laboratory facilities. Here we run physical tests, corrosion tests, chemical tests. Moreover, we are in a position to furnish stainless castings of both sand cast and centrifugal types.

At the bottom of this page we attach a coupon to guide your requests for information. You may check any or all of the boxes, and the material you select will be sent to you immediately. If you have any interest whatsoever in stainless, our stock lists and catalogs will prove to be of great value.

INDUSTRIAL STEELS, INC.

300 Bent Street, Cambridge 41, Mass.

Telephone EL iot 4-7650—18 Consecutive Lines — Teletype Cambridge 547

New York Office, 270 Madison Ave., New York 16, N. Y. — Telephone: MU rray Hill 5-4551

Subsidiary of Eastern Stainless Steel Corp.

Place check marks above the literature listed in the coupon, and we will do the rest. Keep up with the availability and prices of stainless. Fill out coupon and mail today.

Fill out coupon and mail today

INDUSTRIAL STEELS, INC., 300 BENT ST., CAMBRIDGE 41, MASS.

Gentlemen: Please send me, free, the material listed below:

☐ Weekly Stock List ☐ Cold Heading Wire ☐ Weaving Wire ☐ Billet ☐ Welding Wire ☐ Stainless Catalog

Name .....

Company .....

Address .....

City ..... State .....



Crucible Los Angeles Branch Warehouse

Crucible Indianapolis
Branch Warehouse

doorways to stainless steel . . .



Crucible Chicago Branch Warehouse





For convenient, dependable delivery of stainless steel the Crucible warehouse program offers steel buyers a real service. We carry large stocks of Crucible REZISTAL stainless steel in a wide range of grades, sizes and forms.

Our warehouses and distributors, conveniently located in principal cities from coast to coast, form a wide distribution system for stainless and hundreds of other special purpose steels. And we are steadily adding to our warehouse service through the construction and acquisition of new buildings and the modernization of present facilities.

Each Crucible warehouse is your doorway to *quality* stainless steel, too. Crucible REZISTAL stainless steel is produced in the most modern mills—constructed from the ground up exclusively for manufacturing stainless steel.

For ready access to quality stainless, call your nearest Crucible warehouse.

CRUCIBLE first name in special purpose steels

53 years of Fine steelmaking

WAREHOUSE SERVICE

CRUCIBLE STEEL COMPANY OF AMERICA, GENERAL SALES OFFICES, OLIVER BUILDING, PITTSBURGH, PA.

Branch Offices and Warehouses: ATLANTA • BALTIMORE • BOSTON • BUFFALO • CHARLOTTE • CHICAGO • CINCINNATI • CLEVELAND • DAYTON DENVER • DETROIT • HOUSTON • INDIANAPOLIS • LOS ANGELES • MILWAUKEE • NEWARK • NEW HAVEN • NEW YORK • PHILADELPHIA • PITTSBURGH PROVIDENCE • ROCKFORD • SAN FRANCISCO • SEATTLE • SPRINGFIELD, MASS. • ST. LOUIS • ST. PAUL • SYRACUSE • TORONTO, ONT. • WASHINGTON, D. C.

STAINLESS A *Specialty*



Crucible's Midland Works

AT CRUCIBLE



We treat stainless like a specialty steel. The same painstaking care required in melting and processing tool and other high-grade special purpose steels is taken in producing Crucible REZISTAL stainless steel.

But the real benefit to you is not just how we make stainless – important as that is. Rather it is the technical service we are prepared to render. Crucible pioneered in the development of stainless – designed and built a mill especially for stainless steel production. This background and the vast metallurgical experience we have gained in working out fabrication and application problems for all industries is at your service . . . to help you select the type that will give you the best performance at the lowest cost.

When you consider that stainless is a large group of steels, each with different strength and corrosion and heat resistant properties . . . and when you consider that the techniques for fabricating the more than 30 different grades of of stainless differ, you'll be glad to consult expert advice.

A Crucible field representative is your pipeline to our invaluable technical resources. Why not call in one today?

CRUCIBLE first name in special purpose steels

53 *years of* Fine *steelmaking*

STAINLESS STEEL

CRUCIBLE STEEL COMPANY OF AMERICA, GENERAL SALES OFFICES, OLIVER BUILDING, PITTSBURGH, PA.

STAINLESS • REX HIGH SPEED • TOOL • ALLOY • MACHINERY • SPECIAL PURPOSE STEELS

NEW SHAPES call for SPINFORMING and HYDROFORMING

SEMI-CONICAL

SEMI-SPHERICAL

CYLINDRICAL



THESE TWO BASIC FORMING METHODS PROVIDE COMPLEMENTARY FACILITIES FOR THE FULL RANGE OF THESE THREE FUNDAMENTAL SECTIONS — SPINFORMING IS MOST EFFECTIVE FROM SEMI-CONICAL TO SEMI-SPHERICAL AND CYLINDRICAL, — HYDROFORMING IS MOST EFFECTIVE FROM CYLINDRICAL TO SEMI-SPHERICAL AND SEMI-CONICAL.

ROLAND TEINER CO. INC. METAL SPINNING

HOW ROLAND TEINER FACILITIES CAN SERVE YOU

New techniques and engineering procedures are greatly enlarging the scope of industrial uses for spinforming and hydroforming, while the complementary nature of these facilities often permits tooling for one method to be used for quantity production by the other.

Fabricated items range from giant spinnings to thimbles; from deep drawn cylindrical pieces to one piece spout drawn pitchers and multi-shape formings, including parts from an increasingly wide range of gages, diameters and materials, as the expanding facilities at Roland Teiner continue to enlarge to better serve industry.

If you are redesigning for appearance, cost or function, or are developing new parts or products, find out about these new facilities early. Send drawings or specifications for quotations, or write for literature by title; "Spinning Principles of Economical Design", or "The Hydroform Operations Savings Table".

ROLAND TEINER COMPANY

INCORPORATED

SALES OFFICES Boston, Chicago, Cincinnati, Detroit, Kansas City, New York, Los Angeles — GENERAL OFFICES 134 Tremont Street, Everett 49, Massachusetts



WITH A BLANK OF STAINLESS STEEL...

GET THESE RESULTS BY

Hydroforming

DEEP DRAW IN 1 OPERATION

5½" High—4¼" Dia.
COVER OF .035"
TYPE 305 STAINLESS

Drawn to depth indicated with recessed top in 1 operation.

PRESERVE SURFACE FINISH

4" Sides
CORNER BALL OF 20 GA.
TYPE 302 STAINLESS

Pre-polished blanks coated with protective plastic were drawn to shape with plastic coating completely intact.

HOLD CLOSE TOLERANCES

1⅛" Dia.
DIAPHRAGM OF .010"
TYPE 304 STAINLESS

Two parts mate with an air-tight fit.

FORM INTRICATE SHAPES



6" Long—3" Tee section
MANIFOLD OF .040"
TYPE 347 STAINLESS

Short-run aircraft part formed using Kirksite punch in 1 operation.

3" Long—1½" Wide
CROSS-OVER DUCT OF .035"
TYPE 321 STAINLESS

Drawn with contoured flange in 1 operation.

3" High—8" Long
JET-ENGINE DUCT OF .032"
TYPE 321 STAINLESS

Shape with open ends, having intricate surface detail, formed in 1 operation with minimum springback.

With the tremendous power available, the cold drawing and forming of stainless steels present no problem to the Hydroform. With its unique drawing action and continuously controlled forming pressure, most parts are drawn in a single operation.

Tool costs are reduced 70% or more, as a male punch and a simple draw ring are the only tools required. Expensive die sets, with their attendant high maintenance costs, are eliminated. The cushioned action of the flexible die member forming the material to the punch reduces punch wear and minimizes the possibility of galling.

Contact your nearest Cincinnati Milling field engineer for complete details on Hydroforming. For a description of the five sizes of Hydroform machines, write for Bulletin M-1759-2.

CINCINNATI Hydroform **THE CINCINNATI MILLING MACHINE CO.**
CINCINNATI 9, OHIO, U.S.A.

for

Quick Delivery

and

Accurate Analysis

specify

JESSOP Stainless Steels

Jessop stainless is well known for its corrosion resistance, heat resistance and high strength. It is available in the following forms: Bars (hot rolled—cold drawn—centerless ground), billets, sheets, plates, strips, special shapes, rings, circles or castings. Jessop is also a leading source of stainless-clad plate, consisting of from 10 to 50 percent thickness of stainless backed up by mild steel. Where applicable this product offers great savings. Contact your nearest supply source or see the "yellow section" of your phone book for a Jessop representative in one of the cities shown here.

Birmingham, Alabama
Buffalo, New York
Chicago, Illinois
Cincinnati, Ohio
Cleveland, Ohio
Dayton, Ohio
Denver, Colorado
Detroit, Michigan
Hartford, Connecticut
Houston, Texas
Indianapolis, Indiana
Los Angeles, California
Miami, Florida
Milwaukee, Wisconsin
Montreal, Quebec, Canada
New York, New York
Philadelphia, Pennsylvania
Pittsburgh—Washington, Pennsylvania
St. Louis, Missouri
St. Paul, Minnesota
Toledo, Ohio
Toronto, Ontario, Canada
Tulsa, Oklahoma
Washington, D. C.

JESSOP

STEEL COMPANY · WASHINGTON, PENNSYLVANIA

Jessop products: High Speed Steels · High Speed Bits · Precision Ground Flat Stock · High Speed and Alloy Saw Steels · Hot Work Die Steels · Cold Work Die Steels · Carbon and Alloy Steels · Ground and Tempered Products · Stainless and Heat Resisting Steels · Stainless-Clad Steels · Cast-to-Shape Steels · Composite Tool Steels · Armor Plate

IF YOU WORK WITH STAINLESS

USE KERNS

"MOR-FILM"® COMPOUNDS

Depend on KERNS producur processing problems. experience for solving yotion-line and engineering

*

★ DRAWING ★ FORGING
★ EXTRUDING ★ MACHINING
★ STAMPING ★ GRINDING
★ SPINNING ★ POLISHING

KERNS can supply you with a properly engineered product for more parts with less scrap on YOUR Job. Contact our local representative for a *No-Charge* test.

**For toughest Draws try the famous "DRY-FILM"®*

L. R. KERNS COMPANY

2657 EAST 95TH STREET, CHICAGO 17, ILLINOIS. SAGINAW 1-6655

NEW ENGLAND	P.O. Box 102, Washington, R.I. Valley 1-6408
PHILADELPHIA-BALTIMORE	P.O. Box 433, Ocean City, New Jersey Ocean City 1064
PITTSBURGH, PENNSYLVANIA	1609 Investment Bldg. Grant 1-2294
CLEVELAND, OHIO	850 Euclid Avenue Main 1-4667
BIRMINGHAM, ALABAMA	1034 Brown-Marx Bldg. Birmingham 3-1966
DETROIT, MICHIGAN	6432 Cass Avenue Trinity 5-5300
MUSKEGON, MICHIGAN	301 Michigan Theater Bldg. Muskegon 2-2932
MUNCIE, INDIANA	1318 West Main Street Muncie 7893
MILWAUKEE, WISCONSIN	6126 West Burnham Street Mitchell 5-8998
ST. LOUIS, MISSOURI	1110 Brentwood Blvd. Delmar 3846
TRI-CITIES	Le Claire Hotel, Moline, Illinois Moline 4-4371
LOS ANGELES, CALIFORNIA	Arthur Supply Co. 5901 District Blvd. Kimball 5228
PALO ALTO, CALIFORNIA	Arthur Supply Co. 1547 Walnut Drive Davenport 5-7615



ELECTROMET'S "Simplex" FERROCHROME

REVOLUTIONARY DEVELOPMENT AIDS IN THE PRODUCTION OF STAINLESS STEEL

Pellets shown approximately 3/4 actual size.



1 EASY TO HANDLE

SIMPLEX pellets are usually shipped in bulk in container cars. Each container holds up to 10,000 lb. of material. As many as 12 containers, holding a total of 56 tons, can be shipped in one car. This makes it easy to handle large quantities of ferrochrome fast and economically, and prevents contamination.

The terms "Electromet" and "Simplex" are trademarks of Union Carbide and Carbon Corporation.

SIMPLEX ferrochrome is a new chromium alloy specially developed by Electro Metallurgical Company to simplify the production of stainless steel. The alloy is suitable for producing all grades of stainless steel and is specially adapted for the extra-low-carbon grades.

Outstanding advantages of SIMPLEX ferrochrome are its extremely low carbon content and surprisingly rapid solubility. These characteristics make it possible to reduce furnace time substantially, and to obtain a consistently high recovery of chromium together with a high metallic yield.

SIMPLEX ferrochrome is uniformly sized. It is produced in the form of pellets about the size and shape of a walnut. It contains about 65 per cent chromium and about 6 per cent silicon. The carbon specification is 0.025 per cent maximum. Maximum 0.010 per cent carbon can be furnished.

For additional information phone, wire, or write one of the ELECTROMET *offices. Ask for the* ELECTROMET *booklet entitled, "Melting Low-Carbon Stainless Steel." It shows the advantages that can be obtained in producing low-carbon stainless steel with* SIMPLEX *ferrochrome.*

ELECTRO METALLURGICAL COMPANY

A Division of
Union Carbide and Carbon Corporation
30 East 42nd Street UCC New York 17, N. Y.

Offices: Birmingham · Chicago · Cleveland · Detroit · Houston
Los Angeles · New York · Pittsburgh · San Francisco

In Canada: Electro Metallurgical Company of Canada, Limited, Welland, Ontario

P-30995

2 LOW CARBON CONTENT

Here is the new SIMPLEX ferrochrome ready for charging in the production of a heat of extra-low-carbon stainless steel. The carbon content of the pellets is so low that the addition of SIMPLEX ferrochrome will not increase the carbon content of the bath.

3 FAST SOLUBILITY

A charging machine dumps a loaded box of SIMPLEX ferrochrome in the bath. Because of the speedy solubility of the alloy in pellet form, as much as 15,000 lb. of SIMPLEX ferrochrome can be added to the furnace in one batch.



4 REDUCES FURNACE TIME

The alloy pellets dissolve in the bath more readily than does conventional lump ferrochrome. As much as 45,000 lb. of SIMPLEX pellets can be dissolved in slightly more than one hour. This means reduced furnace time.



5 HIGH METALLIC YIELD

The metallic yield averages about 90 per cent when SIMPLEX ferrochrome is used, since the alloy contains enough silicon to reduce metallic oxides in the slag back into the bath. Overall chromium recoveries of 90 to 95 per cent are obtained regularly.

take a closer look at

Stainless STEEL PIPE SIZE Schedules

Don't be "penny wise and pound foolish" where stainless steel piping is concerned. The most economical choice does not always imply the least initial cost as working pressure, methods of joining, installation costs and allowance for loss by corrosion are critical factors. This is particularly true where costs resulting from failures in service—replacement of equipment and lost production due to down time—may exceed the initial cost of the piping.



CORROSION RESISTANCE

For long service life it is advisable to allow for some loss in wall thickness where stainless piping is employed to combat severe corrosion. As shown in Figure A even a small loss means an appreciable percentage loss of wall thickness in the lighter weight schedules.

WORKING PRESSURES

As shown in Figure B, the heavier pipe schedules permit higher working pressures, thus perhaps permitting the use of smaller diameter piping, or offering greater flexibility for subsequent changes in operational procedures.

COSTS

Although the lighter schedules cost less, as shown in Figure C, you actually get more for your money with the heavier schedules because the ratio of increase in cost is less than the ratio of increase of wall thickness (Figure D).

1" IPS



Methods of Joining & Installation Costs

From the standpoints of economy and ease of installation, it is extremely important that attention be given to methods of joining, fittings, etc. because:

1. Schedule 40 IPS is the lightest weight pipe specifically designed for threading.
2. Fittings which provide a good thread and also afford structural strength at the joint are not commercially available for lighter weight pipe.
3. Field welding of thin wall pipe is difficult.
4. Misalignment of connections can cause high installation costs.

While various types of fittings are available for the lighter weight pipe schedules, they should be examined carefully as to initial cost, installation cost, working pressure permitted and ease of adaptation to existing lines.

Whatever your stainless piping problems, Mr. Tubes—your B&W Tube representative—can provide valuable assistance. Consult him for advice on the stainless piping or tubing that will afford optimum cost-life ratio under your service conditions.

TA-1709(G)

B&W SEAMLESS and WELDED TUBES

THE BABCOCK & WILCOX COMPANY
TUBULAR PRODUCTS DIVISION
Beaver Falls, Pa.—Seamless Tubing; Welded Stainless Steel Tubing
Alliance, Ohio—Welded Carbon Steel Tubing

your best connection

for Stainless Scrap



H. KLAFF & CO., INC.

Ostend & Paca Sts., Baltimore 30, Md. . . . LExington 6721

Brokers, Converters and Dealers . . . 51 Years of Service!

BUYERS OF STAINLESS SCRAP, STRAIGHT CHROMES, NICHROME, PURE NICKEL, NICKEL ALLOYS & INCONEL

FACTS

...About a Straight Chrome Stainless Steel That Shows Unusual Promise for Your Applications...

If your products or components call for the properties of a stainless steel, here is a stainless that shows unusual promise for many applications. And this steel (Carpenter No. 3, Type 443) is particularly important today for jobs requiring an improved straight chrome stainless to replace the 18-8's restricted by Government Regulations. Carpenter Stainless No. 3 gives you *excellent corrosion resistance, high resistance to scaling,* and a *low annealing temperature (500°F lower than type 304).* Moreover, No. 3 provides machinability comparable to SAE 3145, 3250 or 4650. For more information on No. 3—its mechanical properties, relative workability, corrosion resistance, recommended uses, etc. . . . drop us a line on your Company letterhead for the new descriptive folder on Carpenter No. 3.

Typical user reports on Carpenter Stainless No. 3

This rod end bearing for military aircraft must have heat resistance, ability to resist salt corrosion, good machinability and good cold forging qualities. *Carpenter No. 3* has met all these requirements and is giving an excellent account of itself both as to corrosion and heat resistance at operating temperatures up to 1000°F. Moreover, No. 3 is not subject to intergranular corrosion at this temperature.

These jaw inserts for tenter clips grip and stretch nylon cloth as it rolls through finishing stages. Inserts must be spotless and must resist corrosive action of the dyes because a slight surface defect could break the threads. In addition to good corrosion resistance, *No. 3* gave the inserts high wear resistance for long service—including resistance to abrasion from talc and china clay used in other textiles processed.

A word about availability...

Carpenter Stainless No. 3 (Type 443) is available from Reading Warehouse Stocks, hot rolled annealed in sizes $\frac{3}{8}$" to $2\frac{3}{4}$" round. Other standard bar sizes and finishes, also cold rolled strip, are manufactured to order in minimum quantities of 500 pounds per size. Mill shipments are currently 60 to 120 days from receipt of order and neither priorities nor allotments are required.

CARPENTER SPECIALTY STEELS

CARPENTER MATCHED TOOL & DIE STEELS, STAINLESS STEELS, PLASTIC MOLD STEELS, INDUSTRIAL & ELECTRICAL ALLOY STEELS, HIGH SPEED TOOL BITS, TOOL STEEL DRILL RODS & STAINLESS TUBING & FINE WIRE

THE CARPENTER STEEL CO., 139 W. Bern St., Reading, Pa.
Export Department: The Carpenter Steel Co., Port Washington, N. Y.—"CARSTEELCO"

Carpenter **Stainless Steel**

pioneers in improved specialty steels

Call your nearest Carpenter Mill-Branch Warehouse, Office or Distributor

The Company faced with cold forming this thread rolled depressed head machine screw said, "We just *wouldn't* attempt to make it from any standard grade of 18-8!"

When this Company was asked to produce a second lot of these sheet metal screws from a regular 18-8, here was the reply: "Impossible —there's too much punch breakage!"

What would *you* do

if you had to
mass produce
these fasteners
from 18-8 stainless
...without "losing your shirt"?

Both jobs were produced economically from a totally NEW chrome-nickel stainless!

Both companies successfully turned out these jobs with new Carpenter Stainless No. 10—the first chrome-nickel Stainless to permit economical, mass production of severely cold headed and upset fasteners and other parts. Carpenter No. 10 work-hardens far slower than any of the conventional 18-8 grades. That's the secret of its success. That is why it is ideal for cold headed bolts, screws, and upset nuts made on automatic machines. In fact, it is suited for any job involving heading, extrusion, severe coining and swaging. And the corrosion resistance of No. 10 is slightly better than Types 302, 304 and 305.

Of course, because of its high nickel content, Carpenter No. 10 is subject to present government regulations, and its supply is limited. Yet, we always like to keep you informed about the possibilities of a product like this. Upon request, we will be glad to give you more information about No. 10—its corrosion resistance, cold workability, machinability . . . as well as its usefulness for parts that must remain non-magnetic after severe cold working. So drop us a line on your Company letterhead, now . . . or any time. THE CARPENTER STEEL COMPANY, 139 W. BERN ST., READING, PA.

Export Department: The Carpenter Steel Co., Port Washington, N. Y.—"CARSTEELCO"



Comparison of various Stainless Steels showing increase of tensile strength with percentage of cold reduction.

more than corrosion resistance

Carpenter STEEL

Stainless No. 10

takes the problems out of production

Pioneering in Improved Tool, Alloy and Stainless Steels Through Continuing Research

Here's why it pays to insist upon *Carpenter* Stainless Tubing



From 50% rejects to 1%!

For this tough flaring job *two* brands of Stainless Tubing were tried with 50% rejects. Then they switched to Carpenter *and rejects dropped to less than 1%.*

Easier fabrication and a better product!

After testing tube from several sources, the manufacturer of these condensers found that Carpenter's quality control at the mill gave him easier bending and a better finished job.

15% to 20% saving!

These thermostat sleeves and bulbs require precision fabrication. After changing to Carpenter Stainless Tubing they gained *a 15% to 20% saving in the cost of producing each unit.*

10c saved per piece!

The fabricator of this refinery equipment needed a ductile Stainless Tubing that would "take" the severe fabrication. *Since changing to Carpenter, he figures a saving of about 10c apiece.*

40% rejects before—now, 1%!

Before changing to Carpenter, fabricating rejects ran 40%. Now the collapsible handle of this uranium detector is produced—at a reject rate of only 1%.



Coil life doubled!

In a brick-lined hydrolysis tank, lead coils had been used for years. *Then they found that coil life could be doubled with Carpenter Stainless No. 20.*

These are not unusual or "special" jobs . . . just a few of the many hundred examples in our files of how products have been improved, fabricating problems simplified, and production costs cut by switching to Carpenter Stainless Tubing. They all point up this one significant fact: *All stainless tubing is not the same.*

Whenever any kind of equipment or fabricated part calls for something "extra" . . . in working properties, corrosion resistance, tolerances, finish . . . users of stainless tubing and pipe in a wide variety of industries have learned from experience that they can always count on Carpenter quality and Carpenter technical assistance to meet the challenge.

To prove to *your* own satisfaction that there really is a difference in stainless tubing, place your next order with your nearest Carpenter Distributor. You'll discover, as have hundreds of other users, that there is no such thing as "equal" when it comes to Carpenter all-around service satisfaction.

THE CARPENTER STEEL COMPANY, Alloy Tube Division, Union, New Jersey

Export Department: The Carpenter Steel Co., Port Washington, N. Y.—"CARSTEELCO"



Rejects because of breakage amounted to 20% of each run. Changing to Carpenter Stainless Tubing, *rejects were completely eliminated.*



After making comparative tests, the maker of these bottle-filling units specified Carpenter Stainless Tubing *and saved 8c to 10c per unit.*

Here's where you'll get prompt, helpful, reliable service on Stainless Tubing requirements

"One call does it all" when you call on your nearest Carpenter Stainless Tubing Distributor. You can count on him for the right answers to any problems of design and fabrication . . . of selecting proper analyses and sizes . . . of corrosion resistance . . . of production techniques. Whatever your problem, you'll get the benefit of over 25 years' experience in making and applying stainless tubing and pipe. You can count on him to supply you with a wealth of helpful technical data that will save you time and trouble in selecting, ordering and fabricating your stainless tubing.

You can count on your Carpenter Distributor to give you time-saving delivery on your stainless tubing or pipe requirements. If he can't immediately supply your exact needs from the many analyses and sizes in his large warehouse stock, he'll get you a positive delivery date . . . or even suggest a suitable alternate type or size. Because Carpenter Distributors are located in principal cities from coast to coast, you can get the kind of service you want, when you need it most. So make one call do it all next time you need stainless tubing—call your Carpenter Distributor.

Distributors of Carpenter Stainless Tubing and Pipe

ATLANTA, GEORGIA
J. M. Tull Metal & Supply Co., Inc.

BALTIMORE, MARYLAND
Horace T. Potts Company

BEAUMONT, TEXAS
Standard Brass & Mfg. Co.

BUFFALO, NEW YORK
Service Steel Division
Van Pelt Corporation

CAMBRIDGE, MASSACHUSETTS
Brown-Wales Company

CHARLESTON, WEST VIRGINIA
McJunkin Corporation

CHICAGO, ILLINOIS
C. A. Roberts Company

CINCINNATI, OHIO
Service Steel Division
Van Pelt Corporation

CLEVELAND, OHIO
The Cleveland Tool & Supply Co.

DETROIT, MICHIGAN
Service Steel Division
Van Pelt Corporation

ELIZABETH, NEW JERSEY
Schnitzer Alloy Products Co.

HARTFORD, CONNECTICUT
Peter A. Frasse & Co., Inc.

HOUSTON, TEXAS
Standard Brass & Mfg. Co.

INDIANAPOLIS, INDIANA
C. A. Roberts Company

KINGSPORT, TENNESSEE
Slip-Not Belting Corp.

LOS ANGELES, CALIFORNIA
Electric Steel Foundry Co.

McKEESPORT, PENNSYLVANIA
A. B. Murray Co., Inc.

MILWAUKEE, WISCONSIN
C. A. Roberts Company

NEW ORLEANS, LOUISIANA
Standard Brass & Mfg. Co.

NEW YORK, NEW YORK
Peter A. Frasse & Co., Inc.

PHILADELPHIA, PENNSYLVANIA
Horace T. Potts Company

PORTLAND, OREGON
Electric Steel Foundry Co.

ROCKFORD, ILLINOIS
C. A. Roberts Company

ST. LOUIS, MISSOURI
C. A. Roberts Company

ST. PAUL, MINNESOTA
C. A. Roberts Company

SAN FRANCISCO, CALIFORNIA
Electric Steel Foundry Co.

SEATTLE, WASHINGTON
Electric Steel Foundry Co.

SHREVEPORT, LOUISIANA
Standard Brass & Mfg. Co.

SPOKANE, WASHINGTON
Electric Steel Foundry Co.

TULSA, OKLAHOMA
C. A. Roberts Company

YORK, PENNSYLVANIA
Horace T. Potts Company

Carpenter

STAINLESS TUBING & PIPE

Analysis · Tolerance · Finish

- guaranteed on every shipment

DEEP DRAWINGS
by Craft

Huge presses in Craft's modern fully equipped plant enable us to handle the most difficult deep drawing problems in stainless, as well as hot and cold rolled steel—on time and at sensible savings.

We specialize in large and small drawings in one piece in any shape, any size, in any metal. CONSULT us on your specific deep drawing problems or any other problems you may have in metal fabrication. Send us your "specs" today for prompt quotation!

CONTRACT MANUFACTURING FACILITIES IN:

STAMPING • SHEET METAL WORK • SPINNING • ANNEALING • PICKLING • WELDING • DEEP DRAWING

Craft MANUFACTURING CO.
3949 W. Schubert Ave. • Chicago 47, Ill.

Pioneers in Stainless

JOHN B. ASTELL & CO., INC.

GENERAL OFFICES 90 West Broadway, New York 7, N.Y., COrtlandt 7-7544

WAREHOUSE 1107-15 Tonnele Ave., North Bergen, N.J., UNion 3-7425

Distributors of

STAINLESS STEEL

Pipe
Tubing
Welding Fittings
Flanges
Screwed Fittings
Flanged Fittings
Valves
Sanitary Tubing
Sanitary Valves, Fittings
Ermeto Tube Fittings
SA-315 1% Chrome ½ Moly

CARBON STEEL

Boiler Tubes for all types of boilers
Condenser Tubes
Heat Exchanger Tubes
Mechanical Tubes
Pressure Tube Pipe Sizes

WELDING FITTINGS

Flanges
ThredOlets
WeldOlets

Remember **ASTELL HAS IT IN STOCK**

stainless steel



UNITED STATES PIPE & FOUNDRY CO.

Special Products Division

SPECIAL PRODUCTS DIVISION USP

BURLINGTON, NEW JERSEY

AMERICA'S LARGEST PRODUCER OF CENTRIFUGALLY CAST FERROUS METAL PRODUCTS IN TUBULAR FORM

centrifugally cast

METAL MOLD CENTRIFUGAL CASTING SPELLS ECONOMY AND EFFICIENCY FOR WIDENING GROUP OF STAINLESS STEEL PRODUCTS



Finish machined Armco 17-4 P H Stainless Steel valve plunger with welded plate and port for the paper industry.



Type 303 Stainless Steel stock from which rings and sleeves are fabricated for many industrial and defense applications.

Rough machined Type 316 Stainless Steel bowl casting for the food and processing industries.

Pictured here are a few of the many stainless steel products now included in the rapidly increasing family of products centrifugally cast for industry by our metal mold process.

This method offers many specific advantages. For one, centrifugally cast stainless steel cylindrical sections, formed by pouring molten metal into rapidly spinning, refractory-coated permanent metal molds represent the ultimate in casting quality, imparting a fine, dense grain structure, unusually free from conventional casting defects.

You may find that your stainless steel product can be cast more advantageously by this versatile process. Our engineers will be glad to answer any of your questions.

SIZE RANGE AND COMPOSITION FLEXIBILITY

Outside Diameter—4" to 30"

Wall Thickness—$\frac{1}{8}$" and up

Length—Up to 14' in the "as-cast" condition

Types of Stainless Cast—All standard AISI and ACI grades of ferritic and austenitic stainless, plus "Special" types

---

CHECK THESE ADVANTAGES FOR YOUR CYLINDRICALLY-SHAPED PRODUCTS:

- Reduced Processing Time and Increased Production.
- Minimum Scrap Loss.
- Design of parts to suit the specific job requirement by selecting the correct alloy—not the next best available alternate.
- Conservation of critical metals and alloys—especially on tubular parts now produced from solid sections.



The latest processing and production equipment for the food, chemical and petroleum industries is made of stainless steel. Practically unaffected by the corrosive action to which it is constantly subjected, this new equipment helps keep production costs down, greatly facilitates quality control.

Automotive applications for stainless steels become more numerous with each year's new-model cars and trucks. Today they include such diverse items as exhaust valves and door handles, water pump shafts and radiator grilles, decorative trim and truck bodies.



Lighter, more durable railroad cars are made possible by structural members and side paneling of strong, corrosion-resistant stainless steel. In both freight and passenger service, these cars are cutting railroad operating and maintenance costs, increasing the speed, safety and comfort of rail travel.

Why so many are saying...

MAKE IT STAINLESS

Manufacturers of everything from can openers and hub caps to railroad cars and jet engines are now saying, more and more frequently, "*make it stainless.*"

Virtually indestructible by corrosive action, stainless steels defy the effects of air, water, foods, fumes and chemicals. They can be machined, formed and fabricated; their surfaces can be polished satin-smooth or mirror-bright. There are grades of stainless available to meet a wide range of mechanical and heat-resistant requirements.

Stainless steels are cutting production costs, improving product performance and appearance, increasing customer acceptance in an ever-growing number of applications. For complete information in regard to your own application, contact your supplier.

The finest stainless steels are made with Vancoram ferrochromium, ferrochrome-silicon and ferro titanium.

Architectural components of stainless steel range from screws, nails and decorative trim to roofing, curtain walls and theater marquees. Strong and corrosion resistant, they cut construction and maintenance costs, yet increase beauty and efficiency, in all types of modern buildings.

VANADIUM CORPORATION OF AMERICA

420 Lexington Avenue, New York 17, N. Y.

DETROIT • CHICAGO • PITTSBURGH • CLEVELAND

Producers of alloys, metals and chemicals — VANCORAM BRAND — Mines and mills on three continents

WAREHOUSE STOCK

They RETURN and RETURN and RETURN to WARD for SPRING STEEL

•

TEMPERED and UNTEMPERED SPRING STEEL with WARD is not an added side-line to reduce over-head, rather it is a major commodity requiring a separate organization with personnel having seven to over thirty years experience on SPRING STEEL exclusively. This means you can be sure of INTELLIGENT SERVICE.

We carry more sizes of BLUE TEMPERED SPRING STEEL than any other warehouse and we ship promptly.

We do not stock HOT ROLLED SPRING STEEL BARS or HOT ROLLED SPRING STEEL SHEETS.

•

WARD STEEL CO.

87A Rindge Avenue Extension • Cambridge 10, Mass.

Telephone:—SOuth Boston 8-1264

Branches

7 Fenner St., Providence, R. I., GAspee 1-5573, 1-8573

3042-3058 West 51st Street, Chicago, Illinois, GRovehill 6-2600

Sales Agent: THE MILLER STEEL COMPANY, INC.

40-50A Montgomery Street, Hillside 5, New Jersey

Hillside Phone: WAverly 3-8000—New York Phone: BArclay 7-2056

Stainless steel... largest stocks

MOST EVERY KIND, SHAPE AND SIZE including fittings and fastenings

Save time by checking your nearby Ryerson plant for stainless steel, whether your needs are measured in pounds for maintenance jobs—or in tons for full scale production.

You can depend on Ryerson for quick delivery of stainless, straight chrome or nickel-bearing types in practically all shapes, sizes and finishes.

The pioneer distributor of stainless steel, Ryerson has a background of more than 25 years of practical experience on which you can draw, and stainless from Ryerson means time-tested Allegheny stainless of uniform high quality.

Call, write or wire your nearby Ryerson plant for complete stainless steel service. And as you know, we also carry large and complete stocks of carbon, alloy and tool steels so a single order to Ryerson can cover all your steel requirements.

PRINCIPAL PRODUCTS: CARBON, ALLOY & STAINLESS STEELS—BARS, STRUCTURALS, PLATES, SHEETS, TUBING, MACHINERY & TOOLS, ETC.

RYERSON STEEL

JOSEPH T. RYERSON & SON, INC. PLANTS AT: NEW YORK • BOSTON • PHILADELPHIA • CINCINNATI CLEVELAND • DETROIT • PITTSBURGH • BUFFALO • CHICAGO • MILWAUKEE • ST. LOUIS LOS ANGELES • SAN FRANCISCO • SPOKANE • SEATTLE

STAINLESS IN STOCK

STAINLESS SHEETS

Types: 302, 304, 309, 316, 321, 405, 410, 430

Finishes: #2B and #4

Gauges: 10 ga. to 28 ga.

STAINLESS PLATES

Types: 302, 304, 309, 310, 316, 321, 410, 430

Conditions: Hot Rolled, Annealed and Pickled

Sizes: 3/16" to 2" thick

STAINLESS BARS

Types: 302, 303-C, 303-S, 304, 309, 316, 321, 416, 430-F, 440-C

Shapes: Rounds, Squares, Hexagons, Flats, Angles

Conditions: Cold Drawn, Centerless Ground, Rough Turned, Hot Rolled—All Annealed

Sizes: Rounds—3/32" to 6"; Squares—3/16" to 2" Hexagons—3/16" to 2 1/2"; Flats—1/8" x 1/2" to 1" x 6"; Angles—3/4" x 3/4" x 1/8" to 3" x 3" x 1/4"

STAINLESS PIPE—Seamless & Welded

Types: 304, 316

Schedules; 5—Light Wall; 10—Light Wall; 40—Standard; 80—Extra Heavy

Conditions: Cold Drawn, Annealed and Pickled

Sizes: 1/8" to 8" I.P.S.

STAINLESS TUBING—Seamless & Welded

Types: 304, 316

Conditions: Cold Drawn, Annealed and Pickled

Sizes: Outside diameters 1/8" to 8 5/8"

Wide range of wall thicknesses

Also in stock: Stainless Screwed Fittings, Quikupl Fittings, Stainless Welding Fittings, Cooper Stainless Valves and a complete line of Stainless Fastenings

AIRCRAFT QUALITY STAINLESS

STAINLESS SHEETS, STRIP

Specifications: AMS 5521, MIL-S-5059, MIL-S-6721

Types: 301, 302, 304, 310, 321

Sizes: .010" to .125" thick

Finishes: #2B and #2D

STAINLESS PLATES

Specifications: MIL-S-6721

Types: 321

Sizes: 3/16" to 1/2" thick

Conditions: Hot Rolled, Annealed and Pickled

STAINLESS BARS

Specifications: AMS 5610, AMS 5640, AMS 5645, MIL-S-7720, QQ-S-763a

Types: 303, 321, 416

Conditions: Cold Drawn, Centerless Ground, Rough Turned—All Annealed

Sizes: Rounds—3/32" to 6"; Squares—3/16" to 2"; Hexagons—3/16" to 2 1/2"

Other stainless products, types and sizes furnished promptly from mill.

(Code number following mill point indicates producing company, key on page 2)

No. 1 Finish (hot-rolled) Coil Stock

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
Type 301		
8	48	Gary, Ind. U5
9	48	Gary, Ind. U5
10	48	Gary, Ind. U5
11	48	Gary, Ind. U5
12	48	Gary, Ind. U5
13	48	Gary, Ind. U5
14	48	Gary, Ind. U5
15	48	Gary, Ind. U5
16	48	Gary, Ind. U5
17	48	Gary, Ind. U5
18	48	Gary, Ind. U5
19	48	Gary, Ind. U5
20	48	Gary, Ind. U5
21	48	Gary, Ind. U5
22	48	Gary, Ind. U5
23	48	Gary, Ind. U5
24	48	Gary, Ind. U5
25	48	Gary, Ind. U5
26	48	Gary, Ind. U5
Type 302		
8	48	Gary, Ind. U5
8	48	Midland, Pa. C18
9	48	Gary, Ind. U5
9	48	Midland, Pa. C18
10	48	Gary, Ind. U5
10	48	Midland, Pa. C18
11	48	Gary, Ind. U5
11	48	Midland, Pa. C18
12	48	Gary, Ind. U5
12	48	Midland, Pa. C18
13	48	Gary, Ind. U5
13	48	Midland, Pa. C18
14	48	Gary, Ind. U5
14	48	Midland, Pa. C18
15	48	Gary, Ind. U5
15	48	Midland, Pa. C18
16	48	Gary, Ind. U5
16	48	Midland, Pa. C18
17	48	Gary, Ind. U5
17	48	Midland, Pa. C18
18	48	Gary, Ind. U5
18	48	Midland, Pa. C18
19	48	Gary, Ind. U5
19	48	Midland, Pa. C18
20	48	Gary, Ind. U5
20	48	Midland, Pa. C18
21	48	Gary, Ind. U5
21	48	Midland, Pa. C18
22	48	Gary, Ind. U5
22	48	Midland, Pa. C18
23	48	Gary, Ind. U5
23	48	Midland, Pa. C18
24	48	Gary, Ind. U5
24	48	Midland, Pa. C18
25	48	Gary, Ind. U5
25	48	Midland, Pa. C18
26	48	Gary, Ind. U5
Type 304		
8	48	Gary, Ind. U5
8	48	Midland, Pa. C18
8	48	Gary, Ind. U5
9	48	Midland, Pa. C18
9	48	Gary, Ind. U5
10	48	Midland, Pa. C18
10	48	Gary, Ind. U5
11	48	Midland, Pa. C18
11	48	Gary, Ind. U5
12	48	Midland, Pa. C18
12	48	Gary, Ind. U5
13	48	Midland, Pa. C18
13	48	Gary, Ind. U5
14	48	Midland, Pa. C18
14	48	Gary, Ind. U5
15	48	Midland, Pa. C18
15	48	Gary, Ind. U5
16	48	Midland, Pa. C18
16	48	Gary, Ind. U5
17	48	Midland, Pa. C18
17	48	Gary, Ind. U5
18	48	Midland, Pa. C18
18	48	Gary, Ind. U5
19	48	Midland, Pa. C18
19	48	Gary, Ind. U5
20	48	Midland, Pa. C18
20	48	Gary, Ind. U5
21	48	Midland, Pa. C18
21	48	Gary, Ind. U5
22	48	Midland, Pa. C18
22	48	Gary, Ind. U5
23	48	Midland, Pa. C18
23	48	Gary, Ind. U5
24	48	Midland, Pa. C18
24	48	Gary, Ind. U5
25	48	Midland, Pa. C18
25	48	Gary, Ind. U5
26	48	Gary, Ind. U5
Type 305		
8	36	Midland, Pa. C18
8	48	Gary, Ind. U5
9	36	Midland, Pa. C18
9	48	Gary, Ind. U5
10	36	Midland, Pa. C18
10	48	Gary, Ind. U5
11	36	Midland, Pa. C18
11	48	Gary, Ind. U5
12	36	Midland, Pa. C18
12	48	Gary, Ind. U5
13	36	Midland, Pa. C18
13	48	Gary, Ind. U5
14	36	Midland, Pa. C18
14	48	Gary, Ind. U5
15	36	Midland, Pa. C18
15	48	Gary, Ind. U5
16	36	Midland, Pa. C18
16	48	Gary, Ind. U5
17	36	Midland, Pa. C18
17	48	Gary, Ind. U5
18	36	Midland, Pa. C18
18	48	Gary, Ind. U5
19	36	Midland, Pa. C18
19	48	Gary, Ind. U5
20	36	Midland, Pa. C18
20	48	Gary, Ind. U5
21	36	Midland, Pa. C18
21	48	Gary, Ind. U5
22	36	Midland, Pa. C18
22	48	Gary, Ind. U5
23	36	Midland, Pa. C18
23	48	Gary, Ind. U5
24	36	Midland, Pa. C18
24	48	Gary, Ind. U5
25	36	Midland, Pa. C18
25	48	Gary, Ind. U5
26	36	Midland, Pa. C18
26	48	Gary, Ind. U5
Type 308		
8	36	Gary, Ind. U5
9	36	Gary, Ind. U5
10	36	Gary, Ind. U5
11	36	Gary, Ind. U5
12	36	Gary, Ind. U5
13	36	Gary, Ind. U5
14	36	Gary, Ind. U5
15	36	Gary, Ind. U5
16	36	Gary, Ind. U5
17	36	Gary, Ind. U5
18	36	Gary, Ind. U5
19	36	Gary, Ind. U5
20	36	Gary, Ind. U5
21	36	Gary, Ind. U5
22	36	Gary, Ind. U5
23	36	Gary, Ind. U5
24	36	Gary, Ind. U5
25	36	Gary, Ind. U5
26	36	Gary, Ind. U5
Type 309		
8	36	Gary, Ind. U5
9	36	Gary, Ind. U5
10	36	Gary, Ind. U5
11	36	Gary, Ind. U5
12	36	Gary, Ind. U5
13	36	Gary, Ind. U5
14	36	Gary, Ind. U5
15	36	Gary, Ind. U5
16	36	Gary, Ind. U5
17	36	Gary, Ind. U5
18	36	Gary, Ind. U5
19	36	Gary, Ind. U5
20	36	Gary, Ind. U5
21	36	Gary, Ind. U5
22	36	Gary, Ind. U5
23	36	Gary, Ind. U5
24	36	Gary, Ind. U5
25	36	Gary, Ind. U5
26	36	Gary, Ind. U5
Type 309S		
8	36	Gary, Ind. U5
9	36	Gary, Ind. U5
10	36	Gary, Ind. U5
11	36	Gary, Ind. U5
12	36	Gary, Ind. U5
13	36	Gary, Ind. U5
14	36	Gary, Ind. U5
15	36	Gary, Ind. U5
16	36	Gary, Ind. U5
17	36	Gary, Ind. U5
18	36	Gary, Ind. U5
19	36	Gary, Ind. U5
20	36	Gary, Ind. U5
21	36	Gary, Ind. U5
22	36	Gary, Ind. U5
23	36	Gary, Ind. U5
24	36	Gary, Ind. U5
25	36	Gary, Ind. U5
26	36	Gary, Ind. U5
Type 310		
8	36	Gary, Ind. U5
9	36	Gary, Ind. U5
10	36	Gary, Ind. U5
11	36	Gary, Ind. U5
12	36	Gary, Ind. U5
13	36	Gary, Ind. U5
14	36	Gary, Ind. U5
15	36	Gary, Ind. U5
16	36	Gary, Ind. U5
17	36	Gary, Ind. U5
18	36	Gary, Ind. U5
19	36	Gary, Ind. U5
20	36	Gary, Ind. U5
21	36	Gary, Ind. U5
22	36	Gary, Ind. U5
23	36	Gary, Ind. U5
24	36	Gary, Ind. U5
25	36	Gary, Ind. U5
26	36	Gary, Ind. U5
Type 316		
8	36	Gary, Ind. U5
8	36	Midland, Pa. C18
9	36	Gary, Ind. U5
9	36	Midland, Pa. C18
10	36	Gary, Ind. U5
10	36	Midland, Pa. C18
11	36	Gary, Ind. U5
11	36	Midland, Pa. C18
12	36	Gary, Ind. U5
12	36	Midland, Pa. C18
13	36	Gary, Ind. U5
13	36	Midland, Pa. C18
14	36	Gary, Ind. U5
14	36	Midland, Pa. C18
15	36	Gary, Ind. U5
15	36	Midland, Pa. C18
16	36	Gary, Ind. U5
16	36	Midland, Pa. C18
17	36	Gary, Ind. U5
17	36	Midland, Pa. C18
18	36	Gary, Ind. U5
18	36	Midland, Pa. C18
19	36	Gary, Ind. U5
19	36	Midland, Pa. C18
20	36	Gary, Ind. U5
20	36	Midland, Pa. C18
21	36	Gary, Ind. U5
21	36	Midland, Pa. C18
22	36	Gary, Ind. U5
22	36	Midland, Pa. C18
23	36	Gary, Ind. U5
23	36	Midland, Pa. C18
24	36	Gary, Ind. U5
24	36	Midland, Pa. C18
25	36	Gary, Ind. U5
25	36	Midland, Pa. C18
26	36	Gary, Ind. U5
Type 317		
8	36	Gary, Ind. U5
9	36	Gary, Ind. U5
10	36	Gary, Ind. U5
11	36	Gary, Ind. U5
12	36	Gary, Ind. U5
13	36	Gary, Ind. U5
14	36	Gary, Ind. U5
15	36	Gary, Ind. U5
16	36	Gary, Ind. U5
17	36	Gary, Ind. U5
18	36	**Gary, Ind. U5**
19	36	Gary, Ind. U5
20	36	Gary, Ind. U5
21	36	Gary, Ind. U5
22	36	Gary, Ind. U5
23	36	Gary, Ind. U5
24	36	Gary, Ind. U5
25	36	Gary, Ind. U5
26	36	Gary, Ind. U5
Type 318		
8	36	Gary, Ind. U5
9	36	Gary, Ind. U5
10	36	Gary, Ind. U5
11	36	Gary, Ind. U5
12	36	Gary, Ind. U5
13	36	Gary, Ind. U5
14	36	Gary, Ind. U5
15	36	Gary, Ind. U5
16	36	Gary, Ind. U5
17	36	Gary, Ind. U5
18	36	Gary, Ind. U5
19	36	Gary, Ind. U5
20	36	Gary, Ind. U5
21	36	Gary, Ind. U5
22	36	Gary, Ind. U5
23	36	Gary, Ind. U5
24	36	Gary, Ind. U5
25	36	Gary, Ind. U5
26	36	Gary, Ind. U5
Type 321		
8	48	Gary, Ind. U5
8	48	Midland, Pa. C18
9	48	Gary, Ind. U5
9	48	Midland, Pa. C18
10	48	Gary, Ind. U5
10	48	Midland, Pa. C18
11	48	Gary, Ind. U5
11	48	Midland, Pa. C18
12	48	Gary, Ind. U5
12	48	Midland, Pa. C18
13	48	Gary, Ind. U5
13	48	Midland, Pa. C18
14	48	Gary, Ind. U5
14	48	Midland, Pa. C18
15	48	Gary, Ind. U5
15	48	Midland, Pa. C18
16	48	Gary, Ind. U5
16	48	Midland, Pa. C18
17	48	Gary, Ind. U5
17	48	Midland, Pa. C18
18	48	Gary, Ind. U5
18	48	Midland, Pa. C18
19	48	Gary, Ind. U5
19	48	Midland, Pa. C18
20	48	Gary, Ind. U5
20	48	Midland, Pa. C18
21	48	Gary, Ind. U5
21	48	Midland, Pa. C18
22	48	Gary, Ind. U5
22	48	Midland, Pa. C18
23	48	Gary, Ind. U5
23	48	Midland, Pa. C18
24	48	Gary, Ind. U5
24	48	Midland, Pa. C18
25	48	Gary, Ind. U5
25	48	Midland, Pa. C18
26	48	Gary, Ind. U5
Type 347		
8	48	Gary, Ind. U5
8	48	Midland, Pa. C18
9	48	Gary, Ind. U5
9	48	Midland, Pa. C18
10	48	Gary, Ind. U5
10	48	Midland, Pa. C18
11	48	Gary, Ind. U5
11	48	Midland, Pa. C18
12	48	Gary, Ind. U5
12	48	Midland, Pa. C18
13	48	Gary, Ind. U5
13	48	Midland, Pa. C18
14	48	Gary, Ind. U5
14	48	Midland, Pa. C18
15	48	Gary, Ind. U5
15	48	Midland, Pa. C18
16	48	Gary, Ind. U5
16	48	Midland, Pa. C18
17	48	Gary, Ind. U5
17	48	Midland, Pa. C18
18	48	Gary, Ind. U5
18	48	Midland, Pa. C18
19	48	Gary, Ind. U5
19	48	Midland, Pa. C18
20	48	Gary, Ind. U5
20	48	Midland, Pa. C18
21	48	Gary, Ind. U5
21	48	Midland, Pa. C18
22	48	Gary, Ind. U5
22	48	Midland, Pa. C18
23	48	Gary, Ind. U5
23	48	Midland, Pa. C18
24	48	Gary, Ind. U5
24	48	Midland, Pa. C18
25	48	Gary, Ind. U5
25	48	Midland, Pa. C18
26	48	Gary, Ind. U5
Type 405		
8	48	Gary, Ind. U5
9	48	Gary, Ind. U5
10	48	Gary, Ind. U5
11	48	Gary, Ind. U5
12	48	Gary, Ind. U5
13	48	Gary, Ind. U5
14	48	Gary, Ind. U5
15	48	Gary, Ind. U5
16	48	Gary, Ind. U5
17	48	Gary, Ind. U5
18	48	Gary, Ind. U5
19	48	Gary, Ind. U5
20	48	Gary, Ind. U5
21	48	Gary, Ind. U5
22	48	Gary, Ind. U5
23	48	Gary, Ind. U5
24	48	Gary, Ind. U5
25	48	Gary, Ind. U5
26	48	Gary, Ind. U5
Type 410		
8	48	Gary, Ind. U5
8	48	Midland, Pa. C18
9	48	Gary, Ind. U5
9	48	Midland, Pa. C18
10	48	Gary, Ind. U5
10	48	Midland, Pa. C18
11	48	Gary, Ind. U5
11	48	Midland, Pa. C18
12	48	Gary, Ind. U5
12	48	Midland, Pa. C18
13	48	Gary, Ind. U5
13	48	Midland, Pa. C18
14	48	Gary, Ind. U5
14	48	Midland, Pa. C18

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 1 Finish (hot-rolled) Coil Stock

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
15	48	Gary, Ind. U5
15	48	Midland, Pa. C18
16	48	Gary, Ind. U5
16	48	Midland, Pa. C18
17	48	Gary, Ind. U5
17	48	Midland, Pa. C18
18	48	Gary, Ind. U5
18	48	Midland, Pa. C18
19	48	Gary, Ind. U5
19	48	Midland, Pa. C18
20	48	Gary, Ind. U5
20	48	Midland, Pa. C18
21	48	Gary, Ind. U5
21	48	Midland, Pa. C18
22	48	Gary, Ind. U5
22	48	Midland, Pa. C18
23	48	Gary, Ind. U5
23	48	Midland, Pa. C18
24	48	Gary, Ind. U5
24	48	Midland, Pa. C18
25	48	Gary, Ind. U5
25	48	Midland, Pa. C18
26	48	Gary, Ind. U5
Type 430		
8	48	Gary, Ind. U5
8	48	Midland, Pa. C18
9	48	Gary, Ind. U5
9	48	Midland, Pa. C18
10	48	Gary, Ind. U5
10	48	Midland, Pa. C18
11	48	Gary, Ind. U5
11	48	Midland, Pa. C18
12	48	Gary, Ind. U5
12	48	Midland, Pa. C18
13	48	Gary, Ind. U5
13	48	Midland, Pa. C18
14	48	Gary, Ind. U5
14	48	Midland, Pa. C18
15	48	Gary, Ind. U5
15	48	Midland, Pa. C18
16	48	Gary, Ind. U5
16	48	Midland, Pa. C18
17	48	Gary, Ind. U5
17	48	Midland, Pa. C18
18	48	Gary, Ind. U5
18	48	Midland, Pa. C18
19	48	Gary, Ind. U5
19	48	Midland, Pa. C18
20	48	Gary, Ind. U5
20	48	Midland, Pa. C18
21	48	Gary, Ind. U5
21	48	Midland, Pa. C18
22	48	Gary, Ind. U5
22	48	Midland, Pa. C18
23	48	Gary, Ind. U5
23	48	Midland, Pa. C18
24	48	Gary, Ind. U5
24	48	Midland, Pa. C18
25	48	Gary, Ind. U5
25	48	Midland, Pa. C18
26	48	Gary, Ind. U5
Type 446		
8	48	Gary, Ind. U5
9	48	Gary, Ind. U5
10	48	Gary, Ind. U5
11	48	Gary, Ind. U5
12	48	Gary, Ind. U5
13	48	Gary, Ind. U5
14	48	Gary, Ind. U5
15	48	Gary, Ind. U5
16	48	Gary, Ind. U5
17	48	Gary, Ind. U5
18	48	Gary, Ind. U5
19	48	Gary, Ind. U5
20	48	Gary, Ind. U5
21	48	Gary, Ind. U5
22	48	Gary, Ind. U5
23	48	Gary, Ind. U5
24	48	Gary, Ind. U5
25	48	Gary, Ind. U5
26	48	Gary, Ind. U5

No. 1 Finish (hot-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max.Lengths or Size Range	Mill Point, Producer
Type 301		
8	24x178 to 66x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 72x192	Massillon,O. R2
8	48-66x192	Washington,Pa. J3
8	48x196	Gary,Ind. U5
8	66-72x144	Washington,Pa. J3
9	24-60x156	Washington,Pa. J3
9	24x178 to 66x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 72x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
10	24-60x144	Washington,Pa. J3
10	24x178 to 66x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 72x192	Massillon,O R2
10	48x196	Gary,Ind. U5
11	24-48x144	Washington,Pa. J3
11	24x178 to 66x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	30x156 to 72x144	BaltimoreE2
11	30x204 to 72x180	Massillon,O. R2
11	48x196	Gary,Ind. U5
12	24x178 to 66x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	30x156 to 72x132	Baltimore E2
12	30x192 to 72x168	Massillon,O. R2
12	48x196	Gary,Ind. U5
13	24x178 to 66x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	30x156 to 72x120	Baltimore E2
13	30x192 to 72x168	Massillon,O. R2
13	48x196	Gary,Ind. U5
14	24x178 to 66x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	30x156 to 72x120	Baltimore E2
14	30x192 to 72x168	Massillon,O. R2
14	48x196	Gary,Ind. U5
15	24x178 to 66x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	30x144 to 65x120	Baltimore E2
15	30x180 to 72x144	Massillon,O. R2
15	48x196	Gary,Ind. U5
16	24x178 to 66x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	30x132 to 65x96	Baltimore E2
16	30x180 to 72x144	Massillon,O. R2
16	48x196	Gary,Ind. U5
17	24x160 to 66x96	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	30x132 to 55x120	Baltimore E2
17	30x180 to 72x144	Massillon,O. R2
17	48x196	Gary,Ind. U5
18	24x160 to 66x96	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	30x132 to 55x120	Baltimore E2
18	30x180 to 72x144	Massillon,O. R2
18	48x196	Gary,Ind. U5
19	24x144 to 62x96	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	30x132 to 55x96	Baltimore E2
19	30x180 to 72x144	Massillon,O. R2
19	48x196	Gary,Ind. U5
20	24x144 to 62x96	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	30x132 to 55x96	Baltimore E2
20	30x180 to 72x144	Massillon,O. R2
20	48x196	Gary,Ind. U5
21	24x144 to 56x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	30x132 to 51x120	Baltimore E2
21	30x176 to 72x120	Massillon,O. R2
21	48x196	Gary,Ind. U5
22	24x144 to 56x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	30x132 to 51x120	Baltimore E2
22	30x176 to 72x120	Massillon,O. R2
22	48x196	Gary,Ind. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x96	Bridgeville,Pa. U4
23	30x132 to 51x96	Baltimore E2
23	30x171 to 72x96	Massillon,O. R2
23	48x196	Gary,Ind. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x96	Bridgeville,Pa. U4
24	30x132 to 51x96	Baltimore E2
24	30x171 to 72x96	Massillon,O. R2
24	48x196	Gary,Ind. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x96	Bridgeville,Pa. U4
25	30x144 to 46x144	Massillon,O. R2
25	48x144	Gary,Ind. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	48x144	Gary,Ind. U5
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
Type 302		
8	24x178 to 66x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 72x192	Massillon,O. R2
8	36-54x96-144	NewCastle,Ind. I-4
8	48-66x192	Washington,Pa. J3
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 84x168	Middletown,O. A10
8	60x200	Pittsburgh C18
8	66-72x144	Washington,Pa. J3
9	24-60x156	Washington,Pa. J3
9	24x178 to 66x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 72x192	Massillon,O. R2
9	36-54x96-144	NewCastle,Ind. I-4
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 84x168	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24-60x144	Washington,Pa. J3
10	24x178 to 66x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 72x192	Massillon,O. R2
10	36-54x96-144	NewCastle,Ind. I-4
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 84x180	Middletown,O. A10
10	60x200	Pittsburgh C18
11	24-48x144	Washington,Pa. J3
11	24x178 to 66x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	30x156 to 72x144	Baltimore E2
11	30x204 to 72x180	Massillon,O. R2
11	36-54x96-144	NewCastle,Ind. I-4
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	60x200	Pittsburgh C18
11	72x216 to 84x144	Middletown,O. A10
12	24x178 to 66x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	30x156 to 72x132	Baltimore E2
12	30x192 to 72x168	Massillon,O. R2
12	36-54x96-144	NewCastle,Ind. I-4
12	42x216 to 84x120	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	60x200	Pittsburgh C18
13	24x178 to 66x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	30x156 to 72x120	Baltimore E2
13	30x192 to 72x168	Massillon,O. R2
13	36-54x96-144	NewCastle,Ind. I-4
13	42x180 to 72x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	60x200	Pittsburgh C18
14	24x178 to 66x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	30x156 to 72x120	Baltimore E2
14	30x192 to 72x168	Massillon,O. R2
14	36-54x96-144	NewCastle,Ind. I-4
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	60x200	Pittsburgh C18
15	24x178 to 66x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	30x144 to 65x120	Baltimore E2
15	30x180 to 72x144	Massillon,O. R2
15	36-54x96-144	NewCastle,Ind. I-4
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	60x200	Pittsburgh C18

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 1 Finish (hot-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
16	24x178 to 66x144	McKeesport, Pa. U5
16	24x196 to 72x196	Brackenridge, Pa. A4
16	30x96	Bridgeville, Pa. U4
16	30x132 to 65x96	Baltimore E2
16	30x180 to 72x144	Massillon, O. R2
16	36–54x96–144	NewCastle, Ind. I-4
16	42x180 to 72x144	Middletown, O. A10
16	48x196	Gary, Ind. U5
16	48x200	Midland, Pa. C18
16	60x200	Pittsburgh C18
17	24x160 to 66x96	McKeesport, Pa. U5
17	24x196 to 72x196	Brackenridge, Pa. A4
17	30x96	Bridgeville, Pa. U4
17	30x132 to 55x120	Baltimore E2
17	30x180 to 72x144	Massillon, O. R2
17	36–54x96–144	NewCastle, Ind. I-4
17	42x168 to 72x120	Middletown, O. A10
17	48x196	Gary, Ind. U5
17	48x200	Midland, Pa. C18
17	60x200	Pittsburgh C18
18	24x160 to 66x96	McKeesport, Pa. U5
18	24x196 to 72x196	Brackenridge, Pa. A4
18	30x96	Bridgeville, Pa. U4
18	30x132 to 55x120	Baltimore E2
18	30x180 to 72x144	Massillon, O. R2
18	36–54x96–144	NewCastle, Ind. I-4
18	42x168 to 48x156	Middletown, O. A10
18	48x196	Gary, Ind. U5
18	48x200	Midland, Pa. C18
18	60x200	Pittsburgh C18
19	24x144 to 62x96	McKeesport, Pa. U5
19	24x196 to 60x108	Brackenridge, Pa. A4
19	30x96	Bridgeville, Pa. U4
19	30x132 to 55x96	Baltimore E2
19	30x180 to 72x144	Massillon, O. R2
19	42x156 to 72x96	Middletown, O. A10
19	48x196	Gary, Ind. U5
19	48x200	Midland, Pa. C18
20	24x144 to 62x96	McKeesport, Pa. U5
20	24x196 to 60x96	Brackenridge, Pa. A4
20	30x96	Bridgeville, Pa. U4
20	30x132 to 55x96	Baltimore E2
20	30x180 to 72x144	Massillon, O. R2
20	42x156 to 72x96	Middletown, O. A10
20	48x196	Gary, Ind. U5
20	48x200	Midland, Pa. C18
21	24x144 to 56x96	McKeesport, Pa. U5
21	24x144 to 56x100	Brackenridge, Pa. A4
21	30x96	Bridgeville, Pa. U4
21	30x132 to 51x120	Baltimore E2
21	30x176 to 72x120	Massillon, O. R2
21	42x156 to 66x96	Middletown, O. A10
21	48x196	Gary, Ind. U5
21	48x200	Midland, Pa. C18
22	24x144 to 56x96	McKeesport, Pa. U5
22	24x144 to 56x100	Brackenridge, Pa. A4
22	30x96	Bridgeville, Pa. U4
22	30x132 to 51x120	Baltimore E2
22	30x176 to 72x120	Massillon, O. R2
22	42x156 to 66x96	Middletown, O. A10
22	48x196	Gary, Ind. U5
22	48x200	Midland, Pa. C18
23	24x144 to 48x120	Brackenridge, Pa. A4
23	24x144 to 49x120	McKeesport, Pa. U5
23	30x96	Bridgeville, Pa. U4
23	30x132 to 51x96	Baltimore E2
23	30x171 to 72x96	Massillon, O. R2
23	42x144 to 48x132	Middletown, O. A10
23	48x196	Gary, Ind. U5
23	48x200	Midland, Pa. C18
24	24x144 to 48x120	Brackenridge, Pa. A4
24	24x144 to 49x120	McKeesport, Pa. U5
24	30x96	Bridgeville, Pa. U4
24	30x132 to 51x96	Baltimore E2
24	30x171 to 72x96	Massillon, O. R2
24	42x144 to 48x132	Middletown, O. A10
24	48x196	Gary, Ind. U5
24	48x200	Midland, Pa. C18
25	24x120 to 40x96	Brackenridge, Pa. A4
25	24x144 to 49x120	McKeesport, Pa. U5
25	30x96	Bridgeville, Pa. U4
25	30x144 to 46x144	Massillon, O. R2
25	42x120 to 48x96	Middletown, O. A10
25	48x144	Gary, Ind. U5
25	48x200	Midland, Pa. C18
26	24x120 to 40x96	Brackenridge, Pa. A4
26	24x120 to 49x120	McKeesport, Pa. U5
26	30x144 to 46x144	Massillon, O. R2
26	42x120 to 48x96	Middletown, O. A10
26	48x144	Gary, Ind. U5
27	24x120 to 38x120	McKeesport, Pa. U5
27	30x120 to 36x120	Massillon, O. R2
28	24x120 to 38x120	McKeesport, Pa. U5
28	30x120 to 36x120	Massillon, O. R2

Type 302B

8	24x196 to 72x196	Brackenridge, Pa. A4
8	24–48x240	Washington, Pa. J3
8	30x96	Bridgeville, Pa. U4
8	30x240 to 72x192	Massillon, O. R2
8	48–66x192	Washington, Pa. J3
8	66–72x144	Washington, Pa. J3
9	24–60x156	Washington, Pa. J3
9	24x196 to 72x196	Brackenridge, Pa. A4
9	30x96	Bridgeville, Pa. U4
9	30x228 to 72x120	Massillon, O. R2
10	24–60x144	Washington, Pa. J3
10	24x196 to 72x196	Brackenridge, Pa. A4
10	30x96	Bridgeville, Pa. U4
10	30x204 to 72x120	Massillon, O. R2
11	24–48x144	Washington, Pa. J3
11	24x196 to 72x196	Brackenridge, Pa. A4
11	30x96	Bridgeville, Pa. U4
11	30x204 to 60x144	Massillon, O. R2
12	24x196 to 72x196	Brackenridge, Pa. A4
12	30x96	Bridgeville, Pa. U4
12	30x192 to 60x144	Massillon, O. R2
13	24x196 to 72x196	Brackenridge, Pa. A4
13	30x96	Bridgeville, Pa. U4
13	30x144 to 60x144	Massillon, O. R2
14	24x196 to 72x196	Brackenridge, Pa. A4
14	30x96	Bridgeville, Pa. U4
14	30x144 to 60x144	Massillon, O. R2
15	24x196 to 72x196	Brackenridge, Pa. A4
15	30x96	Bridgeville, Pa. U4
15	30x144 to 48x144	Massillon, O. R2
16	24x196 to 72x196	Brackenridge, Pa. A4
16	30x96	Bridgeville, Pa. U4
16	30x144 to 48x144	Massillon, O. R2
17	24x196 to 72x196	Brackenridge, Pa. A4
17	30x96	Bridgeville, Pa. U4
17	30x144 to 40x144	Massillon, O. R2
18	24x196 to 72x196	Brackenridge, Pa. A4
18	30x96	Bridgeville, Pa. U4
18	30x144 to 40x144	Massillon, O. R2
19	24x196 to 60x108	Brackenridge, Pa. A4
19	30x96	Bridgeville, Pa. U4
19	30x144 to 40x144	Massillon, O. R2
20	24x196 to 60x96	Brackenridge, Pa. A4
20	30x96	Bridgeville, Pa. U4
20	30x144 to 40x144	Massillon, O. R2
21	24x144 to 56x100	Brackenridge, Pa. A4
21	30x96	Bridgeville, Pa. U4
21	30x144 to 36x144	Massillon, O. R2
22	24x144 to 56x100	Brackenridge, Pa. A4
22	30x96	Bridgeville, Pa. U4
22	30x144 to 36x144	Massillon, O. R2
23	24x144 to 48x120	Brackenridge, Pa. A4
23	30x96	Bridgeville, Pa. U4
23	30x144 to 36x144	Massillon, O. R2
24	24x144 to 48x120	Brackenridge, Pa. A4
24	30x96	Bridgeville, Pa. U4
24	30x144 to 36x144	Massillon, O. R2
25	24x120 to 40x96	Brackenridge, Pa. A4
25	30x96	Bridgeville, Pa. U4
26	24x120 to 40x96	Brackenridge, Pa. A4

Type 303

8	24x196 to 72x196	Brackenridge, Pa. A4
8	24–48x240	Washington, Pa. J3
8	30x96	Bridgeville, Pa. U4
8	30x240 to 72x192	Massillon, O. R2
8	48–66x192	Washington, Pa. J3
8	66–72x144	Washington, Pa. J3
9	24–60x156	Washington, Pa. J3
9	24x196 to 72x196	Brackenridge, Pa. A4
9	30x96	Bridgeville, Pa. U4
9	30x228 to 72x120	Massillon, O. R2
10	24–60x144	Washington, Pa. J3
10	24x196 to 72x196	Brackenridge, Pa. A4
10	30x96	Bridgeville, Pa. U4
10	30x204 to 60x192	Massillon, O. R2
11	24–48x144	Washington, Pa. J3
11	24x196 to 72x196	Brackenridge, Pa. A4
11	30x96	Bridgeville, Pa. U4
11	30x204 to 60x144	Massillon, O. R2
12	24x196 to 72x196	Brackenridge, Pa. A4
12	30x96	Bridgeville, Pa. U4
12	30x192 to 60x144	Massillon, O. R2
13	24x196 to 72x196	Brackenridge, Pa. A4
13	30x96	Bridgeville, Pa. U4
13	30x144 to 60x144	Massillon, O. R2
14	24x196 to 72x196	Brackenridge, Pa. A4
14	30x96	Bridgeville, Pa. U4
14	30x144 to 60x144	Massillon, O. R2
15	24x196 to 72x196	Brackenridge, Pa. A4
15	30x96	Bridgeville, Pa. U4
15	30x144 to 48x144	Massillon, O. R2
16	24x196 to 72x196	Brackenridge, Pa. A4
16	30x96	Bridgeville, Pa. U4
16	30x144 to 48x144	Massillon, O. R2
17	24x196 to 72x196	Brackenridge, Pa. A4
17	30x96	Bridgeville, Pa. U4
17	30x144 to 40x144	Massillon, O. R2
18	24x196 to 72x196	Brackenridge, Pa. A4
18	30x96	Bridgeville, Pa. U4
18	30x144 to 40x144	Massillon, O. R2
19	24x196 to 60x108	Brackenridge, Pa. A4
19	30x96	Bridgeville, Pa. U4
19	30x144 to 40x144	Massillon, O. R2
20	24x196 to 60x96	Brackenridge, Pa. A4
20	30x96	Bridgeville, Pa. U4
20	30x144 to 40x144	Massillon, O. R2
21	24x144 to 56x100	Brackenridge, Pa. A4
21	30x96	Bridgeville, Pa. U4
21	30x144 to 36x144	Massillon, O. R2
22	24x144 to 56x100	Brackenridge, Pa. A4
22	30x96	Bridgeville, Pa. U4
22	30x144 to 36x144	Massillon, O. R2
23	24x144 to 48x120	Brackenridge, Pa. A4
23	30x96	Bridgeville, Pa. U4
23	30x144 to 36x144	Massillon, O. R2
24	24x144 to 48x120	Brackenridge, Pa. A4
24	30x96	Bridgeville, Pa. U4
24	30x144 to 36x144	Massillon, O. R2
25	24x120 to 40x96	Brackenridge, Pa. A4
25	30x96	Bridgeville, Pa. U4
26	24x120 to 40x96	Brackenridge, Pa. A4

Type 304

8	24x178 to 66x120	McKeesport, Pa. U5
8	24x196 to 72x196	Brackenridge, Pa. A4
8	24–48x240	Washington, Pa. J3
8	30x96	Bridgeville, Pa. U4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 72x192	Massillon, O. R2
8	36–54x96–144	NewCastle, Ind. I-4
8	48–66x192	Washington, Pa. J3
8	48x196	Gary, Ind. U5
8	48x200	Midland, Pa. C18
8	48x204 to 84x168	Middletown, O. A10
8	60x200	Pittsburgh C18
8	66–72x144	Washington, Pa. J3
9	24–60x156	Washington, Pa. J3
9	24x178 to 66x120	McKeesport, Pa. U5
9	24x196 to 72x196	Brackenridge, Pa. A4
9	30x96	Bridgeville, Pa. U4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 72x192	Massillon, O. R2
9	36–54x96–144	NewCastle, Ind. I-4
9	48x196	Gary, Ind. U5
9	48x200	Midland, Pa. C18
9	48x204 to 84x168	Middletown, O. A10
9	60x200	Pittsburgh C18
10	24–60x144	Washington, Pa. J3
10	24x178 to 66x144	McKeesport, Pa. U5
10	24x196 to 72x196	Brackenridge, Pa. A4
10	30x96	Bridgeville, Pa. U4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 72x192	Massillon, O. R2
10	36–54x96–144	NewCastle, Ind. I-4
10	48x196	Gary, Ind. U5
10	48x200	Midland, Pa. C18
10	48x204 to 84x180	Middletown, O. A10
10	60x200	Pittsburgh C18
11	24–48x144	Washington, Pa. J3
11	24x178 to 66x144	McKeesport, Pa. U5
11	24x196 to 72x196	Brackenridge, Pa. A4
11	30x96	Bridgeville, Pa. U4
11	30x156 to 72x144	Baltimore E2
11	30x204 to 72x180	Massillon, O. R2
11	36–54x96–144	NewCastle, Ind. I-4
11	48x196	Gary, Ind. U5
11	48x200	Midland, Pa. C18
11	60x200	PittsburghC18
11	72x216 to 84x144	Middletown, O. A10
12	24x178 to 66x144	McKeesport, Pa. U5
12	24x196 to 72x196	Brackenridge, Pa. A4
12	30x96	Bridgeville, Pa. U4
12	30x156 to 72x132	Baltimore E2
12	30x192 to 72x168	Massillon, O. R2
12	36–54x96–144	NewCastle, Ind. I-4
12	42x216 to 84x120	Middletown, O. A10
12	48x196	Gary, Ind. U5
12	48x200	Midland, Pa. C18
12	60x200	Pittsburgh C18
13	24x178 to 66x144	McKeesport, Pa. U5
13	24x196 to 72x196	Brackenridge, Pa. A4
13	30x96	Bridgeville, Pa. U4
13	30x156 to 72x120	Baltimore E2
13	30x192 to 72x168	Massillon, O. R2
13	36–54x96–144	NewCastle, Ind. I-4
13	42x180 to 72x144	Middletown, O. A10
13	48x196	Gary, Ind. U5
13	48x200	Midland, Pa. C18
13	60x200	PittsburghC18
14	24x178 to 66x144	McKeesport, Pa. U5
14	24x196 to 72x196	Brackenridge, Pa. A4
14	30x96	Bridgeville, Pa. U4
14	30x156 to 72x120	Baltimore E2
14	30x192 to 72x168	Massillon, O. R2
18	24x196 to 72x196	Brackenridge, Pa. A4
18	30x96	Bridgeville, Pa. U4
18	30x144 to 40x144	Massillon, O. R2
19	24x196 to 60x108	Brackenridge, Pa. A4
19	30x96	Bridgeville, Pa. U4
19	30x144 to 40x144	Massillon, O. R2
20	24x196 to 60x96	Brackenridge, Pa. A4
20	30x96	Bridgeville, Pa. U4
20	30x144 to 40x144	Massillon, O. R2
21	24x144 to 56x100	Brackenridge, Pa. A4
21	30x96	Bridgeville, Pa. U4
21	30x144 to 36x144	Massillon, O. R2
22	24x144 to 56x100	Brackenridge, Pa. A4
22	30x96	Bridgeville, Pa. U4
22	30x144 to 36x144	Massillon, O. R2
23	24x144 to 48x120	Brackenridge, Pa. A4
23	30x96	Bridgeville, Pa. U4
23	30x144 to 36x144	Massillon, O. R2
24	24x144 to 48x120	Brackenridge, Pa. A4
24	30x96	Bridgeville, Pa. U4
24	30x144 to 36x144	Massillon, O. R2
25	24x120 to 40x96	Brackenridge, Pa. A4
25	30x96	Bridgeville, Pa. U4
26	24x120 to 40x96	Brackenridge, Pa. A4

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 1 Finish (hot-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
14	36–54x96–144	NewCastle,Ind. I-4
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	60x200	Pittsburgh C18
15	24x178 to 66x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	30x144 to 65x120	Baltimore E2
15	30x180 to 72x144	Massillon,O. R2
15	36–54x96–144	NewCastle,Ind. I-4
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	60x200	Pittsburgh C18
16	24x178 to 66x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge, Pa. A4
16	30x96	Bridgeville,Pa. U4
16	30x132 to 65x96	Baltimore E2
16	30x180 to 72x144	Massillon,O. R2
16	36–54x96–144	NewCastle,Ind. I-4
16	42x180 to 72x144	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	60x200	Pittsburgh C18
17	24x160 to 66x96	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	30x132 to 55x120	Baltimore E2
17	30x180 to 72x144	Massillon,O. R2
17	36–54x96–144	NewCastle,Ind. I-4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	60x200	Pittsburgh C18
18	24x160 to 66x96	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	30x132 to 55x120	Baltimore E2
18	30x180 to 72x144	Massillon,O. R2
18	36–54x96–144	NewCastle,Ind. I-4
18	42x168 to 48x156	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	60x200	Pittsburgh C18
19	24x144 to 62x96	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	30x132 to 55x96	Baltimore E2
19	30x180 to 72x144	Massillon,O. R2
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
20	24x144 to 62x96	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	30x132 to 55x96	Baltimore E2
20	30x180 to 72x144	Massillon,O. R2
20	42x156 to 72x96	Middletown,O. A10
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
21	24x144 to 56x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	30x132 to 51x120	Baltimore E2
21	30x176 to 72x120	Massillon,O. R2
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
22	24x144 to 56x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	30x132 to 51x120	Baltimore E2
22	30x176 to 72x120	Massillon,O. R2
22	42x156 to 66x96	Middletown, O. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa.C18
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x96	Bridgeville,Pa. U4
23	30x132 to 51x96	Baltimore E2
23	30x171 to 72x96	Massillon,O. R2
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x96	Bridgeville,Pa. U4
24	30x132 to 51x96	Baltimore E2
24	30x171 to 72x96	Massillon,O. R2
24	42x144 to 48x132	Middletown,O. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x96	Bridgeville,Pa. U4
25	30x144 to 46x144	Massillon,O. R2
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	42x120 to 48x96	Middletown,O. A10
26	48x144	Gary,Ind. U5
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
Type 304L		
8	24–48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	48–66x192	Washington,Pa. J3
8	48x204 to 84x168	Middletown,O. A10
8	66–72x144	Washington,Pa. J3
9	24–60x156	Washington,Pa. J3
9	30x96	Bridgeville,Pa. U4
9	48x204 to 84x168	Middletown,O. A10
10	24–60x144	Washington,Pa. J3
10	30x96	Bridgeville,Pa. U4
10	48x204 to 84x180	Middletown,O. A10
11	24–48x144	Washington,Pa. J3
11	30x96	Bridgeville,Pa. U4
11	72x216 to 84x144	Middletown,O. A10
12	30x96	Bridgeville,Pa. U4
12	42x216 to 84x120	Middletown,O. A10
13	30x96	Bridgeville,Pa. U4
13	42x180 to 72x144	Middletown,O. A10
14	30x96	Bridgeville,Pa. U4
14	42x180 to 72x144	Middletown,O. A10
15	30x96	Bridgeville,Pa. U4
15	42x180 to 72x144	Middletown,O. A10
16	30x96	Bridgeville,Pa. U4
16	42x180 to 72x144	Middletown,O. A10
17	30x96	Bridgeville,Pa. U4
17	42x168 to 72x120	Middletown,O. A10
18	30x96	Bridgeville,Pa. U4
18	42x168 to 48x156	Middletown,O. A10
19	30x96	Bridgeville,Pa. U4
19	42x156 to 72x96	Middletown,O. A10
20	30x96	Bridgeville,Pa. U4
20	42x156 to 72x96	Middletown,O. A10
21	30x96	Bridgeville,Pa. U4
21	42x156 to 66x96	Middletown,O. A10
22	30x96	Bridgeville,Pa. U4
22	42x156 to 66x96	Middletown,O. A10
23	30x96	Bridgeville,Pa. U4
23	42x144 to 48x132	Middletown,O. A10
24	30x96	Bridgeville,Pa. U4
24	42x144 to 48x132	Middletown,O. A10
25	30x96	Bridgeville,Pa. U4
25	42x120 to 48x96	Middletown,O. A10
26	42x120 to 48x96	Middletown,O. A10
Type 305		
8	24x178 to 66x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24–48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 72x192	Massillon,O. R2
8	36x200	Midland,Pa. C18
8	48–66x192	Washington,Pa. J3
8	48x196	Gary,Ind. U5
8	48x200	Pittsburgh C18
8	48x204 to 84x168	Middletown,O. A10
8	66–72x144	Washington,Pa. J3
9	24–60x156	Washington,Pa. J3
9	24x178 to 66x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 72x120	Massillon,O. R2
9	36x200	Midland,Pa. C18
9	48x196	Gary,Ind. U5
9	48x200	Pittsburgh C18
9	48x204 to 84x168	Middletown,O. A10
10	24–60x144	Washington,Pa. J3
10	24x178 to 66x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	36x200	Midland,Pa. C18
10	48x196	Gary,Ind. U5
10	48x200	Pittsburgh C18
10	48x204 to 84x180	Middletown,O. A10
11	24–48x144	Washington,Pa. J3
11	24x178 to 66x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	30x156 to 72x144	Baltimore E2
11	30x204 to 60x144	Massillon,O. R2
11	36x200	Midland,Pa. C18
11	48x196	Gary,Ind. U5
11	48x200	Pittsburgh C18
11	72x216 to 84x144	Middletown,O. A10
12	24x178 to 66x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	30x156 to 72x132	Baltimore E2
12	30x192 to 60x144	Massillon,O. R2
12	36x200	Midland,Pa. C18
12	42x216 to 84x120	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Pittsburgh C18
13	24x178 to 66x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	30x144 to 60x144	Massillon,O. R2
13	30x156 to 72x120	Baltimore E2
13	36x200	Midland,Pa. C18
13	42x180 to 72x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Pittsburgh C18
14	24x178 to 66x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	30x144 to 60x144	Massillon,O. R2
14	30x156 to 72x120	Baltimore E2
14	**36x200**	**Midland,Pa. C18**
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Pittsburgh C18
15	24x178 to 66x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	30x144 to 48x144	Massillon,O. R2
15	30x144 to 65x120	Baltimore E2
15	**36x200**	**Midland,Pa. C18**
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Pittsburgh C18
16	24x178 to 66x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	30x132 to 65x96	Baltimore E2
16	30x144 to 48x144	Massillon,O. R2
16	36x200	Midland,Pa. C18
16	42x180 to 72x144	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Pittsburgh C18
17	24x160 to 66x96	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	30x132 to 55x120	Baltimore E2
17	30x144 to 40x144	Massillon,O. R2
17	36x200	Midland,Pa. C18
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Pittsburgh C18
18	24x160 to 66x96	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	30x132 to 55x120	Baltimore E2
18	30x144 to 40x144	Massillon,O. R2
18	36x200	Midland,Pa. C18
18	42x168 to 48x156	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Pittsburgh C18
19	24x144 to 62x96	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	30x132 to 55x96	Baltimore E2
19	30x144 to 40x144	Massillon,O. R2
19	36x200	Midland,Pa. C18
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
20	24x144 to 62x96	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	30x132 to 55x96	Baltimore E2
20	30x144 to 40x144	Massillon,O. R2
20	36x200	Midland,Pa. C18
20	42x156 to 72x96	Middletown,O. A10
20	48x196	Gary,Ind. U5
21	24x144 to 56x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	30x132 to 51x120	Baltimore E2
21	30x144 to 36x144	Massillon,O. R2
21	36x200	Midland,Pa. C18
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
22	24x144 to 56x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	30x132 to 51x120	Baltimore E2
22	30x144 to 36x144	Massillon,O. R2
22	36x200	Midland,Pa. C18
22	42x156 to 66x96	Middletown,O. A10
22	48x196	Gary,Ind. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x96	Bridgeville,Pa. U4
23	30x132 to 51x96	Baltimore E2
23	30x144 to 36x144	Massillon,O. R2
23	36x200	Midland,Pa. C18
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5

(Code number following mill point indicates producing company, key on page 2)

No. 1 Finish (hot-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
24	30x96	Bridgeville,Pa. U4
24	30x132 to 51x96	Baltimore E2
24	30x144 to 36x144	Massillon,O. R2
24	36x200	Midland,Pa. C18
24	42x144 to 48x132	Middletown,O. A10
24	48x196	Gary,Ind. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x96	Bridgeville,Pa. U4
25	36x200	Midland,Pa. C18
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa.U5
26	42x120 to 48x96	Middletown,O. A10
26	48x144	Gary,Ind. U5
27	24x120 to 38x120	McKeesport,Pa. U5
28	24x120 to 38x120	McKeesport,Pa. U5
Type 308		
8	24x144 to 62x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	36x196	Gary,Ind. U5
8	48-66x192	Washington,Pa. J3
8	66-72x144	Washington,Pa. J3
9	24x144 to 62x120	McKeesport,Pa. U5
9	24-60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	36x196	Gary,Ind. U5
10	24x144 to 62x120	McKeesport,Pa. U5
10	24-60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	36x196	Gary,Ind. U5
11	24x144 to 62x120	McKeesport,Pa. U5
11	24-48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	36x196	Gary,Ind. U5
12	24x144 to 62x120	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	36x196	Gary,Ind. U5
13	24x144 to 62x120	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	36x196	Gary,Ind. U5
14	24x144 to 62x120	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	36x196	Gary,Ind. U5
15	24x144 to 62x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	36x196	Gary,Ind. U5
16	24x144 to 62x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	36x196	Gary,Ind. U5
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	36x196	Gary,Ind. U5
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	36x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	36x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	36x196	Gary,Ind. U5
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	36x196	Gary,Ind. U5
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	36x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 309		
8	24x144 to 62x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	30x183 to 72x144	Massillon,O. R2
8	36-54x96-144	NewCastle,Ind. I-4
8	36x196	Gary,Ind. U5
8	48x168 to 72x144	Middletown,O. A10
8	48-66x192	Washington,Pa. J3
8	48x200	Pittsburgh C18
8	66-72x144	Washington,Pa. J3
9	24x144 to 62x120	McKeesport,Pa. U5
9	24-60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	30x168 to 72x168	Massillon,O. R2
9	36-54x96-144	NewCastle,Ind. I-4
9	36x196	Gary,Ind. U5
9	48x168 to 72x144	Middletown,O. A10
9	48x200	Pittsburgh C18
10	24x144 to 62x120	McKeesport,Pa. U5
10	24-60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	30x168 to 72x168	Massillon,O. R2
10	36-54x96-144	NewCastle,Ind. I-4
10	36x196	Gary,Ind. U5
10	48x168 to 72x144	Middletown,O. A10
10	48x200	Pittsburgh C18
11	24x144 to 62x120	McKeesport,Pa. U5
11	24-48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x196	Bridgeville,Pa. U4
11	30x160 to 72x144	Massillon,O. R2
11	36-54x96-144	NewCastle,Ind. I-4
11	36x196	Gary,Ind. U5
11	48x168 to 72x144	Middletown,O. A10
11	48x200	Pittsburgh C18
12	24x144 to 62x120	McKeesport,Pa. U5
12	24-48x144	Washington,Pa. J3
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	30x144 to 72x144	Massillon,O. R2
12	36-54x96-144	NewCastle,Ind. I-4
12	36x196	Gary,Ind. U5
12	48x156 to 72x120	Middletown,O. A10
12	48x200	Pittsburgh C18
13	24-48x120	Washington,Pa. J3
13	24x144 to 62x120	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	30x144 to 54x144	Massillon,O. R2
13	36-54x96-144	NewCastle,Ind. I-4
13	36x196	Gary,Ind. U5
13	48x120	Middletown,O. A10
13	48x200	Pittsburgh C18
14	24-48x120	Washington,Pa. J3
14	24x144 to 62x120	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	30x120 to 54x120	Massillon,O. R2
14	36-54x96-144	NewCastle,Ind. I-4
14	36x196	Gary,Ind. U5
14	48x120	Middletown,O. A10
14	48x200	Pittsburgh C18
15	24-48x120	Washington,Pa. J3
15	24x144 to 62x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	30x120 to 54x120	Massillon,O. R2
15	36-54x96-144	NewCastle,Ind. I-4
15	36x196	Gary,Ind. U5
15	48x120	Middletown,O. A10
15	48x200	Pittsburgh C18
16	24-48x120	Washington,Pa. J3
16	24x144 to 62x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	30x120 to 54x96	Massillon,O. R2
16	36-54x96-144	NewCastle,Ind. I-4
16	36x196	Gary,Ind. U5
16	48x120	Middletown,O. A10
16	48x200	Pittsburgh C18
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	30x120 to 42x120	Massillon,O. R2
17	36-54x96-144	NewCastle,Ind. I-4
17	36x196	Gary,Ind. U5
17	48x120	Middletown,O. A10
17	48x200	Pittsburgh C18
18	24-36x120	Washington,Pa. J3
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	30x120 to 42x120	Massillon,O. R2
18	36-54x96-144	NewCastle,Ind. I-4
18	36x196	Gary,Ind. U5
18	48x120	Middletown,O. A10
18	48x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	30x120 to 42x120	Massillon,O. R2
19	36x196	Gary,Ind. U5
19	45x108	Middletown,O. A10
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	30x120 to 42x120	Massillon,O. R2
20	36x196	Gary,Ind. U5
20	45x108	Middletown,O. A10
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	30x120 to 42x96	Massillon,O. R2
21	36x196	Gary,Ind. U5
21	45x96	Middletown,O. A10
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	30x120 to 42x96	Massillon,O. R2
22	36x196	Gary,Ind. U5
22	45x96	Middletown,O. A10
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
23	30x120 to 36x120	Massillon,O. R2
23	36x196	Gary,Ind. U5
23	45x96	Middletown,O. A10
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
24	30x120 to 36x120	Massillon,O. R2
24	36x196	Gary,Ind. U5
24	45x96	Middletown,O. A10
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 309S		
8	24x144 to 62x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	36x196	Gary,Ind. U5
8	48x168 to 72x144	Middletown,O. A10
8	48-66x192	Washington,Pa. J3
8	66-72x144	Washington,Pa. J3
9	24x144 to 62x120	McKeesport,Pa. U5
9	24-60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	36x196	Gary,Ind. U5
9	48x168 to 72x144	Middletown,O. A10
10	24x144 to 62x120	McKeesport,Pa. U5
10	24-60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	36x196	Gary,Ind. U5
10	48x168 to 72x144	Middletown,O. A10
11	24x144 to 62x120	McKeesport,Pa. U5
11	24-48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	36x196	Gary,Ind. U5
11	48x168 to 72x144	Middletown,O. A10
12	24x144 to 62x120	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	36x196	Gary,Ind. U5
12	48x156 to 72x120	Middletown,O. A10
13	24x144 to 62x120	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	36x196	Gary,Ind. U5
13	48x120	Middletown,O. A10
14	24x144 to 62x120	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	36x196	Gary,Ind. U5
14	48x120	Middletown,O. A10
15	24x144 to 62x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	36x196	Gary,Ind. U5
15	48x120	Middletown,O. A10
16	24x144 to 62x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	36x196	Gary,Ind. U5
16	48x120	Middletown,O. A10
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	36x196	Gary,Ind. U5
17	48x120	Middletown,O. A10
Type 309S		
8	24x144 to 62x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	36x196	Gary,Ind. U5
8	48x168 to 72x144	Middletown,O. A10
8	48-66x192	Washington,Pa. J3
8	66-72x144	Washington,Pa. J3
9	24x144 to 62x120	McKeesport,Pa. U5
9	24-60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	36x196	Gary,Ind. U5
9	48x168 to 72x144	Middletown,O. A10
10	24x144 to 62x120	McKeesport,Pa. U5
10	24-60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	36x196	Gary,Ind. U5
10	48x168 to 72x144	Middletown,O. A10
11	24x144 to 62x120	McKeesport,Pa. U5
11	24-48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	36x196	Gary,Ind. U5
11	48x168 to 72x144	Middletown,O. A10
12	24x144 to 62x120	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	36x196	Gary,Ind. U5
12	48x156 to 72x120	Middletown,O. A10
13	24x144 to 62x120	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	36x196	Gary,Ind. U5
13	48x120	Middletown,O. A10
14	24x144 to 62x120	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	36x196	Gary,Ind. U5
14	48x120	Middletown,O. A10
15	24x144 to 62x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	36x196	Gary,Ind. U5
15	48x120	Middletown,O. A10
16	24x144 to 62x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	36x196	Gary,Ind. U5
16	48x120	Middletown,O. A10
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	36x196	Gary,Ind. U5
17	48x120	Middletown,O. A10

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 1 Finish (hot-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	36x196	Gary,Ind. U5
18	48x120	Middletown,O. A10
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	36x196	Gary,Ind. U5
19	45x108	Middletown,O. A10
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	36x196	Gary,Ind. U5
20	45x108	Middletown,O. A10
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	36x196	Gary, Ind. U5
21	45x96	Middletown,O. A10
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	36x196	Gary,Ind. U5
22	45x96	Middletown,O. A10
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
23	36x196	Gary,Ind. U5
23	45x96	Middletown,O. A10
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
24	36x196	Gary,Ind. U5
24	45x96	Middletown,O. A10
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 310		
8	24x144 to 62x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	30x183 to 72x144	Massillon,O. R2
8	36-54x96-144	NewCastle,Ind. I-4
8	36x196	Gary,Ind. U5
8	48x120	Middletown,O. A10
8	48-66x192	Washington,Pa. J3
8	48x200	Pittsburgh C18
8	66-72x144	Washington,Pa. J3
9	24x144 to 62x120	McKeesport,Pa. U5
9	24-60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	30x168 to 72x168	Massillon,O. R2
9	36-54x96-144	NewCastle,Ind. I-4
9	36x196	Gary,Ind. U5
9	48x120	Middletown,O. A10
9	48x200	Pittsburgh C18
10	24x144 to 62x120	McKeesport,Pa. U5
10	24-60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	30x168 to 72x168	Massillon,O. R2
10	36-54x96-144	NewCastle,Ind. I-4
10	36x196	Gary,Ind. U5
10	48x120	Middletown,O. A10
10	48x200	Pittsburgh C18
11	24x144 to 62x120	McKeesport,Pa. U5
11	24-48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	30x160 to 72x144	Massillon,O. R2
11	36-54x96-144	NewCastle,Ind. I-4
11	36x196	Gary,Ind. U5
11	48x120	Middletown,O. A10
11	48x200	Pittsburgh C18
12	24x144 to 62x120	McKeesport,Pa. U5
12	24-48x144	Washington,Pa. J3
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	30x144 to 72x144	Massillon,O. R2
12	36-54x96-144	NewCastle,Ind. I-4
12	36x196	Gary,Ind. U5
12	48x120	Middletown,O. A10
12	48x200	Pittsburgh C18
13	24-48x120	Washington,Pa. J3
13	24x144 to 62x120	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	30x144 to 54x144	Massillon,O. R2
13	36-54x96-144	NewCastle,Ind. I-4
13	36x196	Gary,Ind. U5
13	48x120	Middletown,O. A10
13	48x200	Pittsburgh C18
14	24-48x120	Washington,Pa. J3
14	24x144 to 62x120	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	30x120 to 54x120	Massillon,O. R2
14	36-54x96-144	NewCastle,Ind. I-4
14	36x196	Gary,Ind. U5
14	48x96	Middletown,O. A10
14	48x200	Pittsburgh C18
15	24-48x120	Washington,Pa. J3
15	24x144 to 62x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	30x120 to 54x120	Massillon,O. R2
15	36-54x96-144	NewCastle,Ind. I-4
15	36x196	Gary,Ind. U5
15	48x96	Middletown,O. A10
15	48x200	Pittsburgh C18
16	24-48x120	Washington,Pa. J3
16	24x144 to 62x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	30x120 to 54x96	Massillon,O. R2
16	36-54x96-144	NewCastle,Ind. I-4
16	36x196	Gary,Ind. U5
16	48x96	Middletown,O. A10
16	48x200	Pittsburgh C18
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	30x120 to 42x120	Massillon,O. R2
17	36-54x96-144	NewCastle,Ind. I-4
17	36x196	Gary,Ind. U5
17	48x96	Middletown,O. A10
17	48x200	Pittsburgh C18
18	24-36x120	Washington,Pa. J3
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	30x120 to 42x120	Massillon,O. R2
18	36-54x96-144	NewCastle,Ind. I-4
18	36x196	Gary,Ind. U5
18	48x96	Middletown,O. A10
18	48x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	30x120 to 42x120	Massillon,O. R2
19	36x196	Gary,Ind. U5
19	45x84	Middletown,O. A10
19	48x200	Pittsburgh C18
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	30x120 to 42x120	Massillon,O. R2
20	36x196	Gary,Ind. U5
20	45x84	Middletown,O. A10
20	48x200	Pittsburgh C18
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	30x120 to 42x96	Massillon,O. R2
21	36x196	Gary,Ind. U5
21	48x200	Pittsburgh C18
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	30x120 to 42x96	Massillon,O. R2
22	36x196	Gary,Ind. U5
22	48x200	Pittsburgh C18
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
23	30x120 to 36x120	Massillon,O. R2
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
24	30x120 to 36x120	Massillon,O. R2
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 310S		
8	30x96	Bridgeville,Pa. U4
9	30x96	Bridgeville,Pa. U4
10	30x96	Bridgeville,Pa. U4
11	30x96	Bridgeville,Pa. U4
12	30x96	Bridgeville,Pa. U4
13	30x96	Bridgeville,Pa. U4
14	30x96	Bridgeville,Pa. U4
15	30x96	Bridgeville,Pa. U4
16	30x96	Bridgeville,Pa. U4
17	30x96	Bridgeville,Pa. U4
18	30x96	Bridgeville,Pa. U4
19	30x96	Bridgeville,Pa. U4
20	30x96	Bridgeville,Pa. U4
21	30x96	Bridgeville,Pa. U4
22	30x96	Bridgeville,Pa. U4
23	30x96	Bridgeville,Pa. U4
24	30x96	Bridgeville,Pa. U4
25	30x96	Bridgeville,Pa. U4
Type 314		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x96	Bridgeville,Pa. U4
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
15	24x196 to 72x196	Brackenridge,Pa. A4
15	**30x96**	**Bridgeville,Pa. U4**
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	**30x96**	**Bridgeville,Pa. U4**
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 316		
8	24x178 to 66x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 72x192	Massillon,O. R2
8	36-54x96-144	NewCastle,Ind. I-4
8	36x196	Gary,Ind. U5
8	36x200	Midland,Pa. C18
8	48-66x192	Washington,Pa. J3
8	48x200	Pittsburgh C18
8	48x204 to 84x168	Middletown,O. A10
8	66-72x144	Washington,Pa. J3
9	24-60x156	Washington,Pa. J3
9	24x178 to 66x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 72x192	Massillon,O. R2
9	36-54x96-144	NewCastle,Ind. I-4
9	36x196	Gary,Ind. U5
9	36x200	Midland,Pa. C18
9	48x200	Pittsburgh C18
9	48x204 to 84x168	Middletown,O. A10
10	24-60x144	Washington,Pa. J3
10	24x178 to 66x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	30x156 to 72x144	Baltimore E2
10	30x204 to 72x192	Massillon,O. R2
10	36-54x96-144	NewCastle,Ind. I-4
10	36x196	Gary,Ind. U5
10	36x200	Midland,Pa. C18
10	48x200	Pittsburgh C18
10	48x204 to 84x180	Middletown,O. A10
11	24-48x144	Washington,Pa. J3
11	24x178 to 66x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	30x156 to 72x144	Baltimore E2
11	30x204 to 72x180	Massillon,O. R2
11	36-54x96-144	NewCastle,Ind. I-4
11	36x196	Gary,Ind. U5
11	36x200	Midland,Pa. C18
11	48x200	Pittsburgh C18
11	72x216 to 84x144	Middletown,O. A10
12	24-48x144	Washington,Pa. J3
12	24x178 to 66x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	30x156 to 72x132	Baltimore E2
12	30x192 to 72x168	Massillon,O. R2
12	36-54x96-144	NewCastle,Ind. I-4
12	36x196	Gary,Ind. U5

(Code number following mill point indicates producing company, key on page 2)

No. 1 Finish (hot-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
12	36x200	Midland, Pa. C18
12	42x216 to 84x120	Middletown, O. A10
12	48x200	Pittsburgh C18
13	24–48x120	Washington, Pa. J3
13	24x178 to 66x144	McKeesport, Pa. U5
13	24x196 to 72x196	Brackenridge, Pa. A4
13	30x96	Bridgeville, Pa. U4
13	30x156 to 72x120	Baltimore E2
13	30x192 to 72x168	Massillon, O. R2
13	36–54x96–144	NewCastle, Ind. I-4
13	36x196	Gary, Ind. U5
13	36x200	Midland, Pa. C18
13	42x180 to 72x144	Middletown, O. A10
13	48x200	Pittsburgh C18
14	24–48x120	Washington, Pa. J3
14	24x178 to 66x144	McKeesport, Pa. U5
14	24x196 to 72x196	Brackenridge, Pa. A4
14	30x96	Bridgeville, Pa. U4
14	30x156 to 72x96	Baltimore E2
14	30x192 to 72x168	Massillon, O. R2
14	36–54x96–144	NewCastle, Ind. I-4
14	36x196	Gary, Ind. U5
14	36x200	Midland, Pa. C18
14	42x180 to 72x144	Middletown, O. A10
14	48x200	Pittsburgh C18
15	24–48x120	Washington, Pa. J3
15	24x178 to 66x144	McKeesport, Pa. U5
15	24x196 to 72x196	Brackenridge, Pa. A4
15	30x96	Bridgeville, Pa. U4
15	30x144 to 65x96	Baltimore E2
15	30x180 to 72x144	Massillon, O. R2
15	36–54x96–144	NewCastle, Ind. I-4
15	36x196	Gary, Ind. U5
15	36x200	Midland, Pa. C18
15	42x180 to 72x144	Middletown, O. A10
15	48x200	Pittsburgh C18
16	24–48x120	Washington, Pa. J3
16	24x178 to 66x144	McKeesport, Pa. U5
16	24x196 to 72x196	Brackenridge, Pa. A4
16	30x96	Bridgeville, Pa. U4
16	30x132 to 65x96	Baltimore E2
16	30x180 to 72x144	Massillon, O. R2
16	36–54x96–144	NewCastle, Ind. I-4
16	36x196	Gary, Ind. U5
16	36x200	Midland, Pa. C18
16	42x180 to 72x144	Middletown, O. A10
16	48x200	Pittsburgh C18
17	24x160 to 66x96	McKeesport, Pa. U5
17	24x196 to 72x196	Brackenridge, Pa. A4
17	30x96	Bridgeville, Pa. U4
17	30x120 to 51x120	Baltimore E2
17	30x180 to 72x144	Massillon, O. R2
17	36–54x96–144	NewCastle, Ind. I-4
17	36x196	Gary, Ind. U5*
17	36x200	Midland, Pa. C18
17	42x168 to 72x120	Middletown, O. A10
17	48x200	Pittsburgh C18
18	24–36x120	Washington, Pa. J3
18	24x160 to 66x96	McKeesport, Pa. U5
18	24x196 to 72x196	Brackenridge, Pa. A4
18	30x96	Bridgeville, Pa. U4
18	30x120 to 51x96	Baltimore E2
18	30x180 to 72x144	Massillon, O. R2
18	36–54x96–144	NewCastle, Ind. I-4
18	36x196	Gary, Ind. U5
18	36x200	Midland, Pa. C18
18	42x168 to 48x156	Middletown, O. A10
18	48x200	Pittsburgh C18
19	24x144 to 62x96	McKeesport, Pa. U5
19	24x196 to 60x108	Brackenridge, Pa. A4
19	30x96	Bridgeville, Pa. U4
19	30x120 to 48x120	Baltimore E2
19	30x180 to 72x144	Massillon, O. R2
19	36x196	Gary, Ind. U5
19	36x200	Midland, Pa. C18
19	42x156 to 72x96	Middletown, O. A10
19	48x200	Pittsburgh C18
20	24x144 to 62x96	McKeesport, Pa. U5
20	24x196 to 60x96	Brackenridge, Pa. A4
20	30x96	Bridgeville, Pa. U4
20	30x120 to 48x96	Baltimore E2
20	30x180 to 72x144	Massillon, O. R2
20	36x196	Gary, Ind. U5
20	36x200	Midland, Pa. C18
20	42x156 to 72x96	Middletown, O. A10
20	48x200	Pittsburgh C18
21	24x144 to 56x96	McKeesport, Pa. U5
21	24x144 to 56x100	Brackenridge, Pa. A4
21	30x96	Bridgeville, Pa. U4
21	30x120 to 42x96	Baltimore E2
21	30x176 to 72x120	Massillon, O. R2
21	36x196	Gary, Ind. U5
21	36x200	Midland, Pa. C18
21	42x156 to 66x96	Middletown, O. A10
21	48x200	Pittsburgh C18
22	24x144 to 56x96	McKeesport, Pa. U5
22	24x144 to 56x100	Brackenridge, Pa. A4
22	30x96	Bridgeville, Pa. U4
22	30x120 to 42x96	Baltimore E2
22	30x176 to 72x120	Massillon, O. R2
22	36x196	Gary, Ind. U5
22	36x200	Midland, Pa. C18
22	42x156 to 66x96	Middletown, O. A10
22	48x200	Pittsburgh C18
23	24x144 to 48x120	Brackenridge, Pa. A4
23	24x144 to 49x120	McKeesport, Pa. U5
23	30x96	Bridgeville, Pa. U4
23	30x171 to 72x96	Massillon, O. R2
23	36x196	Gary, Ind. U5
23	36x200	Midland, Pa. C18
23	42x144 to 48x132	Middletown, O. A10
23	48x200	Pittsburgh C18
24	24x144 to 48x120	Brackenridge, Pa. A4
24	24x144 to 49x120	McKeesport, Pa. U5
24	30x96	Bridgeville, Pa. U4
24	30x171 to 72x96	Massillon, O. R2
24	36x196	Gary, Ind. U5
24	36x200	Midland, Pa. C18
24	42x144 to 48x132	Middletown, O. A10
24	48x200	Pittsburgh C18
25	24x120 to 40x96	Brackenridge, Pa. A4
25	24x144 to 49x120	McKeesport, Pa. U5
25	30x96	Bridgeville, Pa. U4
25	30x144 to 46x144	Massillon, O. R2
25	36x144	Gary, Ind. U5
25	36x200	Midland, Pa. C18
25	42x120 to 48x96	Middletown, O. A10
26	24x120 to 40x96	Brackenridge, Pa. A4
26	24x144 to 49x120	McKeesport, Pa. U5
26	30x144 to 46x144	Massillon, O. R2
26	36x144	Gary, Ind. U5
26	42x120 to 48x96	Middletown, O. A10
27	24x120 to 38x120	McKeesport, Pa. U5
27	30x120 to 36x120	Massillon, O. R2
28	24x120 to 38x120	McKeesport, Pa. U5
28	30x120 to 36x120	Massillon, O. R2
Type 316L		
8	24–48x240	Washington, Pa. J3
8	30x96	Bridgeville, Pa. U4
8	48–66x192	Washington, Pa. J3
8	48x204 to 84x168	Middletown, O. A10
8	66–72x144	Washington, Pa. J3
9	24–60x156	Washington, Pa. J3
9	30x96	Bridgeville, Pa. U4
9	48x204 to 84x168	Middletown, O. A10
10	24–60x144	Washington, Pa. J3
10	30x96	Bridgeville, Pa. U4
10	48x204 to 84x180	Middletown, O. A10
11	24–48x144	Washington, Pa. J3
11	30x96	Bridgeville, Pa. U4
11	72x216 to 84x144	Middletown, O. A10
12	30x96	Bridgeville, Pa. U4
12	42x216 to 84x120	Middletown, O. A10
13	30x96	Bridgeville, Pa. U4
13	42x180 to 72x144	Middletown, O. A10
14	30x96	Bridgeville, Pa. U4
14	42x180 to 72x144	Middletown, O. A10
15	30x96	Bridgeville, Pa. U4
15	42x180 to 72x144	Middletown, O. A10
16	30x96	Bridgeville, Pa. U4
16	42x180 to 72x144	Middletown, O. A10
17	30x96	Bridgeville, Pa. U4
17	42x168 to 72x120	Middletown, O. A10
18	30x96	Bridgeville, Pa. U4
18	42x168 to 48x156	Middletown, O. A10
19	30x96	Bridgeville, Pa. U4
19	42x156 to 72x96	Middletown, O. A10
20	30x96	Bridgeville, Pa. U4
20	42x156 to 72x96	Middletown, O. A10
21	30x96	Bridgeville, Pa. U4
21	42x156 to 66x96	Middletown, O. A10
22	30x96	Bridgeville, Pa. U4
22	42x156 to 66x96	Middletown, O. A10
23	30x96	Bridgeville, Pa. U4
23	42x144 to 48x132	Middletown, O. A10
24	30x96	Bridgeville, Pa. U4
24	42x144 to 48x132	Middletown, O. A10
25	30x96	Bridgeville, Pa. U4
25	42x120 to 48x96	Middletown, O. A10
26	42x120 to 48x96	Middletown, O. A10
Type 316Cb		
8	24–48x240	Washington, Pa. J3
8	48–66x192	Washington, Pa. J3
8	66–72x144	Washington, Pa. J3
9	24–60x156	Washington, Pa. J3
10	24–60x144	Washington, Pa. J3
11	24–48x144	Washington, Pa. J3
Type 317		
8	24x144 to 62x120	McKeesport, Pa. U5
8	24x196 to 72x196	Brackenridge, Pa. A4
8	24–48x240	Washington, Pa. J3
8	30x96	Bridgeville, Pa. U4
8	36–54x96–144	NewCastle, Ind. I-4
8	36x196	Gary, Ind. U5
8	48–66x192	Washington, Pa. J3
8	66–72x144	Washington, Pa. J3
9	24x144 to 62x120	McKeesport, Pa. U5
9	24–60x156	Washington, Pa. J3
9	24x196 to 72x196	Brackenridge, Pa. A4
9	30x96	Bridgeville, Pa. U4
9	36–54x96–144	NewCastle, Ind. I-4
9	36x196	Gary, Ind. U5
10	24x144 to 62x120	McKeesport, Pa. U5
10	24–60x144	Washington, Pa. J3
10	24x196 to 72x196	Brackenridge, Pa. A4
10	30x96	Bridgeville, Pa. U4
10	36–54x96–144	NewCastle, Ind. I-4
10	36x196	Gary, Ind. U5
11	24x144 to 62x120	McKeesport, Pa. U5
11	24–48x144	Washington, Pa. J3
11	24x196 to 72x196	Brackenridge, Pa. A4
11	30x96	Bridgeville, Pa. U4
11	36–54x96–144	NewCastle, Ind. I-4
11	36x196	Gary, Ind. U5
12	24x144 to 62x120	McKeesport, Pa. U5
12	24x196 to 72x196	Brackenridge, Pa. A4
12	30x96	Bridgeville, Pa. U4
12	36–54x96–144	NewCastle, Ind. I-4
12	36x196	Gary, Ind. U5
13	24x144 to 62x120	McKeesport, Pa. U5
13	24x196 to 72x196	Brackenridge, Pa. A4
13	30x96	Bridgeville, Pa. U4
13	36–54x96–144	NewCastle, Ind. I-4
13	36x196	Gary, Ind. U5
14	24x144 to 62x120	McKeesport, Pa. U5
14	24x196 to 72x196	Brackenridge, Pa. A4
14	30x96	Bridgeville, Pa. U4
14	36–54x96–144	NewCastle, Ind. I-4
14	36x196	Gary, Ind. U5
15	24x144 to 62x120	McKeesport, Pa. U5
15	24x196 to 72x196	Brackenridge, Pa. A4
15	30x96	Bridgeville, Pa. U4
15	36–54x96–144	NewCastle, Ind. I-4
15	36x196	Gary, Ind. U5
16	24x144 to 62x120	McKeesport, Pa. U5
16	24x196 to 72x196	Brackenridge, Pa. A4
16	30x96	Bridgeville, Pa. U4
16	36–54x96–144	NewCastle, Ind. I-4
16	36x196	Gary, Ind. U5
17	24x144 to 49x120	McKeesport, Pa. U5
17	24x196 to 72x196	Brackenridge, Pa. A4
17	30x96	Bridgeville, Pa. U4
17	36–54x96–144	NewCastle, Ind. I-4
17	36x196	Gary, Ind. U5
18	24x144 to 49x120	McKeesport, Pa. U5
18	24x196 to 72x196	Brackenridge, Pa. A4
18	30x96	Bridgeville, Pa. U4
18	36–54x96–144	NewCastle, Ind. I-4
18	36x196	Gary, Ind. U5
19	24x120 to 49x120	McKeesport, Pa. U5
19	24x196 to 60x108	Brackenridge, Pa. A4
19	30x96	Bridgeville, Pa. U4
19	36x196	Gary, Ind. U5
20	24x120 to 49x120	McKeesport, Pa. U5
20	24x196 to 60x96	Brackenridge, Pa. A4
20	30x96	Bridgeville, Pa. U4
20	36x196	Gary, Ind. U5
21	24x120 to 49x120	McKeesport, Pa. U5
21	24x144 to 56x100	Brackenridge, Pa. A4
21	30x96	Bridgeville, Pa. U4
21	36x196	Gary, Ind. U5
22	24x120 to 49x120	McKeesport, Pa. U5
22	24x144 to 56x100	Brackenridge, Pa. A4
22	30x96	Bridgeville, Pa. U4
22	36x196	Gary, Ind. U5
23	24x120 to 38x120	McKeesport, Pa. U5
23	24x144 to 48x120	Brackenridge, Pa. A4
23	30x96	Bridgeville, Pa. U4
23	36x196	Gary, Ind. U5
24	24x120 to 38x120	McKeesport, Pa. U5
24	24x144 to 48x120	Brackenridge, Pa. A4
24	30x96	Bridgeville, Pa. U4
24	36x196	Gary, Ind. U5
25	24x120 to 38x120	McKeesport, Pa. U5
25	24x120 to 40x96	Brackenridge, Pa. A4
25	30x96	Bridgeville, Pa. U4
25	36x144	Gary, Ind. U5
26	24x120 to 38x120	McKeesport, Pa. U5
26	24x120 to 40x96	Brackenridge, Pa. A4
26	36x144	Gary, Ind. U5
Type 318		
8	24x144 to 62x120	McKeesport, Pa. U5
8	24x196 to 72x196	Brackenridge, Pa. A4
8	36x196	Gary, Ind. U5
9	24x144 to 62x120	McKeesport, Pa. U5
9	24x196 to 72x196	Brackenridge, Pa. A4
9	36x196	Gary, Ind. U5
10	24x144 to 62x120	McKeesport, Pa. U5
10	24x196 to 72x196	Brackenridge, Pa. A4
10	36x196	Gary, Ind. U5
11	24x144 to 62x120	McKeesport, Pa. U5
11	24x196 to 72x196	Brackenridge, Pa. A4
11	36x196	Gary, Ind. U5
12	24x144 to 62x120	McKeesport, Pa. U5
12	24x196 to 72x196	Brackenridge, Pa. A4
12	36x196	Gary, Ind. U5
13	24x144 to 62x120	McKeesport, Pa. U5
13	24x196 to 72x196	Brackenridge, Pa. A4
13	36x196	Gary, Ind. U5

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 1 Finish (hot-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
14	24x144 to 62x120	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x196	Gary,Ind. U5
15	24x144 to 62x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
16	24x144 to 62x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 321		
8	24x178 to 66x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 72x192	Massillon,O. R2
8	36-54x96-144	NewCastle,Ind. I-4
8	48-66x192	Washington,Pa. J3
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 84x168	Middletown,O. A10
8	60x200	Pittsburgh C18
8	66-72x144	Washington,Pa. J3
9	24-60x156	Washington,Pa. J3
9	24x178 to 66x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 72x192	Massillon,O. R2
9	36-54x96-144	NewCastle,Ind. I-4
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 84x168	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24-60x144	Washington,Pa. J3
10	24x178 to 66x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 72x192	Massillon,O. R2
10	36-54x96-144	NewCastle,Ind. I-4
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 84x180	Middletown,O. A10
10	60x200	Pittsburgh C18
11	24-48x144	Washington,Pa. J3
11	24x178 to 66x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	30x156 to 72x144	Baltimore E2
11	30x204 to 72x180	Massillon,O. R2
11	36-54x96-144	NewCastle,Ind. I-4
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	60x200	Pittsburgh C18
11	72x216 to 84x144	Middletown,O. A10
12	24x178 to 66x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	30x156 to 72x132	Baltimore E2
12	30x192 to 72x168	Massillon,O. R2
12	36-54x96-144	NewCastle,Ind. I-4
12	42x216 to 84x120	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	60x200	Pittsburgh C18
13	24x178 to 66x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	30x156 to 72x120	Baltimore E2
13	30x192 to 72x168	Massillon,O. R2
13	36-54x96-144	NewCastle,Ind. I-4
13	42x180 to 72x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	60x200	Pittsburgh C18
14	24x178 to 66x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	30x156 to 72x120	Baltimore E2
14	30x192 to 72x168	Massillon,O. R2
14	36-54x96-144	NewCastle,Ind. I-4
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	60x200	Pittsburgh C18
15	24x178 to 66x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	30x144 to 65x120	Baltimore E2
15	30x180 to 72x144	Massillon,O. R2
15	36-54x96-144	NewCastle,Ind. I-4
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	60x200	Pittsburgh C18
16	24x178 to 66x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	30x132 to 65x96	Baltimore E2
16	30x180 to 72x144	Massillon,O. R2
16	36-54x96-144	NewCastle,Ind. I-4
16	42x180 to 72x144	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	60x200	Pittsburgh C18
17	21x160 to 66x96	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	30x132 to 55x120	Baltimore E2
17	30x180 to 72x144	Massillon,O. R2
17	36-54x96-144	NewCastle,Ind. I-4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	60x200	Pittsburgh C18
18	24x160 to 66x96	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	30x132 to 55x120	Baltimore E2
18	30x180 to 72x144	Massillon,O. R2
18	36-54x96-144	NewCastle,Ind. I-4
18	42x168 to 48x156	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	60x200	Pittsburgh C18
19	24x144 to 62x96	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	30x132 to 55x96	Baltimore E2
19	30x180 to 72x144	Massillon,O. R2
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
20	24x144 to 62x96	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	30x132 to 55x96	Baltimore E2
20	30x180 to 72x144	Massillon,O. R2
20	42x156 to 72x96	Middletown,O. A10
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
21	24x144 to 56x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	30x132 to 51x120	Baltimore E2
21	30x176 to 72x120	Massillon,O. R2
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
22	24x144 to 56x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	30x132 to 51x120	Baltimore E2
22	30x176 to 72x120	Massillon,O. R2
22	42x156 to 66x96	Middletown,O. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x96	Bridgeville,Pa. U4
23	30x132 to 51x96	Baltimore E2
23	30x171 to 72x96	Massillon,O. R2
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x96	Bridgeville,Pa. U4
24	30x132 to 51x96	Baltimore E2
24	30x171 to 72x96	Massillon,O. R2
24	42x144 to 48x132	Middletown,O. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x96	Bridgeville,Pa. U4
25	30x144 to 46x144	Massillon,O. R2
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	42x120 to 48x96	Middletown,O. A10
26	48x144	Gary,Ind. U5
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
Type 330		
8	24-48x240	Washington,Pa. J3
8	36-54x96-144	NewCastle,Ind. I-4
8	48-66x192	Washington,Pa. J3
8	66-72x144	Washington,Pa. J3
9	24-60x156	Washington,Pa. J3
9	36-54x96-144	NewCastle,Ind. I-4
10	24-60x144	Washington,Pa. J3
10	36-54x96-144	NewCastle,Ind. I-4
11	24-48x144	Washington,Pa. J3
11	36-54x96-144	NewCastle,Ind. I-4
12	24-48x144	Washington,Pa. J3
12	36-54x96-144	NewCastle,Ind. I-4
13	24-48x120	Washington,Pa. J3
13	36-54x96-144	NewCastle,Ind. I-4
14	24-48x120	Washington,Pa. J3
14	36-54x96-144	NewCastle,Ind. I-4
15	24-48x120	Washington,Pa. J3
15	36-54x96-144	NewCastle,Ind. I-4
16	24-48x120	Washington,Pa. J3
16	36-54x96-144	NewCastle,Ind. I-4
17	36-54x96-144	NewCastle,Ind. I-4
18	24-36x120	Washington,Pa. J3
18	36-54x96-144	NewCastle,Ind. I-4
Type 347		
8	24x178 to 66x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 72x192	Massillon,O. R2
8	36-54x96-144	NewCastle,Ind. I-4
8	48-66x192	Washington,Pa. J3
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 84x168	Middletown,O. A10
8	60x200	Pittsburgh C18
8	66-72x144	Washington,Pa. J3
9	24-60x156	Washington,Pa. J3
9	24x178 to 66x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 72x192	Massillon,O. R2
9	36-54x96-144	NewCastle,Ind. I-4
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 84x168	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24-60x144	Washington,Pa. J3
10	24x178 to 66x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	30x156 to 72x144	Baltimore E2
10	30x204 to 72x192	Massillon,O. R2
10	36-54x96-144	NewCastle,Ind. I-4
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 84x180	Middletown,O. A10
10	60x200	Pittsburgh C18
11	24-48x144	Washington,Pa. J3
11	24x178 to 66x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	30x156 to 72x144	Baltimore E2
11	30x204 to 72x180	Massillon,O. R2
11	36-54x96-144	NewCastle,Ind. I-4
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	60x200	Pittsburgh C18
11	72x216 to 84x144	Middletown,O. A10
12	24-48x144	Washington,Pa. J3
12	24x178 to 66x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	30x156 to 72x132	Baltimore E2

(Code number following mill point indicates producing company, key on page 2)

No. 1 Finish (hot-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
12	30x192 to 72x168	Massillon,O. R2
12	36–54x96–144	NewCastle,Ind. I-4
12	42x216 to 84x120	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	60x200	Pittsburgh C18
13	24–48x120	Washington,Pa. J3
13	24x178 to 66x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	30x156 to 72x120	Baltimore E2
13	30x192 to 72x168	Massillon,O. R2
13	36–54x96–144	NewCastle,Ind. I-4
13	42x180 to 72x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	60x200	Pittsburgh C18
14	24–48x120	Washington,Pa. J3
14	24x178 to 66x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	30x156 to 72x120	Baltimore E2
14	30x192 to 72x168	Massillon,O. R2
14	36–54x96–144	NewCastle,Ind. I-4
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	60x200	Pittsburgh C18
15	24–48x120	Washington,Pa. J3
15	24x178 to 66x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	30x144 to 65x96	Baltimore E2
15	30x180 to 72x144	Massillon,O. R2
15	36–54x96–144	NewCastle,Ind. I-4
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	60x200	Pittsburgh C18
16	24–48x120	Washington,Pa. J3
16	24x178 to 66x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	30x132 to 65x96	Baltimore E2
16	30x180 to 72x144	Massillon,O. R2
16	36–54x96–144	NewCastle,Ind. I-4
16	42x180 to 72x144	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	60x200	Pittsburgh C18
17	24x160 to 66x96	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	30x120 to 55x96	Baltimore E2
17	30x180 to 72x144	Massillon,O. R2
17	36–54x96–144	NewCastle,Ind. I-4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	60x200	PittsburghC18
18	24–36x120	Washington,Pa. J3
18	24x160 to 66x96	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	30x120 to 51x96	Baltimore E2
18	30x180 to 72x144	Massillon,O. R2
18	36–54x96–144	NewCastle,Ind. I-4
18	42x168 to 48x156	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	60x200	Pittsburgh C18
19	24x144 to 62x96	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	30x120 to 48x120	Baltimore E2
19	30x180 to 72x144	Massillon,O. R2
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
20	24x144 to 62x96	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	30x120 to 48x120	Baltimore E2
20	30x180 to 72x144	Massillon,O. R2
20	42x156 to 72x96	Middletown,O. A10
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
21	24x144 to 56x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	30x120 to 48x96	Baltimore E2
21	30x176 to 72x120	Massillon,O. R2
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
22	24x144 to 56x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	30x120 to 42x96	Baltimore E2
22	30x176 to 72x120	Massillon,O. R2
22	42x156 to 66x96	Middletown,O. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x96	Bridgeville,Pa. U4
23	30x120 to 36x120	Baltimore E2
23	30x171 to 72x96	Massillon,O. R2
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x96	Bridgeville,Pa. U4
24	30x120 to 36x120	Baltimore E2
24	30x171 to 72x96	Massillon,O. R2
24	42x144 to 48x132	Middletown,O. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x96	Bridgeville,Pa. U4
25	30x144 to 46x144	Massillon,O. R2
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	42x120 to 48x96	Middletown,O. A10
26	48x144	Gary,Ind. U5
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2

Type 403

8	24x196 to 72x196	Brackenridge,Pa. A4
8	24–48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	30x240 to 72x192	Massillon,O. R2
8	48–66x192	Washington,Pa. J3
8	66–72x144	Washington,Pa. J3
9	24–60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	30x228 to 72x120	Massillon,O. R2
10	24–60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	30x204 to 72x120	Massillon,O. R2
11	24–48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	30x204 to 60x144	Massillon,O. R2
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	30x192 to 60x144	Massillon,O. R2
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	30x144 to 60x144	Massillon,O. R2
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	30x144 to 60x144	Massillon,O. R2
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	30x144 to 48x144	Massillon,O. R2
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	30x144 to 48x144	Massillon,O. R2
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	30x144 to 40x144	Massillon,O. R2
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	30x144 to 40x144	Massillon,O. R2
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	30x144 to 40x144	Massillon,O. R2
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	30x144 to 40x144	Massillon,O. R2
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	30x144 to 36x144	Massillon,O. R2
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	30x144 to 36x144	Massillon,O. R2
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
23	30x144 to 36x144	Massillon,O. R2
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
24	30x144 to 36x144	Massillon,O. R2
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
26	24x120 to 40x96	Brackenridge,Pa. A4

Type 405

8	24x178 to 66x72	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24–48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	48–66x192	Washington,Pa. J3
8	48x196	Gary,Ind. U5
8	48x204 to 72x192	Middletown,O. A10
8	66–72x144	Washington,Pa. J3
9	24–60x156	Washington,Pa. J3
9	24x178 to 66x72	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	48x196	Gary,Ind. U5
9	48x204 to 72x192	Middletown,O. A10
10	24–60x144	Washington,Pa. J3
10	24x172 to 66x72	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	48x196	Gary,Ind. U5
10	48x204 to 72x192	Middletown,O. A10
11	24x144 to 66x72	McKeesport,Pa. U5
11	24–48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	48x196	Gary,Ind. U5
11	72x216	Middletown,O. A10
12	24x144 to 66x72	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	42x216 to 72x144	Middletown,O. A10
12	48x196	Gary,Ind. U5
13	24x144 to 66x72	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	42x180 to 60x156	Middletown,O. A10
13	48x196	Gary,Ind. U5
14	24x144 to 66x72	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	42x180 to 60x156	Middletown,O. A10
14	48x196	Gary,Ind. U5
15	24x144 to 66x72	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	42x180 to 60x156	Middletown,O. A10
15	48x196	Gary,Ind. U5
16	24x144 to 66x72	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	42x180 to 48x168	Middletown,O. A10
16	48x196	Gary,Ind. U5
17	24x144 to 66x72	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	48x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
18	24x144 to 66x72	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	48x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	48x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	48x196	Gary,Ind. U5
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	48x196	Gary,Ind. U5
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	48x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
23	48x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
24	48x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
25	48x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	48x144	Gary,Ind. U5

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 1 Finish (hot-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 410		
8	24x178 to 66x72	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24–48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	30x240 to 72x192	Massillon,O. R2
8	36–54x96–144	NewCastle,Ind. I-4
8	48–66x192	Washington,Pa. J3
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 72x192	Middletown,O. A10
8	60x200	Pittsburgh C18
8	66–72x144	Washington,Pa. J3
9	24–60x156	Washington,Pa. J3
9	24x178 to 66x72	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	30x228 to 72x120	Massillon,O. R2
9	36–54x96–144	NewCastle,Ind. I-4
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 72x192	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24–60x144	Washington,Pa. J3
10	24x172 to 66x72	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	30x204 to 72x120	Massillon,O. R2
10	36–54x96–144	NewCastle,Ind. I-4
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 72x192	Middletown,O. A10
10	60x200	Pittsburgh C18
11	24x144 to 66x72	McKeesport,Pa. U5
11	24–48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	30x204 to 60x144	Massillon,O. R2
11	36–54x96–144	NewCastle,Ind. I-4
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	60x200	Pittsburgh C18
11	72x216	Middletown,O. A10
12	24x144 to 66x72	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	30x192 to 60x144	Massillon,O. R2
12	36–54x96–144	NewCastle,Ind. I-4
12	42x216 to 72x144	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	60x200	Pittsburgh C18
13	24x144 to 66x72	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	30x144 to 60x144	Massillon,O. R2
13	36–54x96–144	NewCastle,Ind. I-4
13	42x180 to 60x156	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	60x200	Pittsburgh C18
14	24x144 to 66x72	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	30x144 to 60x144	Massillon,O. R2
14	36–54x96–144	NewCastle,Ind. I-4
14	42x180 to 60x156	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	60x200	Pittsburgh C18
15	24x144 to 66x72	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	30x144 to 48x144	Massillon,O. R2
15	36–54x96–144	NewCastle,Ind. I-4
15	42x180 to 60x156	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	60x200	Pittsburgh C18
16	24x144 to 66x72	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	30x144 to 48x144	Massillon,O. R2
16	36–54x96–144	NewCastle,Ind. I-4
16	42x180 to 48x168	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	60x200	Pittsburgh C18
17	24x144 to 66x72	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	30x144 to 40x144	Massillon,O. R2
17	36–54x96–144	NewCastle,Ind. I-4
17	48x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	60x200	Pittsburgh C18
18	24x144 to 66x72	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	30x144 to 40x144	Massillon,O. R2
18	36–54x96–144	NewCastle,Ind. I-4
18	48x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	60x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	30x144 to 40x144	Massillon,O. R2
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	30x144 to 40x144	Massillon,O. R2
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	30x144 to 36x144	Massillon,O. R2
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	30x144 to 36x144	Massillon,O. R2
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
23	30x144 to 36x144	Massillon,O. R2
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
24	30x144 to 36x144	Massillon,O. R2
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	48x144	Gary,Ind. U5
Type 414		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24–48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	48–66x192	Washington,Pa. J3
8	66–72x144	Washington,Pa. J3
9	24–60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
10	24–60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
11	24–48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
26	24x120 to 40x96	Brackenridge,Pa. A4

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 416		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24–48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	30x240 to 72x192	Massillon,O. R2
8	48–66x192	Washington,Pa. J3
8	66–72x144	Washington,Pa. J3
9	24–60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	30x228 to 72x120	Massillon,O. R2
10	24–60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	30x204 to 72x120	Massillon,O. R2
11	24–48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	30x204 to 60x144	Massillon,O. R2
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	30x192 to 60x144	Massillon,O. R2
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	30x144 to 60x144	Massillon,O. R2
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	30x144 to 60x144	Massillon,O. R2
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	30x144 to 48x144	Massillon,O. R2
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	30x144 to 48x144	Massillon,O. R2
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	30x144 to 40x144	Massillon,O. R2
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	30x144 to 40x144	Massillon,O. R2
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	30x144 to 40x144	Massillon,O. R2
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa U4
20	30x144 to 40x144	Massillon,O. R2
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	30x144 to 36x144	Massillon,O. R2
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	30x144 to 36x144	Massillon,O. R2
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
23	30x144 to 36x144	Massillon,O. R2
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
24	30x144 to 36x144	Massillon,O. R2
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 420		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24–48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	48–66x192	Washington,Pa. J3
8	66–72x144	Washington,Pa. J3
9	24–60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
10	24–60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
11	24–48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
20	24x196 to 60x96	Brackenridge,Pa. A4

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 1 Finish (hot-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
20	30x96	Bridgeville,Pa. U4
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 420F		
8	24-48x240	Washington,Pa. J3
8	48-66x192	Washington,Pa. J3
8	66-72x144	Washington,Pa. J3
9	24-60x156	Washington,Pa. J3
10	24-60x144	Washington,Pa. J3
11	24-48x144	Washington,Pa. J3
Type 430		
8	24x178 to 66x72	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	30x156 to 48x156	Baltimore E2
8	30x240 to 72x192	Massillon,O. R2
8	36-54x96-144	NewCastle,Ind. I-4
8	48-66x192	Washington,Pa. J3
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 72x192	Middletown,O. A10
8	60x200	Pittsburgh C18
8	66-72x144	Washington,Pa. J3
9	24-60x156	Washington,Pa. J3
9	24x178 to 66x72	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	30x156 to 48x156	Baltimore E2
9	30x228 to 72x120	Massillon,O. R2
9	36-54x96-144	NewCastle,Ind. I-4
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 72x192	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24-60x144	Washington,Pa. J3
10	24x172 to 66x72	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	30x156 to 48x156	Baltimore E2
10	30x204 to 72x120	Massillon,O. R2
10	36-54x96-144	NewCastle,Ind. I-4
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 72x192	Middletown,O. A10
10	60x200	Pittsburgh C18
11	24x144 to 66x72	McKeesport,Pa. U5
11	24-48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	30x156 to 48x156	Baltimore E2
11	30x204 to 72x120	Massillon,O. R2
11	36-54x96-144	NewCastle,Ind. I-4
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	60x200	Pittsburgh C18
11	72x216	Middletown,O. A10
12	24x144 to 66x72	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	30x156 to 48x156	Baltimore E2
12	30x192 to 72x120	Massillon,O. R2
12	36-54x96-144	NewCastle,Ind. I-4
12	42x216 to 72x144	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	60x200	Pittsburgh C18
13	24x144 to 66x72	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	30x144 to 72x120	Massillon,O. R2
13	30x156 to 48x156	Baltimore E2
13	36-54x96-144	NewCastle,Ind. I-4
13	42x180 to 60x156	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	60x200	Pittsburgh C18
14	24x144 to 66x72	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	30x144 to 72x120	Massillon,O. R2
14	30x156 to 48x156	Baltimore E2
14	36-54x96-144	NewCastle,Ind. I-4
14	42x180 to 60x156	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	60x200	Pittsburgh C18
15	24x144 to 66x72	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	30x144 to 72x120	Massillon,O. R2
15	30x156 to 48x156	Baltimore E2
15	36-54x96-144	NewCastle,Ind. I-4
15	42x180 to 60x156	Middletown,O. A10
15	48x196	Gary,Ind.U5
15	48x200	Midland,Pa. C18
15	60x200	Pittsburgh C18
16	24x144 to 66x72	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	30x144 to 48x144	Baltimore E2
16	30x144 to 72x96	Massillon,O. R2
16	36-54x96-144	NewCastle,Ind. I-4
16	42x180 to 48x168	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	60x200	Pittsburgh C18
17	24x144 to 66x72	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	30x144 to 48x144	Baltimore E2
17	30x144 to 72x96	Massillon,O. R2
17	36-54x96-144	NewCastle,Ind. I-4
17	48x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	60x200	Pittsburgh C18
18	24x144 to 66x72	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	30x144 to 48x144	Baltimore E2
18	30x144 to 72x96	Massillon,O. R2
18	36-54x96-144	NewCastle,Ind. I-4
18	48x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	60x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	30x144 to 36x144	Massillon,O. R2
19	30x144 to 48x132	Baltimore E2
19	36x120	Middletown,O. A10
19	48x196	Gary,Ind.U5
19	48x200	Midland,Pa. C18
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	30x144 to 36x144	Massillon,O. R2
20	30x144 to 48x132	Baltimore E2
20	36x120	Middletown,O. A10
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	30x144 to 36x144	Massillon,O. R2
21	36x120	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	30x144 to 36x144	Massillon,O. R2
22	36x120	Middletown,O. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
23	30x144 to 36x144	Massillon,O. R2
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
24	30x144 to 36x144	Massillon,O. R2
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	48x144	Gary,Ind. U5
Type 430F		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	48-66x192	Washington,Pa. J3
8	66-72x144	Washington,Pa. J3
9	24-60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
10	24-60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
11	24-48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 430Ti		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 431		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	48-66x192	Washington,Pa. J3
8	66-72x144	Washington,Pa. J3
9	24-60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
10	24-60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
11	24-48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 1 Finish (hot-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 440A		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	48-66x192	Washington,Pa. J3
8	66-72x144	Washington,Pa. J3
9	24-60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
10	24-60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
11	24-48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 440B		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	48-66x192	Washington,Pa. J3
8	66-72x144	Washington,Pa. J3
9	24-60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
10	24-60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
11	24-48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
26	24x120 to 40x96	Brackenridge,Pa. A4

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 440C		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	48-66x192	Washington,Pa. J3
8	66-72x144	Washington,Pa. J3
9	24-60x156	Washington,Pa. J3
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
10	24-60x144	Washington,Pa. J3
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
11	24-48x144	Washington,Pa. J3
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 442		
8	24x72	NewCastle,Ind. I-4
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x72	NewCastle,Ind. I-4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x72	NewCastle,Ind. I-4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x72	NewCastle,Ind. I-4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x72	NewCastle,Ind. I-4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x72	NewCastle,Ind. I-4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x72	NewCastle,Ind. I-4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x72	NewCastle,Ind. I-4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x72	NewCastle,Ind. I-4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x72	NewCastle,Ind. I-4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x72	NewCastle,Ind. I-4
18	24x196 to 72x196	Brackenridge,Pa. A-4
19	24x72	NewCastle,Ind. I-4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x72	NewCastle,Ind. I-4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 446		
8	24x72	NewCastle,Ind. I-4
8	24x178 to 66x72	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	24-48x240	Washington,Pa. J3
8	30x96	Bridgeville,Pa. U4
8	30x168 to 72x168	Massillon,O. R2
8	48x144	Middletown,O. A10
8	48-66x192	Washington,Pa. J3
8	48x196	Gary,Ind. U5
8	66-72x144	Washington,Pa. J3
9	24x72	NewCastle,Ind. I-4
9	24-60x156	Washington,Pa. J3
9	24x178 to 66x72	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x96	Bridgeville,Pa. U4
9	30x168 to 72x168	Massillon,O. R2
9	48x144	Middletown,O. A10
9	48x196	Gary,Ind. U5
10	24x72	NewCastle,Ind. I-4
10	24-60x144	Washington,Pa. J3
10	24x172 to 66x72	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x96	Bridgeville,Pa. U4
10	30x168 to 72x168	Massillon,O. R2
10	48x144	Middletown,O. A10

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
10	48x196	Gary,Ind. U5
11	24x72	NewCastle,Ind. I-4
11	24-48x144	Washington,Pa. J3
11	24x144 to 66x72	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x96	Bridgeville,Pa. U4
11	30x168 to 72x168	Massillon,O. R2
11	48x144	Middletown,O. A10
11	48x196	Gary,Ind. U5
12	24x72	NewCastle,Ind. I-4
12	24x144 to 66x72	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x96	Bridgeville,Pa. U4
12	30x132 to 72x96	Massillon,O. R2
12	48x144	Middletown,O. A10
12	48x196	Gary,Ind. U5
13	24x72	NewCastle,Ind. I-4
13	24x144 to 66x72	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x96	Bridgeville,Pa. U4
13	30x132 to 72x96	Massillon,O. R2
13	48x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
14	24x72	NewCastle,Ind. I-4
14	24x144 to 66x72	McKeesport,Pa. U5
14	**24x196 to 72x196**	Brackenridge,Pa. A4
14	30x96	Bridgeville,Pa. U4
14	30x132 to 72x96	Massillon,O. R2
14	42x120	Middletown,O. A10
14	48x196	Gary,Ind. U5
15	**24x72**	NewCastle,Ind. I-4
15	24x144 to 66x72	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x96	Bridgeville,Pa. U4
15	**30x120 to 72x96**	Massillon,O. R2
15	42x120	Middletown,O. A10
15	48x196	Gary,Ind. U5
16	**24x72**	NewCastle,Ind. I-4
16	24x144 to 66x72	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x96	Bridgeville,Pa. U4
16	30x120 to 72x96	Massillon,O. R2
16	42x120	Middletown,O. A10
16	48x196	Gary,Ind. U5
17	24x72	NewCastle,Ind. I-4
17	24x144 to 66x72	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x96	Bridgeville,Pa. U4
17	30x120 to 48x120	Massillon,O. R2
17	36x90	Middletown,O. A10
17	48x196	Gary,Ind. U5
18	24x72	NewCastle,Ind. I-4
18	24x144 to 66x72	McKeesport,Pa. U5
18	**24x196 to 72x196**	Brackenridge,Pa. A4
18	30x96	Bridgeville,Pa. U4
18	30x120 to 48x120	Massillon,O. R2
18	36x90	Middletown,O. A10
18	48x196	Gary,Ind. U5
19	24x72	NewCastle,Ind. I-4
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x96	Bridgeville,Pa. U4
19	30x120 to 48x120	Massillon,O. R2
19	36x90	Middletown,O. A10
19	48x196	Gary,Ind. U5
20	24x72	NewCastle,Ind. I-4
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x96	Bridgeville,Pa. U4
20	30x120 to 48x120	Massillon,O. R2
20	36x90	Middletown,O. A10
20	48x196	Gary,Ind. U5
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x96	Bridgeville,Pa. U4
21	30x120 to 44x96	Massillon,O. R2
21	36x90	Middletown,O. A10
21	48x196	Gary,Ind. U5
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x96	Bridgeville,Pa. U4
22	30x120 to 44x96	Massillon,O. R2
22	36x72	Middletown,O. A10
22	48x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96	Bridgeville,Pa. U4
23	30x96 to 36x96	Massillon,O. R2
23	48x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96	Bridgeville,Pa. U4
24	30x96 to 36x96	Massillon,O. R2
24	48x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	30x96	Bridgeville,Pa. U4
25	48x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	48x144	Gary,Ind. U5

(Code number following mill point indicates producing company, key on page 2)

No. 2D Finish (dull cold-rolled) Coil Stock

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
Type 301		
8	48	Gary, Ind. U5
9	48	Gary, Ind. U5
10	48	Brackenridge, Pa. A4
10	48	Gary, Ind. U5
11	36	Butler, Pa. A10
11	48	Brackenridge, Pa. A4
11	48	Gary, Ind. U5
12	36	Butler, Pa. A10
12	36	W. Leechburg, Pa. A4
12	48	Brackenridge, Pa. A4
12	48	Gary, Ind. U5
13	36	Butler, Pa. A10
13	36	W. Leechburg, Pa. A4
13	48	Brackenridge, Pa. A4
13	48	Gary, Ind. U5
14	36	Butler, Pa. A10
14	36	Washington, Pa. W4
14	36	W. Leechburg, Pa. A4
14	48	Brackenridge, Pa. A4
14	48	Gary, Ind. U5
15	36	Butler, Pa. A10
15	36	Washington, Pa. W4
15	36	W. Leechburg, Pa. A4
15	48	Brackenridge, Pa. A4
15	48	Gary, Ind. U5
16	36	Butler, Pa. A10
16	36	Washington, Pa. W4
16	36	W. Leechburg, Pa. A4
16	48	Brackenridge, Pa. A4
16	48	Gary, Ind. U5
17	36	Butler, Pa. A10
17	36	Washington, Pa. W4
17	36	W. Leechburg, Pa. A4
17	48	Brackenridge, Pa. A4
17	48	Gary, Ind. U5
18	36	Butler, Pa. A10
18	36	Washington, Pa. W4
18	36	W. Leechburg, Pa. A4
18	48	Brackenridge, Pa. A4
18	48	Gary, Ind. U5
19	36	Butler, Pa. A10
19	36	Washington, Pa. W4
19	36	W. Leechburg, Pa. A4
19	48	Brackenridge, Pa. A4
19	48	Gary, Ind. U5
20	36	Butler, Pa. A10
20	36	Washington, Pa. W4
20	36	W. Leechburg, Pa. A4
20	48	Brackenridge, Pa. A4
20	48	Gary, Ind. U5
21	36	Butler, Pa. A10
21	36	Washington, Pa. W4
21	36	W. Leechburg, Pa. A4
21	48	Brackenridge, Pa. A4
21	48	Gary, Ind. U5
22	36	Butler, Pa. A10
22	36	Washington, Pa. W4
22	36	W. Leechburg, Pa. A4
22	48	Brackenridge, Pa. A4
22	48	Gary, Ind. U5
23	36	Butler, Pa. A10
23	36	Washington, Pa. W4
23	36	W. Leechburg, Pa. A4
23	48	Brackenridge, Pa. A4
23	48	Gary, Ind. U5
24	36	Butler, Pa. A10
24	36	Washington, Pa. W4
24	36	W. Leechburg, Pa. A4
24	48	Brackenridge, Pa. A4
24	48	Gary, Ind. U5
25	36	Butler, Pa. A10
25	36	Washington, Pa. W4
25	36	W. Leechburg, Pa. A4
25	48	Brackenridge, Pa. A4
25	48	Gary, Ind. U5
26	36	Butler, Pa. A10
26	36	Washington, Pa. W4
26	36	W. Leechburg, Pa. A4
26	48	Brackenridge, Pa. A4
26	48	Gary, Ind. U5
27	36	Butler, Pa. A10
27	36	Washington, Pa. W4
28	36	Butler, Pa. A10
28	36	Washington, Pa. W4
29	36	Washington, Pa. W4
30	36	Washington, Pa. W4
31	36	Washington, Pa. W4
.005 min.	30	Washington, Pa. W4
Type 302		
8	48	Gary, Ind. U5
8	48	Midland, Pa. C18
9	48	Gary, Ind. U5
9	48	Midland, Pa. C18
10	48	Brackenridge, Pa. A4
10	48	Gary, Ind. U5
10	48	Midland, Pa. C18
11	36	Butler, Pa. A10
11	48	Brackenridge, Pa. A4
11	48	Gary, Ind. U5
11	48	Midland, Pa. C18
12	36	Butler, Pa. A10
12	36	W. Leechburg, Pa. A4
12	48	Brackenridge, Pa. A4
12	48	Gary, Ind. U5
12	48	Midland, Pa. C18
13	36	Butler, Pa. A10
13	36	W. Leechburg, Pa. A4
13	48	Brackenridge, Pa. A4
13	48	Gary, Ind. U5
13	48	Midland, Pa. C18
14	36	Butler, Pa. A10
14	36	Washington, Pa. W4
14	36	W. Leechburg, Pa. A4
14	48	Brackenridge, Pa. A4
14	48	Gary, Ind. U5
14	48	Midland, Pa. C18
15	36	Butler, Pa. A10
15	36	Washington, Pa. W4
15	36	W. Leechburg, Pa. A4
15	48	Brackenridge, Pa. A4
15	48	Gary, Ind. U5
15	48	Midland, Pa. C18
16	36	Butler, Pa. A10
16	36	Washington, Pa. W4
16	36	W. Leechburg, Pa. A4
16	48	Brackenridge, Pa. A4
16	48	Gary, Ind. U5
16	48	Midland, Pa. C18
17	36	Butler, Pa. A10
17	36	Washington, Pa. W4
17	36	W. Leechburg, Pa. A4
17	48	Brackenridge, Pa. A4
17	48	Gary, Ind. U5
17	48	Midland, Pa. C18
18	36	Butler, Pa. A10
18	36	Washington, Pa. W4
18	36	W. Leechburg, Pa. A4
18	48	Brackenridge, Pa. A4
18	48	Gary, Ind. U5
18	48	Midland, Pa. C18
19	36	Butler, Pa. A10
19	36	Washington, Pa. W4
19	36	W. Leechburg, Pa. A4
19	48	Brackenridge, Pa. A4
19	48	Gary, Ind. U5
19	48	Midland, Pa. C18
20	36	Butler, Pa. A10
20	36	Washington, Pa. W4
20	36	W. Leechburg, Pa. A4
20	48	Brackenridge, Pa. A4
20	48	Gary, Ind. U5
20	48	Midland, Pa. C18
21	36	Butler, Pa. A10
21	36	Washington, Pa. W4
21	36	W. Leechburg, Pa. A4
21	48	Brackenridge, Pa. A4
21	48	Gary, Ind. U5
21	48	Midland, Pa. C18
22	36	Butler, Pa. A10
22	36	Washington, Pa. W4
22	36	W. Leechburg, Pa. A4
22	48	Brackenridge, Pa. A4
22	48	Gary, Ind. U5
22	48	Midland, Pa. C18
23	36	Butler, Pa. A10
23	36	Washington, Pa. W4
23	36	W. Leechburg, Pa. A4
23	48	Brackenridge, Pa. A4
23	48	Gary, Ind. U5
23	48	Midland, Pa. C18
24	36	Butler, Pa. A10
24	36	Washington, Pa. W4
24	36	W. Leechburg, Pa. A4
24	48	Brackenridge, Pa. A4
24	48	Gary, Ind. U5
24	48	Midland, Pa. C18
25	36	Butler, Pa. A10
25	36	Washington, Pa. W4
25	36	W. Leechburg, Pa. A4
25	48	Brackenridge, Pa. A4
25	48	Gary, Ind. U5
25	48	Midland, Pa. C18
26	36	Butler, Pa. A10
26	36	Washington, Pa. W4
26	36	W. Leechburg, Pa. A4
26	48	Brackenridge, Pa. A4
26	48	Gary, Ind. U5
26	48	Midland, Pa. C18
27	36	Butler, Pa. A10
27	36	Washington, Pa. W4
28	36	Butler, Pa. A10
28	36	Washington, Pa. W4
29	36	Washington, Pa. W4
30	36	Washington, Pa. W4
31	36	Washington, Pa. W4
.005 min.	30	Washington, Pa. W4
Type 304		
8	48	Gary, Ind. U5
8	48	Midland, Pa. C18
9	48	Gary, Ind. U5
9	48	Midland, Pa. C18
10	48	Brackenridge, Pa. A4
10	48	Gary, Ind. U5
10	48	Midland, Pa. C18
11	36	Butler, Pa. A10
11	48	Brackenridge, Pa. A4
11	48	Gary, Ind. U5
11	48	Midland, Pa. C18
12	36	Butler, Pa. A10
12	36	W. Leechburg, Pa. A4
12	48	Brackenridge, Pa. A4
12	48	Gary, Ind. U5
12	48	Midland, Pa. C18
13	36	Butler, Pa. A10
13	36	W. Leechburg, Pa. A4
13	48	Brackenridge, Pa. A4
13	48	Gary, Ind. U5
13	48	Midland, Pa. C18
14	36	Butler, Pa. A10
14	36	Washington, Pa. W4
14	36	W. Leechburg, Pa. A4
14	48	Brackenridge, Pa. A4
14	48	Gary, Ind. U5
14	48	Midland, Pa. C18
15	36	Butler, Pa. A10
15	36	Washington, Pa. W4
15	36	W. Leechburg, Pa. A4
15	48	Brackenridge, Pa. A4
15	48	Gary, Ind. U5
15	48	Midland, Pa. C18
16	36	Butler, Pa. A10
16	36	Washington, Pa. W4
16	36	W. Leechburg, Pa. A4
16	48	Brackenridge, Pa. A4
16	48	Gary, Ind. U5
16	48	Midland, Pa. C18
17	36	Butler, Pa. A10
17	36	Washington, Pa. W4
17	36	W. Leechburg, Pa. A4
17	48	Brackenridge, Pa. A4
17	48	Gary, Ind. U5
17	48	Midland, Pa. C18
18	36	Butler, Pa. A10
18	36	Washington, Pa. W4
18	36	W. Leechburg, Pa. A4
18	48	Brackenridge, Pa. A4
18	48	Gary, Ind. U5
18	48	Midland, Pa. C18
19	36	Butler, Pa. A10
19	36	Washington, Pa. W4
19	36	W. Leechburg, Pa. A4
19	48	Brackenridge, Pa. A4
19	48	Gary, Ind. U5
19	48	Midland, Pa. C18
20	36	Butler, Pa. A10
20	36	Washington, Pa. W4
20	36	W. Leechburg, Pa. A4
20	48	Brackenridge, Pa. A4
20	48	Gary, Ind. U5
20	48	Midland, Pa. C18
21	36	Butler, Pa. A10
21	36	Washington, Pa. W4
21	36	W. Leechburg, Pa. A4
21	48	Brackenridge, Pa. A4
21	48	Gary, Ind. U5
21	48	Midland, Pa. C18
22	36	Butler, Pa. A10
22	36	Washington, Pa. W4
22	36	W. Leechburg, Pa. A4
22	48	Brackenridge, Pa. A4
22	48	Gary, Ind. U5
22	48	Midland, Pa. C18
23	36	Butler, Pa. A10
23	36	Washington, Pa. W4
23	36	W. Leechburg, Pa. A4
23	48	Brackenridge, Pa. A4
23	48	Gary, Ind. U5
23	48	Midland, Pa. C18
24	36	Butler, Pa. A10
24	36	Washington, Pa. W4
24	36	W. Leechburg, Pa. A4
24	48	Brackenridge, Pa. A4
24	48	Gary, Ind. U5
24	48	Midland, Pa. C18
25	36	Butler, Pa. A10
25	36	Washington, Pa. W4
25	36	W. Leechburg, Pa. A4
25	48	Brackenridge, Pa. A4
25	48	Gary, Ind. U5
25	48	Midland, Pa. C18
26	36	Butler, Pa. A10
26	36	Washington, Pa. W4
26	36	W. Leechburg, Pa. A4
26	48	Brackenridge, Pa. A4
26	48	Gary, Ind. U5
26	48	Midland, Pa. C18
27	36	Butler, Pa. A10
27	36	Washington, Pa. W4
28	36	Butler, Pa. A10
28	36	Washington, Pa. W4
29	36	Washington, Pa. W4
30	36	Washington, Pa. W4
31	36	Washington, Pa. W4
.005 min.	30	Washington, Pa. W4
Type 304L		
11	36	Butler, Pa. A10
12	36	Butler, Pa. A10
13	36	Butler, Pa. A10
14	36	Butler, Pa. A10
15	36	Butler, Pa. A10
16	36	Butler, Pa. A10
17	36	Butler, Pa. A10
18	36	Butler, Pa. A10
19	36	Butler, Pa. A10
20	36	Butler, Pa. A10
21	36	Butler, Pa. A10
22	36	Butler, Pa. A10
23	36	Butler, Pa. A10
24	36	Butler, Pa. A10
25	36	Butler, Pa. A10
26	36	Butler, Pa. A10
27	36	Butler, Pa. A10
28	36	Butler, Pa. A10
Type 305		
8	48	Gary, Ind. U5
8	48	Midland, Pa. C18
9	48	Gary, Ind. U5
9	48	Midland, Pa. C18
10	48	Brackenridge, Pa. A4
10	48	Gary, Ind. U5
10	48	Midland, Pa. C18
11	36	Butler, Pa. A10
11	48	Brackenridge, Pa. A4
11	48	Gary, Ind. U5
11	48	Midland, Pa. C18
12	36	Butler, Pa. A10
12	36	W. Leechburg, Pa. A4
12	48	Brackenridge, Pa. A4
12	48	Gary, Ind. U5
12	48	Midland, Pa. C18
13	36	Butler, Pa. A10
13	36	W. Leechburg, Pa. A4
13	48	Brackenridge, Pa. A4
13	48	Gary, Ind. U5
13	48	Midland, Pa. C18
14	36	Butler, Pa. A10
14	36	W. Leechburg, Pa. A4
14	48	Brackenridge, Pa. A4
14	48	Gary, Ind. U5
14	48	Midland, Pa. C18
15	36	Butler, Pa. A10
15	36	W. Leechburg, Pa. A4
15	48	Brackenridge, Pa. A4
15	48	Gary, Ind. U5
15	48	Midland, Pa. C18
16	36	Butler, Pa. A10
16	36	W. Leechburg, Pa. A4
16	48	Brackenridge, Pa. A4
16	48	Gary, Ind. U5
16	48	Midland, Pa. C18
17	36	Butler, Pa. A10
17	36	W. Leechburg, Pa. A4
17	48	Brackenridge, Pa. A4
17	48	Gary, Ind. U5
17	48	Midland, Pa. C18
18	36	Butler, Pa. A10
18	36	W. Leechburg, Pa. A4
18	48	Brackenridge, Pa. A4
18	48	Gary, Ind. U5
18	48	Midland, Pa. C18

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 2D Finish (dull cold-rolled) Coil Stock

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
19	36	Butler,Pa. A10
19	36	W.Leechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Gary,Ind. U5
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	36	W.Leechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Gary,Ind. U5
20	48	Midland,Pa. C18
21	36	Butler,Pa. A10
21	36	W.Leechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Gary,Ind. U5
21	48	Midland,Pa. C18
22	36	Butler,Pa. A10
22	36	W.Leechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Gary,Ind. U5
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	36	W.Leechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Gary,Ind. U5
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10
24	36	W.Leechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Gary,Ind. U5
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	36	W.Leechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Gary,Ind. U5
25	48	Midland,Pa. C18
26	36	Butler,Pa. A10
26	36	W.Leechburg,Pa. A4
26	48	Brackenridge,Pa. A4
26	48	Gary,Ind. U5
27	36	Butler,Pa. A10
28	36	Butler,Pa. A10
Type 308		
8	36	Gary,Ind. U5
9	36	Gary,Ind. U5
10	36	Gary,Ind. U5
11	36	Gary,Ind. U5
12	36	Gary,Ind. U5
13	36	Gary,Ind. U5
14	36	Gary,Ind. U5
15	36	Gary,Ind. U5
16	36	Gary,Ind. U5
17	36	Gary,Ind. U5
18	36	Gary,Ind. U5
19	36	Gary,Ind. U5
20	36	Gary,Ind. U5
21	36	Gary,Ind. U5
22	36	Gary,Ind. U5
23	36	Gary,Ind. U5
24	36	Gary,Ind. U5
25	36	Gary,Ind. U5
26	36	Gary,Ind. U5
Type 309		
8	36	Gary,Ind. U5
9	36	Gary,Ind. U5
10	36	Gary,Ind. U5
11	36	Gary,Ind. U5
12	36	Gary,Ind. U5
13	36	Gary,Ind. U5
14	36	Gary,Ind. U5
15	36	Gary,Ind. U5
16	36	Gary,Ind. U5
17	36	Gary,Ind. U5
18	36	Gary,Ind. U5
19	36	Gary,Ind. U5
20	36	Gary,Ind. U5
21	36	Gary,Ind. U5
22	36	Gary,Ind. U5
23	36	Gary,Ind. U5
24	36	Gary,Ind. U5
25	36	Gary,Ind. U5
26	36	Gary,Ind. U5
Type 309S		
8	36	Gary,Ind. U5
9	36	Gary,Ind. U5
10	36	Gary,Ind. U5
11	36	Gary,Ind. U5
12	36	Gary,Ind. U5
13	36	Gary,Ind. U5
14	36	Gary,Ind. U5
15	36	Gary,Ind. U5
16	36	Gary,Ind. U5
17	36	Gary,Ind. U5
18	36	Gary,Ind. U5
19	36	Gary,Ind. U5
20	36	Gary,Ind. U5
21	36	Gary,Ind. U5
22	36	Gary,Ind. U5
23	36	Gary,Ind. U5
24	36	Gary,Ind. U5
25	36	Gary,Ind. U5
26	36	Gary,Ind. U5

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
19	36	Gary,Ind. U5
20	36	Gary,Ind. U5
21	36	Gary,Ind. U5
22	36	Gary,Ind. U5
23	36	Gary,Ind. U5
24	36	Gary,Ind. U5
25	36	Gary,Ind. U5
26	36	Gary,Ind. U5
Type 310		
8	36	Gary,Ind. U5
9	36	Gary,Ind. U5
10	36	Gary,Ind. U5
11	36	Gary,Ind. U5
12	36	Gary,Ind. U5
13	36	Gary,Ind. U5
14	36	Gary,Ind. U5
15	36	Gary,Ind. U5
16	36	Gary,Ind. U5
17	36	Gary,Ind. U5
18	36	Gary,Ind. U5
19	36	Gary,Ind. U5
20	36	Gary,Ind. U5
21	36	Gary,Ind. U5
22	36	Gary,Ind. U5
23	36	Gary,Ind. U5
24	36	Gary,Ind. U5
25	36	Gary,Ind. U5
26	36	Gary,Ind. U5
Type 316		
8	36	Gary,Ind. U5
8	48	Midland,Pa. C18
9	36	Gary,Ind. U5
9	48	Midland,Pa. C18
10	36	Gary,Ind. U5
10	48	Brackenridge,Pa. A4
10	48	Midland,Pa. C18
11	36	Butler,Pa. A10
11	36	Gary,Ind. U5
11	48	Brackenridge,Pa. A4
11	48	Midland,Pa. C18
12	36	Butler,Pa. A10
12	36	Gary,Ind. U5
12	36	W.Leechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Midland,Pa. C18
13	36	Butler,Pa. A10
13	36	Gary,Ind. U5
13	36	W.Leechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Midland,Pa. C18
14	36	Butler,Pa. A10
14	36	Gary,Ind. U5
14	36	Washington,Pa. W4
14	36	W.Leechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Midland,Pa. C18
15	36	Butler,Pa. A10
15	36	Gary,Ind. U5
15	36	Washington,Pa. W4
15	36	W.Leechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Midland,Pa. C18
16	36	Butler,Pa. A10
16	36	Gary,Ind. U5
16	36	Washington,Pa. W4
16	36	W.Leechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Midland,Pa. C18
17	36	Butler,Pa. A10
17	36	Gary,Ind. U5
17	36	Washington,Pa. W4
17	36	W.Leechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Midland,Pa. C18
18	36	Butler,Pa. A10
18	36	Gary,Ind. U5
18	36	Washington,Pa. W4
18	36	W.Leechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Midland,Pa. C18
19	36	Butler,Pa. A10
19	36	Gary,Ind. U5
19	36	Washington,Pa. W4
19	36	W.Leechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	36	Gary,Ind. U5
20	36	Washington,Pa. W4
20	36	W.Leechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Midland,Pa. C18

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
21	36	Butler,Pa. A10
21	36	Gary,Ind. U5
21	36	Washington,Pa. W4
21	36	W.Leechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Midland,Pa. C18
22	36	Butler,Pa. A10
22	36	Gary,Ind. U5
22	36	Washington,Pa. W4
22	36	W.Leechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	36	Gary,Ind. U5
23	36	Washington,Pa. W4
23	36	W.Leechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10
24	36	Gary,Ind. U5
24	36	Washington,Pa. W4
24	36	W.Leechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	36	Gary,Ind. U5
25	36	Washington,Pa. W4
25	36	W.Leechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Midland,Pa. C18
26	36	Butler,Pa. A10
26	36	Gary,Ind. U5
26	36	Washington,Pa. W4
26	36	W.Leechburg,Pa. A4
26	48	Brackenridge,Pa. A4
27	36	Butler,Pa. A10
27	36	Washington,Pa. W4
28	36	Butler,Pa. A10
28	36	Washington,Pa. W4
29	36	Washington,Pa. W4
30	36	Washington,Pa. W4
31	36	Washington,Pa. W4
.005 min.	30	Washington,Pa. W4
Type 316L		
11	36	Butler,Pa. A10
12	36	Butler,Pa. A10
13	36	Butler,Pa. A10
14	36	Butler,Pa. A10
15	36	Butler,Pa. A10
16	36	Butler,Pa. A10
17	36	Butler,Pa. A10
18	36	Butler,Pa. A10
19	36	Butler,Pa. A10
20	36	Butler,Pa. A10
21	36	Butler,Pa. A10
22	36	Butler,Pa. A10
23	36	Butler,Pa. A10
24	36	Butler,Pa. A10
25	36	Butler,Pa. A10
26	36	Butler,Pa. A10
27	36	Butler,Pa. A10
28	36	Butler,Pa. A10
Type 317		
8	36	Gary,Ind. U5
9	36	Gary,Ind. U5
10	36	Gary,Ind. U5
11	36	Gary,Ind. U5
12	36	Gary,Ind. U5
13	36	Gary,Ind. U5
14	36	Gary,Ind. U5
15	36	Gary,Ind. U5
16	36	Gary,Ind. U5
17	36	Gary,Ind. U5
18	36	Gary,Ind. U5
19	36	Gary,Ind. U5
20	36	Gary,Ind. U5
21	36	Gary,Ind. U5
22	36	Gary,Ind. U5
23	36	Gary,Ind. U5
24	36	Gary,Ind. U5
25	36	Gary,Ind. U5
26	36	Gary,Ind. U5
Type 318		
8	36	Gary,Ind. U5
9	36	Gary,Ind. U5
10	36	Gary,Ind. U5
11	36	Gary,Ind. U5
12	36	Gary,Ind. U5
13	36	Gary,Ind. U5
14	36	Gary,Ind. U5
15	36	Gary,Ind. U5
16	36	Gary,Ind. U5

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
17	36	Gary,Ind. U5
18	36	Gary,Ind. U5
19	36	Gary,Ind. U5
20	36	Gary,Ind. U5
21	36	Gary,Ind. U5
22	36	Gary,Ind. U5
23	36	Gary,Ind. U5
24	36	Gary,Ind. U5
25	36	Gary,Ind. U5
26	36	Gary,Ind. U5
Type 321		
8	48	Gary,Ind. U5
8	48	Midland,Pa. C18
9	48	Gary,Ind. U5
9	48	Midland,Pa. C18
10	48	Brackenridge,Pa. A4
10	48	Gary,Ind. U5
10	48	Midland,Pa. C18
11	36	Butler,Pa. A10
11	48	Brackenridge,Pa. A4
11	48	Gary,Ind. U5
11	48	Midland,Pa. C18
12	36	Butler,Pa. A10
12	36	W.Leechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Gary,Ind. U5
12	48	Midland,Pa. C18
13	36	Butler,Pa. A10
13	36	W.Leechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Gary,Ind. U5
13	48	Midland,Pa. C18
14	36	Butler,Pa. A10
14	36	Washington,Pa. W4
14	36	W.Leechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Gary,Ind. U5
14	48	Midland,Pa. C18
15	36	Butler,Pa. A10
15	36	Washington,Pa. W4
15	36	W.Leechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Gary,Ind. U5
15	48	Midland,Pa. C18
16	36	Butler,Pa. A10
16	36	Washington,Pa. W4
16	36	W.Leechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Gary,Ind. U5
16	48	Midland,Pa. C18
17	36	Butler,Pa. A10
17	36	Washington,Pa. W4
17	36	W.Leechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Gary,Ind. U5
17	48	Midland,Pa. C18
18	36	Butler,Pa. A10
18	36	Washington,Pa. W4
18	36	W.Leechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Gary,Ind. U5
18	48	Midland,Pa. C18
19	36	Butler,Pa. A10
19	36	Washington,Pa. W4
19	36	W.Leechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Gary,Ind. U5
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	36	Washington,Pa. W4
20	36	W.Leechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Gary,Ind. U5
20	48	Midland,Pa. C18
21	36	Butler,Pa. A10
21	36	Washington,Pa. W4
21	36	W.Leechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Gary,Ind. U5
21	48	Midland,Pa. C18
22	36	Butler,Pa. A10
22	36	Washington,Pa. W4
22	36	W. Leechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Gary,Ind. U5
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	36	Washington,Pa. W4
23	36	W.Leechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Gary,Ind. U5
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10

(Code number following mill point indicates producing company, key on page 2)

No. 2D Finish (dull cold-rolled) Coil Stock

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
24	36	Washington,Pa. W4
24	36	W.Leechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Gary,Ind. U5
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	36	Washington,Pa. W4
25	36	W.Leechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Gary,Ind. U5
25	48	Midland,Pa. C18
26	36	Butler,Pa. A10
26	36	Washington,Pa. W4
26	36	W.Leechburg,Pa. A4
26	48	Brackenridge,Pa. A4
26	48	Gary,Ind. U5
27	36	Butler,Pa. A10
27	36	Washington,Pa. W4
28	36	Butler,Pa. A10
28	36	Washington,Pa. W4
29	36	Washington,Pa. W4
30	36	Washington,Pa. W4
31	36	Washington,Pa. W4
.005 min.	30	Washington,Pa. W4
Type 347		
8	48	Gary,Ind. U5
8	48	Midland,Pa. C18
9	48	Gary,Ind. U5
9	48	Midland,Pa. C18
10	48	Brackenridge,Pa. A4
10	48	Gary,Ind. U5
10	48	Midland,Pa. C18
11	36	Butler,Pa. A10
11	48	Brackenridge,Pa. A4
11	48	Gary,Ind. U5
11	48	Midland,Pa. C18
12	36	Butler,Pa. A10
12	36	WestLeechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Gary,Ind. U5
12	48	Midland,Pa. C18
13	36	Butler,Pa. A10
13	36	WestLeechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Gary,Ind. U5
13	48	Midland,Pa. C18
14	36	Butler,Pa. A10
14	36	Washington,Pa. W4
14	36	WestLeechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Gary,Ind. U5
14	48	Midland,Pa. C18
15	36	Butler,Pa. A10
15	36	Washington,Pa. W4
15	36	WestLeechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Gary,Ind. U5
15	48	Midland,Pa. C18
16	36	Butler,Pa. A10
16	36	Washington,Pa. W4
16	36	WestLeechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Gary,Ind. U5
16	48	Midland,Pa. C18
17	36	Butler,Pa. A10
17	36	Washington,Pa. W4
17	36	WestLeechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Gary,Ind. U5
17	48	Midland,Pa. C18
18	36	Butler,Pa. A10
18	36	Washington,Pa. W4
18	36	WestLeechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Gary,Ind. U5
18	48	Midland,Pa. C18
19	36	Butler,Pa. A10
19	36	Washington,Pa. W4
19	36	WestLeechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Gary,Ind. U5
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	36	Washington,Pa. W4
20	36	WestLeechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Gary,Ind. U5
20	48	Midland,Pa. C18
21	36	Butler,Pa. A10
21	36	Washington,Pa. W4
21	36	WestLeechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Gary,Ind. U5
21	48	Midland,Pa. C18
22	36	Butler,Pa. A10
22	36	Washington,Pa. W4
22	36	WestLeechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Gary,Ind. U5
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	36	Washington,Pa. W4
23	36	WestLeechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Gary,Ind. U5
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10
24	36	Washington,Pa. W4
24	36	WestLeechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Gary,Ind. U5
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	36	Washington,Pa. W4
25	36	WestLeechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Gary,Ind. U5
25	48	Midland,Pa. C18
26	36	Butler,Pa. A10
26	36	Washington,Pa. W4
26	36	WestLeechburg,Pa. A4
26	48	Brackenridge,Pa. A4
26	48	Gary,Ind. U5
26	48	Midland,Pa. C18
27	36	Butler,Pa. A10
28	36	Washington,Pa. W4
28	36	WestLeechburg,Pa. A4
28	48	Brackenridge,Pa. A4
28	48	Gary,Ind. U5
28	48	Midland,Pa. C18
29	36	Butler,Pa. A10
29	36	Washington,Pa. W4
29	36	WestLeechburg,Pa. A4
29	48	Brackenridge,Pa. A4
29	48	Gary,Ind. U5
29	48	Midland,Pa. C18
30	36	Butler,Pa. A10
30	36	Washington,Pa. W4
30	36	WestLeechburg,Pa. A4
30	48	Brackenridge,Pa. A4
30	48	Gary,Ind. U5
30	48	Midland,Pa. C18
31	36	Butler,Pa. A10
31	36	Washington,Pa. W4
31	36	WestLeechburg,Pa. A4
31	48	Brackenridge,Pa. A4
31	48	Gary,Ind. U5
.005 min.	30	Washington,Pa. W4
Type 405		
8	48	Gary,Ind. U5
9	48	Gary,Ind. U5
10	48	Brackenridge,Pa. A4
10	48	Gary,Ind. U5
11	48	Brackenridge,Pa. A4
11	48	Gary,Ind. U5
12	36	WestLeechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Gary,Ind. U5
13	36	WestLeechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Gary,Ind. U5
14	36	WestLeechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Gary,Ind. U5
15	36	WestLeechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Gary,Ind. U5
16	36	WestLeechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Gary,Ind. U5
17	36	WestLeechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Gary,Ind. U5
18	36	WestLeechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Gary,Ind. U5
19	36	WestLeechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Gary,Ind. U5
20	36	WestLeechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Gary,Ind. U5
21	36	WestLeechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Gary,Ind. U5
22	36	WestLeechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Gary,Ind. U5
23	36	WestLeechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Gary,Ind. U5
24	36	WestLeechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Gary,Ind. U5
25	36	WestLeechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Gary,Ind. U5
26	36	WestLeechburg,Pa. A4
26	48	Brackenridge,Pa. A4
26	48	Gary,Ind. U5
Type 410		
8	48	Gary,Ind. U5
8	48	Midland,Pa. C18
9	48	Gary,Ind. U5
9	48	Midland,Pa. C18
10	48	Gary,Ind. U5
10	48	Midland,Pa. C18
11	36	Butler,Pa. A10
11	48	Gary,Ind. U5
11	48	Midland,Pa. C18
12	36	Butler,Pa. A10
12	48	Gary,Ind. U5
12	48	Midland,Pa. C18
13	36	Butler,Pa. A10
13	48	Gary,Ind. U5
13	48	Midland,Pa. C18
14	36	Butler,Pa. A10
14	48	Gary,Ind. U5
14	48	Midland,Pa. C18
15	36	Butler,Pa. A10
15	48	Gary,Ind. U5
15	48	Midland,Pa. C18
16	36	Butler,Pa. A10
16	48	Gary,Ind. U5
16	48	Midland,Pa. C18
17	36	Butler,Pa. A10
17	48	Gary,Ind. U5
17	48	Midland,Pa. C18
18	36	Butler,Pa. A10
18	36	Washington,Pa. W4
18	36	W.Leechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Gary,Ind. U5
18	48	Midland,Pa. C18
19	36	Butler,Pa. A10
19	36	Washington,Pa. W4
19	36	W.Leechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Gary,Ind. U5
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	36	Washington,Pa. W4
20	36	W.Leechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Gary,Ind. U5
20	48	Midland,Pa. C18
21	36	Butler,Pa. A10
21	36	Washington,Pa. W4
21	36	W.Leechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Gary,Ind. U5
21	48	Midland,Pa. C18
22	36	Butler,Pa. A10
22	36	Washington,Pa. W4
22	36	W.Leechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Gary,Ind. U5
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	36	Washington,Pa. W4
23	36	W.Leechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Gary,Ind. U5
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10
24	36	Washington,Pa. W4
24	36	W.Leechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Gary,Ind. U5
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	36	Washington,Pa. W4
25	36	W.Leechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Gary,Ind. U5
25	48	Midland,Pa. C18
26	36	Butler,Pa. A10
26	36	Washington,Pa. W4
26	36	W.Leechburg,Pa. A4
26	48	Brackenridge,Pa. A4
26	48	Gary,Ind. U5
27	36	Butler,Pa. A10
27	36	Washington,Pa. W4
28	36	Butler,Pa. A10
28	36	Washington,Pa. W4
Type 430		
8	48	Gary,Ind. U5
8	48	Midland,Pa. C18
9	48	Gary,Ind. U5
9	48	Midland,Pa. C18
10	48	Brackenridge,Pa. A4
10	48	Gary,Ind. U5
10	48	Midland,Pa. C18
11	36	Butler,Pa. A10
11	48	Brackenridge,Pa. A4
11	48	Gary,Ind. U5
11	48	Midland,Pa. C18
12	36	Butler,Pa. A10
12	36	W.Leechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Gary,Ind. U5
12	48	Midland,Pa. C18
13	36	Butler,Pa. A10
13	36	W.Leechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Gary,Ind. U5
13	48	Midland,Pa. C18
14	36	Butler,Pa. A10
14	36	Washington,Pa. W4
14	36	W.Leechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Gary,Ind. U5
14	48	Midland,Pa. C18
15	36	Butler,Pa. A10
15	36	Washington,Pa. W4
15	36	W.Leechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Gary,Ind. U5
15	48	Midland,Pa. C18
16	36	Butler,Pa. A10
16	36	Washington,Pa. W4
16	36	W.Leechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Gary,Ind. U5
16	48	Midland,Pa. C18
17	36	Butler,Pa. A10
17	36	Washington,Pa. W4
17	36	W.Leechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Gary,Ind. U5
17	48	Midland,Pa. C18
18	36	Butler,Pa. A10
18	36	Washington,Pa. W4
18	36	W.Leechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Gary,Ind. U5
18	48	Midland,Pa. C18
19	36	Butler,Pa. A10
19	36	Washington,Pa. W4
19	36	W.Leechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Gary,Ind. U5
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	36	Washington,Pa. W4
20	36	W.Leechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Gary,Ind. U5
20	48	Midland,Pa. C18
21	36	Butler,Pa. A10
21	36	Washington,Pa. W4
21	36	W.Leechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Gary,Ind. U5
21	48	Midland,Pa. C18
22	36	Butler,Pa. A10
22	36	Washington,Pa. W4
22	36	W.Leechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Gary,Ind. U5
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	36	Washington,Pa. W4
23	36	W.Leechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Gary,Ind. U5
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10
24	36	Washington,Pa. W4
24	36	W.Leechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Gary,Ind. U5
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	36	Washington,Pa. W4
25	36	W.Leechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Gary,Ind. U5
25	48	Midland,Pa. C18
26	36	Butler,Pa. A10
26	36	Washington,Pa. W4
26	36	W.Leechburg,Pa. A4
26	48	Brackenridge,Pa. A4
26	48	Gary,Ind. U5
Type 446		
8	48	Gary,Ind. U5
9	48	Gary,Ind. U5
10	48	Gary,Ind. U5
11	48	Gary,Ind. U5
12	48	Gary,Ind. U5
13	48	Gary,Ind. U5
14	48	Gary,Ind. U5
15	48	Gary,Ind. U5
16	48	Gary,Ind. U5
17	48	Gary,Ind. U5
18	48	Gary,Ind. U5
19	48	Gary,Ind. U5
20	48	Gary,Ind. U5
21	48	Gary,Ind. U5
22	48	Gary,Ind. U5
23	48	Gary,Ind. U5
24	48	Gary,Ind. U5
25	48	Gary,Ind. U5
26	48	Gary,Ind. U5

(Code number following mill point indicates producing company, key on page 2)

No. 2D Finish (dull cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 301		
8	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x240	Massillon,O. R2
8	48x196	Gary,Ind. U5
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x240	Brackenridge,Pa. A4
11	24x178 to 49x178	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x192	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x240	Brackenridge,Pa. A4
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	30x192 to 60x192	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	**36x240**	**WestLeechburg,Pa. A4**
12	48x196	Gary,Ind. U5
12	48x240	Brackenridge,Pa. A4
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	30x192 to 60x192	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	48x196	Gary,Ind. U5
13	48x240	Brackenridge,Pa. A4
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	30x192 to 60x192	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	48x196	Gary,Ind. U5
14	48x240	Brackenridge,Pa. A4
15	24x178 to 49x160	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x132	Baltimore E2
15	30x180 to 60x156	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	48x196	Gary,Ind. U5
15	48x240	Brackenridge,Pa. A4
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	30x180 to 60x156	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	48x196	Gary,Ind. U5
16	48x240	Brackenridge,Pa. A4
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 55x132	Baltimore E2
17	30x180 to 60x156	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	48x196	Gary,Ind. U5
17	48x240	Brackenridge,Pa. A4
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 55x132	Baltimore E2
18	30x180 to 60x156	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	48x196	Gary,Ind. U5
18	48x240	Brackenridge,Pa. A4
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 55x120	Baltimore E2
19	30x180 to 60x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	**36x240**	**WestLeechburg,Pa. A4**
19	48x196	Gary,Ind. U5
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 55x120	Baltimore E2
20	30x180 to 60x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	48x196	Gary,Ind. U5
20	48x240	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x176 to 60x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	48x196	Gary,Ind. U5
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x176 to 60x120	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	48x196	Gary,Ind. U5
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x171 to 60x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	**36x240**	**WestLeechburg,Pa. A4**
23	48x196	Gary,Ind. U5
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x171 to 60x120	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	48x196	Gary,Ind. U5
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x144 to 46x144	Massillon,O. R2
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	48x144	Gary,Ind. U5
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
28	**24x120 to 38x120**	**McKeesport,Pa. U5**
28	30x120 to 36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
29	36x240	Washington,Pa. W4
30	36x240	Washington,Pa. W4
31	36x240	Washington,Pa. W4
.005 min.	30x240	Washington,Pa. W4
Type 302		
8	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x240	Massillon,O. R2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 72x192	Middletown,O. A10
8	60x200	Pittsburgh C18
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 72x192	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
11	**24x178 to 49x178**	**McKeesport,Pa. U5**
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x192	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa.A4
11	60x200	Pittsburgh C18
11	72x216	Middletown,O. A10
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	30x192 to 60x192	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	30x192 to 60x192	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	30x192 to 60x192	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x240	Brackenridge,Pa. A4
14	60x200	Pittsburgh C18
15	**24x178 to 49x160**	**McKeesport,Pa. U5**
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x132	Baltimore E2
15	30x180 to 60x156	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	30x180 to 60x156	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 55x132	Baltimore E2
17	30x180 to 60x156	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 55x132	Baltimore E2
18	30x180 to 60x156	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 55x120	Baltimore E2
19	30x180 to 60x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x196	Brackenridge,Pa. A4
20	30x144 to 55x120	Baltimore E2
20	30x180 to 60x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10

(Code number following mill point indicates producing company, key on page 2)

No. 2D Finish (dull cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x176 to 60x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	**36x240**	**Washington,Pa. W4**
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x176 to 60x120	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x171 to 60x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x171 to 60x120	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x144 to 46x144	Massillon,O. R2
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
29	36x240	Washington,Pa. W4
30	36x240	Washington,Pa. W4
31	36x240	Washington,Pa. W4
.005 min.	30x240	Washington,Pa. W4

Type 302B

8	24x196 to 72x196	Brackenridge,Pa. A4
8	**30x240 to 60x192**	**Massillon,O. R2**
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x228 to 60x192	Massillon,O. R2
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x204 to 60x192	Massillon,O. R2
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x204 to 60x144	Massillon,O. R2
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x192 to 60x144	Massillon,O. R2
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 60x144	Massillon,O. R2
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 48x144	Massillon,O. R2
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 48x144	Massillon,O. R2
17	24x196 to 72x196	Brackenridge,Pa. A4
17	**30x144 to 40x144**	**Massillon,O. R2**
18	24x196 to 72x196	Brackenridge,Pa. A4
18	**30x144 to 40x144**	**Massillon,O. R2**
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 40x144	Massillon,O. R2
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 40x144	Massillon,O. R2
20	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x144 to 36x144	Massillon,O. R2
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x144 to 36x144	Massillon,O. R2
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4

Type 303

8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x240 to 60x192	Massillon,O. R2
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x228 to 60x192	Massillon,O. R2
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x204 to 60x192	Massillon,O. R2
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x204 to 60x144	Massillon,O. R2
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x192 to 60x144	Massillon,O. R2
13	24x196 to 72x196	Brackenridge,Pa. A4
13	**30x144 to 60x144**	**Massillon,O. R2**
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 48x144	Massillon,O. R2
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 48x144	Massillon,O. R2
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 40x144	Massillon,O. R2
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 40x144	Massillon,O. R2
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 40x144	Massillon,O. R2
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 40x144	Massillon,O. R2
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x144 to 36x144	Massillon,O. R2
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x144 to 36x144	Massillon,O. R2
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4

Type 304

8	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x240	Massillon,O. R2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 72x192	Middletown,O. A10
8	60x200	Pittsburgh C18
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	**30x156 to 72x156**	**Baltimore E2**
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 72x192	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
11	24x178 to 49x178	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x192	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa. A4
11	60x200	Pittsburgh C18
11	72x216	Middletown,O. A10
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E4
12	30x192 to 60x192	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	30x192 to 60x192	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	30x192 to 60x192	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x240	Brackenridge,Pa. A4
14	60x200	Pittsburgh C18
15	**24x178 to 49x160**	**McKeesport,Pa. U5**
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x132	Baltimore E2
15	30x180 to 60x156	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	30x180 to 60x156	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 55x132	Baltimore E2
17	30x180 to 60x156	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 55x132	Baltimore E2
18	30x180 to 60x156	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 55x120	Baltimore E2
19	30x180 to 60x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 55x120	Baltimore E2
20	30x180 to 60x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x200	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x176 to 60x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 2D Finish (dull cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x176 to 60x120	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x171 to 60x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x171 to 60x120	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x144 to 46x144	Massillon,O. R2
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
29	36x240	Washington,Pa. W4
30	36x240	Washington,Pa. W4
31	36x240	Washington,Pa. W4
.005 min.	30x240	Washington,Pa. W4
Type 304L		
8	48x204 to 72x192	Middletown,O. A10
9	48x204 to 72x192	Middletown,O. A10
10	48x204 to 72x192	Middletown,O. A10
11	36x164	Butler,Pa. A10
11	72x216	Middletown,O. A10
12	36x164	Butler,Pa. A10
12	42x216 to 72x174	Middletown,O. A10
13	36x164	Butler,Pa. A10
13	42x180 to 72x144	Middletown,O. A10
14	36x164	Butler,Pa. A10
14	42x180 to 72x144	Middletown,O. A10
15	36x164	Butler,Pa. A10
15	42x180 to 72x144	Middletown,O. A10
16	36x164	Butler,Pa. A10
16	42x180 to 72x144	Middletown,O. A10
17	36x164	Butler,Pa. A10
17	42x168 to 72x120	Middletown,O. A10
18	36x164	Butler,Pa. A10
18	42x168 to 72x120	Middletown,O. A10
19	36x164	Butler,Pa. A10
19	42x156 to 72x96	Middletown,O. A10
20	36x164	Butler,Pa. A10
20	42x156 to 72x96	Middletown,O. A10
21	36x164	Butler,Pa. A10
21	42x156 to 66x96	Middletown,O. A10
22	36x164	Butler,Pa. A10
22	42x156 to 66x96	Middletown,O. A10
23	36x164	Butler,Pa. A10
23	42x144 to 48x132	Middletown,O. A10
24	36x164	Butler,Pa. A10
24	42x144 to 48x132	Middletown,O. A10
25	36x164	Butler,Pa. A10
25	42x120 to 48x96	Middletown,O. A10
26	36x164	Butler,Pa. A10
26	42x120 to 48x96	Middletown,O. A10
27	36x164	Butler,Pa. A10
28	36x164	Butler,Pa. A10

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 305		
8	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x192	Massillon,O. R2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x200	Pittsburgh C18
8	48x204 to 72x192	Middletown,O. A10
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x200	Pittsburgh C18
9	48x204 to 72x192	Middletown,O. A10
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x200	Pittsburgh C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
11	24x178 to 49x178	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x144	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x200	Pittsburgh C18
11	48x240	Brackenridge,Pa. A4
11	72x216	Middletown,O. A10
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	30x192 to 60x144	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x200	Pittsburgh C18
12	48x240	Brackenridge,Pa. A4
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 60x144	Massillon,O. R2
13	30x156 to 72x132	Baltimore E2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x200	Pittsburgh C18
13	48x240	Brackenridge,Pa. A4
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
14	30x156 to 72x132	Baltimore E2
14	36x164	Butler,Pa. A10
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x200	Pittsburgh C18
14	48x240	Brackenridge,Pa. A4
15	24x178 to 49x160	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 48x144	Massillon,O. R2
15	30x156 to 65x132	Baltimore E2
15	36x164	Butler,Pa. A10
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind.U5
15	48x200	Midland,Pa.C18
15	48x200	Pittsburgh C18
15	48x240	Brackenridge,Pa. A4
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 48x144	Massillon,O. R2
16	30x144 to 65x120	Baltimore E2
16	36x164	Butler,Pa. A10
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x200	Pittsburgh C18
16	48x240	Brackenridge,Pa. A4
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 40x144	Massillon,O. R2
17	30x144 to 55x132	Baltimore E2
17	36x164	Butler,Pa. A10
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x200	Pittsburgh C18
17	48x240	Brackenridge,Pa. A4

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 40x144	Massillon,O. R2
18	30x144 to 55x132	Baltimore E2
18	36x164	Butler,Pa. A10
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x200	Pittsburgh C18
18	48x240	Brackenridge,Pa. A4
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 40x144	Massillon,O. R2
19	30x144 to 55x120	Baltimore E2
19	36x164	Butler,Pa. A10
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 40x144	Massillon,O. R2
20	30x144 to 55x120	Baltimore E2
20	36x164	Butler,Pa. A10
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x144 to 36x144	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x144 to 36x144	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	36x164	Butler,Pa. A10
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	36x164	Butler,Pa. A10
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	36x164	Butler,Pa. A10
28	24x120 to 38x120	McKeesport,Pa. U5
28	36x164	Butler,Pa. A10
Type 308		
8	24x144 to 49x144	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	36x196	Gary,Ind. U5
9	24x144 to 49x144	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
10	24x144 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 2D Finish (dull cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x196	Gary,Ind. U5
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x196	Gary,Ind. U5
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x196	Gary,Ind. U5
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x196	Gary,Ind. U5
15	24x144 to 49x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
16	24x144 to 49x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5

Type 309

8	24x144 to 49x144	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x183 to 60x183	Massillon,O. R2
8	36x196	Gary,Ind. U5
8	48x168 to 72x144	Middletown,O. A10
8	48x200	Pittsburgh C18
9	24x144 to 49x144	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x168 to 60x168	Massillon,O. R2
9	36x196	Gary,Ind. U5
9	48x168 to 72x144	Middletown,O. A10
9	48x200	Pittsburgh C18
10	24x144 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x168 to 60x168	Massillon,O. R2
10	36x196	Gary,Ind. U5
10	48x168 to 72x144	Middletown,O. A10
10	48x200	Pittsburgh C18
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x160 to 60x144	Massillon,O. R2
11	36x196	Gary,Ind. U5
11	48x168 to 72x144	Middletown,O. A10
11	48x200	Pittsburgh C18
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x144 to 60x144	Massillon,O. R2
12	36x196	Gary,Ind. U5
12	48x156 to 72x120	Middletown,O. A10
12	48x200	Pittsburgh C18
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 54x144	Massillon,O. R2
13	36x196	Gary,Ind. U5
13	48x120	Middletown,O. A10
13	48x200	Pittsburgh C18
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x120 to 54x120	Massillon,O. R2
14	36x196	Gary,Ind. U5
14	48x120	Middletown,O. A10
14	48x200	Pittsburgh C18
15	24x144 to 49x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x120 to 54x120	Massillon,O. R2
15	36x196	Gary,Ind. U5
15	48x120	Middletown,O. A10
15	48x200	Pittsburgh C18
16	24x144 to 49x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x120 to 54x96	Massillon,O. R2
16	36x196	Gary,Ind. U5
16	48x120	Middletown,O. A10
16	48x200	Pittsburgh C18
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x120 to 42x120	Massillon,O. R2
17	36x196	Gary,Ind. U5
17	48x120	Middletown,O. A10
17	48x200	Pittsburgh C18
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x120 to 42x120	Massillon,O. R2
18	36x196	Gary,Ind. U5
18	48x120	Middletown,O. A10
18	48x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x120 to 42x120	Massillon,O. R2
19	36x196	Gary,Ind. U5
19	45x108	Middletown,O. A10
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x120 to 42x120	Massillon,O. R2
20	36x196	Gary,Ind. U5
20	45x108	Middletown,O. A10
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x120 to 42x96	Massillon,O. R2
21	36x196	Gary,Ind. U5
21	45x96	Middletown,O. A10
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x120 to 42x96	Massillon,O. R2
22	36x196	Gary,Ind. U5
22	45x96	Middletown,O. A10
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x120 to 36x120	Massillon,O. R2
23	36x196	Gary,Ind. U5
23	45x96	Middletown,O. A10
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x120 to 36x120	Massillon,O. R2
24	36x196	Gary,Ind. U5
24	45x96	Middletown,O. A10
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5

Type 309S

8	24x144 to 49x144	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	36x196	Gary,Ind. U5
8	48x168 to 72x144	Middletown,O. A10
9	24x144 to 49x144	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
9	48x168 to 72x144	Middletown,O. A10
10	24x144 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5
10	48x168 to 72x144	Middletown,O. A10
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x196	Gary,Ind. U5
11	48x168 to 72x144	Middletown,O. A10
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x196	Gary,Ind. U5
12	48x156 to 72x120	Middletown,O. A10
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x196	Gary,Ind. U5
13	48x120	Middletown,O. A10
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x196	Gary,Ind. U5
14	48x120	Middletown,O. A10
15	24x144 to 49x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
15	48x120	Middletown,O. A10
16	24x144 to 49x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
16	48x120	Middletown,O. A10
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
17	**48x120**	Middletown,O. A10
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
18	48x120	Middletown,O. A10
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
19	45x108	Middletown,O. A10
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
20	45x108	Middletown,O. A10
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
21	45x96	Middletown,O. A10
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
22	45x96	Middletown,O. A10
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
23	45x96	Middletown,O. A10
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
24	45x96	Middletown,O. A10
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5

Type 310

8	24x144 to 49x144	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x183 to 60x183	Massillon,O. R2
8	36x196	Gary,Ind. U5
8	48x120	Middletown,O. A10
8	48x200	Pittsburgh C18
9	24x144 to 49x144	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x168 to 60x168	Massillon,O. R2
9	36x196	Gary,Ind. U5
9	48x120	Middletown,O. A10
9	48x200	Pittsburgh C18
10	24x144 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x168 to 60x168	Massillon,O. R2
10	36x196	Gary,Ind. U5
10	48x120	Middletown,O. A10
10	48x200	Pittsburgh C18
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x160 to 60x144	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	36x196	Gary,Ind. U5
11	48x120	Middletown,O. A10
11	48x200	Pittsburgh C18
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x144 to 60x144	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x196	Gary,Ind. U5
12	48x120	Middletown,O. A10
12	48x200	Pittsburgh C18
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 54x144	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x196	Gary,Ind. U5
13	48x120	Middletown,O. A10
13	48x200	Pittsburgh C18
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x120 to 54x120	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x196	Gary,Ind. U5
14	48x96	Middletown,O. A10
14	48x200	Pittsburgh C18
15	24x144 to 49x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x120 to 54x120	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x196	Gary,Ind. U5
15	48x96	Middletown,O. A10
15	48x200	Pittsburgh C18
16	24x144 to 49x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 2D Finish (dull cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
16	30x120 to 54x96	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x196	Gary,Ind. U5
16	48x96	Middletown,O. A10
16	48x200	Pittsburgh C18
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x120 to 42x120	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x196	Gary,Ind. U5
17	48x96	Middletown,O. A10
17	48x200	Pittsburgh C18
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x120 to 42x120	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x196	Gary,Ind. U5
18	48x96	Middletown,O. A10
18	48x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x120 to 42x120	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x196	Gary,Ind. U5
19	45x96	Middletown,O. A10
19	48x200	Pittsburgh C18
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x120 to 42x120	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x196	Gary,Ind. U5
20	45x96	Middletown,O. A10
20	48x200	Pittsburgh C18
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x120 to 42x96	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x196	Gary,Ind. U5
21	45x96	Middletown,O. A10
21	48x200	Pittsburgh C18
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x120 to 42x96	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x196	Gary,Ind. U5
22	45x96	Middletown,O. A10
22	48x200	Pittsburgh C18
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x120 to 36x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x120 to 36x120	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
25	36x164	Butler,Pa. A10
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
26	36x164	Butler,Pa. A10
27	36x164	Butler,Pa. A10
28	36x164	Butler,Pa. A10
Type 314		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 316		
8	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x240	Massillon,O. R2
8	36x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x200	Pittsburgh C18
8	48x204 to 72x192	Middletown,O. A10
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 60x192	Massillon,O. R2
9	36x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x200	Pittsburgh C18
9	48x204 to 72x192	Middletown,O. A10
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	36x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x200	Pittsburgh C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
11	24x178 to 49x178	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x192	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	36x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x200	Pittsburgh C18
11	48x240	Brackenridge,Pa. A4
11	72x216	Middletown,O. A10
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	30x192 to 60x192	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x196	Gary,Ind. U5
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x200	Midland,Pa. C18
12	48x200	Pittsburgh C18
12	48x240	Brackenridge,Pa. A4
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	30x192 to 60x192	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x196	Gary,Ind. U5
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x200	Midland,Pa. C18
13	48x200	Pittsburgh C18
13	48x240	Brackenridge,Pa. A4
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x120	Baltimore E2
14	30x192 to 60x192	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x196	Gary,Ind. U5
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x200	Midland,Pa. C18
14	48x200	Pittsburgh C18
14	48x240	Brackenridge,Pa. A4
15	24x178 to 49x160	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x120	Baltimore E2
15	30x180 to 60x156	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x196	Gary,Ind. U5
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x200	Midland,Pa. C18
15	48x200	Pittsburgh C18
15	48x240	Brackenridge,Pa. A4
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	30x180 to 60x156	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x196	Gary,Ind. U5
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x200	Midland,Pa. C18
16	48x200	Pittsburgh C18
16	48x240	Brackenridge,Pa. A4
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x132 to 51x132	Baltimore E2
17	30x180 to 60x156	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x196	Gary,Ind. U5
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x200	Midland,Pa. C18
17	48x200	Pittsburgh C18
17	48x240	Brackenridge,Pa. A4
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x132 to 51x120	Baltimore E2
18	30x180 to 60x156	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x196	Gary,Ind. U5
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x200	Midland,Pa. C18
18	48x200	Pittsburgh C18
18	48x240	Brackenridge,Pa. A4
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x132 to 48x132	Baltimore E2
19	30x180 to 60x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x196	Gary,Ind. U5
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x200	Midland,Pa. C18
19	48x200	Pittsburgh C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x132 to 48x120	Baltimore E2
20	30x180 to 60x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x196	Gary,Ind. U5
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10
20	48x200	Midland,Pa. C18
20	48x200	Pittsburgh C18
20	48x240	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x176 to 60x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x196	Gary,Ind. U5
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x200	Midland,Pa. C18
21	48x200	Pittsburgh C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x176 to 60x120	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x196	Gary,Ind. U5
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x200	Midland,Pa. C18
22	48x200	Pittsburgh C18
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x171 to 60x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x196	Gary,Ind. U5
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x200	Midland,Pa. C18
23	48x200	Pittsburgh C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x171 to 60x120	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x196	Gary,Ind. U5
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x200	Midland,Pa. C18
24	48x200	Pittsburgh C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x144 to 46x144	Massillon,O. R2
25	36x144	Gary,Ind. U5
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	36x144	Gary,Ind. U5
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4

(Code number following mill point indicates producing company, key on page 2)

No. 2D Finish (dull cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
29	36x240	Washington,Pa. W4
30	36x240	Washington,Pa. W4
31	36x240	Washington,Pa. W4
.005 min.	30x240	Washington,Pa. W4
Type 316L		
8	48x204 to 72x192	Middletown,O. A10
9	48x204 to 72x192	Middletown,O. A10
10	48x204 to 72x192	Middletown,O. A10
11	36x164	Butler,Pa. A10
11	72x216	Middletown,O. A10
12	36x164	Butler,Pa. A10
12	42x216 to 72x174	Middletown,O. A10
13	36x164	Butler,Pa. A10
13	42x180 to 72x144	Middletown,O. A10
14	36x164	Butler,Pa. A10
14	42x180 to 72x144	Middletown,O. A10
15	36x164	Butler,Pa. A10
15	42x180 to 72x144	Middletown,O. A10
16	36x164	Butler,Pa. A10
16	42x180 to 72x144	Middletown,O. A10
17	36x164	Butler,Pa. A10
17	42x168 to 72x120	Middletown,O. A10
18	36x164	Butler,Pa. A10
18	42x168 to 72x120	Middletown,O. A10
19	36x164	Butler,Pa. A10
19	42x156 to 72x96	Middletown,O. A10
20	36x164	Butler,Pa. A10
20	42x156 to 72x96	Middletown,O. A10
21	36x164	Butler,Pa. A10
21	42x156 to 66x96	Middletown,O. A10
22	36x164	Butler,Pa. A10
22	42x156 to 66x96	Middletown,O. A10
23	36x164	Butler,Pa. A10
23	42x144 to 48x132	Middletown,O. A10
24	36x164	Butler,Pa. A10
24	42x144 to 48x132	Middletown,O. A10
25	36x164	Butler,Pa. A10
25	42x120 to 48x96	Middletown,O. A10
26	36x164	Butler,Pa. A10
26	42x120 to 48x96	Middletown,O. A10
27	36x164	Butler,Pa. A10
28	36x164	Butler,Pa. A10
Type 317		
8	24x144 to 49x144	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	36x196	Gary,Ind. U5
9	24x144 to 49x144	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
10	24x144 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x196	Gary,Ind. U5
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x196	Gary,Ind. U5
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x196	Gary,Ind. U5
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x196	Gary,Ind. U5
15	24x144 to 49x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
16	24x144 to 49x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
17	24x144 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
18	24x144 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
19	24x120 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 318		
8	24x144 to 49x144	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	36x196	Gary,Ind. U5
9	24x144 to 49x144	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
10	24x144 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x196	Gary,Ind. U5
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x196	Gary,Ind. U5
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x196	Gary,Ind. U5
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x196	Gary,Ind. U5
15	24x144 to 49x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
16	24x144 to 49x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 321		
8	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x240	Massillon,O. R2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 72x192	Middletown,O. A10
8	60x200	Pittsburgh C18
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 72x192	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
11	24x178 to 49x178	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x192	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa. A4
11	60x200	Pittsburgh C18
11	72x216	Middletown,O. A10
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
12	30x156 to 72x144	Baltimore E2
12	30x192 to 60x192	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	30x192 to 60x192	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	30x192 to 60x192	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x240	Brackenridge,Pa. A4
14	60x200	Pittsburgh C18
15	24x178 to 49x160	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x132	Baltimore E2
15	30x180 to 60x156	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	30x180 to 60x156	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 55x132	Baltimore E2
17	30x180 to 60x156	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 55x132	Baltimore E2
18	30x180 to 60x156	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 55x120	Baltimore E2
19	30x180 to 60x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 55x120	Baltimore E2
20	30x180 to 60x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10
20	48x196	Gary,Ind. U5

(Code number following mill point indicates producing company, key on page 2)

No. 2D Finish (dull cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x176 to 60x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x176 to 60x120	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x171 to 60x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x171 to 60x120	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x144 to 46x144	Massillon,O. R2
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
29	36x240	Washington,Pa. W4
30	36x240	Washington,Pa. W4
31	36x240	Washington,Pa. W4
.005 min.	30x240	Washington,Pa. W4
Type 347		
8	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x240	Massillon,O. R2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 72x192	Middletown,O. A10
8	60x200	Pittsburgh C18
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 72x192	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 72x192	Middletown,O. A10
10	48x200	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
11	24x178 to 49x178	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x192	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa. A4
11	60x200	Pittsburgh C18
11	72x216	Middletown,O. A10
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	30x192 to 60x192	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	30x192 to 60x192	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	30x192 to 60x192	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x240	Brackenridge,Pa. A4
14	60x200	Pittsburgh C18
15	24x178 to 49x160	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x120	Baltimore E2
15	30x180 to 60x156	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	30x180 to 60x156	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x132 to 55x120	Baltimore E2
17	30x180 to 60x156	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x132 to 51x120	Baltimore E2
18	30x180 to 60x156	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x132 to 48x132	Baltimore E2
19	30x180 to 60x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x132 to 48x132	Baltimore E2
20	30x180 to 60x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x176 to 60x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x176 to 60x120	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x171 to 60x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x171 to 60x120	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x144 to 46x144	Massillon,O. R2
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
29	36x240	Washington,Pa. W4
30	36x240	Washington,Pa. W4
31	36x240	Washington,Pa. W4
.005 min.	30x240	Washington,Pa. W4
Type 403		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x240 to 60x192	Massillon,O. R2
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x228 to 60x192	Massillon,O. R2
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x204 to 60x192	Massillon,O. R2
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x204 to 60x144	Massillon,O. R2
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x192 to 60x144	Massillon,O. R2

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 2D Finish (dull cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 60x144	Massillon,O. R2
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 48x144	Massillon,O. R2
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 48x144	Massillon,O. R2
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 40x144	Massillon,O. R2
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 40x144	Massillon,O. R2
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 40x144	Massillon,O. R2
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 40x144	Massillon,O. R2
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x144 to 36x144	Massillon,O. R2
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x144 to 36x144	Massillon,O. R2
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 405		
8	24x178 to 49x160	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	48x196	Gary,Ind. U5
9	24x178 to 49x172	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	48x196	Gary,Ind. U5
10	24x172 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	48x196	Gary,Ind. U5
10	48x240	Brackenridge,Pa. A4
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	48x196	Gary,Ind. U5
11	48x240	Brackenridge,Pa. A4
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x240	WestLeechburg,Pa. A4
12	48x196	Gary,Ind. U5
12	48x240	Brackenridge,Pa. A4
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x240	WestLeechburg,Pa. A4
13	48x196	Gary,Ind. U5
13	48x240	Brackenridge,Pa. A4
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x240	WestLeechburg,Pa. A4
14	48x196	Gary,Ind. U5
14	48x240	Brackenridge,Pa. A4
15	24x144 to 49x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x240	WestLeechburg,Pa. A4
15	48x196	Gary,Ind. U5
15	48x240	Brackenridge,Pa. A4
16	24x144 to 49x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x240	WestLeechburg,Pa. A4
16	48x196	Gary,Ind. U5
16	48x240	Brackenridge,Pa. A4
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x240	WestLeechburg,Pa. A4
17	48x196	Gary,Ind. U5
17	48x240	Brackenridge,Pa. A4
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x195 to 72x196	Brackenridge,Pa. A4
18	36x240	WestLeechburg,Pa. A4
18	48x196	Gary,Ind. U5
18	48x240	Brackenridge,Pa. A4
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x240	WestLeechburg,Pa. A4
19	48x196	Gary,Ind. U5
19	48x240	Brackenridge,Pa. A4
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x240	WestLeechburg,Pa. A4
20	48x196	Gary,Ind. U5
20	48x240	Brackenridge,Pa. A4
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x240	WestLeechburg,Pa. A4
21	48x196	Gary,Ind. U5
21	48x240	Brackenridge,Pa. A4
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x240	WestLeechburg,Pa. A4
22	48x196	Gary,Ind. U5
22	48x240	Brackenridge,Pa. A4
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x240	WestLeechburg,Pa. A4
23	48x196	Gary,Ind. U5
23	48x240	Brackenridge,Pa. A4
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x240	WestLeechburg,Pa. A4
24	48x196	Gary,Ind. U5
24	48x240	Brackenridge,Pa. A4
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x240	WestLeechburg,Pa. A4
25	48x144	Gary,Ind. U5
25	48x240	Brackenridge,Pa. A4
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x240	WestLeechburg,Pa. A4
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
Type 410		
8	24x178 to 49x160	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x240 to 60x192	Massillon,O. R2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	60x200	Pittsburgh C18
9	24x178 to 49x172	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	60x200	Pittsburgh C18
10	24x172 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind.U5
10	48x200	Midland,Pa. C18
10	60x200	Pittsburgh C18
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x204 to 60x144	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	60x200	Pittsburgh C18
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x192 to 60x144	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	60x200	Pittsburgh C18
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 60x144	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	60x200	Pittsburgh C18
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	60x200	Pittsburgh C18
15	24x144 to 49x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 48x144	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	60x200	Pittsburgh C18
16	24x144 to 49x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 48x144	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	60x200	Pittsburgh C18
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 40x144	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	60x200	Pittsburgh C18
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 40x144	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	60x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 40x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 40x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x144 to 36x144	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x144 to 36x144	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x164	Butler,Pa. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x164	Butler,Pa. A10
26	48x144	Gary,Ind. U5
27	36x164	Butler,Pa. A10
28	36x164	Butler,Pa. A10
Type 414		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 416		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x240 to 60x192	Massillon,O. R2
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x228 to 60x192	Massillon,O. R2
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x204 to 60x192	Massillon,O. R2
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x204 to 60x144	Massillon,O. R2
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x192 to 60x144	Massillon,O. R2
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 60x144	Massillon,O. R2
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 48x144	Massillon,O. R2
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 48x144	Massillon,O. R2
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 40x144	Massillon,O. R2
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 40x144	Massillon,O. R2
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 40x144	Massillon,O. R2
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 40x144	Massillon,O. R2
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
23	24x144 to 48x120	Brackenridge,Pa. A4

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 2D Finish (dull cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
23	30x144 to 36x144	Massillon,O. R2
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x144 to 36x144	Massillon,O. R2
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 420		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 430		
8	24x178 to 49x160	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x240 to 60x192	Massillon,O. R2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 60x192	Middletown,O. A10
8	60x200	Pittsburgh C18
9	24x178 to 49x172	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 60x192	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24x172 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 60x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x204 to 60x144	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa. A4
11	60x200	Pittsburgh C18
11	60x216	Middletown,O. A10
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x192 to 60x144	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 60x174	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 60x144	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 60x156	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 60x156	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x240	Brackenridge,Pa. A4
14	60x200	Pittsburgh C18
15	24x144 to 49x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 60x120	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 60x156	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
16	24x144 to 49x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 60x96	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 48x168	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 60x96	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	48x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 60x96	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	48x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 36x144	Massillon,O. R2
19	36x120	Middletown,O. A10
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 36x144	Massillon,O. R2
20	36x120	Middletown,O. A10
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
21	36x120	Middletown,O. A10
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
22	36x120	Middletown,O. A10
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x144 to 36x144	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x144 to 36x144	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
Type 430F		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 430Ti		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 431		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 440A		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 440B		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 2D Finish (dull cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 440C		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 442		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 446		
8	24x178 to 49x160	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x168 to 72x168	Massillon,O. R2
8	48x196	Gary,Ind. U5
9	24x178 to 49x172	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x168 to 72x168	Massillon,O. R2
9	48x196	Gary,Ind. U5
10	24x172 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x168 to 72x168	Massillon,O. R2
10	48x196	Gary,Ind. U5
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x168 to 72x168	Massillon,O. R2
11	48x196	Gary,Ind. U5
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x132 to 72x96	Massillon,O. R2
12	48x196	Gary,Ind. U5
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x132 to 72x96	Massillon,O. R2
13	48x196	Gary,Ind. U5
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x132 to 72x96	Massillon,O. R2
14	48x196	Gary,Ind. U5
15	24x144 to 49x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x120 to 72x96	Massillon,O. R2
15	48x196	Gary,Ind. U5
16	24x144 to 49x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x120 to 72x96	Massillon,O. R2
16	48x196	Gary,Ind. U5
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x120 to 48x120	Massillon,O. R2
17	48x196	Gary,Ind. U5
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x120 to 48x120	Massillon,O. R2
18	48x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x120 to 48x120	Massillon,O. R2
19	48x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x120 to 48x120	Massillon,O. R2
20	48x196	Gary,Ind. U5
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x120 to 44x96	Massillon,O. R2
21	48x196	Gary,Ind. U5
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x120 to 44x96	Massillon,O. R2
22	48x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96 to 36x96	Massillon,O. R2
23	48x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96 to 36x96	Massillon,O. R2
24	48x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	48x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	48x144	Gary,Ind. U5

No. 2B Finish (bright cold-rolled) Coil Stock

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
Type 301		
8	48	Gary,Ind. U5
9	48	Gary,Ind. U5
10	48	Brackenridge,Pa. A4
10	48	Gary,Ind. U5
11	36	Butler,Pa. A10
11	48	Brackenridge,Pa. A4
11	48	Gary,Ind. U5
12	36	Butler,Pa. A10
12	36	WestLeechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Gary,Ind. U5
13	36	Butler,Pa. A10
13	36	WestLeechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Gary,Ind. U5
14	36	Butler,Pa. A10
14	36	Washington,Pa. W4
14	36	WestLeechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Gary,Ind. U5
15	36	Butler,Pa. A10
15	36	Washington,Pa. W4
15	36	WestLeechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Gary,Ind. U5
16	36	Butler,Pa. A10
16	36	Washington,Pa. W4
16	36	WestLeechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Gary,Ind. U5
17	36	Butler,Pa. A10
17	36	Washington,Pa. W4
17	36	WestLeechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Gary,Ind. U5
18	36	Butler,Pa. A10
18	36	Washington,Pa. W4
18	36	WestLeechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Gary,Ind. U5
19	36	Butler,Pa. A10
19	36	Washington,Pa. W4
19	36	WestLeechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Gary,Ind. U5
20	36	Butler,Pa. A10
20	36	Washington,Pa. W4
20	36	WestLeechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Gary,Ind. U5
21	36	Butler,Pa. A10
21	36	Washington,Pa. W4
21	36	WestLeechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Gary,Ind. U5
22	36	Butler,Pa. A10
22	36	Washington,Pa. W4
22	36	WestLeechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Gary,Ind. U5
23	36	Butler,Pa. A10
23	36	Washington,Pa. W4
23	36	WestLeechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Gary,Ind. U5
24	36	Butler,Pa. A10
24	36	Washington,Pa. W4
24	36	WestLeechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Gary,Ind. U5
25	36	Butler,Pa. A10
25	36	Washington,Pa. W4
25	36	WestLeechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Gary,Ind. U5
26	36	Butler,Pa. A10
26	36	Washington,Pa. W4
26	36	WestLeechburg,Pa. A4
26	48	Brackenridge,Pa. A4
26	48	Gary,Ind. U5
27	36	Butler,Pa. A10
27	36	Washington,Pa. W4
27	48	Gary,Ind. U5
28	36	Butler,Pa. A10
28	36	Washington,Pa. W4
28	48	Gary,Ind. U5
29	36	Washington,Pa. W4
29	38	Gary,Ind. U5
30	36	Washington,Pa. W4
30	38	Gary,Ind. U5
31	36	Washington,Pa. W4
31	38	Gary,Ind. U5
.005 min.	30	Washington,Pa. W4
Type 302		
8	48	Gary,Ind. U5
8	48	Midland,Pa. C18
9	48	Gary,Ind. U5
9	48	Midland,Pa. C18
10	48	Brackenridge,Pa. A4
10	48	Gary,Ind. U5
10	48	Midland,Pa. C18
11	36	Butler,Pa. A10
11	48	Brackenridge,Pa. A4
11	48	Gary,Ind. U5
11	48	Midland,Pa. C18
12	36	Butler,Pa. A10
12	36	WestLeechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Gary,Ind. U5
12	48	Midland,Pa. C18
13	36	Butler,Pa. A10
13	36	WestLeechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Gary,Ind. U5
13	48	Midland,Pa. C18
14	36	Butler,Pa. A10
14	36	Washington,Pa. W4
14	36	WestLeechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Gary,Ind. U5
14	48	Midland,Pa. C18
15	36	Butler,Pa. A10
15	36	Washington,Pa. W4
15	36	WestLeechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Gary,Ind. U5
15	48	Midland,Pa. C18
16	36	Butler,Pa. A10
16	36	Washington,Pa. W4
16	36	WestLeechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Gary,Ind. U5
16	48	Midland,Pa. C18
17	36	Butler,Pa. A10
17	36	Washington,Pa. W4
17	36	WestLeechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Gary,Ind. U5
17	48	Midland,Pa. C18
18	36	Butler,Pa. A10
18	36	Washington,Pa. W4
18	36	WestLeechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Gary,Ind. U5
18	48	Midland,Pa. C18
19	36	Butler,Pa. A10
19	36	Washington,Pa. W4
19	36	WestLeechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Gary,Ind. U5
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	36	Washington,Pa. W4
20	36	WestLeechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Gary,Ind. U5
20	48	Midland,Pa. C18
21	36	Butler,Pa. A10

(Code number following mill point indicates producing company, key on page 2)

No. 2B Finish (bright cold-rolled) Coil Stock

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
21	36	Washington,Pa. W4
21	36	WestLeechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Gary,Ind. U5
21	48	Midland,Pa. C18
22	36	Butler,Pa. A10
22	36	Washington,Pa. W4
22	36	WestLeechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Gary,Ind. U5
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	36	Washington,Pa. W4
23	36	WestLeechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Gary,Ind. U5
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10
24	36	Washington,Pa. W4
24	36	WestLeechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Gary,Ind. U5
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	36	Washington,Pa. W4
25	36	WestLeechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Gary,Ind. U5
25	48	Midland,Pa. C18
26	36	Butler,Pa.A10
26	36	Washington,Pa. W4
26	36	WestLeechburg,Pa. A4
26	48	Brackenridge,Pa. A4
26	48	Gary,Ind. U5
27	36	Butler,Pa. A10
27	36	Washington,Pa. W4
27	48	Gary,Ind. U5
28	36	Butler,Pa. A10
28	36	Washington,Pa. W4
28	48	Gary,Ind. U5
29	36	Washington,Pa. W4
29	38	Gary,Ind. U5
30	36	Washington,Pa. W4
30	38	Gary,Ind. U5
31	36	Washington,Pa. W4
31	38	Gary,Ind. U5
.005 min.	30	Washington,Pa. W4

Type 304

8	48	Gary,Ind. U5
8	48	Midland,Pa. C18
9	48	Gary,Ind. U5
9	48	Midland,Pa. C18
10	48	Brackenridge,Pa. A4
10	48	Gary,Ind. U5
10	48	Midland,Pa. C18
11	36	Butler,Pa. A10
11	48	Brackenridge,Pa. A4
11	48	Gary,Ind. U5
11	48	Midland,Pa. C18
12	36	Butler,Pa. A10
12	36	WestLeechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Gary,Ind. U5
12	48	Midland,Pa. C18
13	36	Butler,Pa. A10
13	36	WestLeechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Gary,Ind. U5
13	48	Midland,Pa. C18
14	36	Butler,Pa. A10
14	36	Washington,Pa. W4
14	36	WestLeechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Gary,Ind. U5
14	48	Midland,Pa. C18
15	36	Butler,Pa. A10
15	36	Washington,Pa. W4
15	36	WestLeechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Gary,Ind. U5
15	48	Midland,Pa. C18
16	36	Butler,Pa. A10
16	36	Washington,Pa. W4
16	36	WestLeechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Gary,Ind. U5
16	48	Midland,Pa. C18
17	36	Butler,Pa. A10
17	36	Washington,Pa. W4
17	36	WestLeechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Gary,Ind. U5
17	48	Midland,Pa. C18
18	36	Butler,Pa. A10
18	36	Washington,Pa. W4
18	36	WestLeechburg,Pa. A4
18	48	Brackenridge,Pa. A4

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
18	48	Gary,Ind. U5
18	48	Midland,Pa. C18
19	36	Butler,Pa. A10
19	36	Washington,Pa. W4
19	36	WestLeechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Gary,Ind. U5
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	36	Washington,Pa. W4
20	36	WestLeechburg,Pa. A4
		Brackenridge,Pa. A4
20	48	Gary,Ind. U5
20	48	Midland,Pa. C18
21	36	Butler,Pa. A10
21	36	Washington,Pa. W4
21	36	WestLeechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Gary,Ind. U5
21	48	Midland,Pa. C18
22	36	Butler,Pa. A10
22	36	Washington,Pa. W4
22	36	WestLeechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Gary,Ind. U5
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	36	Washington,Pa. W4
23	36	WestLeechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Gary,Ind. U5
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10
24	36	Washington,Pa. W4
24	36	WestLeechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Gary,Ind. U5
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	36	Washington,Pa. W4
25	36	WestLeechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Gary,Ind. U5
25	48	Midland,Pa. C18
26	36	Butler,Pa. A10
26	36	Washington,Pa. W4
26	36	WestLeechburg,Pa. A4
26	48	Brackenridge,Pa. A4
26	48	Gary,Ind. U5
27	36	Butler,Pa. A10
27	36	Washington,Pa. W4
27	48	Gary,Ind. U5
28	36	Butler,Pa. A10
	36	Washington,Pa. W4
28	48	Gary,Ind. U5
29	36	Washington,Pa. W4
29	38	Gary,Ind. U5
30	36	Washington,Pa. W4
30	38	Gary,Ind. U5
31	36	Washington,Pa. W4
31	38	Gary,Ind. U5
.005 min.	30	Washington,Pa. W4

Type 304L

11	36	Butler,Pa. A10
12	36	Butler,Pa. A10
13	36	Butler,Pa. A10
14	36	Butler,Pa. A10
15	36	Butler,Pa. A10
16	36	Butler,Pa. A10
17	36	Butler,Pa. A10
18	36	Butler,Pa. A10
19	36	Butler,Pa. A10
20	36	Butler,Pa. A10
21	36	Butler,Pa. A10
22	36	Butler,Pa. A10
23	36	Butler,Pa. A10
24	36	Butler,Pa. A10
25	36	Butler,Pa. A10
26	36	Butler,Pa. A10
27	36	Butler,Pa. A10
28	36	Butler,Pa. A10

Type 305

8	48	Midland,Pa. C18
9	48	Midland,Pa. C18
10	48	Brackenridge,Pa. A4
10	48	Midland,Pa. C18
11	36	Butler,Pa. A10
11	48	Brackenridge,Pa. A4
11	48	Midland,Pa. C18
12	36	Butler,Pa. A10
12	36	WestLeechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Midland,Pa. C18
13	36	Butler,Pa. A10
13	36	WestLeechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Midland,Pa. C18

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
14	36	Butler,Pa. A10
14	36	WestLeechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Midland,Pa. C18
15	36	Butler,Pa. A10
15	36	WestLeechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Midland,Pa. C18
16	36	Butler,Pa. A10
16	36	WestLeechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Midland,Pa. C18
17	36	Butler,Pa. A10
17	36	WestLeechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Midland,Pa. C18
18	36	Butler,Pa. A10
18	36	WestLeechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Midland,Pa. C18
19	36	Butler,Pa. A10
19	36	WestLeechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	36	WestLeechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Midland,Pa. C18
21	36	Butler,Pa. A10
21	36	WestLeechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Midland,Pa. C18
22	36	Butler,Pa. A10
22	36	WestLeechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	36	WestLeechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10
24	36	WestLeechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	36	WestLeechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Midland,Pa. C18
26	36	Butler,Pa. A10
26	36	WestLeechburg,Pa. A4
26	48	Brackenridge,Pa. A4
27	36	Butler,Pa. A10
28	36	Butler,Pa. A10

Type 308

8	36	Gary,Ind. U5
9	36	Gary,Ind. U5
10	36	Gary,Ind. U5
11	36	Gary,Ind. U5
12	36	Gary,Ind. U5
13	36	Gary,Ind. U5
14	36	Gary,Ind. U5
15	36	Gary,Ind. U5
16	36	Gary,Ind. U5
17	36	Gary,Ind. U5
18	36	Gary,Ind. U5
19	36	Gary,Ind. U5
20	36	Gary,Ind. U5
21	36	Gary,Ind. U5
22	36	Gary,Ind. U5
23	36	Gary,Ind. U5
24	36	Gary,Ind. U5
25	36	Gary,Ind. U5
26	36	Gary,Ind. U5

Type 309

8	36	Gary,Ind. U5
9	36	Gary,Ind. U5
10	36	Gary,Ind. U5
11	36	Gary,Ind. U5
12	36	Gary,Ind. U5
13	36	Gary,Ind. U5
14	36	Gary,Ind. U5
15	36	Gary,Ind. U5
16	36	Gary,Ind. U5
17	36	Gary,Ind. U5
18	36	Gary,Ind. U5
19	36	Gary,Ind. U5
20	36	Gary,Ind. U5
21	36	Gary,Ind. U5
22	36	Gary,Ind. U5
23	36	Gary,Ind. U5
24	36	Gary,Ind. U5
25	36	Gary,Ind. U5
26	36	Gary,Ind. U5

Type 309S

8	36	Gary,Ind. U5
9	36	Gary,Ind. U5
10	36	Gary,Ind. U5

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
11	36	Gary,Ind. U5
12	36	Gary,Ind. U5
13	36	Gary,Ind. U5
14	36	Gary,Ind. U5
15	36	Gary,Ind. U5
16	36	Gary,Ind. U5
17	36	Gary,Ind. U5
18	36	Gary,Ind. U5
19	36	Gary,Ind. U5
20	36	Gary,Ind. U5
21	36	Gary,Ind. U5
22	36	Gary,Ind. U5
23	36	Gary,Ind. U5
24	36	Gary,Ind. U5
25	36	Gary,Ind. U5
26	36	Gary,Ind. U5

Type 310

8	36	Gary,Ind. U5
9	36	Gary,Ind. U5
10	36	Gary,Ind. U5
11	36	Gary,Ind. U5
12	36	Gary,Ind. U5
13	36	Gary,Ind. U5
14	36	Gary,Ind. U5
15	36	Gary,Ind. U5
16	36	Gary,Ind. U5
17	36	Gary,Ind. U5
18	36	Gary,Ind. U5
19	36	Gary,Ind. U5
20	36	Gary,Ind. U5
21	36	Gary,Ind. U5
22	36	Gary,Ind. U5
23	36	Gary,Ind. U5
24	36	Gary,Ind. U5
25	36	Gary,Ind. U5
26	36	Gary,Ind. U5

Type 316

8	36	Gary,Ind. U5
8	48	Midland,Pa. C18
9	36	Gary,Ind. U5
9	48	Midland,Pa. C18
10	36	Gary,Ind. U5
10	48	Brackenridge,Pa. A4
10	48	Midland,Pa. C18
11	36	Butler,Pa. A10
11	36	Gary,Ind. U5
11	48	Brackenridge,Pa. A4
11	48	Midland,Pa. C18
12	36	Butler,Pa. A10
12	36	Gary,Ind. U5
12	36	WestLeechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Midland,Pa. C18
13	36	Butler,Pa. A10
13	36	Gary,Ind. U5
13	36	WestLeechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Midland,Pa. C18
14	36	Butler,Pa. A10
14	36	Gary,Ind. U5
14	36	Washington,Pa. W4
14	36	WestLeechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Midland,Pa. C18
15	36	Butler,Pa. A10
15	36	Gary,Ind. U5
15	36	Washington,Pa. W4
15	36	WestLeechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Midland,Pa. C18
16	36	Butler,Pa. A10
16	36	Gary,Ind. U5
16	36	Washington,Pa. W4
16	36	WestLeechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Midland,Pa. C18
17	36	Butler,Pa. A10
17	36	Gary,Ind. U5
17	36	Washington,Pa. W4
17	36	WestLeechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Midland,Pa. C18
18	36	Butler,Pa. A10
18	36	Gary,Ind. U5
18	36	Washington,Pa. W4
18	36	WestLeechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Midland,Pa. C18
19	36	Butler,Pa. A10
19	36	Gary,Ind. U5
19	36	Washington,Pa. W4
19	36	WestLeechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	36	Gary,Ind. U5

(Code number following mill point indicates producing company, key on page 2)

No. 2B Finish (bright cold-rolled) Coil Stock

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
20	36	Washington,Pa. W4
20	36	WestLeechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Midland,Pa. C18
21	36	Butler,Pa. A10
21	36	Gary,Ind. U5
21	36	Washington,Pa. W4
21	36	WestLeechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Midland,Pa. C18
22	36	Butler,Pa. A10
22	36	Gary,Ind. U5
22	36	Washington,Pa. W4
22	36	WestLeechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	36	Gary,Ind. U5
23	36	Washington,Pa. W4
23	36	WestLeechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10
24	36	Gary,Ind. U5
24	36	Washington,Pa. W4
24	36	WestLeechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	36	Gary,Ind. U5
25	36	Washington,Pa. W4
25	36	WestLeechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Midland,Pa. C18
26	36	Butler,Pa. A10
26	36	Gary,Ind. U5
26	36	Washington,Pa. W4
26	36	WestLeechburg,Pa. A4
26	48	Brackenridge,Pa. A4
27	36	Butler,Pa. A10
27	36	Washington,Pa. W4
28	36	Butler,Pa. A10
28	36	Washington,Pa. W4
29	36	Washington,Pa. W4
30	36	Washington,Pa. W4
31	36	Washington,Pa. W4
.005 min.	30	Washington,Pa. W4
Type 316L		
11	36	Butler,Pa. A10
12	36	Butler,Pa. A10
13	36	Butler,Pa. A10
14	36	Butler,Pa. A10
15	36	Butler,Pa. A10
16	36	Butler,Pa. A10
17	36	Butler,Pa. A10
18	36	Butler,Pa. A10
19	36	Butler,Pa. A10
20	36	Butler,Pa. A10
21	36	Butler,Pa. A10
22	36	Butler,Pa. A10
23	36	Butler,Pa. A10
24	36	Butler,Pa. A10
25	36	Butler,Pa. A10
26	36	Butler,Pa. A10
27	36	Butler,Pa. A10
28	36	Butler,Pa. A10
Type 317		
8	36	Gary,Ind. U5
9	36	Gary,Ind. U5
10	36	Gary,Ind. U5
11	36	Gary,Ind. U5
12	36	Gary,Ind. U5
13	36	Gary,Ind. U5
14	36	Gary,Ind. U5
15	36	Gary,Ind. U5
16	36	Gary,Ind. U5
17	36	Gary,Ind. U5
18	36	Gary,Ind. U5
19	36	Gary,Ind. U5
20	36	Gary,Ind. U5
21	36	Gary,Ind. U5
22	36	Gary,Ind. U5
23	36	Gary,Ind. U5
24	36	Gary,Ind. U5
25	36	Gary,Ind. U5
26	36	Gary,Ind. U5
Type 318		
8	36	Gary,Ind. U5
9	36	Gary,Ind. U5
10	36	Gary,Ind. U5
11	36	Gary,Ind. U5
12	36	Gary,Ind. U5
13	36	Gary,Ind. U5
14	36	Gary,Ind. U5
15	36	Gary,Ind. U5
16	36	Gary,Ind. U5

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
17	36	Gary,Ind. U5
18	36	Gary,Ind. U5
19	36	Gary,Ind. U5
20	36	Gary,Ind. U5
21	36	Gary,Ind. U5
22	36	Gary,Ind. U5
23	36	Gary,Ind. U5
24	36	Gary,Ind. U5
25	36	Gary,Ind. U5
26	36	Gary,Ind. U5
Type 321		
8	48	Gary,Ind. U5
8	48	Midland,Pa. C18
9	48	Gary,Ind. U5
9	48	Midland,Pa. C18
10	48	Brackenridge,Pa. A4
10	48	Gary,Ind. U5
10	48	Midland,Pa. C18
11	36	Butler,Pa. A10
11	48	Brackenridge,Pa. A4
11	48	Gary,Ind. U5
11	48	Midland,Pa. C18
12	36	Butler,Pa. A10
12	36	WestLeechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Gary,Ind. U5
12	48	Midland,Pa. C18
13	36	Butler,Pa. A10
13	36	WestLeechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Gary,Ind. U5
13	48	Midland,Pa. C18
14	36	Butler,Pa. A10
14	36	Washington,Pa. W4
14	36	WestLeechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Gary,Ind. U5
14	48	Midland,Pa. C18
15	36	Butler,Pa. A10
15	36	Washington,Pa. W4
15	36	WestLeechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Gary,Ind. U5
15	48	Midland,Pa. C18
16	36	Butler,Pa. A10
16	36	Washington,Pa. W4
16	36	WestLeechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Gary,Ind. U5
16	48	Midland,Pa. C18
17	36	Butler,Pa. A10
17	36	Washington,Pa. W4
17	36	WestLeechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Gary,Ind. U5
17	48	Midland,Pa. C18
18	36	Butler,Pa. A10
18	36	Washington,Pa. W4
18	36	WestLeechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Gary,Ind. U5
18	48	Midland,Pa. C18
19	36	Butler,Pa. A10
19	36	Washington,Pa. W4
19	36	WestLeechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Gary,Ind. U5
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	36	Washington,Pa. W4
20	36	WestLeechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Gary,Ind. U5
20	48	Midland,Pa. C18
21	36	Butler,Pa. A10
21	36	Washington,Pa. W4
21	36	WestLeechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Gary,Ind. U5
21	48	Midland,Pa. C18
22	36	Butler,Pa. A10
22	36	Washington,Pa. W4
22	36	WestLeechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Gary,Ind. U5
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	36	Washington,Pa. W4
23	36	WestLeechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Gary,Ind. U5
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10
24	36	Washington,Pa. W4
24	36	WestLeechburg,Pa. A4
24	48	Brackenridge,Pa. A4

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
24	48	Gary,Ind. U5
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	36	Washington,Pa. W4
25	36	WestLeechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Gary,Ind. U5
25	48	Midland,Pa. C18
26	36	Butler,Pa. A10
26	36	Washington,Pa. W4
26	36	WestLeechburg,Pa. A4
26	48	Brackenridge,Pa. A4
26	48	Gary,Ind. U5
27	36	Butler,Pa. A10
27	36	Washington,Pa. W4
27	48	Gary,Ind. U5
28	36	Butler,Pa. A10
28	36	Washington,Pa. W4
28	48	Gary,Ind. U5
29	36	Washington,Pa. W4
29	38	Gary,Ind. U5
30	36	Washington,Pa. W4
30	38	Gary,Ind. U5
31	36	Washington,Pa. W4
31	38	Gary,Ind. U5
.005 min.	30	Washington,Pa. W4
Type 347		
8	48	Gary,Ind. U5
8	48	Midland,Pa. C18
9	48	Gary,Ind. U5
9	48	Midland,Pa. C18
10	48	Brackenridge,Pa. A4
10	48	Gary,Ind. U5
10	48	Midland,Pa. C18
11	36	Butler,Pa. A10
11	48	Brackenridge,Pa. A4
11	48	Gary,Ind. U5
11	48	Midland,Pa. C18
12	36	Butler,Pa. A10
12	36	WestLeechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Gary,Ind. U5
12	48	Midland,Pa. C18
13	36	Butler,Pa. A10
13	36	WestLeechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Gary,Ind. U5
13	48	Midland,Pa. C18
14	36	Butler,Pa. A10
14	36	Washington,Pa. W4
14	36	WestLeechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Gary,Ind. U5
14	48	Midland,Pa. C18
15	36	Butler,Pa. A10
15	36	Washington,Pa. W4
15	36	WestLeechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Gary,Ind. U5
15	48	Midland,Pa. C18
16	36	Butler,Pa. A10
16	36	Washington,Pa. W4
16	36	WestLeechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Gary,Ind. U5
16	48	Midland,Pa. C18
17	36	Butler,Pa. A10
17	36	Washington,Pa. W4
17	36	WestLeechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Gary,Ind. U5
17	48	Midland,Pa. C18
18	36	Butler,Pa. A10
18	36	Washington,Pa. W4
18	36	WestLeechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Gary,Ind. U5
18	48	Midland,Pa. C18
19	36	Butler,Pa. A10
19	36	Washington,Pa. W4
19	36	WestLeechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Gary,Ind. U5
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	36	Washington,Pa. W4
20	36	WestLeechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Gary,Ind. U5
20	48	Midland,Pa. C18
21	36	Butler,Pa. A10
21	36	Washington,Pa. W4
21	36	WestLeechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Gary,Ind. U5
21	48	Midland,Pa. C18

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
22	36	Butler,Pa. A10
22	36	Washington,Pa. W4
22	36	WestLeechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Gary,Ind. U5
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	36	Washington,Pa. W4
23	36	WestLeechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Gary,Ind. U5
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10
24	36	Washington,Pa. W4
24	36	WestLeechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Gary,Ind. U5
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	36	Washington,Pa. W4
25	36	WestLeechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Gary,Ind. U5
25	48	Midland,Pa. C18
26	36	Butler,Pa. A10
26	36	Washington,Pa. W4
26	36	WestLeechburg,Pa. A4
26	48	Brackenridge,Pa. A4
26	48	Gary,Ind. U5
27	36	Butler,Pa. A10
27	36	Washington,Pa. W4
27	48	Gary,Ind. U5
28	36	Butler,Pa. A10
28	36	Washington,Pa. W4
28	48	Gary,Ind. U5
29	36	Washington,Pa. W4
29	38	Gary,Ind. U5
30	36	Washington,Pa. W4
30	38	Gary,Ind. U5
31	36	Washington,Pa. W4
31	38	Gary,Ind. U5
.005 min.	30	Washington,Pa. W4
Type 405		
8	48	Gary,Ind. U5
9	48	Gary,Ind. U5
10	48	Brackenridge,Pa. A4
10	48	Gary,Ind. U5
11	48	Brackenridge,Pa. A4
11	48	Gary,Ind. U5
12	36	WestLeechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Gary,Ind. U5
13	36	WestLeechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Gary,Ind. U5
14	36	WestLeechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Gary,Ind. U5
15	36	WestLeechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Gary,Ind. U5
16	36	WestLeechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Gary,Ind. U5
17	36	WestLeechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Gary,Ind. U5
18	36	WestLeechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Gary,Ind. U5
19	36	WestLeechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Gary,Ind. U5
20	36	WestLeechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Gary,Ind. U5
21	36	WestLeechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Gary,Ind. U5
22	36	WestLeechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Gary,Ind. U5
23	36	WestLeechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Gary,Ind. U5
24	36	WestLeechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Gary,Ind. U5
25	36	WestLeechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Gary,Ind. U5
26	36	WestLeechburg,Pa. A4
26	48	Brackenridge,Pa. A4
26	48	Gary,Ind. U5

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 2B Finish (bright cold-rolled) Coil Stock

U. S. Std. Gage	Max. Width (in.)	Mill Point, Producer
27	48	Gary,Ind. U5
28	48	Gary,Ind. U5
29	38	Gary,Ind. U5
30	38	Gary,Ind. U5
31	38	Gary,Ind. U5
Type 410		
8	48	Gary,Ind. U5
8	48	Midland,Pa. C18
9	48	Gary,Ind. U5
9	48	Midland,Pa. C18
10	48	Gary,Ind. U5
10	48	Midland,Pa. C18
11	36	Butler,Pa. A10
11	48	Gary,Ind. U5
11	48	Midland,Pa. C18
12	36	Butler,Pa. A10
12	48	Gary,Ind. U5
12	48	Midland,Pa. C18
13	36	Butler,Pa. A10
13	48	Gary,Ind. U5
13	48	Midland,Pa. C18
14	36	Butler,Pa. A10
14	48	Gary,Ind. U5
14	48	Midland,Pa. C18
15	36	Butler,Pa. A10
15	48	Gary,Ind. U5
15	48	Midland,Pa. C18
16	36	Butler,Pa. A10
16	48	Gary,Ind. U5
16	48	Midland,Pa. C18
17	36	Butler,Pa. A10
17	48	Gary,Ind. U5
17	48	Midland,Pa. C18
18	36	Butler,Pa. A10
18	48	Gary,Ind. U5
18	48	Midland,Pa. C18
19	36	Butler,Pa. A10
19	48	Gary,Ind. U5
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	48	Gary,Ind. U5
20	48	Midland,Pa. C18
21	36	Butler,Pa. A10
21	48	Gary,Ind. U5
21	48	Midland,Pa. C18
22	36	Butler,Pa. A10
22	48	Gary,Ind. U5
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	48	Gary,Ind. U5
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10
24	48	Gary,Ind. U5
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	48	Gary,Ind. U5
25	48	Midland,Pa. C18
26	36	Butler,Pa. A10
26	48	Gary,Ind. U5
27	36	Butler,Pa. A10
27	48	Gary,Ind. U5
28	36	Butler,Pa. A10
28	48	Gary,Ind. U5
29	38	Gary,Ind. U5
30	38	Gary,Ind. U5
31	38	Gary,Ind. U5
Type 430		
8	48	Gary,Ind. U5
8	48	Midland,Pa. C18
9	48	Gary,Ind. U5
9	48	Midland,Pa. C18
10	48	Brackenridge,Pa. A4
10	48	Gary,Ind. U5
10	48	Midland,Pa. C18
11	36	Butler,Pa. A10
11	48	Brackenridge,Pa. A4
11	48	Gary,Ind. U5
11	48	Midland,Pa. C18
12	36	Butler,Pa. A10
12	36	WestLeechburg,Pa. A4
12	48	Brackenridge,Pa. A4
12	48	Gary,Ind. U5
12	48	Midland,Pa. C18
13	36	Butler,Pa. A10
13	56	WestLeechburg,Pa. A4
13	48	Brackenridge,Pa. A4
13	48	Gary,Ind. U5
13	48	Midland,Pa. C18
14	36	Butler,Pa. A10
14	36	Washington,Pa. W4
14	36	WestLeechburg,Pa. A4
14	48	Brackenridge,Pa. A4
14	48	Gary,Ind. U5
14	48	Midland,Pa. C18
15	36	Butler,Pa. A10
15	36	Washington,Pa. W4
15	36	WestLeechburg,Pa. A4
15	48	Brackenridge,Pa. A4
15	48	Gary,Ind. U5
15	48	Midland,Pa. C18
16	36	Butler,Pa. A10
16	36	Washington,Pa. W4
16	36	WestLeechburg,Pa. A4
16	48	Brackenridge,Pa. A4
16	48	Gary,Ind. U5
16	48	Midland,Pa. C18
17	36	Butler,Pa. A10
17	36	Washington,Pa. W4
17	36	WestLeechburg,Pa. A4
17	48	Brackenridge,Pa. A4
17	48	Gary,Ind. U5
17	48	Midland,Pa. C18
18	36	Butler,Pa. A10
18	36	Washington,Pa. W4
18	36	WestLeechburg,Pa. A4
18	48	Brackenridge,Pa. A4
18	48	Gary,Ind. U5
18	48	Midland,Pa. C18
19	36	Butler,Pa. A10
19	36	Washington,Pa. W4
19	36	WestLeechburg,Pa. A4
19	48	Brackenridge,Pa. A4
19	48	Gary,Ind. U5
19	48	Midland,Pa. C18
20	36	Butler,Pa. A10
20	36	Washington,Pa. W4
20	36	WestLeechburg,Pa. A4
20	48	Brackenridge,Pa. A4
20	48	Gary,Ind. U5
20	48	Midland,Pa. C18
21	36	Butler,Pa. A10
21	36	Washington,Pa. W4
21	36	WestLeechburg,Pa. A4
21	48	Brackenridge,Pa. A4
21	48	Gary,Ind. U5
21	48	Midland,Pa. C18
22	36	Butler,Pa. A10
22	36	Washington,Pa. W4
22	36	WestLeechburg,Pa. A4
22	48	Brackenridge,Pa. A4
22	48	Gary,Ind. U5
22	48	Midland,Pa. C18
23	36	Butler,Pa. A10
23	36	Washington,Pa. W4
23	36	WestLeechburg,Pa. A4
23	48	Brackenridge,Pa. A4
23	48	Gary,Ind. U5
23	48	Midland,Pa. C18
24	36	Butler,Pa. A10
24	36	Washington,Pa. W4
24	36	WestLeechburg,Pa. A4
24	48	Brackenridge,Pa. A4
24	48	Gary,Ind. U5
24	48	Midland,Pa. C18
25	36	Butler,Pa. A10
25	36	Washington,Pa. W4
25	36	WestLeechburg,Pa. A4
25	48	Brackenridge,Pa. A4
25	48	Gary,Ind. U5
25	48	Midland,Pa. C18
26	36	Butler,Pa. A10
26	36	Washington,Pa. W4
26	36	WestLeechburg,Pa. A4
26	48	Brackenridge,Pa. A4
26	48	Gary,Ind. U5
27	36	Butler,Pa. A10
27	36	Washington,Pa. W4
27	48	Gary,Ind. U5
28	36	Butler,Pa. A10
28	36	Washington,Pa. W4
28	48	Gary,Ind. U5
29	38	Gary,Ind. U5
30	38	Gary,Ind. U5
31	38	Gary,Ind. U5
Type 446		
8	48	Gary,Ind. U5
9	48	Gary,Ind. U5
10	48	Gary,Ind. U5
11	48	Gary,Ind. U5
12	48	Gary,Ind. U5
13	48	Gary,Ind. U5
14	48	Gary,Ind. U5
15	48	Gary,Ind. U5
16	48	Gary,Ind. U5
17	48	Gary,Ind. U5
18	48	Gary,Ind. U5
19	48	Gary,Ind. U5
20	48	Gary,Ind. U5
21	48	Gary,Ind. U5
22	48	Gary,Ind. U5
23	48	Gary,Ind. U5
24	48	Gary,Ind. U5
25	48	Gary,Ind. U5
26	48	Gary,Ind. U5
27	48	Gary,Ind. U5
28	48	Gary,Ind. U5
29	38	Gary,Ind. U5
30	38	Gary,Ind. U5
31	38	Gary,Ind. U5

No. 2B Finish (bright cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 301		
8	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x240	Massillon,O. R2
8	48x196	Gary,Ind. U5
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x240	Brackenridge,Pa. A4
11	24x178 to49x178	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x192	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x240	Brackenridge,Pa. A4
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	30x192 to 60x192	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	48x196	Gary,Ind. U5
12	48x240	Brackenridge,Pa. A4
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	30x192 to 60x192	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	48x196	Gary,Ind. U5
13	48x240	Brackenridge,Pa. A4
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	30x192 to 60x192	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	48x196	Gary,Ind. U5
14	48x240	Brackenridge,Pa. A4
15	24x178 to 49x160	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x132	Baltimore E2
15	30x180 to 60x156	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	48x196	Gary,Ind. U5
15	48x240	Brackenridge,Pa. A4
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	30x180 to 60x156	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	48x196	Gary,Ind. U5
16	48x240	Brackenridge,Pa. A4
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 55x132	Baltimore E2
17	30x180 to 60x156	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	48x196	Gary,Ind. U5
17	48x240	Brackenridge,Pa. A4
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 55x132	Baltimore E2
18	30x180 to 60x156	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	48x196	Gary,Ind. U5
18	48x240	Brackenridge,Pa. A4
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 55x120	Baltimore E2
19	30x180 to 60x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	48x196	Gary,Ind. U5
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 55x120	Baltimore E2
20	30x180 to 60x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	48x196	Gary,Ind. U5
20	48x240	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x176 to 60x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	48x196	Gary,Ind. U5
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x176 to 60x120	Massillon,O. R2

(Code number following mill point indicates producing company, key on page 2)

No. 2B Finish (bright cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	48x196	Gary,Ind. U5
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x171 to 60x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	48x196	Gary,Ind. U5
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x171 to 60x120	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	48x196	Gary,Ind. U5
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x144 to 46x144	Massillon,O. R2
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	48x144	Gary,Ind. U5
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	36x240	Washington,Pa. W4
26	36x164	Butler,Pa. A10
26	36x240	WestLeechburg,Pa. A4
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
27	48x144	Gary,Ind. U5
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
28	48x144	Gary,Ind. U5
29	36x240	Washington,Pa. W4
29	38x120	Gary,Ind. U5
30	36x240	Washington,Pa. W4
30	38x120	Gary,Ind. U5
31	36x240	Washington,Pa. W4
31	38x120	Gary,Ind. U5
.005 min.	30x240	Washington,Pa. W4
Type 302		
8	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x240	Massillon,O. R2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 72x192	Middletown,O. A10
8	60x200	Pittsburgh C18
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 72x192	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
11	24x178 to 49x178	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x192	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa. A4
11	60x200	Pittsburgh C18
11	72x216	Middletown,O. A10
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	30x192 to 60x192	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	30x192 to 60x192	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	30x192 to 60x192	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x240	Brackenridge,Pa. A4
14	60x200	Pittsburgh C18
15	24x178 to 49x160	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x132	Baltimore E2
15	30x180 to 60x156	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge Pa. A4
16	30x144 to 65x120	Baltimore E2
16	30x180 to 60x156	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 55x132	Baltimore E2
17	30x180 to 60x156	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 55x132	Baltimore E2
18	30x180 to 60x156	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 55x120	Baltimore E2
19	30x180 to 60x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 55x120	Baltimore E2
20	30x180 to 60x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x176 to 60x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x176 to 60x120	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
23	24x144 to48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x171 to 60x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x171 to 60x120	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x144 to 46x144	Massillon,O. R2
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
27	48x144	Gary,Ind. U5
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
28	48x144	Gary,Ind. U5
29	36x240	Washington,Pa. W4
29	38x120	Gary,Ind. U5
30	36x240	Washington,Pa. W4
30	38x120	Gary,Ind. U5
31	36x240	Washington,Pa. W4
31	38x120	Gary,Ind. U5
.005 min.	30x240	Washington,Pa. W4
Type 302B		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x240 to 60x192	Massillon,O. R2
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x228 to 60x192	Massillon,O. R2
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x204 to 60x192	Massillon,O. R2
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x204 to 60x144	Massillon,O. R2
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x192 to 60x144	Massillon,O. R2
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 60x144	Massillon,O. R2
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 48x144	Massillon,O. R2
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 48x144	Massillon,O. R2
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 40x144	Massillon,O. R2
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 40x144	Massillon,O. R2
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 40x144	Massillon,O. R2
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 40x144	Massillon,O. R2
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x144 to 36x144	Massillon,O. R2
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x144 to 36x144	Massillon,O. R2

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 2B Finish (bright cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 303		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x240 to 60x192	Massillon,O. R2
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x228 to 60x192	Massillon,O. R2
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x204 to 60x192	Massillon,O. R2
11	24x196 to72x196	Brackenridge,Pa. A4
11	30x204 to 60x144	Massillon,O. R2
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x192 to60x144	Massillon,O. R2
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 60x144	Massillon,O. R2
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 48x144	Massillon,O. R2
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 48x144	Massillon,O. R2
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 40x144	Massillon,O. R2
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 40x144	Massillon,O. R2
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 40x144	Massillon,O. R2
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 40x144	Massillon,O. R2
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x144 to 36x144	Massillon,O. R2
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x144 to36x144	Massillon,O. R2
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 304		
	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x240	Massillon,O. R2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 72x192	Middletown,O. A10
8	60x200	Pittsburgh C18
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 72x192	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
11	24x178 to 49x178	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x192	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa. A4
11	60x200	Pittsburgh C18
11	72x216	Middletown,O. A10
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	30x192 to 60x192	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	30x192 to 60x192	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	30x192 to 60x192	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x240	Brackenridge,Pa. A4
14	60x200	Pittsburgh C18
15	24x178 to 49x160	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x132	Baltimore E2
15	30x180 to 60x156	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	30x180 to 60x156	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 55x132	Baltimore E2
17	30x180 to 60x156	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 55x132	Baltimore E2
18	30x180 to 60x156	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 55x120	Baltimore E2
19	30x180 to 60x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 55x120	Baltimore E2
20	30x180 to 60x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x176 to 60x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x176 to 60x120	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x171 to 60x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x171 to 60x120	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x144 to 46x144	Massillon,O. R2
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
27	48x144	Gary,Ind. U5
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
28	48x144	Gary,Ind. U5
29	36x240	Washington,Pa. W4
29	38x120	Gary,Ind. U5
30	36x240	Washington,Pa. W4
30	38x120	Gary,Ind. U5
31	36x240	Washington,Pa. W4
31	38x120	Gary,Ind. U5
.005 min.	30x240	Washington,Pa. W4
Type 304L		
8	48x204 to 72x192	Middletown,O. A10
9	48x204 to 72x192	Middletown,O. A10
10	48x204 to 72x192	Middletown,O. A10
11	36x164	Butler,Pa. A10
11	72x216	Middletown,O. A10
12	36x164	Butler,Pa. A10
12	42x216 to 72x174	Middletown,O. A10
13	36x164	Butler,Pa. A10
13	42x180 to 72x144	Middletown,O. A10
14	36x164	Butler,Pa. A10
14	42x180 to 72x144	Middletown,O. A10
15	36x164	Butler,Pa. A10
15	42x180 to 72x144	Middletown,O. A10
16	36x164	Butler,Pa. A10
16	42x180 to 72x144	Middletown,O. A10
17	36x164	Butler,Pa. A10
17	42x168 to 72x120	Middletown,O. A10
18	36x164	Butler,Pa. A10
18	42x168 to 72x120	Middletown,O. A10
19	36x164	Butler,Pa. A10
19	42x156 to 72x96	Middletown,O. A10
20	36x164	Butler,Pa. A10
20	42x156 to 72x96	Middletown,O. A10
21	36x164	Butler,Pa. A10
21	42x156 to 66x96	Middletown,O. A10
22	36x164	Butler,Pa. A10
22	42x156 to 66x96	Middletown,O. A10
23	36x164	Butler,Pa. A10
23	42x144 to 48x132	Middletown,O. A10
24	36x164	Butler,Pa. A10
24	42x144 to 48x132	Middletown,O. A10
25	36x164	Butler,Pa. A10
25	42x120 to 48x96	Middletown,O. A10
26	36x164	Butler,Pa. A10
26	42x120 to 48x96	Middletown,O. A10
27	36x164	Butler,Pa. A10
28	36x164	Butler,Pa. A10
Type 305		
8	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x192	Massillon,O. R2
8	48x200	Midland,Pa. C18
8	48x200	Pittsburgh C18
8	48x204 to 72x192	Middletown,O. A10
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4

(Code number following mill point indicates producing company, key on page 2)

No. 2B Finish (bright cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
9	30x156 to 72x156	Baltimore E2
9	30x228 to 60x192	Massillon,O. R2
9	48x200	Midland,Pa. C18
9	48x200	Pittsburgh C18
9	48x204 to 72x192	Middletown,O. A10
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	48x200	Midland,Pa. C18
10	48x200	Pittsburgh C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
11	24x178 to 49x178	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x144	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x200	Midland,Pa. C18
11	48x200	Pittsburgh C18
11	48x240	Brackenridge,Pa. A4
11	72x216	Middletown,O. A10
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	30x192 to 60x144	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x200	Midland,Pa. C18
12	48x200	Pittsburgh C18
12	48x240	Brackenridge,Pa. A4
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 60x144	Massillon,O. R2
13	30x156 to 72x132	Baltimore E2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x200	Midland,Pa. C18
13	48x200	Pittsburgh C18
13	48x240	Brackenridge,Pa. A4
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
14	30x156 to 72x132	Baltimore E2
14	36x164	Butler,Pa. A10
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x200	Midland,Pa. C18
14	48x200	Pittsburgh C18
14	48x240	Brackenridge,Pa. A4
15	24x178 to 49x160	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 48x144	Massillon,O. R2
15	30x156 to 65x132	Baltimore E2
15	36x164	Butler,Pa. A10
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x200	Midland,Pa. C18
15	48x200	Pittsburgh C18
15	48x240	Brackenridge,Pa. A4
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 48x144	Massillon,O. R2
16	30x144 to 65x120	Baltimore E2
16	36x164	Butler,Pa. A10
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x200	Midland,Pa. C18
16	48x200	Pittsburgh C18
16	48x240	Brackenridge,Pa. A4
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 40x144	Massillon,O. R2
17	30x144 to 55x132	Baltimore E2
17	36x164	Butler,Pa. A10
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x200	Midland,Pa. C18
17	48x200	Pittsburgh C18
17	48x240	Brackenridge,Pa. A4
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 40x144	Massillon,O. R2
18	30x144 to 55x132	Baltimore E2
18	36x164	Butler,Pa. A10
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x200	Midland,Pa. C18
18	48x200	Pittsburgh C18
18	48x240	Brackenridge,Pa. A4
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 40x144	Massillon,O. R2
19	30x144 to 55x120	Baltimore E2
19	36x164	Butler,Pa. A10
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 40x144	Massillon,O. R2
20	30x144 to 55x120	Baltimore E2
20	36x164	Butler,Pa. A10
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x144 to 36x144	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x144 to 36x144	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	36x164	Butler,Pa. A10
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	36x164	Butler,Pa. A10
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	36x164	Butler,Pa. A10
28	24x120 to 38x120	McKeesport,Pa. U5
28	36x164	Butler,Pa. A10
Type 308		
8	24x144 to 49x144	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	36x196	Gary,Ind. U5
9	24x144 to 49x144	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
10	24x144 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x196	Gary,Ind. U5
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x196	Gary,Ind. U5
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x196	Gary,Ind. U5
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x196	Gary,Ind. U5
15	24x144 to 49x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
16	24x144 to 49x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 309		
8	24x144 to 49x144	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x183 to 60x183	Massillon,O. R2
8	36x196	Gary,Ind. U5
8	48x168 to 72x144	Middletown,O. A10
8	48x200	Pittsburgh C18
9	24x144 to 49x144	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x168 to 60x168	Massillon,O. R2
9	36x196	Gary,Ind. U5
9	48x168 to 72x144	Middletown,O. A10
9	48x200	Pittsburgh C18
10	24x144 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x168 to 60x168	Massillon,O. R2
10	36x196	Gary,Ind. U5
10	48x168 to 72x144	Middletown,O. A10
10	48x200	Pittsburgh C18
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x160 to 60x144	Massillon,O. R2
11	36x196	Gary,Ind. U5
11	48x168 to 72x144	Middletown,O. A10
11	48x200	Pittsburgh C18
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x144 to 60x144	Massillon,O. R2
12	36x196	Gary,Ind. U5
12	48x156 to 72x120	Middletown,O. A10
12	48x200	Pittsburgh C18
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 54x144	Massillon,O. R2
13	36x196	Gary,Ind. U5
13	48x120	Middletown,O. A10
13	48x200	Pittsburgh C18
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x120 to 54x120	Massillon,O. R2
14	36x196	Gary,Ind. U5
14	48x120	Middletown,O. A10
14	48x200	Pittsburgh C18
15	24x144 to 49x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x120 to 54x120	Massillon,O. R2
15	36x196	Gary,Ind. U5
15	48x120	Middletown,O. A10
15	48x200	Pittsburgh C18
16	24x144 to 49x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x120 to 54x96	Massillon,O. R2
16	36x196	Gary,Ind. U5
16	48x120	Middletown,O. A10
16	48x200	Pittsburgh C18
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x120 to 42x120	Massillon,O. R2
17	36x196	Gary,Ind. U5
17	48x120	Middletown,O. A10
17	48x200	Pittsburgh C18
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x120 to 42x120	Massillon,O. R2
18	36x196	Gary,Ind. U5
18	48x120	Middletown,O. A10
18	48x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x120 to 42x120	Massillon,O. R2
19	36x196	Gary,Ind. U5
19	45x108	Middletown,O. A10
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x120 to 42x120	Massillon,O. R2
20	36x196	Gary,Ind. U5
20	45x108	Middletown,O. A10
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x120 to 42x96	Massillon,O. R2
21	36x96	Gary,Ind. U5
21	45x96	Middletown,O. A10
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x120 to 42x96	Massillon,O. R2
22	36x196	Gary,Ind. U5
22	45x96	Middletown,O. A10

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 2B Finish (bright cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x120 to 36x120	Massillon,O. R2
23	36x196	Gary,Ind. U5
23	45x96	Middletown,O. A10
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x120 to 36x120	Massillon,O. R2
24	36x196	Gary,Ind. U5
24	45x96	Middletown,O. A10
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	**36x144**	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 309S		
8	24x144 to 49x144	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	36x196	Gary,Ind. U5
8	48x168 to 72x144	Middletown,O. A10
9	24x144 to 49x144	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
9	48x168 to 72x144	Middletown,O. A10
10	24x144 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5
10	48x168 to 72x144	Middletown,O. A10
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x196	Gary,Ind. U5
11	48x168 to 72x144	Middletown,O. A10
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x196	Gary,Ind. U5
12	48x156 to 72x120	Middletown,O. A10
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x196	Gary,Ind. U5
13	48x120	Middletown,O. A10
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x196	Gary,Ind. U5
14	48x120	Middletown,O. A10
15	24x144 to 49x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
15	48x120	Middletown,O. A10
16	24x144 to 49x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
16	48x120	Middletown,O. A10
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
17	48x120	Middletown,O. A10
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
18	48x120	Middletown,O. A10
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
19	45x108	Middletown,O. A10
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
20	45x108	Middletown,O. A10
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
21	45x96	Middletown,O. A10
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
22	45x96	Middletown,O. A10
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
23	45x96	Middletown,O. A10
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
24	45x96	Middletown,O. A10
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 310		
8	24x144 to 49x144	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x183 to 60x183	Massillon,O. R2
8	36x196	Gary,Ind. U5
8	48x120	Middletown,O. A10
8	48x200	Pittsburgh C18
9	24x144 to 49x144	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x168 to 60x168	Massillon,O. R2
9	36x196	Gary,Ind. U5
9	48x120	Middletown,O. A10
9	48x200	Pittsburgh C18
10	24x144 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x168 to 60x168	Massillon,O. R2
10	36x196	Gary,Ind. U5
10	48x120	Middletown,O. A10
10	48x200	Pittsburgh C18
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x160 to 60x144	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	36x196	Gary,Ind. U5
11	48x120	Middletown,O. A10
11	48x200	Pittsburgh C18
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x144 to 60x144	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x196	Gary,Ind. U5
12	48x120	Middletown,O. A10
12	48x200	Pittsburgh C18
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 54x144	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x196	Gary,Ind. U5
13	48x120	Middletown,O. A10
13	48x200	Pittsburgh C18
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x120 to 54x120	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x196	Gary,Ind. U5
14	48x96	Middletown,O. A10
14	48x200	Pittsburgh C18
15	24x144 to 49x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x120 to 54x120	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x196	Gary,Ind. U5
15	48x96	Middletown,O. A10
15	48x200	Pittsburgh C18
16	24x144 to 49x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa.A4
16	30x120 to 54x96	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x196	Gary,Ind. U5
16	48x96	Middletown,O. A10
16	48x200	Pittsburgh C18
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x120 to 42x120	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x196	Gary,Ind. U5
17	48x96	Middletown,O. A10
17	48x200	Pittsburgh C18
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x120 to 42x120	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x196	Gary,Ind. U5
18	48x96	Middletown,O. A10
18	48x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x120 to 42x120	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x196	Gary,Ind. U5
19	45x96	Middletown,O. A10
19	48x200	Pittsburgh C18
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x120 to 42x120	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x196	Gary,Ind. U5
20	45x96	Middletown,O. A10
20	48x200	Pittsburgh C18
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x120 to 42x96	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x196	Gary,Ind. U5
21	45x96	Middletown,O. A10
21	48x200	Pittsburgh C18
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x120 to 42x96	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x196	Gary,Ind. U5
22	45x96	Middletown,O. A10
22	48x200	Pittsburgh C18
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x120 to 36x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x120 to 36x120	Massillon,O. R2
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x164	Butler,Pa. A10
25	36x196	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x164	Butler,Pa. A10
26	36x196	Gary,Ind. U5
28	36x164	Butler,Pa. A10
Type 314		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 316		
8	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x240	Massillon,O. R2
8	36x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x200	Pittsburgh C18
8	48x204 to 72x192	Middletown,O. A10
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 60x192	Massillon,O. R2
9	36x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x200	Pittsburgh C18
9	48x204 to 72x192	Middletown,O. A10
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	36x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x200	Pittsburgh C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
11	24x178 to 49x178	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x192	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	36x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x200	Pittsburgh C18
11	48x240	Brackenridge,Pa. A4
11	72x216	Middletown,O. A10
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	30x192 to 60x192	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x196	Gary,Ind. U5
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x200	Midland,Pa. C18
12	48x200	Pittsburgh C18
12	48x240	Brackenridge,Pa. A4
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	30x192 to 60x192	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x196	Gary,Ind. U5
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x200	Midland,Pa. C18
13	48x200	Pittsburgh C18
13	48x240	Brackenridge,Pa. A4
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	**30x156 to 72x120**	**Baltimore E2**
14	30x192 to 60x192	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x196	Gary,Ind. U5
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x200	Midland,Pa. C18

(Code number following mill point indicates producing company, key on page 2)

No. 2B Finish (bright cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
14	48x200	Pittsburgh C18
14	48x240	Brackenridge,Pa. A4
15	24x178 to 49x160	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x120	Baltimore E2
15	30x180 to 60x156	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x196	Gary,Ind. U5
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x200	Midland,Pa. C18
15	48x200	Pittsburgh C18
15	48x240	Brackenridge,Pa. A4
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	30x180 to 60x156	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x196	Gary,Ind. U5
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x200	Midland,Pa. C18
16	48x200	Pittsburgh C18
16	48x240	Brackenridge,Pa. A4
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x132 to 51x132	Baltimore E2
17	30x180 to 60x156	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x196	Gary,Ind. U5
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x200	Midland,Pa. C18
17	48x200	Pittsburgh C18
17	48x240	Brackenridge,Pa. A4
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x132 to 51x120	Baltimore E2
18	30x180 to 60x156	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x196	Gary,Ind. U5
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x200	Midland,Pa. C18
18	48x200	Pittsburgh C18
18	48x240	Brackenridge,Pa. A4
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x132 to 48x132	Baltimore E2
19	30x180 to 60x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x196	Gary,Ind. U5
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x200	Midland,Pa. C18
19	48x200	Pittsburgh C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x132 to 48x120	Baltimore E2
20	30x180 to 60x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x196	Gary,Ind. U5
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10
20	48x200	Midland,Pa. C18
20	48x200	Pittsburgh C18
20	48x240	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x176 to 60x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x196	Gary,Ind. U5
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x200	Midland,Pa. C18
21	48x200	Pittsburgh C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x176 to 60x120	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x196	Gary,Ind. U5
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x200	Midland,Pa. C18
22	48x200	Pittsburgh C18
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x171 to 60x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x196	Gary,Ind. U5
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x200	Midland,Pa. C18
23	48x200	Pittsburgh C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x171 to 60x120	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x196	Gary,Ind. U5
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x200	Midland,Pa. C18
24	48x200	Pittsburgh C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x144 to 46x144	Massillon,O. R2
25	36x144	Gary,Ind. U5
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	36x144	Gary,Ind. U5
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
29	36x240	Washington,Pa. W4
30	36x240	Washington,Pa. W4
31	36x240	Washington,Pa. W4
.005 min.	30x240	Washington,Pa. W4

Type 316L

8	48x204 to 72x192	Middletown,O. A10
9	48x204 to 72x192	Middletown,O. A10
10	48x204 to 72x192	Middletown,O. A10
11	36x164	Butler,Pa. A10
11	72x216	Middletown,O. A10
12	36x164	Butler,Pa. A10
12	42x216 to 72x174	Middletown,O. A10
13	36x164	Butler,Pa. A10
13	42x180 to 72x144	Middletown,O. A10
14	36x164	Butler,Pa. A10
14	42x180 to 72x144	Middletown,O. A10
15	36x164	Butler,Pa. A10
15	42x180 to 72x144	Middletown,O. A10
16	36x164	Butler,Pa. A10
16	42x180 to 72x144	Middletown,O. A10
17	36x164	Butler,Pa. A10
17	42x168 to 72x120	Middletown,O. A10
18	36x164	Butler,Pa. A10
18	42x168 to 72x120	Middletown,O. A10
19	36x164	Butler,Pa. A10
19	42x156 to 72x96	Middletown,O. A10
20	36x164	Butler,Pa. A10
20	42x156 to 72x96	Middletown,O. A10
21	36x164	Butler,Pa. A10
21	42x156 to 66x96	Middletown,O. A10
22	36x164	Butler,Pa. A10
22	42x156 to 66x96	Middletown,O. A10
23	36x164	Butler,Pa. A10
23	42x144 to 48x132	Middletown,O. A10
24	36x164	Butler,Pa. A10
24	42x144 to 48x132	Middletown,O. A10
25	36x164	Butler,Pa. A10
25	42x120 to 48x96	Middletown,O. A10
26	36x164	Butler,Pa. A10
26	42x120 to 48x96	Middletown,O. A10
27	36x164	Butler,Pa. A10
28	36x164	Butler,Pa. A10

Type 317

8	24x144 to 49x144	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	36x196	Gary,Ind. U5
9	24x144 to 49x144	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
10	24x144 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x196	Gary,Ind. U5
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x196	Gary,Ind. U5
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x196	Gary,Ind. U5
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x196	Gary,Ind. U5
15	24x144 to 49x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
16	24x144 to 49x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5

Type 318

8	24x144 to 49x144	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	36x196	Gary,Ind. U5
9	24x144 to 49x144	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
10	24x144 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x196	Gary,Ind. U5
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x196	Gary,Ind. U5
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x196	Gary,Ind. U5
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x196	Gary,Ind. U5
15	24x144 to 49x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
16	24x144 to 49x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5

(Code number following mill point indicates producing company, key on page 2)

No. 2B Finish (bright cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 321		
8	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x240	Massillon,O. R2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 72x192	Middletown,O. A10
8	60x200	Pittsburgh C18
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 72x192	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
11	24x178 to 49x178	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x192	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa. A4
11	60x200	Pittsburgh C18
11	72x216	Middletown,O. A10
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	30x192 to 60x192	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	30x192 to 60x192	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	30x192 to 60x192	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x240	Brackenridge,Pa. A4
14	60x200	Pittsburgh C18
15	24x178 to 49x160	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x132	Baltimore E2
15	30x180 to 60x156	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	30x180 to 60x156	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 55x132	Baltimore E2
17	30x180 to 60x156	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 55x132	Baltimore E2
18	30x180 to 60x156	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 55x120	Baltimore E2
19	30x180 to 60x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 55x120	Baltimore E2
20	30x180 to 60x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x176 to 60x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x176 to 60x120	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x171 to 60x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x171 to 60x120	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x144 to 46x144	Massillon,O. R2
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
27	48x144	Gary,Ind. U5
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
28	48x144	Gary,Ind. U5
29	36x240	Washington,Pa. W4
29	38x120	Gary,Ind. U5
30	36x240	Washington,Pa. W4
30	38x120	Gary,Ind. U5
31	36x240	Washington,Pa. W4
31	38x120	Gary,Ind. U5
.005 min.	30x240	Washington,Pa. W4
Type 347		
8	24x178 to 49x178	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	30x240 to 60x240	Massillon,O. R2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 72x192	Middletown,O. A10
8	60x200	Pittsburgh C18
9	24x178 to 49x178	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 72x192	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24x178 to 49x178	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
11	24x178 to 49x178	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	30x204 to 60x192	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa. A4
11	60x200	Pittsburgh C18
11	72x216	Middletown,O. A10
12	24x178 to 49x178	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	30x192 to 60x192	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
13	24x178 to 49x178	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	30x192 to 60x192	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
14	24x178 to 49x160	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	30x192 to 60x192	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x240	Brackenridge,Pa. A4
14	60x200	Pittsburgh C18
15	24x178 to 49x160	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x120	Baltimore E2
15	30x180 to 60x156	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
16	24x178 to 49x160	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2

(Code number following mill point indicates producing company, key on page 2)

No. 2B Finish (bright cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
16	30x180 to 60x156	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
17	24x160 to 49x144	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x132 to 55x120	Baltimore E2
17	30x180 to 60x156	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
18	24x160 to 49x144	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x132 to 51x120	Baltimore E2
18	30x180 to 60x156	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
19	24x144 to 49x144	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x132 to 48x132	Baltimore E2
19	30x180 to 60x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 49x144	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x132 to 48x132	Baltimore E2
20	30x180 to 60x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
21	24x144 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x176 to 60x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x176 to 60x120	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	30x171 to 60x120	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	30x171 to 60x120	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	30x144 to 46x144	Massillon,O. R2
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	30x144 to 46x144	Massillon,O. R2
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 38x120	McKeesport,Pa. U5
27	30x120 to 36x120	Massillon,O. R2
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
27	48x144	Gary,Ind. U5
28	24x120 to 38x120	McKeesport,Pa. U5
28	30x120 to 36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
28	48x144	Gary,Ind. U5
29	36x240	Washington,Pa. W4
29	38x120	Gary,Ind. U5
30	36x240	Washington,Pa. W4
30	38x120	Gary,Ind. U5
31	36x240	Washington,Pa. W4
31	38x120	Gary,Ind. U5
.005 min.	30x240	Washington,Pa. W4
Type 403		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x240 to 60x192	Massillon,O. R2
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x228 to 60x192	Massillon,O. R2
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x204 to 60x192	Massillon,O. R2
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x204 to 60x144	Massillon,O. R2
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x192 to 60x144	Massillon,O. R2
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 60x144	Massillon,O. R2
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 48x144	Massillon,O. R2
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 48x144	Massillon,O. R2
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 40x144	Massillon,O. R2
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 40x144	Massillon,O. R2
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 40x144	Massillon,O. R2
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 40x144	Massillon,O. R2
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x144 to 36x144	Massillon,O. R2
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x144 to 36x144	Massillon,O. R2
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 405		
8	24x178 to 49x160	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	48x196	Gary,Ind. U5
9	24x178 to 49x172	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	48x196	Gary,Ind. U5
10	24x172 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	48x196	Gary,Ind. U5
10	48x240	Brackenridge,Pa. A4
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	48x196	Gary,Ind. U5
11	48x240	Brackenridge,Pa. A4
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x240	WestLeechburg,Pa. A4
12	48x196	Gary,Ind. U5
12	48x240	Brackenridge,Pa. A4
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x240	WestLeechburg,Pa. A4
13	48x196	Gary,Ind. U5
13	48x240	Brackenridge,Pa. A4
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x240	WestLeechburg,Pa. A4
14	48x196	Gary,Ind. U5
14	48x240	Brackenridge,Pa. A4
15	24x144 to 49x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x240	WestLeechburg,Pa. A4
15	48x196	Gary,Ind. U5
15	48x240	Brackenridge,Pa. A4
16	24x144 to 49x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x240	WestLeechburg,Pa. A4
16	48x196	Gary,Ind. U5
16	48x240	Brackenridge,Pa. A4
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x240	WestLeechburg,Pa. A4
17	48x196	Gary,Ind. U5
17	48x240	Brackenridge,Pa. A4
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x240	WestLeechburg,Pa. A4
18	48x196	Gary,Ind. U5
18	48x240	Brackenridge,Pa. A4
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x240	WestLeechburg,Pa. A4
19	48x196	Gary,Ind. U5
19	48x240	Brackenridge,Pa. A4
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x240	WestLeechburg,Pa. A4
20	48x196	Gary,Ind. U5
20	48x240	Brackenridge,Pa. A4
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x240	WestLeechburg,Pa. A4
21	48x196	Gary,Ind. U5
21	48x240	Brackenridge,Pa. A4
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x240	WestLeechburg,Pa. A4
22	48x196	Gary,Ind. U5
22	48x240	Brackenridge,Pa. A4
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x240	WestLeechburg,Pa. A4
23	48x196	Gary,Ind. U5
23	48x240	Brackenridge,Pa. A4
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x240	WestLeechburg,Pa. A4
24	48x196	Gary,Ind. U5
24	48x240	Brackenridge,Pa. A4
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x240	WestLeechburg,Pa. A4
25	48x144	Gary,Ind. U5
25	48x240	Brackenridge,Pa. A4
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x240	WestLeechburg,Pa. A4
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	48x144	Gary,Ind. U5
28	48x144	Gary,Ind. U5
29	38x120	Gary,Ind. U5
30	38x120	Gary,Ind. U5
31	38x120	Gary,Ind. U5
Type 410		
8	24x178 to 49x160	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x240 to 60x192	Massillon,O. R2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	60x200	Pittsburgh C18
9	24x178 to 49x172	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	60x200	Pittsburgh C18
10	24x172 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	60x200	Pittsburgh C18
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x204 to 60x144	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	60x200	Pittsburgh C18
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x192 to 60x144	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	60x200	Pittsburgh C18
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 60x144	Massillon,O. R2

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 2B Finish (bright cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
13	36x164	Butler,Pa. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	60x200	Pittsburgh C18
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	60x200	Pittsburgh C18
15	24x144 to 49x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 48x144	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	60x200	Pittsburgh C18
16	24x144 to 49x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 48x144	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	60x200	Pittsburgh C18
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 40x144	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	60x200	Pittsburgh C18
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 40x144	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	60x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 40x144	Massillon,O. R2
19	36x164	Butler,Pa. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 40x144	Massillon,O. R2
20	36x164	Butler,Pa. A10
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
21	36x164	Butler,Pa. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
22	36x164	Butler,Pa. A10
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x144 to 36x144	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x144 to 36x144	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x164	Butler,Pa. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x164	Butler,Pa. A10
26	48x144	Gary,Ind. U5
27	36x164	Butler,Pa. A10
27	48x144	Gary,Ind. U5
28	36x164	Butler,Pa. A10
28	48x144	Gary,Ind. U5
29	38x120	Gary,Ind. U5
30	38x120	Gary,Ind. U5
31	38x120	Gary,Ind. U5
Type 414		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 416		
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x240 to 60x192	Massillon,O. R2
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x228 to 60x192	Massillon,O. R2
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x204 to 60x192	Massillon,O. R2
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x204 to 60x144	Massillon,O. R2
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x192 to 60x144	Massillon,O. R2
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 60x144	Massillon,O. R2
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 48x144	Massillon,O. R2
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 48x144	Massillon,O. R2
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 40x144	Massillon,O. R2
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 40x144	Massillon,O. R2
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 40x144	Massillon,O. R2
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 40x144	Massillon,O. R2
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x144 to 36x144	Massillon,O. R2
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x144 to 36x144	Massillon,O. R2
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 420		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 430		
8	24x178 to 49x160	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x240 to 60x192	Massillon,O. R2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 60x192	Middletown,O. A10
8	60x200	Pittsburgh C18
9	24x178 to 49x172	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x228 to 60x192	Massillon,O. R2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 60x192	Middletown,O. A10
9	60x200	Pittsburgh C18
10	24x172 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x204 to 60x192	Massillon,O. R2
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 60x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x204 to 60x144	Massillon,O. R2
11	36x164	Butler,Pa. A10
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa. A4
11	60x200	Pittsburgh C18
11	60x216	Middletown,O. A10
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x192 to 60x144	Massillon,O. R2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 60x174	Middletown,O. A10
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x144 to 60x144	Massillon,O. R2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 60x156	Middletown,O. A10
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x144 to 60x144	Massillon,O. R2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 60x156	Middletown,O. A10
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x240	Brackenridge,Pa. A4
14	60x200	Pittsburgh C18
15	24x144 to 49x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x144 to 60x120	Massillon,O. R2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 60x156	Middletown,O. A10
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
16	24x144 to 49x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 60x96	Massillon,O. R2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 48x168	Middletown,O. A10
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 60x96	Massillon,O. R2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	48x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 60x96	Massillon,O. R2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	48x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 36x144	Massillon,O. R2
19	36x120	Middletown,O. A10
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 36x144	Massillon,O. R2
20	36x120	Middletown,O. A10
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4

(Code number following mill point indicates producing company, key on page 2)

No. 2B Finish (bright cold-rolled) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 36x144	Massillon,O. R2
21	36x120	Middletown,O. A10
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 36x144	Massillon,O. R2
22	36x120	Middletown,O. A10
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x144 to 36x144	Massillon,O. R2
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x144 to 36x144	Massillon,O. R2
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
27	48x144	Gary,Ind. U5
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
28	48x144	Gary,Ind. U5
29	38x120	Gary,Ind. U5
30	38x120	Gary,Ind. U5
31	38x120	Gary,Ind. U5
Type 430F		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 430Ti		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 431		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 440A		
8	24x196 to 72x196	Brackenridge,Pa. 4A
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 440B		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 440C		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 442		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 446		
8	24x178 to 49x160	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x168 to 72x168	Massillon,O. R2
8	48x196	Gary,Ind. U5
9	24x178 to 49x172	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x168 to 72x168	Massillon,O. R2
9	48x196	Gary,Ind. U5
10	24x172 to 49x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x168 to 72x168	Massillon,O. R2
10	48x196	Gary,Ind. U5
11	24x144 to 49x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x168 to 72x168	Massillon,O. R2
11	48x196	Gary,Ind. U5
12	24x144 to 49x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x132 to 72x96	Massillon,O. R2
12	48x196	Gary,Ind. U5
13	24x144 to 49x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x132 to 72x96	Massillon,O. R2
13	48x196	Gary,Ind. U5
14	24x144 to 49x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x132 to 72x96	Massillon,O. R2
14	48x196	Gary,Ind. U5
15	24x144 to 49x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x120 to 72x96	Massillon,O. R2
15	48x196	Gary,Ind. U5
16	24x144 to 49x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x120 to 72x96	Massillon,O. R2
16	48x196	Gary,Ind. U5
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x120 to 48x120	Massillon,O. R2
17	48x196	Gary,Ind. U5
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x120 to 48x120	Massillon,O. R2
18	48x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x120 to 48x120	Massillon,O. R2
19	48x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x120 to 48x120	Massillon,O. R2
20	48x196	Gary,Ind. U5
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x120 to 44x96	Massillon,O. R2
21	48x196	Gary,Ind. U5
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x120 to 44x96	Massillon,O. R2
22	48x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	30x96 to 36x96	Massillon,O. R2
23	48x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	30x96 to 36x96	Massillon,O. R2
24	48x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	48x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	48x144	Gary,Ind. U5
27	48x144	Gary,Ind. U5
28	48x144	Gary,Ind. U5
29	38x120	Gary,Ind. U5
30	38x120	Gary,Ind. U5
31	38x120	Gary,Ind. U5

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 4 Finish (polished) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 301		
8	24x178 to 66x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	48x196	Gary,Ind. U5
9	24x178 to 66x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	48x196	Gary,Ind. U5
10	24x178 to 66x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	48x196	Gary,Ind. U5
10	48x240	Brackenridge,Pa. A4
11	24x178 to 66x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	48x196	Gary,Ind. U5
11	48x240	Brackenridge,Pa. A4
12	24x178 to 66x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	36x240	Washington,Pa. W4
12	36x240	WestLeechburg,Pa. A4
12	48x196	Gary,Ind. U5
12	48x240	Brackenridge,Pa. A4
13	24x178 to 66x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	36x240	Washington,Pa. W4
13	36x240	WestLeechburg,Pa. A4
13	48x196	Gary,Ind. U5
13	48x240	Brackenridge,Pa. A4
14	24x178 to 66x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	48x196	Gary,Ind. U5
14	48x240	Brackenridge,Pa. A4
15	24x178 to 66x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x132	Baltimore E2
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	48x196	Gary,Ind. U5
15	48x240	Brackenridge,Pa. A4
16	24x160 to 66x96	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	48x196	Gary,Ind. U5
16	48x240	Brackenridge,Pa. A4
17	24x160 to 66x96	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 55x132	Baltimore E2
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	48x196	Gary,Ind. U5
17	48x240	Brackenridge,Pa. A4
18	24x160 to 66x96	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 55x132	Baltimore E2
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	48x196	Gary,Ind. U5
18	48x240	Brackenridge,Pa. A4
19	24x144 to 62x96	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 55x120	Baltimore E2
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	48x196	Gary,Ind. U5
19	48x240	Brackenridge,Pa. A4
20	24x144 to 62x96	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 55x120	Baltimore E2
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	48x196	Gary,Ind. U5
20	48x240	Brackenridge,Pa. A4
21	24x144 to 56x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 51x132	Baltimore E2
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	48x196	Gary,Ind. U5
21	48x240	Brackenridge,Pa. A4
22	24x144 to 56x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 51x132	Baltimore E2
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	48x196	Gary,Ind. U5
22	48x240	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	48x196	Gary,Ind. U5
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	48x196	Gary,Ind. U5
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	48x144	Gary,Ind. U5
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 36x120	McKeesport,Pa. U5
27	36x240	Washington,Pa. W4
28	24x120 to 36x120	McKeesport,Pa. U5
28	36x240	Washington,Pa. W4
29	36x240	Washington,Pa. W4
30	36x240	Washington,Pa. W4
Type 302		
8	24x178 to 66x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	48x144	NewCastle,Ind. I-4
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 72x192	Middletown,O. A10
8	60x200	Pittsburgh C18
8	66x144	Massillon,O. R2
9	24x178 to 66x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	48x144	NewCastle,Ind. I-4
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 72x192	Middletown,O. A10
9	60x200	Pittsburgh C18
9	66x144	Massillon,O. R2
10	24x178 to 66x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	48x144	NewCastle,Ind. I-4
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
10	66x144	Massillon,O. R2
11	24x178 to 66x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	36x164	Butler,Pa. A10
11	48x144	NewCastle,Ind. I-4
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa. A4
11	60x200	Pittsburgh C18
11	66x144	Massillon,O. R2
11	72x216	Middletown,O. A10
12	24x178 to 66x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	36x164	Butler,Pa. A10
12	36x240	Washington,Pa. W4
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x144	NewCastle,Ind. I-4
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
12	66x144	Massillon,O. R2
13	24x178 to 66x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	36x164	Butler,Pa. A10
13	36x240	Washington,Pa. W4
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x144	NewCastle,Ind. I-4
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
13	66x144	Massillon,O. R2
14	24x178 to 66x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x144	NewCastle,Ind. I-4
14	48x196	Gary,Ind. U5
14	48x196	Midland,Pa. C18
14	48x200	Brackenridge,Pa. A4
14	48x240	Pittsburgh C18
14	60x200	Massillon,O. R2
14	66x144	
15	24x178 to 66x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x132	Baltimore E2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x144	NewCastle,Ind. I-4
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
15	66x144	Massillon,O. R2
16	24x178 to 66x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x144	NewCastle,Ind. I-4
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
16	66x144	Massillon,O. R2
17	24x160 to 66x96	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 55x132	Baltimore E2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
17	66x144	Massillon,O. R2
18	24x160 to 66x96	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. U4
18	30x144 to 55x132	Baltimore E2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
18	66x144	Massillon,O. R2
19	24x144 to 62x96	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 55x120	Baltimore E2
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind.9U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
19	60x200	Pittsburgh C18
20	24x144 to 62x96	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 55x120	Baltimore E2
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10
20	48x144	Massillon,O. R2
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
20	60x200	Pittsburgh C18
20	66x120	Massillon,O. R2
21	24x144 to 56x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 51x132	Baltimore E2
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
21	60x200	Pittsburgh C18
22	24x144 to 56x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 51x132	Baltimore E2
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x144	Massillon,O. R2

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 4 Finish (polished) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
22	48x196	Gary, Ind. U5
22	48x200	Midland, Pa. C18
22	48x240	Brackenridge, Pa. A4
22	60x200	Pittsburgh C18
22	66x120	Massillon, O. R2
23	24x144 to 48x120	Brackenridge, Pa. A4
23	24x144 to 49x120	McKeesport, Pa. U5
23	36x164	Butler, Pa. A10
23	36x240	Washington, Pa. W4
23	36x240	WestLeechburg, Pa. A4
23	42x144 to 48x132	Middletown, O. A10
23	48x196	Gary, Ind. U5
23	48x200	Midland, Pa. C18
23	48x240	Brackenridge, Pa. A4
23	60x200	Pittsburgh C18
24	24x144 to 48x120	Brackenridge, Pa. A4
24	24x144 to 49x120	McKeesport, Pa. U5
24	36x164	Butler, Pa. A10
24	36x240	Washington, Pa. W4
24	36x240	WestLeechburg, Pa. A4
24	42x144 to 48x132	Middletown, O. A10
24	48x144	Massillon, O. R2
24	48x196	Gary, Ind. U5
24	48x200	Midland, Pa. C18
24	48x240	Brackenridge, Pa. A4
24	60x200	Pittsburgh C18
25	24x120 to 40x96	Brackenridge, Pa. A4
25	24x144 to 49x120	McKeesport, Pa. U5
25	36x164	Butler, Pa. A10
25	36x240	Washington, Pa. W4
25	36x240	WestLeechburg, Pa. A4
25	42x120 to 48x96	Middletown, O. A10
25	48x144	Gary, Ind. U5
25	48x200	Midland, Pa. C18
25	48x240	Brackenridge, Pa. A4
25	60x200	Pittsburgh C18
26	24x120 to 40x96	Brackenridge, Pa. A4
26	24x144 to 49x120	McKeesport, Pa. U5
26	36x144	Massillon, O. R2
26	36x164	Butler, Pa. A10
26	36x240	Washington, Pa. W4
26	36x240	WestLeechburg, Pa. A4
26	42x120 to 48x96	Middletown, O. A10
26	48x120	Massillon, O. R2
26	48x144	Gary, Ind. U5
26	48x240	Brackenridge, Pa. A4
26	60x200	Pittsburgh C18
27	24x120 to 36x120	McKeesport, Pa. U5
27	36x164	Butler, Pa. A10
27	36x240	Washington, Pa. W4
28	24x120 to 36x120	McKeesport, Pa. U5
28	36x120	Massillon, O. R2
28	36x164	Butler, Pa. A10
28	36x240	Washington, Pa. W4
29	36x240	Washington, Pa. W4
30	24x120	Massillon, O. R2
30	36x240	Washington, Pa. W4

Type 302B

8	24x196 to 72x196	Brackenridge, Pa. A4
9	24x196 to 72x196	Brackenridge, Pa. A4
10	24x196 to 72x196	Brackenridge, Pa. A4
11	24x196 to 72x196	Brackenridge, Pa. A4
12	24x196 to 72x196	Brackenridge, Pa. A4
13	24x196 to 72x196	Brackenridge, Pa. A4
14	24x196 to 72x196	Brackenridge, Pa. A4
15	24x196 to 72x196	Brackenridge, Pa. A4
16	24x196 to 72x196	Brackenridge, Pa. A4
17	24x196 to 72x196	Brackenridge, Pa. A4
18	24x196 to 72x196	Brackenridge, Pa. A4
19	24x196 to 60x108	Brackenridge, Pa. A4
20	24x196 to 60x96	Brackenridge, Pa. A4
21	24x144 to 56x100	Brackenridge, Pa. A4
22	24x144 to 56x100	Brackenridge, Pa. A4
23	24x144 to 48x120	Brackenridge, Pa. A4
24	24x144 to 48x120	Brackenridge, Pa. A4
25	24x120 to 40x96	Brackenridge, Pa. A4
26	24x120 to 40x96	Brackenridge, Pa. A4

Type 303

8	24x196 to 72x196	Brackenridge, Pa. A4
9	24x196 to 72x196	Brackenridge, Pa. A4
10	24x196 to 72x196	Brackenridge, Pa. A4
11	24x196 to 72x196	Brackenridge, Pa. A4
12	24x196 to 72x196	Brackenridge, Pa. A4
13	24x196 to 72x196	Brackenridge, Pa. A4
14	24x196 to 72x196	Brackenridge, Pa. A4
15	24x196 to 72x196	Brackenridge, Pa. A4
16	24x196 to 72x196	Brackenridge, Pa. A4
17	24x196 to 72x196	Brackenridge, Pa. A4
18	24x196 to 72x196	Brackenridge, Pa. A4
19	24x196 to 60x108	Brackenridge, Pa. A4
20	24x196 to 60x96	Brackenridge, Pa. A4
21	24x144 to 56x100	Brackenridge, Pa. A4
22	24x144 to 56x100	Brackenridge, Pa. A4
23	24x144 to 48x120	Brackenridge, Pa. A4
24	24x144 to 48x120	Brackenridge, Pa. A4
25	24x120 to 40x96	Brackenridge, Pa. A4
26	24x120 to 40x96	Brackenridge, Pa. A4

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 304		
8	24x178 to 66x120	McKeesport, Pa. U5
8	24x196 to 72x196	Brackenridge, Pa. A4
8	30x156 to 72x156	Baltimore E2
8	48x144	NewCastle, Ind. I-4
8	48x196	Gary, Ind. U5
8	48x200	Midland, Pa. C18
8	48x204 to 72x192	Middletown, O. A10
8	60x200	Pittsburgh C18
8	66x144	Massillon, O. R2
9	24x178 to 66x120	McKeesport, Pa. U5
9	24x196 to 72x196	Brackenridge, Pa. A4
9	30x156 to 72x156	Baltimore E2
9	48x144	NewCastle, Ind. I-4
9	48x196	Gary, Ind. U5
9	48x200	Midland, Pa. C18
9	48x204 to 72x192	Middletown, O. A10
9	60x200	Pittsburgh C18
9	66x144	Massillon, O. R2
10	24x178 to 66x144	McKeesport, Pa. U5
10	24x196 to 72x196	Brackenridge, Pa. A4
10	30x156 to 72x156	Baltimore E2
10	48x144	NewCastle, Ind. I-4
10	48x196	Gary, Ind. U5
10	48x200	Midland, Pa. C18
10	48x204 to 72x192	Middletown, O. A10
10	48x240	Brackenridge, Pa. A4
10	60x200	Pittsburgh C18
10	66x144	Massillon, O. R2
11	24x178 to 66x144	McKeesport, Pa. U5
11	24x196 to 72x196	Brackenridge, Pa. A4
11	30x156 to 72x156	Baltimore E2
11	36x164	Butler, Pa. A10
11	48x144	NewCastle, Ind. I-4
11	48x196	Gary, Ind. U5
11	48x200	Midland, Pa. C18
11	48x240	Brackenridge, Pa. A4
11	60x200	Pittsburgh C18
11	66x144	Massillon, O. R2
11	72x216	Middletown, O. A10
12	24x178 to 66x144	McKeesport, Pa. U5
12	24x196 to 72x196	Brackenridge, Pa. A4
12	30x156 to 72x144	Baltimore E2
12	36x164	Butler, Pa. A10
12	36x240	Washington, Pa. W4
12	36x240	WestLeechburg, Pa. A4
12	42x216 to 72x174	Middletown, O. A10
12	48x144	NewCastle, Ind. I-4
12	48x196	Gary, Ind. U5
12	48x200	Midland, Pa. C18
12	48x240	Brackenridge, Pa. A4
12	60x200	Pittsburgh C18
12	66x144	Massillon, O. R2
13	24x178 to 66x144	McKeesport, Pa. U5
13	24x196 to 72x196	Brackenridge, Pa. A4
13	30x156 to 72x132	Baltimore E2
13	36x164	Butler, Pa. A10
13	36x240	Washington, Pa. W4
13	36x240	WestLeechburg, Pa. A4
13	42x180 to 72x144	Middletown, O. A10
13	48x144	NewCastle, Ind. I-4
13	48x196	Gary, Ind. U5
13	48x200	Midland, Pa. C18
13	48x240	Brackenridge, Pa. A4
13	60x200	Pittsburgh C18
13	66x144	Massillon, O. R2
14	24x178 to 66x144	McKeesport, Pa. U5
14	24x196 to 72x196	Brackenridge, Pa. A4
14	30x156 to 72x132	Baltimore E2
14	36x164	Butler, Pa. A10
14	36x240	Washington, Pa. W4
14	36x240	WestLeechburg, Pa. A4
14	42x180 to 72x144	Middletown, O. A10
14	48x144	NewCastle, Ind. I-4
14	48x196	Gary, Ind. U5
14	48x200	Midland, Pa. C18
14	48x240	Brackenridge, Pa. A4
14	60x200	Pittsburgh C18
14	66x144	Massillon, O. R2
15	24x178 to 66x144	McKeesport, Pa. U5
15	24x196 to 72x196	Brackenridge, Pa. A4
15	30x156 to 65x132	Baltimore E2
15	36x164	Butler, Pa. A10
15	36x240	Washington, Pa. W4
15	36x240	WestLeechburg, Pa. A4
15	42x180 to 72x144	Middletown, O. A10
15	48x144	NewCastle, Ind. I-4
15	48x196	Gary, Ind. U5
15	48x200	Midland, Pa. C18
15	48x240	Brackenridge, Pa. A4
15	60x200	Pittsburgh C18
15	66x144	Massillon, O. R2
16	24x178 to 66x144	McKeesport, Pa. U5
16	24x196 to 72x196	Brackenridge, Pa. A4
16	30x144 to 65x120	Baltimore E2
16	36x164	Butler, Pa. A10
16	36x240	Washington, Pa. W4
16	36x240	WestLeechburg, Pa. A4
16	42x180 to 72x144	Middletown, O. A10
16	48x144	NewCastle, Ind. I-4
16	48x196	Gary, Ind. U5
16	48x200	Midland, Pa. C18
16	48x240	Brackenridge, Pa. A4
16	60x200	Pittsburgh C18
16	66x144	Massillon, O. R2
17	24x160 to 66x96	McKeesport, Pa. U5
17	24x196 to 72x196	Brackenridge, Pa. A4
17	30x144 to 55x132	Baltimore E2
17	36x164	Butler, Pa. A10
17	36x240	Washington, Pa. W4
17	36x240	WestLeechburg, Pa. A4
17	42x168 to 72x120	Middletown, O. A10
17	48x196	Gary, Ind. U5
17	48x200	Midland, Pa. C18
17	48x240	Brackenridge, Pa. A4
17	60x200	Pittsburgh C18
17	66x144	Massillon, O. R2
18	24x160 to 66x96	McKeesport, Pa. U5
18	24x196 to 72x196	Brackenridge, Pa. A4
18	30x144 to 55x132	Baltimore E2
18	36x164	Butler, Pa. A10
18	36x240	Washington, Pa. W4
18	36x240	WestLeechburg, Pa. A4
18	42x168 to 72x120	Middletown, O. A10
18	48x196	Gary, Ind. U5
18	48x200	Midland, Pa. C18
18	48x240	Brackenridge, Pa. A4
18	60x200	Pittsburgh C18
18	66x144	Massillon, O. R2
19	24x144 to 62x96	McKeesport, Pa. U5
19	24x196 to 60x108	Brackenridge, Pa. A4
19	30x144 to 55x120	Baltimore E2
19	36x164	Butler, Pa. A10
19	36x240	Washington, Pa. W4
19	36x240	WestLeechburg, Pa. A4
19	42x156 to 72x96	Middletown, O. A10
19	48x196	Gary, Ind. U5
19	48x200	Midland, Pa. C18
19	48x240	Brackenridge, Pa. A4
19	60x200	Pittsburgh C18
20	24x144 to 62x96	McKeesport, Pa. U5
20	24x196 to 60x96	Brackenridge, Pa. A4
20	30x144 to 55x120	Baltimore E2
20	36x164	Butler, Pa. A10
20	36x240	Washington, Pa. W4
20	36x240	WestLeechburg, Pa. A4
20	42x156 to 72x96	Middletown, O. A10
20	48x144	Massillon, O. R2
20	48x196	Gary, Ind. U5
20	48x200	Midland, Pa. C18
20	48x240	Brackenridge, Pa. A4
20	60x200	Pittsburgh C18
20	66x120	Massillon, O. R2
21	24x144 to 56x96	McKeesport, Pa. U5
21	24x144 to 56x100	Brackenridge, Pa. A4
21	30x144 to 51x132	Baltimore E2
21	36x164	Butler, Pa. A10
21	36x240	Washington, Pa. W4
21	36x240	WestLeechburg, Pa. A4
21	42x156 to 66x96	Middletown, O. A10
21	48x196	Gary, Ind. U5
21	48x200	Midland, Pa. C18
21	48x240	Brackenridge, Pa. A4
21	60x200	Pittsburgh C18
22	24x144 to 56x96	McKeesport, Pa. U5
22	24x144 to 56x100	Brackenridge, Pa. A4
22	30x144 to 51x132	Baltimore E2
22	36x164	Butler, Pa. A10
22	36x240	Washington, Pa. W4
22	36x240	WestLeechburg, Pa. A4
22	42x156 to 66x96	Middletown, O. A10
22	48x144	Massillon, O. R2
22	48x196	Gary, Ind. U5
22	48x200	Midland, Pa. C18
22	48x240	Brackenridge, Pa. A4
22	60x200	Pittsburgh C18
22	66x120	Massillon, O. R2
23	24x144 to 48x120	Brackenridge, Pa. A4
23	24x144 to 49x120	McKeesport, Pa. U5
23	36x164	Butler, Pa. A10
23	36x240	Washington, Pa. W4
23	36x240	WestLeechburg, Pa. A4
23	42x144 to 48x132	Middletown, O. A10
23	48x196	Gary, Ind. U5
23	48x200	Midland, Pa. C18
23	48x240	Brackenridge, Pa. A4
23	60x200	Pittsburgh C18
24	24x144 to 48x120	Brackenridge, Pa. A4
24	24x144 to 49x120	McKeesport, Pa. U5
24	36x164	Butler, Pa. A10
24	36x240	Washington, Pa. W4
24	36x240	WestLeechburg, Pa. A4
24	42x144 to 48x132	Middletown, O. A10
24	48x144	Massillon, O. R2
24	48x196	Gary, Ind. U5
24	48x200	Midland, Pa. C18
24	48x240	Brackenridge, Pa. A4
24	60x200	Pittsburgh C18
25	24x120 to 40x96	Brackenridge, Pa. A4
25	24x144 to 49x120	McKeesport, Pa. U5
25	36x164	Butler, Pa. A10
25	36x240	Washington, Pa. W4

(Code number following mill point indicates producing company, key on page 2)

No. 4 Finish (polished) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
25	60x200	Pittsburgh C18
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	36x144	Massillon,O. R2
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x120	Massillon,O. R2
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
26	60x200	Pittsburgh C18
27	24x120 to 36x120	McKeesport,Pa. U5
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
28	24x120 to 36x120	McKeesport,Pa. U5
28	36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
29	36x240	Washington,Pa. W4
30	24x120	Massillon,O. R2
30	36x240	Washington,Pa. W4
Type 304L		
8	48x204 to 72x192	Middletown,O. A10
9	48x204 to 72x192	Middletown,O. A10
10	48x204 to 72x192	Middletown,O. A10
11	36x164	Butler,Pa. A10
11	72x216	Middletown,O. A10
12	36x164	Butler,Pa. A10
12	42x216 to 72x174	Middletown,O. A10
13	36x164	Butler,Pa. A10
13	42x180 to 72x144	Middletown,O. A10
14	36x164	Butler,Pa. A10
14	42x180 to 72x144	Middletown,O. A10
15	36x164	Butler,Pa. A10
15	42x180 to 72x144	Middletown,O. A10
16	36x164	Butler,Pa. A10
16	42x180 to 72x144	Middletown,O. A10
17	36x164	Butler,Pa. A10
17	42x168 to 72x120	Middletown,O. A10
18	36x164	Butler,Pa. A10
18	42x168 to 72x120	Middletown,O. A10
19	36x164	Butler,Pa. A10
19	42x156 to 72x96	Middletown,O. A10
20	36x164	Butler,Pa. A10
20	42x156 to 72x96	Middletown,O. A10
21	36x164	Butler,Pa. A10
21	42x156 to 66x96	Middletown,O. A10
22	36x164	Butler,Pa. A10
22	42x156 to 66x96	Middletown,O. A10
23	36x164	Butler,Pa. A10
23	42x144 to 48x132	Middletown,O. A10
24	36x164	Butler,Pa. A10
24	42x144 to 48x132	Middletown,O. A10
25	36x164	Butler,Pa. A10
25	42x120 to 48x96	Middletown,O. A10
26	36x164	Butler,Pa. A10
26	42x120 to 48x96	Middletown,O. A10
27	36x164	Butler,Pa. A10
28	36x164	Butler,Pa. A10
Type 305		
8	24x178 to 66x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	48x200	Midland,Pa. C18
8	48x200	Pittsburgh C18
8	48x204 to 72x192	Middletown,O. A10
8	66x144	Massillon,O. R2
9	24x178 to 66x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	48x200	Midland,Pa. C18
9	48x200	Pittsburgh C18
9	48x204 to 72x192	Middletown,O. A10
9	66x144	Massillon,O. R2
10	24x178 to 66x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	48x200	Midland,Pa. C18
10	48x200	Pittsburgh C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
10	66x144	Massillon,O. R2
11	24x178 to 66x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	36x164	Butler,Pa. A10
11	48x200	Midland,Pa. C18
11	48x200	Pittsburgh C18

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
11	48x240	Brackenridge,Pa. A4
11	66x144	Massillon,O. R2
11	72x216	Middletown,O. A10
12	24x178 to 66x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x200	Midland,Pa. C18
12	48x200	Pittsburgh C18
12	48x240	Brackenridge,Pa. A4
12	66x144	Massillon,O. R2
13	24x178 to 66x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x200	Midland,Pa. C18
13	48x200	Pittsburgh C18
13	48x240	Brackenridge,Pa. A4
13	66x144	Massillon,O. R2
14	24x178 to 66x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	36x164	Butler,Pa. A10
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x200	Midland,Pa. C18
14	48x200	Pittsburgh C18
14	48x240	Brackenridge,Pa. A4
14	66x144	Massillon,O. R2
15	24x178 to 66x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x132	Baltimore E2
15	36x164	Butler,Pa. A10
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x200	Midland,Pa. C18
15	48x200	Pittsburgh C18
15	48x240	Brackenridge,Pa. A4
15	66x144	Massillon,O. R2
16	24x178 to 66x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	36x164	Butler,Pa. A10
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x200	Midland,Pa. C18
16	48x200	Pittsburgh C18
16	48x240	Brackenridge,Pa. A4
16	66x144	Massillon,O. R2
17	24x160 to 66x 96	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 55x132	Baltimore E2
17	36x164	Butler,Pa. A10
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x200	Midland,Pa. C18
17	48x200	Pittsburgh C18
17	48x240	Brackenridge,Pa. A4
17	66x144	Massillon,O. R2
18	24x160 to 66x 96	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 55x132	Baltimore E2
18	36x164	Butler,Pa. A10
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x200	Midland,Pa. C18
18	48x200	Pittsburgh C18
18	48x240	Brackenridge,Pa. A4
18	66x144	Massillon,O. R2
19	24x144 to 62x 96	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 55x120	Baltimore E2
19	36x164	Butler,Pa. A10
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x200	Midland,Pa. C18
19	48x200	Pittsburgh C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 62x 96	McKeesport,Pa. U5
20	24x196 to 60x 96	Brackenridge,Pa. A4
20	30x144 to 55x120	Baltimore E2
20	36x164	Butler,Pa. A10
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x 96	Middletown,O. A10
20	48x144	Massillon,O. R2
20	48x200	Midland,Pa. C18
20	48x200	Pittsburgh C18
20	48x240	Brackenridge,Pa. A4
20	66x120	Massillon,O. R2
21	24x144 to 56x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 51x132	Baltimore E2
21	36x164	Butler,Pa. A10
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
21	48x200	Midland,Pa. C18
21	48x200	Pittsburgh C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 56x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 51x132	Baltimore E2
22	36x164	Butler,Pa. A10
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x144	Massillon,O. R2
22	48x200	Midland,Pa. C18
22	48x200	Pittsburgh C18
22	48x240	Brackenridge,Pa. A4
22	66x120	Massillon,O. R2
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	36x164	Butler,Pa. A10
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x200	Midland,Pa. C18
23	48x200	Pittsburgh C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	36x164	Butler,Pa. A10
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x144	Massillon,O. R2
24	48x200	Midland,Pa. C18
24	48x200	Pittsburgh C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	36x164	Butler,Pa. A10
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x200	Midland,Pa. C18
25	48x200	Pittsburgh C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	36x144	Massillon,O. R2
26	36x164	Butler,Pa. A10
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x120	Massillon,O. R2
26	48x200	Pittsburgh C18
26	48x240	Brackenridge,Pa. A4
27	24x120 to 36x120	McKeesport,Pa. U5
27	36x164	Butler,Pa. A10
28	24x120 to 36x120	McKeesport,Pa. U5
28	36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
30	24x120	Massillon,O. R2
Type 308		
8	24x144 to 62x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	36x196	Gary,Ind. U5
9	24x144 to 62x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
10	24x144 to 62x120	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5
11	24x144 to 62x120	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x196	Gary,Ind. U5
12	24x144 to 62x120	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x196	Gary,Ind. U5
13	24x144 to 62x120	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x196	Gary,Ind. U5
14	24x144 to 62x120	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x196	Gary,Ind. U5
15	24x144 to 62x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
16	24x144 to 62x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
21	24x120 to 49x120	McKeesport,Pa. U5

(Code number following mill point indicates producing company, key on page 2)

No. 4 Finish (polished) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 309		
8	24x144 to 62x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	36x196	Gary,Ind. U5
8	48x144	NewCastle,Ind. I-4
8	48x168 to 72x144	Middletown,O. A10
8	48x200	Pittsburgh C18
9	24x144 to 62x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
9	48x144	NewCastle,Ind. I-4
9	48x168 to 72x144	Middletown,O. A10
9	48x200	Pittsburgh C18
10	24x144 to 62x120	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5
10	48x144	NewCastle,Ind. I-4
10	48x168 to 72x144	Middletown,O. A10
10	48x200	Pittsburgh C18
11	24x144 to 62x120	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x196	Gary,Ind. U5
11	48x144	NewCastle,Ind. I-4
11	48x168 to 72x144	Middletown,O. A10
11	48x200	Pittsburgh C18
12	24x144 to 62x120	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x196	Gary,Ind. U5
12	48x144	NewCastle,Ind. I-4
12	48x156 to 72x120	Middletown,O. A10
12	48x200	Pittsburgh C18
13	24x144 to 62x120	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x196	Gary,Ind. U5
13	48x120	Middletown,O. A10
13	48x144	NewCastle,Ind. I-4
13	48x200	Pittsburgh C18
14	24x144 to 62x120	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x196	Gary,Ind. U5
14	48x120	Middletown,O. A10
14	48x144	NewCastle,Ind. I-4
14	48x200	Pittsburgh C18
15	24x144 to 62x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
15	48x120	Middletown,O. A10
15	48x144	NewCastle,Ind. I-4
15	48x200	Pittsburgh C18
16	24x144 to 62x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
16	48x120	Middletown,O. A10
16	48x144	NewCastle,Ind. I-4
16	48x200	Pittsburgh C18
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
17	48x120	Middletown,O. A10
17	48x200	Pittsburgh C18
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
18	48x120	Middletown,O. A10
18	48x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
19	45x108	Middletown,O. A10
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
20	45x108	Middletown,O. A10
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
21	45x96	Middletown,O. A10
22	24x120 to 49x120	McKeesport,Pa. U5

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
22	45x96	Middletown,O. A10
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
23	45x96	Middletown,O. A10
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
24	45x96	Middletown,O. A10
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 309S		
8	24x144 to 62x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	36x196	Gary,Ind. U5
8	48x168 to 72x144	Middletown,O. A10
9	24x144 to 62x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
9	48x168 to 72x144	Middletown,O. A10
10	24x144 to 62x120	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5
10	48x168 to 72x144	Middletown,O. A10
11	24x144 to 62x120	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x196	Gary,Ind. U5
11	48x168 to 72x144	Middletown,O. A10
12	24x144 to 62x120	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x196	Gary,Ind. U5
12	48x156 to 72x120	Middletown,O. A10
13	24x144 to 62x120	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x196	Gary,Ind. U5
13	48x120	Middletown,O. A10
14	24x144 to 62x120	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x196	Gary,Ind. U5
14	48x120	Middletown,O. A10
15	24x144 to 62x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
15	48x120	Middletown,O. A10
16	24x144 to 62x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
16	48x120	Middletown,O. A10
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
17	48x120	Middletown,O. A10
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
18	48x120	Middletown,O. A10
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
19	45x108	Middletown,O. A10
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
20	45x108	Middletown,O. A10
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
21	45x96	Middletown,O. A10
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
22	45x96	Middletown,O. A10
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
23	45x96	Middletown,O. A10
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
24	45x96	Middletown,O. A10
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 310		
8	24x144 to 62x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
8	36x196	Gary,Ind. U5
8	48x120	Middletown,O. A10
8	48x144	NewCastle,Ind. I-4
8	48x200	Pittsburgh C18
9	24x144 to 62x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
9	48x120	Middletown,O. A10
9	48x144	NewCastle,Ind. I-4
9	48x200	Pittsburgh C18
10	24x144 to 62x120	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5
10	48x120	Middletown,O. A10
10	48x144	NewCastle,Ind. I-4
10	48x200	Pittsburgh C18
11	24x144 to 62x120	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x164	Butler,Pa. A10
11	36x196	Gary,Pa. U5
11	48x120	Middletown,O. A10
11	48x144	NewCastle,Ind. I-4
11	48x200	Pittsburgh C18
12	24x144 to 62x120	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x164	Butler,Pa. A10
12	36x196	Gary,Ind. U5
12	48x120	Middletown,O. A10
12	48x144	NewCastle,Ind. I-4
12	48x200	Pittsburgh C18
13	24x144 to 62x120	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x164	Butler,Pa. A10
13	36x196	Gary,Ind. U5
13	48x120	Middletown,O. A10
13	48x144	NewCastle,Ind. I-4
13	48x200	Pittsburgh C18
14	24x144 to 62x120	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x164	Butler,Pa. A10
14	36x196	Gary,Ind. U5
14	48x96	Middletown,O. A10
14	48x144	NewCastle,Ind. I-4
14	48x200	Pittsburgh C18
15	24x144 to 62x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x164	Butler,Pa. A10
15	36x196	Gary,Ind. U5
15	48x96	Middletown,O. A10
15	48x144	NewCastle,Ind. I-4
15	48x200	Pittsburgh C18
16	24x144 to 62x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x164	Butler,Pa. A10
16	36x196	Gary,Ind. U5
16	48x96	Middletown,O. A10
16	48x144	NewCastle,Ind. I-4
16	48x200	Pittsburgh C18
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x164	Butler,Pa. A10
17	36x196	Gary,Ind. U5
17	48x96	Middletown,O. A10
17	48x200	Pittsburgh C18
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x164	Butler,Pa. A10
18	36x196	Gary,Ind. U5
18	48x96	Middletown,O. A10
18	48x200	Pittsburgh C18
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x164	Butler,Pa. A10
19	36x196	Gary,Ind. U5
19	45x96	Middletown,O. A10
19	48x200	Pittsburgh C18
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x164	Butler,Pa. A10
20	36x196	Gary,Ind. U5
20	45x96	Middletown,O. A10
20	48x200	Pittsburgh C18
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x164	Butler,Pa. A10
21	36x196	Gary,Ind. U5
21	45x96	Middletown,O. A10
21	48x200	Pittsburgh C18
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x164	Butler,Pa. A10
22	36x196	Gary,Ind. U5
22	45x96	Middletown,O. A10
22	48x200	Pittsburgh C18
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x164	Butler,Pa. A10

(Code number following mill point indicates producing company, key on page 2)

No. 4 Finish (polished) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
23	36x196	Gary, Ind. U5
24	24x120 to 38x120	McKeesport, Pa. U5
24	24x144 to 48x120	Brackenridge, Pa. A4
24	36x164	Butler, Pa. A10
24	36x196	Gary, Ind. U5
25	24x120 to 38x120	McKeesport, Pa. U5
25	24x120 to 40x96	Brackenridge, Pa. A4
25	36x144	Gary, Ind. U5
25	36x164	Butler, Pa. A10
26	24x120 to 38x120	McKeesport, Pa. U5
26	24x120 to 40x96	Brackenridge, Pa. A4
26	36x144	Gary, Ind. U5
26	36x164	Butler, Pa. A10
27	36x164	Butler, Pa. A10
28	36x164	Butler, Pa. A10
Type 314		
8	24x196 to 72x196	Brackenridge, Pa. A4
9	24x196 to 72x196	Brackenridge, Pa. A4
10	24x196 to 72x196	Brackenridge, Pa. A4
11	24x196 to 72x196	Brackenridge, Pa. A4
12	24x196 to 72x196	Brackenridge, Pa. A4
13	24x196 to 72x196	Brackenridge, Pa. A4
14	24x196 to 72x196	Brackenridge, Pa. A4
15	24x196 to 72x196	Brackenridge, Pa. A4
16	24x196 to 72x196	Brackenridge, Pa. A4
17	24x196 to 72x196	Brackenridge, Pa. A4
18	24x196 to 72x196	Brackenridge, Pa. A4
19	24x196 to 60x108	Brackenridge, Pa. A4
20	24x196 to 60x96	Brackenridge, Pa. A4
21	24x144 to 56x100	Brackenridge, Pa. A4
22	24x144 to 56x100	Brackenridge, Pa. A4
23	24x144 to 48x120	Brackenridge, Pa. A4
24	24x144 to 48x120	Brackenridge, Pa. A4
25	24x120 to 40x96	Brackenridge, Pa. A4
26	24x120 to 40x96	Brackenridge, Pa. A4
Type 316		
8	24x178 to 66x120	McKeesport, Pa. U5
8	24x196 to 72x196	Brackenridge, Pa. A4
8	30x156 to 72x156	Baltimore E2
8	36x196	Gary, Ind. U5
8	48x144	NewCastle, Ind. I-4
8	48x200	Midland, Pa. C18
8	48x200	Pittsburgh C18
8	48x204 to 72x192	Middletown, O. A10
8	66x144	Massillon, O. R2
9	24x178 to 66x120	McKeesport, Pa. U5
9	24x196 to 72x196	Brackenridge, Pa. A4
9	30x156 to 72x156	Baltimore E2
9	36x196	Gary, Ind. U5
9	48x144	NewCastle, Ind. I-4
9	48x200	Midland, Pa. C18
9	48x200	Pittsburgh C18
9	48x204 to 72x192	Middletown, O. A10
9	66x144	Massillon, O. R2
10	24x178 to 66x144	McKeesport, Pa. U5
10	24x196 to 72x196	Brackenridge, Pa. A4
10	30x156 to 72x156	Baltimore E2
10	36x196	Gary, Ind. U5
10	48x144	NewCastle, Ind. I-4
10	48x200	Midland, Pa. C18
10	48x200	Pittsburgh C18
10	48x204 to 72x192	Middletown, O. A10
10	48x240	Brackenridge, Pa. A4
10	66x144	Massillon, O. R2
11	24x178 to 66x144	McKeesport, Pa. U5
11	24x196 to 72x196	Brackenridge, Pa. A4
11	30x156 to 72x156	Baltimore E2
11	36x164	Butler, Pa. A10
11	36x196	Gary, Ind. U5
11	48x144	NewCastle, Ind. I-4
11	48x200	Midland, Pa. C18
11	48x200	Pittsburgh C18
11	48x240	Brackenridge, Pa. A4
11	66x144	Massillon, O. R2
11	72x216	Middletown, O. A10
12	24x178 to 66x144	McKeesport, Pa. U5
12	24x196 to 72x196	Brackenridge, Pa. A4
12	30x156 to 72x144	Baltimore E2
12	36x164	Butler, Pa. A10
12	36x196	Gary, Ind. U5
12	36x240	Washington, Pa. W4
12	36x240	WestLeechburg, Pa. A4
12	42x216 to 72x174	Middletown, O. A10
12	48x144	NewCastle, Ind. I-4
12	48x200	Midland, Pa. C18
12	48x200	Pittsburgh C18
12	48x240	Brackenridge, Pa. A4
12	66x144	Massillon, O. R2
13	24x178 to 66x144	McKeesport, Pa. U5
13	24x196 to 72x196	Brackenridge, Pa. A4
13	30x156 to 72x132	Baltimore E2
13	36x164	Butler, Pa. A10
13	36x196	Gary, Pa. U5
13	36x240	Washington, Pa. W4
13	36x240	WestLeechburg, Pa. A4
13	42x180 to 72x144	Middletown, O. A10
13	48x144	NewCastle, Ind. I-4
13	48x200	Midland, Pa. C18
13	48x200	Pittsburgh C18
13	48x240	Brackenridge, Pa. A4
13	66x144	Massillon, O. R2
14	24x178 to 66x144	McKeesport, Pa. U5
14	24x196 to 72x196	Brackenridge, Pa. A4
14	30x156 to 72x120	Baltimore E2
14	36x164	Butler, Pa. A10
14	36x196	Gary, Ind. U5
14	36x240	Washington, Pa. W4
14	36x240	WestLeechburg, Pa. A4
14	42x180 to 72x144	Middletown, O. A10
14	48x144	NewCastle, Ind. I-4
14	48x200	Midland, Pa. C18
14	48x200	Pittsburgh C18
14	48x240	Brackenridge, Pa. A4
14	66x144	Massillon, O. R2
15	24x178 to 63x144	McKeesport, Pa. U5
15	24x196 to 72x196	Brackenridge, Pa. A4
15	30x156 to 65x120	Baltimore E2
15	36x164	Butler, Pa. A10
15	36x196	Gary, Ind. U5
15	36x240	Washington, Pa. W4
15	36x240	WestLeechburg, Pa. A4
15	42x180 to 72x144	Middletown, O. A10
15	48x144	NewCastle, Ind. I-4
15	48x200	Midland, Pa. C18
15	48x200	Pittsburgh C18
15	48x240	Brackenridge, Pa. A4
15	66x144	Massillon, O. R2
16	24x178 to 66x144	McKeesport, Pa. U5
16	24x196 to 72x196	Brackenridge, Pa. A4
16	30x144 to 65x120	Baltimore E2
16	36x164	Butler, Pa. A10
16	36x196	Gary, Ind. U5
16	36x240	Washington, Pa. W4
16	36x240	WestLeechburg, Pa. A4
16	42x180 to 72x144	Middletown, O. A10
16	48x144	NewCastle, Ind. I-4
16	48x200	Midland, Pa. C18
16	48x200	Pittsburgh C18
16	48x240	Brackenridge, Pa. A4
16	66x144	Massillon, O. R2
17	24x160 to 66x96	McKeesport, Pa. U5
17	24x196 to 72x196	Brackenridge, Pa. A4
17	30x132 to 51x132	Baltimore E2
17	36x164	Butler, Pa. A10
17	36x196	Gary, Ind. U5
17	36x240	Washington, Pa. W4
17	36x240	WestLeechburg, Pa. A4
17	42x168 to 72x120	Middletown, O. A10
17	48x200	Midland, Pa. C18
17	48x200	Pittsburgh C18
17	48x240	Brackenridge, Pa. A4
17	66x144	Massillon, O. R2
18	24x160 to 66x96	McKeesport, Pa. U5
18	24x196 to 72x196	Brackenridge, Pa. A4
18	30x132 to 51x120	Baltimore E2
18	36x164	Butler, Pa. A10
18	36x196	Gary, Ind. U5
18	36x240	Washington, Pa. W4
18	36x240	WestLeechburg, Pa. A4
18	42x168 to 72x120	Middletown, O. A10
18	48x200	Midland, Pa. C18
18	48x200	Pittsburgh C18
18	48x240	Brackenridge, Pa. A4
18	66x144	Massillon, O. R2
19	24x144 to 62x96	McKeesport, Pa. U5
19	24x196 to 60x108	Brackenridge, Pa. A4
19	30x132 to 48x132	Baltimore E2
19	36x164	Butler, Pa. A10
19	36x196	Gary, Ind. U5
19	36x240	Washington, Pa. W4
19	36x240	WestLeechburg, Pa. A4
19	42x156 to 72x96	Middletown, O. A10
19	48x200	Midland, Pa. C18
19	48x200	Pittsburgh C18
19	48x240	Brackenridge, Pa. A4
20	24x144 to 62x96	McKeesport, Pa. U5
20	24x196 to 60x96	Brackenridge, Pa. A4
20	30x132 to 48x120	Baltimore E2
20	36x164	Butler, Pa. A10
20	36x196	Gary, Ind. U5
20	36x240	Washington, Pa. W4
20	36x240	WestLeechburg, Pa. A4
20	42x156 to 72x96	Middletown, O. A10
20	48x144	Massillon, O. R2
20	48x200	Midland, Pa. C18
20	48x200	Pittsburgh C18
20	48x240	Brackenridge, Pa. A4
20	66x120	Massillon, O. R2
21	24x144 to 56x96	McKeesport, Pa. U5
21	24x144 to 56x100	Brackenridge, Pa. A4
21	30x132 to 42x120	Baltimore E2
21	36x164	Butler, Pa. A10
21	36x196	Gary, Ind. U5
21	36x240	Washington, Pa. W4
21	36x240	WestLeechburg, Pa. A4
21	42x156 to 66x96	Middletown, O. A10
21	48x200	Midland, Pa. C18
21	48x200	Pittsburgh C18
21	48x240	Brackenridge, Pa. A4
22	24x144 to 56x96	McKeesport, Pa. U5
22	24x144 to 56x100	Brackenridge, Pa. A4
22	36x164	Butler, Pa. A10
22	36x196	Gary, Ind. U5
22	36x240	Washington, Pa. W4
22	36x240	WestLeechburg, Pa. A4
22	42x156 to 66x96	Middletown, O. A10
22	48x144	Massillon, O. R2
22	48x200	Midland, Pa. C18
22	48x200	Pittsburgh C18
22	48x240	Brackenridge, Pa. A4
22	66x120	Massillon, O. R2
23	24x144 to 48x120	Brackenridge, Pa. A4
23	24x144 to 49x120	McKeesport, Pa. U5
23	36x164	Butler, Pa. A10
23	36x196	Gary, Ind. U5
23	36x240	Washington, Pa. W4
23	36x240	WestLeechburg, Pa. A4
23	42x144 to 48x132	Middletown, O. A10
23	48x200	Midland, Pa. C18
23	48x200	Pittsburgh C18
23	48x240	Brackenridge, Pa. A4
24	24x144 to 48x120	Brackenridge, Pa. A4
24	24x144 to 49x120	McKeesport, Pa. U5
24	36x164	Butler, Pa. A10
24	36x196	Gary, Ind. U5
24	36x240	Washington, Pa. W4
24	36x240	WestLeechburg, Pa. A4
24	42x144 to 48x132	Middletown, O. A10
24	48x144	Massillon, O. R2
24	48x200	Midland, Pa. C18
24	48x200	Pittsburgh C18
24	48x240	Brackenridge, Pa. A4
25	24x120 to 40x96	Brackenridge, Pa. A4
25	24x144 to 49x120	McKeesport, Pa. U5
25	36x144	Gary, Ind. U5
25	36x164	Butler, Pa. A10
25	36x240	Washington, Pa. W4
25	36x240	WestLeechburg, Pa. A4
25	42x120 to 48x96	Middletown, O. A10
25	48x200	Midland, Pa. C18
25	48x240	Brackenridge, Pa. A4
26	24x120 to 40x96	Brackenridge, Pa. A4
26	24x144 to 49x120	McKeesport, Pa. U5
26	36x144	Gary, Ind. U5
26	36x144	Massillon, O. R2
26	36x164	Butler, Pa. A10
26	36x240	Washington, Pa. W4
26	36x240	WestLeechburg, Pa. A4
26	42x120 to 48x96	Middletown, O. A10
26	48x120	Massillon, O. R2
26	48x240	Brackenridge, Pa. A4
27	24x120 to 36x120	McKeesport, Pa. U5
27	36x164	Butler, Pa. A10
27	36x240	Washington, Pa. W4
28	24x120 to36x120	McKeesport, Pa. U5
28	36x120	Massillon, O. R2
28	36x164	Butler, Pa. A10
28	36x240	Washington, Pa. W4
29	36x240	Washington, Pa. W4
30	24x120	Massillon, O. R2
30	36x240	Washington, Pa. W4
Type 316L		
8	48x204 to 72x192	Middletown, O. A10
9	48x204 to 72x192	Middletown, O. A10
10	48x204 to 72x192	Middletown, O. A10
11	36x164	Butler, Pa. A10
11	72x216	Middletown, O. A10
12	36x164	Butler, Pa. A10
12	42x216 to 72x174	Middletown, O. A10
13	36x164	Butler, Pa. A10
13	42x180 to 72x144	Middletown, O. A10
14	36x164	Butler, Pa. A10
14	42x180 to 72x144	Middletown, O. A10
15	36x164	Butler, Pa. A10
15	42x180 to 72x144	Middletown, O. A10
16	36x164	Butler, Pa. A10
16	42x180 to 72x144	Middletown, O. A10
17	36x164	Butler, Pa. A10
17	42x168 to 72x120	Middletown, O. A10
18	36x164	Butler, Pa. A10
18	42x168 to 72x120	Middletown, O. A10
19	36x164	Butler, Pa. A10
19	42x156 to 72x96	Middletown, O. A10
20	36x164	Butler, Pa. A10
20	42x156 to 72x96	Middletown, O. A10
21	36x164	Butler, Pa. A10
21	42x156 to 66x96	Middletown, O. A10
22	36x164	Butler, Pa. A10
22	42x156 to 66x96	Middletown, O. A10
23	36x164	Butler, Pa. A10
23	42x144 to 48x132	Middletown, O. A10
24	36x164	Butler, Pa. A10
24	42x144 to 48x132	Middletown, O. A10
25	36x164	Butler, Pa. A10
25	42x120 to 48x96	Middletown, O. A10
26	36x164	Butler, Pa. A10
26	42x120 to 48x96	Middletown, O. A10
27	36x164	Butler, Pa. A10
28	36x164	Butler, Pa. A10

(Code number following mill point indicates producing company, key on page 2)

No. 4 Finish (polished) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 317		
8	24x144 to 62x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	36x196	Gary,Ind. U5
9	24x144 to 62x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
10	24x144 to 62x120	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5
11	24x144 to 62x120	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x196	Gary,Ind. U5
12	24x144 to 62x120	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x196	Gary,Ind. U5
13	24x144 to 62x120	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x196	Gary,Ind. U5
14	24x144 to 62x120	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x196	Gary,Ind. U5
15	24x144 to 62x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
16	24x144 to 62x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 318		
8	24x144 to 62x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	36x196	Gary,Ind. U5
9	24x144 to 62x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	36x196	Gary,Ind. U5
10	24x144 to 62x120	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	36x196	Gary,Ind. U5
11	24x144 to 62x120	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	36x196	Gary,Ind. U5
12	24x144 to 62x120	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x196	Gary,Ind. U5
13	24x144 to 62x120	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x196	Gary,Ind. U5
14	24x144 to 62x120	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x156	Gary,Ind. U5
15	24x144 to 62x120	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x196	Gary,Ind. U5
16	24x144 to 62x120	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x196	Gary,Ind. U5
17	24x144 to 49x120	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x196	Gary,Ind. U5
18	24x144 to 49x120	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x196	Gary,Ind. U5
21	24x120 to 49x120	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x196	Gary,Ind. U5
22	24x120 to 49x120	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Gary,Ind. U5
Type 321		
8	24x178 to 66x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	60x200	Pittsburgh C18
8	66x144	Massillon,O. R2
9	24x178 to 66x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	60x200	Pittsburgh C18
9	66x144	Massillon,O. R2
10	24x178 to 66x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x240	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
10	66x144	Massillon,O. R2
11	24x178 to 66x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa. A4
11	60x200	Pittsburgh C18
11	66x144	Massillon,O. R2
12	24x178 to 66x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	36x240	Washington,Pa. W4
12	36x240	WestLeechburg,Pa. A4
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
12	66x144	Massillon,O. R2
13	24x178 to 66x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	36x240	Washington,Pa. W4
13	36x240	WestLeechburg,Pa. A4
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
13	66x144	Massillon,O. R2
14	24x178 to 66x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x240	Brackenridge,Pa. A4
14	60x200	Pittsburgh C18
14	66x144	Massillon,O. R2
15	24x178 to 66x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x132	Baltimore E2
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
15	66x144	Massillon,O. R2
16	24x178 to 66x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
16	66x144	Massillon,O. R2
17	24x160 to 66x96	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 55x132	Baltimore E2
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
17	66x144	Massillon,O. R2
18	24x160 to 66x96	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 55x132	Baltimore E2
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
18	66x144	Massillon,O. R2
19	24x144 to 62x96	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 55x120	Baltimore E2
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 62x96	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 55x120	Baltimore E2
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	48x144	Massillon,O. R2
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
20	66x120	Massillon,O. R2
21	24x144 to 56x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x144 to 51x132	Baltimore E2
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 56x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x144 to 51x132	Baltimore E2
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	48x144	Massillon,O. R2
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
22	66x120	Massillon,O. R2
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	48x144	Massillon,O. R2
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
25	24x144 to 49x120	McKeesport,Pa. U5
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	36x144	Massillon,O. R2
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	48x120	Massillon,O. R2
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 36x120	McKeesport,Pa. U5
27	36x240	Washington,Pa. W4
28	24x120 to 36x120	McKeesport,Pa. U5
28	36x120	Massillon,O. R2
28	36x240	Washington,Pa. W4
29	36x240	Washington,Pa. W4
30	24x120	Massillon,O. R2
30	36x240	Washington,Pa. W4

SHEETS

(Code number following mill point indicates producing company, key on page 2)

No. 4 Finish (polished) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 347		
8	24x178 to 66x120	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 72x156	Baltimore E2
8	48x144	NewCastle,Ind. I-4
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 72x192	Middletown,O. A10
8	60x200	Pittsburgh C18
8	66x144	Massillon,O. R2
9	24x178 to 66x120	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 72x156	Baltimore E2
9	48x144	NewCastle,Ind. I-4
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 72x192	Middletown,O. A10
9	60x200	Pittsburgh C18
9	66x144	Massillon,O. R2
10	24x178 to 66x144	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 72x156	Baltimore E2
10	48x144	NewCastle,Ind. I-4
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
10	66x144	Massillon,O. R2
11	24x178 to 66x144	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 72x156	Baltimore E2
11	36x164	Butler,Pa. A10
11	48x144	NewCastle,Ind. I-4
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa. A4
11	60x200	Pittsburgh C18
11	66x144	Massillon,O. R2
11	72x216	Middletown,O. A10
12	24x178 to 66x144	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 72x144	Baltimore E2
12	36x164	Butler,Pa. A10
12	36x240	Washington,Pa. W4
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x174	Middletown,O. A10
12	48x144	NewCastle,Ind. I-4
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
12	66x144	Massillon,O. R2
13	24x178 to 66x144	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 72x132	Baltimore E2
13	36x164	Butler,Pa. A10
13	36x240	Washington,Pa. W4
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 72x144	Middletown,O. A10
13	48x144	NewCastle,Ind. I-4
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
13	66x144	Massillon,O. R2
14	24x178 to 66x144	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 72x132	Baltimore E2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 72x144	Middletown,O. A10
14	48x144	NewCastle,Ind. I-4
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x240	Brackenridge,Pa. A4
14	60x200	Pittsburgh C18
14	66x144	Massillon,O. R2
15	24x178 to 66x144	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 65x120	Baltimore E2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 72x144	Middletown,O. A10
15	48x144	NewCastle,Ind. I-4
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
15	66x144	Massillon,O. R2
16	24x178 to 66x144	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 65x120	Baltimore E2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 72x144	Middletown,O. A10
16	48x144	NewCastle,Ind. I-4
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
16	66x144	Massillon,O. R2
17	24x160 to 66x96	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x132 to 55x120	Baltimore E2
17	36x164	Butler,Pa. A10
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	42x168 to 72x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
17	66x144	Massillon,O. R2
18	24x160 to 66x96	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x132 to 51x120	Baltimore E2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	42x168 to 72x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
18	66x144	Massillon,O. R2
19	24x144 to 62x96	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x132 to 48x132	Baltimore E2
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	42x156 to 72x96	Middletown,O. A10
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x144 to 62x96	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x132 to 48x132	Baltimore E2
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	42x156 to 72x96	Middletown,O. A10
20	48x144	Massillon,O. R2
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
20	66x120	Massillon,O. R2
21	24x144 to 56x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	30x132 to 48x120	Baltimore E2
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	42x156 to 66x96	Middletown,O. A10
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x144 to 56x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	30x132 to 42x120	Baltimore E2
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	42x156 to 66x96	Middletown,O. A10
22	48x144	Massillon,O. R2
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
22	66x120	Massillon,O. R2
23	24x144 to 48x120	Brackenridge,Pa. A4
23	24x144 to 49x120	McKeesport,Pa. U5
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	42x144 to 48x132	Middletown,O. A10
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 49x120	McKeesport,Pa. U5
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	42x144 to 48x132	Middletown,O. A10
24	48x144	Massillon,O. R2
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	**48x240**	**Brackenridge,Pa. A4**
25	**24x120 to 40x96**	**Brackenridge,Pa. A4**
25	24x144 to 49x120	McKeesport,Pa. U5
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	42x120 to 48x96	Middletown,O. A10
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
26	24x144 to 49x120	McKeesport,Pa. U5
26	36x144	Massillon,O. R2
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	42x120 to 48x96	Middletown,O. A10
26	48x120	Massillon,O. R2
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	24x120 to 36x120	McKeesport,Pa. U5
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
28	24x120 to 36x120	McKeesport,Pa. U5
28	36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
29	36x240	Washington,Pa. W4
30	24x120	Massillon,O. R2
30	36x240	Washington,Pa. W4
Type 403		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 405		
8	24x178 to 66x72	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	48x196	Gary,Ind. U5
9	24x178 to 66x72	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	48x196	Gary,Ind. U5
10	24x172 to 66x72	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	48x196	Gary,Ind. U5
10	48x240	Brackenridge,Pa. A4
11	24x144 to 66x72	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	48x196	Gary,Ind. U5
11	48x240	Brackenridge,Pa. A4
12	24x144 to 66x72	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	36x240	WestLeechburg,Pa. A4
12	48x196	Gary,Ind. U5
12	48x240	Brackenridge,Pa. A4
13	24x144 to 66x72	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	36x240	WestLeechburg,Pa. A4
13	48x196	Gary,Ind. U5
13	48x240	Brackenridge,Pa. A4
14	24x144 to 66x72	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	36x240	WestLeechburg,Pa. A4
14	48x196	Gary,Ind. U5
14	48x240	Brackenridge,Pa. A4
15	24x144 to 66x72	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	36x240	WestLeechburg,Pa. A4
15	48x196	Gary,Ind. U5
15	48x240	Brackenridge,Pa. A4
16	24x144 to 66x72	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	36x240	WestLeechburg,Pa. A4
16	48x196	Gary,Ind. U5
16	48x240	Brackenridge,Pa. A4
17	24x144 to 66x72	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	36x240	WestLeechburg,Pa. A4
17	48x196	Gary,Ind. U5
17	48x240	Brackenridge,Pa. A4
18	24x144 to 66x72	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	36x240	WestLeechburg,Pa. A4
18	48x196	Gary,Ind. U5
18	48x240	Brackenridge,Pa. A4
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	36x240	WestLeechburg,Pa. A4
19	48x196	Gary,Ind. U5
19	48x240	Brackenridge,Pa. A4
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	36x240	WestLeechburg,Pa. A4
20	48x196	Gary,Ind. U5
20	48x240	Brackenridge,Pa. A4

(Code number following mill point indicates producing company, key on page 2)

No. 4 Finish (polished) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x240	WestLeechburg,Pa. A4
21	48x196	Gary,Ind. U5
21	48x240	Brackenridge,Pa. A4
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x240	WestLeechburg,Pa. A4
22	48x196	Gary,Ind. U5
22	48x240	Brackenridge,Pa. A4
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x240	WestLeechburg,Pa. A4
23	48x240	Brackenridge,Pa. A4
23	49x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x240	WestLeechburg,Pa. A4
24	48x196	Gary,Ind. U5
24	48x240	Brackenridge,Pa. A4
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x240	WestLeechburg,Pa. A4
25	48x144	Gary,Ind. U5
25	48x240	Brackenridge,Pa. A4
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x240	WestLeechburg,Pa. A4
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
Type 410		
8	24x178 to 66x72	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	60x200	Pittsburgh C18
8	66x144	Massillon,O. R2
9	24x178 to 66x72	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	60x200	Pittsburgh C18
9	66x144	Massillon,O. R2
10	24x172 to 66x72	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	60x200	Pittsburgh C18
10	66x144	Massillon,O. R2
11	24x144 to 66x72	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	60x200	Pittsburgh C18
11	66x144	Massillon,O. R2
12	24x144 to 66x72	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	60x200	Pittsburgh C18
12	66x144	Massillon,O. R2
13	24x144 to 66x72	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	60x200	Pittsburgh C18
13	66x144	Massillon,O. R2
14	24x144 to 66x72	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	60x200	Pittsburgh C18
14	66x144	Massillon,O. R2
15	24x144 to 66x72	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	60x200	Pittsburgh C18
15	66x144	Massillon,O. R2
16	24x144 to 66x72	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	60x200	Pittsburgh C18
16	66x144	Massillon,O. R2
17	24x144 to 66x72	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	60x200	Pittsburgh C18
17	66x144	Massillon,O. R2
18	24x144 to 66x72	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	60x200	Pittsburgh C18
18	66x144	Massillon,O. R2
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	48x144	Massillon,O. R2
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	66x120	Massillon,O. R2
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	48x144	Massillon,O. R2
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	66x120	Massillon,O. R2
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	48x144	Massillon,O. R2
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Massillon,O. R2
26	48x120	Massillon,O. R2
26	48x144	Gary,Ind. U5
28	36x120	Massillon,O. R2
30	24x120	Massillon,O. R2
Type 414		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 416		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 420		
8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4
Type 430		
8	24x178 to 66x72	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	30x156 to 48x156	Baltimore E2
8	48x120	NewCastle,Ind. I-4
8	48x196	Gary,Ind. U5
8	48x200	Midland,Pa. C18
8	48x204 to 72x192	Middletown,O. A10
8	60x200	Pittsburgh C18
8	66x144	Massillon,O. R2
9	24x178 to 66x72	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	30x156 to 48x156	Baltimore E2
9	48x120	NewCastle,Ind. I-4
9	48x196	Gary,Ind. U5
9	48x200	Midland,Pa. C18
9	48x204 to 72x192	Middletown,O. A10
9	60x200	Pittsburgh C18
9	66x144	Massillon,O. R2
10	24x172 to 66x72	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	30x156 to 48x156	Baltimore E2
10	48x120	NewCastle,Ind. I-4
10	48x196	Gary,Ind. U5
10	48x200	Midland,Pa. C18
10	48x204 to 72x192	Middletown,O. A10
10	48x240	Brackenridge,Pa. A4
10	60x200	Pittsburgh C18
10	66x144	Massillon,O. R2
11	24x144 to 66x72	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	30x156 to 48x156	Baltimore E2
11	36x164	Butler,Pa. A10
11	48x120	NewCastle,Ind. I-4
11	48x196	Gary,Ind. U5
11	48x200	Midland,Pa. C18
11	48x240	Brackenridge,Pa. A4
11	60x200	Pittsburgh C18
11	66x144	Massillon,O. R2
11	72x216	Middletown,O. A10
12	24x144 to 66x72	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	30x156 to 48x156	Baltimore E2
12	36x164	Butler,Pa. A10
12	36x240	WestLeechburg,Pa. A4
12	42x216 to 72x144	Middletown,O. A10
12	48x120	NewCastle,Ind. I-4
12	48x196	Gary,Ind. U5
12	48x200	Midland,Pa. C18
12	48x240	Brackenridge,Pa. A4
12	60x200	Pittsburgh C18
12	66x144	Massillon,O. R2
13	24x144 to 66x72	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	30x156 to 48x156	Baltimore E2
13	36x164	Butler,Pa. A10
13	36x240	WestLeechburg,Pa. A4
13	42x180 to 60x156	Middletown,O. A10
13	48x120	NewCastle,Ind. I-4
13	48x196	Gary,Ind. U5
13	48x200	Midland,Pa. C18
13	48x240	Brackenridge,Pa. A4
13	60x200	Pittsburgh C18
13	66x144	Massillon,O. R2
14	24x144 to 66x72	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	30x156 to 48x156	Baltimore E2
14	36x164	Butler,Pa. A10
14	36x240	Washington,Pa. W4
14	36x240	WestLeechburg,Pa. A4
14	42x180 to 60x156	Middletown,O. A10
14	48x120	NewCastle,Ind. I-4
14	48x196	Gary,Ind. U5
14	48x200	Midland,Pa. C18
14	48x240	Brackenridge,Pa. A4
14	60x200	Pittsburgh C18
14	66x144	Massillon,O. R2
15	24x144 to 66x72	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	30x156 to 48x156	Baltimore E2
15	36x164	Butler,Pa. A10
15	36x240	Washington,Pa. W4
15	36x240	WestLeechburg,Pa. A4
15	42x180 to 60x156	Middletown,O. A10
15	48x120	NewCastle,Ind. I-4
15	48x196	Gary,Ind. U5
15	48x200	Midland,Pa. C18
15	48x240	Brackenridge,Pa. A4
15	60x200	Pittsburgh C18
15	66x144	Massillon,O. R2
16	24x144 to 66x72	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	30x144 to 48x144	Baltimore E2
16	36x164	Butler,Pa. A10
16	36x240	Washington,Pa. W4
16	36x240	WestLeechburg,Pa. A4
16	42x180 to 48x168	Middletown,O. A10
16	48x120	NewCastle,Ind. I-4
16	48x196	Gary,Ind. U5
16	48x200	Midland,Pa. C18
16	48x240	Brackenridge,Pa. A4
16	60x200	Pittsburgh C18
16	66x144	Massillon,O. R2
17	24x144 to 66x72	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	30x144 to 48x144	Baltimore E2
17	36x164	Butler,Pa. A10

(Code number following mill point indicates producing company, key on page 2)

No. 4 Finish (polished) Cut Lengths

U.S. Std. Gage	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
17	36x240	Washington,Pa. W4
17	36x240	WestLeechburg,Pa. A4
17	48x120	Middletown,O. A10
17	48x196	Gary,Ind. U5
17	48x200	Midland,Pa. C18
17	48x240	Brackenridge,Pa. A4
17	60x200	Pittsburgh C18
17	66x144	Massillon,O. R2
18	24x144 to 66x72	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	30x144 to 48x144	Baltimore E2
18	36x164	Butler,Pa. A10
18	36x240	Washington,Pa. W4
18	36x240	WestLeechburg,Pa. A4
18	48x120	Middletown,O. A10
18	48x196	Gary,Ind. U5
18	48x200	Midland,Pa. C18
18	48x240	Brackenridge,Pa. A4
18	60x200	Pittsburgh C18
18	66x144	Massillon,O. R2
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	30x144 to 48x132	Baltimore E2
19	36x120	Middletown,O. A10
19	36x164	Butler,Pa. A10
19	36x240	Washington,Pa. W4
19	36x240	WestLeechburg,Pa. A4
19	48x196	Gary,Ind. U5
19	48x200	Midland,Pa. C18
19	48x240	Brackenridge,Pa. A4
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	30x144 to 48x132	Baltimore E2
20	36x120	Middletown,O. A10
20	36x164	Butler,Pa. A10
20	36x240	Washington,Pa. W4
20	36x240	WestLeechburg,Pa. A4
20	48x144	Massillon,O. R2
20	48x196	Gary,Ind. U5
20	48x200	Midland,Pa. C18
20	48x240	Brackenridge,Pa. A4
20	66x120	Massillon,O. R2
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	36x120	Middletown,O. A10
21	36x164	Butler,Pa. A10
21	36x240	Washington,Pa. W4
21	36x240	WestLeechburg,Pa. A4
21	48x196	Gary,Ind. U5
21	48x200	Midland,Pa. C18
21	48x240	Brackenridge,Pa. A4
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	36x120	Middletown,O. A10
22	36x164	Butler,Pa. A10
22	36x240	Washington,Pa. W4
22	36x240	WestLeechburg,Pa. A4
22	48x144	Massillon,O. R2
22	48x196	Gary,Ind. U5
22	48x200	Midland,Pa. C18
22	48x240	Brackenridge,Pa. A4
22	66x120	Massillon,O. R2
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	36x164	Butler,Pa. A10
23	36x240	Washington,Pa. W4
23	36x240	WestLeechburg,Pa. A4
23	48x196	Gary,Ind. U5
23	48x200	Midland,Pa. C18
23	48x240	Brackenridge,Pa. A4
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	36x164	Butler,Pa. A10
24	36x240	Washington,Pa. W4
24	36x240	WestLeechburg,Pa. A4
24	48x144	Massillon,O. R2
24	48x196	Gary,Ind. U5
24	48x200	Midland,Pa. C18
24	48x240	Brackenridge,Pa. A4
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	36x164	Butler,Pa. A10
25	36x240	Washington,Pa. W4
25	36x240	WestLeechburg,Pa. A4
25	48x144	Gary,Ind. U5
25	48x200	Midland,Pa. C18
25	48x240	Brackenridge,Pa. A4
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	36x144	Massillon,O. R2
26	36x164	Butler,Pa. A10
26	36x240	Washington,Pa. W4
26	36x240	WestLeechburg,Pa. A4
26	48x120	Massillon,O. R2
26	48x144	Gary,Ind. U5
26	48x240	Brackenridge,Pa. A4
27	36x164	Butler,Pa. A10
27	36x240	Washington,Pa. W4
28	36x120	Massillon,O. R2
28	36x164	Butler,Pa. A10
28	36x240	Washington,Pa. W4
30	24x120	Massillon,O. R2

Type 430F

8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4

Type 430Ti

8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4

Type 431

8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4

Type 440A

8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4

Type 440B

8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4

Type 440C

8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4

Type 442

8	24x196 to 72x196	Brackenridge,Pa. A4
9	24x196 to 72x196	Brackenridge,Pa. A4
10	24x196 to 72x196	Brackenridge,Pa. A4
11	24x196 to 72x196	Brackenridge,Pa. A4
12	24x196 to 72x196	Brackenridge,Pa. A4
13	24x196 to 72x196	Brackenridge,Pa. A4
14	24x196 to 72x196	Brackenridge,Pa. A4
15	24x196 to 72x196	Brackenridge,Pa. A4
16	24x196 to 72x196	Brackenridge,Pa. A4
17	24x196 to 72x196	Brackenridge,Pa. A4
18	24x196 to 72x196	Brackenridge,Pa. A4
19	24x196 to 60x108	Brackenridge,Pa. A4
20	24x196 to 60x96	Brackenridge,Pa. A4
21	24x144 to 56x100	Brackenridge,Pa. A4
22	24x144 to 56x100	Brackenridge,Pa. A4
23	24x144 to 48x120	Brackenridge,Pa. A4
24	24x144 to 48x120	Brackenridge,Pa. A4
25	24x120 to 40x96	Brackenridge,Pa. A4
26	24x120 to 40x96	Brackenridge,Pa. A4

Type 446

8	24x178 to 66x72	McKeesport,Pa. U5
8	24x196 to 72x196	Brackenridge,Pa. A4
8	48x196	Gary,Ind. U5
9	24x178 to 66x72	McKeesport,Pa. U5
9	24x196 to 72x196	Brackenridge,Pa. A4
9	48x196	Gary,Ind. U5
10	24x172 to 66x72	McKeesport,Pa. U5
10	24x196 to 72x196	Brackenridge,Pa. A4
10	48x196	Gary,Ind. U5
11	24x144 to 66x82	McKeesport,Pa. U5
11	24x196 to 72x196	Brackenridge,Pa. A4
11	48x196	Gary,Ind. U5
12	24x144 to 66x72	McKeesport,Pa. U5
12	24x196 to 72x196	Brackenridge,Pa. A4
12	48x196	Gary,Ind. U5
13	24x144 to 66x72	McKeesport,Pa. U5
13	24x196 to 72x196	Brackenridge,Pa. A4
13	48x196	Gary,Ind. U5
14	24x144 to 66x72	McKeesport,Pa. U5
14	24x196 to 72x196	Brackenridge,Pa. A4
14	48x196	Gary,Ind. U5
15	24x144 to 66x72	McKeesport,Pa. U5
15	24x196 to 72x196	Brackenridge,Pa. A4
15	48x196	Gary,Ind. U5
16	24x144 to 66x72	McKeesport,Pa. U5
16	24x196 to 72x196	Brackenridge,Pa. A4
16	48x196	Gary,Ind. U5
17	24x144 to 66x72	McKeesport,Pa. U5
17	24x196 to 72x196	Brackenridge,Pa. A4
17	48x196	Gary,Ind. U5
18	24x144 to 66x72	McKeesport,Pa. U5
18	24x196 to 72x196	Brackenridge,Pa. A4
18	48x196	Gary,Ind. U5
19	24x120 to 49x120	McKeesport,Pa. U5
19	24x196 to 60x108	Brackenridge,Pa. A4
19	48x196	Gary,Ind. U5
20	24x120 to 49x120	McKeesport,Pa. U5
20	24x196 to 60x96	Brackenridge,Pa. A4
20	48x196	Gary,Ind. U5
21	24x120 to 49x96	McKeesport,Pa. U5
21	24x144 to 56x100	Brackenridge,Pa. A4
21	48x196	Gary,Ind. U5
22	24x120 to 49x96	McKeesport,Pa. U5
22	24x144 to 56x100	Brackenridge,Pa. A4
22	48x196	Gary,Ind. U5
23	24x120 to 38x120	McKeesport,Pa. U5
23	24x144 to 48x120	Brackenridge,Pa. A4
23	48x196	Gary,Ind. U5
24	24x120 to 38x120	McKeesport,Pa. U5
24	24x144 to 48x120	Brackenridge,Pa. A4
24	48x196	Gary,Ind. U5
25	24x120 to 38x120	McKeesport,Pa. U5
25	24x120 to 40x96	Brackenridge,Pa. A4
25	48x144	Gary,Ind. U5
26	24x120 to 38x120	McKeesport,Pa. U5
26	24x120 to 40x96	Brackenridge,Pa. A4
26	48x144	Gary,Ind. U5

(Code number following mill point indicates producing company, key on page 2)

Hot-Rolled, Sheared

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 301		
1/16	over 10 to 100x360	Munhall,Pa. U5
1/16	30x240 to 72x192	Massillon,O. R2
1/16	48x240 to 72x144	Washington,Pa. J3
1/16	30x240 to 72x192	Massillon,O. R2
5/64	30x240 to 72x192	Massillon,O. R2
3/32	30x240 to 72x192	Massillon,O. R2
1/8	over 10 to 110x360	Munhall,Pa. U5
1/8	30x240 to 72x192	Massillon,O. R2
1/8	48x240 to 72x192	Washington,Pa. J3
11/64	30x240 to 72x192	Massillon,O. R2
3/16	30x240 to 72x192	Massillon,O. R2
3/16	over 10 to 120x360	Munhall,Pa. U5
3/16	30x240 to 72x192	Massillon,O. R2
3/16	48x240 to 72x192	Washington,Pa. J3
13/64	30x240 to 72x180	Massillon,O. R2
7/32	over 10 to 125x360	Munhall,Pa. U5
7/32	30x240 to 72x180	Massillon,O. R2
7/32	48x240 to 72x156	Washington,Pa. J3
15/64	30x240 to 72x144	Massillon,O. R2
1/4	over 10 to 130x360	Munhall,Pa. U5
1/4	30x240 to 72x132	Massillon,O. R2
1/4	36x240 to 72x144	Washington,Pa. J3
1/4	30x240 to 72x124	Massillon,O. R2
1/2–1	over 10 to 132x360	Munhall,Pa. U5
1/2	30x240 to 72x120	Massillon,O. R2
1/2	36x240 to 72x120	Washington,Pa. J3
1/2	30x240 to 72x104	Massillon,O. R2
1/2	36x216 to 72x108	Washington,Pa. J3
5/8	max. 24x72	Bridgeville,Pa. U4
5/8	30x240 to 72x93	Massillon,O. R2
5/8	36x204 to 72x96	Washington,Pa. J3
11/16	30x240 to 72x85	Massillon,O. R2
11/16	30x240 to 72x80	Massillon,O. R2
3/4	36x168 to 72x84	Washington,Pa. J3
3/4	30x240 to 72x72	Massillon,O. R2
13/16	30x240 to 72x69	Massillon,O. R2
7/8	36x144 to 72x72	Washington,Pa. J3
7/8	30x240 to 72x69	Massillon,O. R2
7/8	30x240 to 72x69	Massillon,O. R2
1	36x120 to 48x96	Washington,Pa. J3
1 1/4	24x132–144	Washington,Pa. J3
1 1/4	36x124–134	Washington,Pa. J3
1 1/4	48x90–100	Washington,Pa. J3
1 1/4	36x100–110	Washington,Pa. J3
1 1/4	48x72–82	Washington,Pa. J3
1 1/4	24x132–142	Washington,Pa. J3
1 1/4	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
Check with mill for sizes		Brackenridge,Pa. A4
Type 302		
1/16	over 10 to 100x360	Munhall,Pa. U5
1/16	30x240 to 72x192	Massillon,O. R2
1/16	40x456 to 90x384	Brackenridge,Pa. A4
1/16	48x204 to 84x168	Middletown,O. A10
1/16	48x240 to 72x144	Washington,Pa. J3
1/16	120 x any length	Coatesville,Pa. C24
1/16–3/32	over 10 to 60x144	McKeesport,Pa. U5
1/16–1/8	48x60–120	NewCastle,Ind. I-4
1/16–1	60x140	Pittsburgh C18
1/8	30x240 to 72x192	Massillon,O. R2
1/8–1/4	42x192 to 84x108	Middletown,O. A10
5/32	30x240 to 72x192	Massillon,O. R2
5/32	30x240 to 72x192	Massillon,O. R2
1/4	over 10 to 110x360	Munhall,Pa. U5
1/4	30x240 to 72x192	Massillon,O. R2
1/4	40x456 to 110x312	Brackenridge,Pa. A4
1/4	48x240 to 72x192	Washington,Pa. J3
1/4	140 x any length	Coatesville,Pa. C24
1/4	30x240 to 72x192	Massillon,O. R2
1/4–5/16	36x180 to 84x92	Middletown,O. A10
5/16	30x240 to 72x192	Massillon,O. R2
5/16	over 10 to 120x360	Munhall,Pa. U5
5/16	30x240 to 72x192	Massillon,O. R2
5/16	40x480 to 120x384	Brackenridge,Pa. A4
5/16	48x240 to 72x192	Washington,Pa. J3
5/16	150 x any length	Coatesville,Pa. C24
5/16	30x240 to 72x180	Massillon,O. R2
5/16–3/8	36x156 to 72x108	Middletown,O. A10
3/8	over 10 to 125x360	Munhall,Pa. U5
3/8	30x240 to 72x180	Massillon,O. R2
3/8	40x480 to 135x372	Brackenridge,Pa. A4
3/8	48x240 to 72x156	Washington,Pa. J3
3/8	170 x any length	Coatesville,Pa. C24
7/16	30x240 to 72x144	Massillon,O. R2
7/16–1/2	36x120 to 72x84	Middletown,O. A10
1/2	over 10 to 130x360	Munhall,Pa. U5
1/2	30x240 to 72x132	Massillon,O. R2
1/2	40x480 to 150x300	Brackenridge,Pa. A4
1/2	36x240 to 72x144	Washington,Pa. J3
1/2	170 x any length	Coatesville,Pa. C24
1/2	30x240 to 72x124	Massillon,O. R2
1/2	30x240 to 72x120	Massillon,O. R2
1/2	36x240 to 72x120	Washington,Pa. J3
1/2	40x480 to 170x300	Brackenridge,Pa. A4
1/2	170 x any length	Coatesville,Pa. C24
1/2–1	30x240 to 72x72	Massillon,O. R2
1	30x240 to 72x69	Massillon,O. R2
1	36x120 to 48x96	Washington,Pa. J3
1	40x516 to 170x300	Brackenridge,Pa. A4
1	140 x any length	Coatesville,Pa. C24
1	130 x any length	Coatesville,Pa. C24
1 1/8	125 x any length	Coatesville,Pa. C24
1 1/2	24x132–144	Washington,Pa. J3
1 1/2	36x100–110	Washington,Pa. J3
1 1/2	40x516 to 170x300	Brackenridge,Pa. A4
1 1/2	48x72–82	Washington,Pa. J3
1 1/2	120 x any length	Coatesville,Pa. C24
1 3/4	24x132–142	Washington,Pa. J3
1 3/4	36x84–96	Washington,Pa. J3
1 3/4	120 x any length	Coatesville,Pa. C24
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
2	110 x any length	Coatesville,Pa. C24
2 1/2	100 x any length	Coatesville,Pa. C24
Type 302B		
1/16	30x240 to 72x192	Massillon,O. R2
1/16	48x240 to 72x144	Washington,Pa. J3
1/16	30x240 to 72x192	Massillon,O. R2
5/64	30x240 to 72x192	Massillon,O. R2
3/32	30x240 to 72x192	Massillon,O. R2
1/8	30x240 to 72x192	Massillon,O. R2
1/8	48x240 to 72x192	Washington,Pa. J3
11/64	30x240 to 72x192	Massillon,O. R2
3/16	30x240 to 72x192	Massillon,O. R2
3/16	30x240 to 72x192	Massillon,O. R2
3/16	30x240 to 72x192	Massillon,O. R2
7/32	48x240 to 72x192	Washington,Pa. J3
15/64	30x240 to 72x170	Massillon,O. R2
1/4	30x240 to 72x156	Massillon,O. R2
1/4	48x240 to 72x156	Washington,Pa. J3
1/4	30x240 to 72x157	Massillon,O. R2
1/4	30x240 to 72x146	Massillon,O. R2
1/4	36x240 to 72x144	Washington,Pa. J3
1/4	30x240 to 72x138	Massillon,O. R2
1/4	30x240 to 72x130	Massillon,O. R2
1/4	36x240 to 72x120	Washington,Pa. J3
1/4	30x240 to 72x114	Massillon,O. R2
1/4	36x216 to 72x108	Washington,Pa. J3
5/16	max. 24x72	Bridgeville,Pa. U4
5/16	30x240 to 72x103	Massillon,O. R2
5/16	36x204 to 72x96	Washington,Pa. J3
11/32	30x223 to 72x94	Massillon,O. R2
11/32	30x205 to 72x86	Massillon,O. R2
3/8	36x168 to 72x84	Washington,Pa. J3
13/32	30x189 to 72x78	Massillon,O. R2
7/16	30x164 to 72x68	Massillon,O. R2
7/16	36x144 to 72x72	Washington,Pa. J3
13/32	30x164 to 72x68	Massillon,O. R2
1/2	30x153 to 72x64	Massillon,O. R2
1/2	36x120 to 48x96	Washington,Pa. J3
1 1/4	24x132–144	Washington,Pa. J3
1 1/4	36x124–134	Washington,Pa. J3
1 1/4	48x90–100	Washington,Pa. J3
1 1/2	24x132–144	Washington,Pa. J3
1 1/2	36x100–110	Washington,Pa. J3
1 1/2	48x72–82	Washington,Pa. J3
1 3/4	24x132–142	Washington,Pa. J3
1 3/4	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
Check with mill for sizes		Brackenridge,Pa. A4
Type 303		
1/16	30x240 to 72x192	Massillon,O. R2
1/16	48x240 to 72x144	Washington,Pa. J3
1/8	30x240 to 72x192	Massillon,O. R2
1/8	30x240 to 72x192	Massillon,O. R2
1/2	170 x any length	Coatesville,Pa. C24
1/2–1	over 10 to 132x360	Munhall,Pa. U5
1/4	30x240 to 72x192	Massillon,O. R2
1/4	48x240 to 72x192	Washington,Pa. J3
17/64	30x240 to 72x192	Massillon,O. R2
9/32	30x240 to 72x192	Massillon,O. R2
9/32	30x240 to 72x192	Massillon,O. R2
5/16	48x240 to 72x192	Washington,Pa. J3
5/16	30x240 to 72x170	Massillon,O. R2
5/16	30x240 to 72x156	Massillon,O. R2
5/16	48x240 to 72x156	Washington,Pa. J3
5/16	30x240 to 72x144	Massillon,O. R2
5/16	30x240 to 72x132	Massillon,O. R2
5/16	36x240 to 72x144	Washington,Pa. J3
5/16	30x240 to 72x124	Massillon,O. R2
11/32	30x240 to 72x120	Massillon,O. R2
11/32	36x240 to 72x120	Washington,Pa. J3
11/32	30x240 to 72x104	Massillon,O. R2
11/32	36x216 to 72x108	Washington,Pa. J3
3/8	max. 24x72	Bridgeville,Pa. U4
3/8	30x240 to 72x85	Massillon,O. R2
3/8	36x204 to 72x96	Washington,Pa. J3
13/32	30x240 to 72x85	Massillon,O. R2
7/16	30x240 to 72x80	Massillon,O. R2
7/16	36x168 to 72x84	Washington,Pa. J3
7/16	30x240 to 72x72	Massillon,O. R2
15/32	30x240 to 72x69	Massillon,O. R2
15/32	36x144 to 72x72	Washington,Pa. J3
15/32	30x240 to 72x69	Massillon,O. R2
15/32	30x240 to 72x69	Massillon,O. R2
1	36x120 to 48x96	Washington,Pa. J3
1 1/16	24x132–144	Washington,Pa. J3
1 1/16	36x124–134	Washington,Pa. J3
1 1/16	48x90–100	Washington,Pa. J3
1 1/16	24x132–144	Washington,Pa. J3
1 1/16	36x100–110	Washington,Pa. J3
1 1/16	48x72–82	Washington,Pa. J3
1 1/16	24x132–142	Washington,Pa. J3
1 1/16	36x84–96	Washington,Pa. J3
1 1/16	24x114–124	Washington,Pa. J3
1 1/16	36x72–83	Washington,Pa J3
Check with mill for sizes		Brackenridge,Pa. A4
Type 304		
1/16	over 10 to 100x360	Munhall,Pa. U5
1/16	30x240 to 72x192	Massillon,O. R2
1/16	40x456 to 90x384	Brackenridge,Pa. A4
1/16	48x204 to 84x168	Middletown,O. A10
1/16	48x240 to 72x144	Washington,Pa. J3
1/16	120 x any length	Coatesville,Pa. C24
1/16–3/32	over 10 to 60x144	McKeesport,Pa. U5
1/16–1/8	48x60–120	NewCastle,Ind. I-4
1/16–1	60x140	Pittsburgh C18
1/8	30x240 to 72x192	Massillon,O. R2
1/8–1/4	42x192 to 84x108	Middletown,O. A10
5/32	30x240 to 72x192	Massillon,O. R2
5/32	30x240 to 72x192	Massillon,O. R2
1/4	over 10 to 110x360	Munhall,Pa. U5
1/4	30x240 to 72x192	Massillon,O. R2
1/4	40x456 to 110x312	Brackenridge,Pa. A4
1/4	48x240 to 72x192	Washington,Pa. J3
1/4	140 x any length	Coatesville,Pa. C24
1/4	30x240 to 72x192	Massillon,O. R2
1/4–5/16	36x180 to 84x92	Middletown,O. A10
5/16	30x240 to 72x192	Massillon,O. R2
5/16	over 10 to 120x360	Munhall,Pa. U5
5/16	30x240 to 72x192	Massillon,O. R2
5/16	40x480 to 120x384	Brackenridge,Pa. A4
5/16	48x240 to 72x192	Washington,Pa. J3
5/16	150 x any length	Coatesville,Pa. C24
5/16	30x240 to 72x180	Massillon,O. R2
5/16–3/8	36x156 to 72x108	Middletown,O. A10
3/8	over 10 to 125x360	Munhall,Pa. U5
3/8	30x240 to 72x180	Massillon,O. R2
3/8	40x480 to 135x372	Brackenridge,Pa. A4
3/8	48x240 to 72x156	Washington,Pa. J3
3/8	170 x any length	Coatesville,Pa. C24
7/16	30x240 to 72x144	Massillon,O. R2
7/16–1/2	36x120 to 72x84	Middletown,O. A10
1/2	over 10 to 130x360	Munhall,Pa. U5
1/2	30x240 to 72x132	Massillon,O. R2
1/2	36x240 to 72x144	Washington,Pa. J3
1/2	40x480 to 150x300	Brackenridge,Pa. A4
1/2	170 x any length	Coatesville,Pa. C24
1/2	30x240 to 72x124	Massillon,O. R2
1/2	30x240 to 72x120	Massillon,O. R2
1/2	36x240 to 72x120	Washington,Pa. J3
1/2	40x480 to 170x300	Brackenridge,Pa. A4
1/2	170 x any length	Coatesville,Pa. C24
1/2–1	over 10 to 132x360	Munhall,Pa. U5
1/2	30x240 to 72x104	Massillon,O. R2
1/2	36x216 to 72x108	Washington,Pa. J3
1/2	40x516 to 170x300	Brackenridge,Pa. A4
1/2	170 x any length	Coatesville,Pa. C24
5/8	max. 24x72	Bridgeville,Pa. U4
5/8	30x240 to 72x93	Massillon,O. R2
5/8	36x204 to 72x96	Washington,Pa. J3
5/8	40x516 to 170x300	Brackenridge,Pa. A4
5/8	170 x any length	Coatesville,Pa. C24
11/16	30x240 to 72x85	Massillon,O. R2

PLATES

(Code number following mill point indicates producing company, key on page 2)

Hot-Rolled, Sheared

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
¾	30x240 to 72x80	Massillon,O. R2
¾	36x168 to 72x84	Washington,Pa. J3
¾	40x516 to 170x300	Brackenridge,Pa. A4
¾	170 x any length	Coatesville,Pa. C24
11/16	30x240 to 72x72	Massillon,O. R2
⅝	30x240 to 72x69	Massillon,O. R2
⅝	36x144 to 72x72	Washington,Pa. J3
⅝	160 x any length	Coatesville,Pa. C24
9/16	30x240 to 72x69	Massillon,O. R2
1	30x240 to 72x69	Massillon,O. R2
1	36x120 to 48x96	Washington,Pa. J3
1	40x516 to 170x300	Brackenridge,Pa. A4
1	140 x any length	Coatesville,Pa. C24
1 1/4	130 x any length	Coatesville,Pa. C24
1 1/4	24x132–144	Washington,Pa. J3
1 1/4	36x124–134	Washington,Pa. J3
1 1/4	40x516 to 170x300	Brackenridge,Pa. A4
1 1/4	48x90–100	Washington,Pa. J3
1 1/4	130 x any length	Coatesville,Pa. C24
1 3/8	125 x any length	Coatesville,Pa. C24
1 1/2	24x132–144	Washington,Pa. J3
1 1/2	36x100–110	Washington,Pa. J3
1 1/2	40x516 to 170x300	Brackenridge,Pa. A4
1 1/2	48x72–82	Washington,Pa. J3
1 1/2	120 x any length	Coatesville,Pa. C24
1 3/4	24x132–142	Washington,Pa. J3
1 3/4	36x84–96	Washington,Pa. J3
1 3/4	120 x any length	Coatesville,Pa. C24
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
2	110 x any length	Coatesville,Pa. C24
2 1/2	100 x any length	Coatesville,Pa. C24
Type 304L		
7/16	48x204 to 84x168	Middletown,O. A10
7/16	48x240 to 72x144	Washington,Pa. J3
7/16	120 x any length	Coatesville,Pa. C24
7/16–⅝	over 10 to 72x210	McKeesport,Pa. U5
11/32–7/16	42x192 to 84x108	Middletown,O. A10
¼	48x240 to 72x192	Washington,Pa. J3
¼	140 x any length	Coatesville,Pa. C24
7/64–7/16	36x180 to 84x92	Middletown,O. A10
7/16	48x240 to 72x192	Washington,Pa. J3
7/16	150 x any length	Coatesville,Pa. C24
11/32–⅜	36x156 to 72x108	Middletown,O. A10
11/32	48x240 to 72x156	Washington,Pa. J3
⅜	170 x any length	Coatesville,Pa. C24
11/32–½	36x120 to 72x84	Middletown,O. A10
7/16	36x240 to 72x144	Washington,Pa. J3
7/16	170 x any length	Coatesville,Pa. C24
½	36x240 to 72x120	Washington,Pa. J3
½	170 x any length	Coatesville,Pa. C24
7/16	36x216 to 72x108	Washington,Pa. J3
7/16	170 x any length	Coatesville,Pa. C24
9/16	max. 24x72	Bridgeville,Pa. U4
9/16	36x204 to 72x96	Washington,Pa. J3
9/16	170 x any length	Coatesville,Pa. C24
9/16	36x168 to 72x84	Washington,Pa. J3
9/16	170 x any length	Coatesville,Pa. C24
5/8	36x144 to 72x72	Washington,Pa. J3
5/8	160 x any length	Coatesville,Pa. C24
1	36x120 to 48x96	Washington,Pa. J3
1	140 x any length	Coatesville,Pa. C24
1 1/8	130 x any length	Coatesville,Pa. C24
1 1/4	24x132–144	Washington,Pa. J3
1 1/4	36x124–134	Washington,Pa. J3
1 1/4	48x90–100	Washington,Pa. J3
1 1/4	130 x any length	Coatesville,Pa. C24
1 3/8	125 x any length	Coatesville,Pa. C24
1 1/2	24x132–144	Washington,Pa. J3
1 1/2	36x100–110	Washington,Pa. J3
1 1/2	48x72–82	Washington,Pa. J3
1 1/2	120 x any length	Coatesville,Pa. C24
1 3/4	24x132–142	Washington,Pa. J3
1 3/4	36x84–96	Washington,Pa. J3
1 3/4	120 x any length	Coatesville,Pa. C24
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
2	110 x any length	Coatesville,Pa. C24
2 1/2	100 x any length	Coatesville,Pa. C24
Type 305		
7/16	over 10 to 100x360	Munhall,Pa. U5
7/16	30x240 to 72x192	Massillon,O. R2
7/16	48x204 to 84x168	Middletown,O. A10
7/16	48x240 to 72x144	Washington,Pa. J3
7/16–⅝	over 10 to 60x144	McKeesport,Pa. U5
7/16–1	48x140	Pittsburgh C18
11/32	30x240 to 72x192	Massillon,O. R2
11/32–7/16	42x192 to 84x108	Middletown,O. A10
11/32	30x240 to 72x192	Massillon,O. R2
11/32	30x240 to 72x192	Massillon,O. R2
¼	over 10 to 110x360	Munhall,Pa. U5
¼	30x240 to 72x192	Massillon,O. R2
¼	48x240 to 72x192	Washington,Pa. J3
7/64–7/16	36x180 to 84x92	Middletown,O. A10
9/32	30x240 to 72x192	Massillon,O. R2

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
9/32	over 10 to 120x360	Munhall,Pa. U5
9/32	30x240 to 72x192	Massillon,O. R2
9/32	48x240 to 72x192	Washington,Pa. J3
11/32	30x240 to 72x170	Massillon,O. R2
11/32–⅜	36x156 to 72x108	Middletown,O. A10
⅜	over 10 to 125x360	Munhall,Pa. U5
⅜	30x240 to 72x156	Massillon,O. R2
⅜	48x240 to 72x156	Massillon,O. R2
11/32	30x240 to 72x144	Massillon,O. R2
11/32–½	36x120 to 72x84	Middletown,O. A10
7/16	over 10 to 130x360	Munhall,Pa. U5
7/16	30x240 to 72x132	Massillon,O. R2
7/16	36x240 to 72x144	Washington,Pa. J3
11/32	30x240 to 72x124	Massillon,O. R2
½–1	over 10 to 132x360	Munhall,Pa. U5
½	30x240 to 72x120	Massillon,O. R2
½	36x240 to 72x120	Washington,Pa. J3
7/16	30x240 to 72x104	Massillon,O. R2
7/16	36x216 to 72x108	Washington,Pa. J3
9/16	max. 24x72	Bridgeville,Pa. U4
9/16	30x240 to 72x85	Massillon,O. R2
9/16	36x204 to 72x96	Washington,Pa. J3
11/32	30x240 to 72x85	Massillon,O. R2
9/16	30x240 to 72x80	Massillon,O. R2
9/16	36x168 to 72x84	Washington,Pa. J3
11/32	30x240 to 72x72	Massillon,O. R2
⅝	30x240 to 72x69	Massillon,O. R2
⅝	36x144 to 72x72	Washington,Pa. J3
11/16	30x240 to 72x69	Massillon,O. R2
1	30x240 to 72x69	Massillon,O. R2
1	36x120 to 48x96	Washington,Pa. J3
1 1/4	24x132–144	Washington,Pa. J3
1 1/4	36x124–134	Washington,Pa. J3
1 1/4	48x90–100	Washington,Pa. J3
1 1/2	24x132–144	Washington,Pa. J3
1 1/2	36x100–110	Washington,Pa. J3
1 1/2	48x72–82	Washington,Pa. J3
1 3/4	24x132–142	Washington,Pa. J3
1 3/4	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
Check with mill for sizes		Brackenridge,Pa. A4
Type 308		
7/16	over 10 to 100x360	Munhall,Pa. U5
7/16	40x420 to 80x384	Brackenridge,Pa. A4
7/16	48x240 to 72x144	Washington,Pa. J3
7/16–⅝	over 10 to 60x144	McKeesport,Pa. U5
¼	over 10 to 110x360	Munhall,Pa. U5
¼	40x420 to 100x348	Brackenridge,Pa. A4
¼	48x240 to 72x192	Washington,Pa. J3
7/16	over 10 to 120x360	Munhall,Pa. U5
7/16	40x444 to 110x372	Brackenridge,Pa. A4
7/16	48x240 to 72x192	Washington,Pa. J3
9/16	over 10 to 125x360	Munhall,Pa. U5
9/16	40x444 to 125x320	Brackenridge,Pa. A4
9/16	48x240 to 72x156	Washington,Pa. J3
7/16	over 10 to 130x360	Munhall,Pa. U5
7/16	36x240 to 72x144	Washington,Pa. J3
7/16	40x480 to 130x300	Brackenridge,Pa. A4
11/32	36x240 to 72x120	Washington,Pa. J3
11/32	40x480 to 135x320	Brackenridge,Pa. A4
11/32–1	over 10 to 132x360	Munhall,Pa. U5
7/16	36x216 to 72x108	Washington,Pa. J3
7/16	40x516 to 145x320	Brackenridge,Pa. A4
⅝	max. 24x72	Bridgeville,Pa. U4
⅝	36x204 to 72x96	Washington,Pa. J3
⅝	40x516 to 155x300	Brackenridge,Pa. A4
⅝	36x168 to 72x84	Washington,Pa. J3
⅝	40x516 to 170x300	Brackenridge,Pa. A4
⅝	36x144 to 72x72	Washington,Pa. J3
1	36x120 to 48x96	Washington,Pa. J3
1	40x516 to 170x300	Brackenridge,Pa. A4
1 1/4	24x132–144	Washington,Pa. J3
1 1/4	36x124–134	Washington,Pa. J3
1 1/4	40x516 to 170x300	Brackenridge,Pa. A4
1 1/4	48x90–100	Washington,Pa. J3
1 1/2	24x132–144	Washington,Pa. J3
1 1/2	36x100–110	Washington,Pa. J3
1 1/2	40x516 to 170x300	Brackenridge,Pa. A4
1 1/2	48x72–82	Washington,Pa. J3
1 3/4	24x132–142	Washington,Pa. J3
1 3/4	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
Type 309		
7/16	over 10 to 50x360	Munhall,Pa. U5
7/16	30x192 to 72x144	Massillon,O. R2
7/16	40x420 to 80x384	Brackenridge,Pa. A4
7/16	48x168 to 72x144	Middletown,O. A10
7/16	48x240 to 72x144	Washington,Pa. J3
7/16	84 x any length	Coatesville,Pa. C24
7/16–⅝	over 10 to 60x144	McKeesport,Pa. U5
7/16–½	48x60–120	NewCastle,Ind. I-4
7/16–1	48x140	Pittsburgh C18
11/32	30x192 to 72x192	Massillon,O. R2

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
11/32–¼	36x192 to 72x150	Middletown,O. A10
11/32	30x192 to 72x192	Massillon,O. R2
11/32	30x192 to 72x192	Massillon,O. R2
¼	over 10 to 60x360	Munhall,Pa. U5
¼	30x192 to 72x192	Massillon,O. R2
¼	40x420 to 100x348	Brackenridge,Pa. A4
¼	48x240 to 72x192	Washington,Pa. J3
¼	96 x any length	Coatesville,Pa. C24
11/32	30x192 to 72x184	Massillon,O. R2
7/64–7/16	36x156 to 72x120	Middletown,O. A10
11/32	30x192 to 72x181	Massillon,O. R2
7/16	over 10 to 72x360	Munhall,Pa. U5
7/16	30x192 to 72x163	Massillon,O. R2
7/16	40x444 to 110x372	Brackenridge,Pa. A4
7/16	48x240 to 72x192	Washington,Pa. J3
7/16	96 x any length	Coatesville,Pa. C24
11/32	30x192 to 72x148	Massillon,O. R2
11/32–⅜	36x156 to 72x96	Middletown,O. A10
⅜	over 10 to 84x360	Munhall,Pa. U5
⅜	30x192 to 72x136	Massillon,O. R2
⅜	40x444 to 125x320	Brackenridge,Pa. A4
⅜	48x240 to 72x156	Washington,Pa. J3
⅜	110 x any length	Coatesville,Pa. C24
11/32	30x192 to 72x126	Massillon,O. R2
11/32–½	36x120 to 72x72	Middletown,O. A10
7/16	30x192 to 72x117	Massillon,O. R2
7/16	36x240 to 72x144	Washington,Pa. J3
7/16	40x480 to 130x300	Brackenridge,Pa. A4
7/16	120 x any length	Coatesville,Pa. C24
11/32	30x192 to 72x109	Massillon,O. R2
½	30x192 to 72x99	Massillon,O. R2
½	36x240 to 72x120	Washington,Pa. J3
½	40x480 to 135x320	Brackenridge,Pa. A4
½	120 x any length	Coatesville,Pa. C24
½–1	over 10 to 90x360	Munhall,Pa. U5
7/16	30x192 to 72x88	Massillon,O. R2
7/16	36x216 to 72x108	Washington,Pa. J3
7/16	40x516 to 145x320	Brackenridge,Pa. A4
7/16	120 x any length	Coatesville,Pa. C24
9/16	max. 24x72	Bridgeville,Pa. U4
9/16	30x189 to 72x78	Massillon,O. R2
9/16	36x204 to 72x96	Washington,Pa. J3
9/16	40x516 to 155x300	Brackenridge,Pa. A4
9/16	120 x any length	Coatesville,Pa. C24
11/32	30x172 to 72x72	Massillon,O. R2
⅝	30x158 to 72x65	Massillon,O. R2
⅝	36x168 to 72x84	Washington,Pa. J3
⅝	40x516 to 170x300	Brackenridge,Pa. A4
11/32	30x146 to 72x60	Massillon,O. R2
⅝	30x135 to 72x56	Massillon,O. R2
⅝	36x144 to 72x72	Washington,Pa. J3
11/32	30x126 to 72x53	Massillon,O. R2
1	30x118 to 72x50	Massillon,O. R2
1	36x120 to 48x96	Washington,Pa. J3
1	40x516 to 170x300	Brackenridge,Pa. A4
1 1/4	24x132–144	Washington,Pa. J3
1 1/4	36x124–134	Washington,Pa. J3
1 1/4	40x516 to 170x300	Brackenridge,Pa. A4
1 1/4	48x90–100	Washington,Pa. J3
1 1/2	24x132–144	Washington,Pa. J3
1 1/2	36x100–110	Washington,Pa. J3
1 1/2	40x516 to 170x300	Brackenridge,Pa. A4
1 1/2	48x72–82	Washington,Pa. J3
1 3/4	24x132–142	Washington,Pa. J3
1 3/4	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
Type 309S		
7/16	48x168 to 72x144	Middletown,O. A10
7/16	48x240 to 72x144	Washington,Pa. J3
7/16	84 x any length	Coatesville,Pa. C24
11/32–¼	36x192 to 72x150	Middletown,O. A10
¼	48x240 to 72x192	Washington,Pa. J3
¼	96 x any length	Coatesville,Pa. C24
7/64–7/16	36x156 to 72x120	Middletown,O. A10
7/16	48x240 to 72x192	Washington,Pa. J3
7/16	96 x any length	Coatesville,Pa. C24
11/32–⅜	36x156 to 72x96	Middletown,O. A10
⅜	48x240 to 72x156	Washington,Pa. J3
⅜	110 x any length	Coatesville,Pa. C24
11/32–½	36x120 to 72x72	Middletown,O. A10
7/16	36x240 to 72x144	Washington,Pa. J3
7/16	120 x any length	Coatesville,Pa. C24
½	36x240 to 72x120	Washington,Pa. J3
½	120 x any length	Coatesville,Pa. C24
½	36x216 to 72x108	Washington,Pa. J3
½	120 x any length	Coatesville,Pa. C24
9/16	max. 24x72	Bridgeville,Pa. U4
9/16	36x204 to 72x96	Washington,Pa. J3
9/16	120 x any length	Coatesville,Pa. C24
9/16	36x168 to 72x84	Washington,Pa. J3
9/16	36x144 to 72x72	Washington,Pa. J3
1	36x120 to 48x96	Washington,Pa. J3
1 1/4	24x132–144	Washington,Pa. J3

(Code number following mill point indicates producing company, key on page 2)

Hot-Rolled, Sheared

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
1¼	36x124–134	Washington,Pa. J3
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
Check with mill for sizes		Brackenridge,Pa. A4
Type 309S cb		
3/16–⅜	over 10 to 72x210	McKeesport,Pa. U5
3/16	84 x any length	Coatesville,Pa. C24
¼	96 x any length	Coatesville,Pa. C24
5/16	96 x any length	Coatesville,Pa. C24
⅜	110 x any length	Coatesville,Pa. C24
7/16	120 x any length	Coatesville,Pa. C24
½	120 x any length	Coatesville,Pa. C24
9/16	120 x any length	Coatesville,Pa. C24
⅝	120 x any length	Coatesville,Pa. C24
Type 310		
3/16	over 10 to 50x360	Munhall,Pa. U5
3/16	30x192 to 72x144	Massillon,O. R2
3/16	40x420 to 80x384	Brackenridge,Pa. A4
3/16	48x240 to 72x144	Washington,Pa. J3
3/16	72 x any length	Coatesville,Pa. C24
3/16–¼	48x120	Middletown,O. A10
3/16–½	48x60–120	NewCastle,Ind. I-4
3/16–1	48x140	Pittsburgh C18
1/4	30x192 to 72x192	Massillon,O. R2
1/4	30x192 to 72x192	Massillon,O. R2
1/4	30x192 to 72x192	Massillon,O. R2
¼	over 10 to 55x360	Munhall,Pa. U5
¼	30x192 to 72x192	Massillon,O. R2
¼	40x420 to 100x348	Brackenridge,Pa. A4
¼	48x240 to 72x192	Washington,Pa. J3
¼	72 x any length	Coatesville,Pa. C24
17/64	30x192 to 72x184	Massillon,O. R2
17/64	30x192 to 72x181	Massillon,O. R2
5/16	over 10 to 65x360	Munhall,Pa. U5
5/16	30x192 to 72x163	Massillon,O. R2
5/16	40x444 to 110x372	Brackenridge,Pa. A4
5/16	48x240 to 72x192	Washington,Pa. J3
5/16	84 x any length	Coatesville,Pa. C24
11/32	30x192 to 72x148	Massillon,O. R2
11/32	48x108	Middletown,O. A10
⅜	over 10 to 72x360	Munhall,Pa. U5
⅜	30x192 to 72x136	Massillon,O. R2
⅜	40x444 to 125x320	Brackenridge,Pa. A4
⅜	48x96	Middletown,O. A10
⅜	48x240 to 72x156	Washington,Pa. J3
⅜	84 x any length	Coatesville,Pa. C24
13/32	30x192 to 72x126	Massillon,O. R2
13/32	48x90	Middletown,O. A10
7/16	30x192 to 72x117	Massillon,O. R2
7/16	36x240 to 72x144	Washington,Pa. J3
7/16	40x480 to 130x300	Brackenridge,Pa. A4
7/16	48x84	Middletown,O. A10
7/16	96 x any length	Coatesville,Pa. C24
15/32	30x192 to 72x109	Massillon,O. R2
15/32	48x78	Middletown,O. A10
½	over 10 to 84x360	Munhall,Pa. U5
½	30x192 to 72x99	Massillon,O. R2
½	36x240 to 72x120	Washington,Pa. J3
½	40x480 to 135x320	Brackenridge,Pa. A4
½	48x72	Middletown,O. A10
½	100 x any length	Coatesville,Pa. C24
9/16	30x192 to 72x88	Massillon,O. R2
9/16	36x216 to 72x108	Washington,Pa. J3
9/16	40x516 to 145x320	Brackenridge,Pa. A4
9/16	100 x any length	Coatesville,Pa. C24
9/16–1	over 10 to 90x360	Munhall,Pa. U5
5/8 max.	24x72	Bridgeville,Pa. U4
5/8	30x189 to 72x78	Massillon,O. R2
5/8	36x204 to 72x96	Washington,Pa. J3
5/8	40x516 to 155x300	Brackenridge,Pa. A4
5/8	100 x any length	Coatesville,Pa. C24
11/16	30x172 to 72x72	Massillon,O. R2
11/16	30x158 to 72x65	Massillon,O. R2
11/16	36x168 to 72x84	Washington,Pa. J3
11/16	40x516 to 170x300	Brackenridge,Pa. A4
11/16	30x146 to 72x60	Massillon,O. R2
11/16	30x135 to 72x56	Massillon,O. R2
11/16	36x144 to 72x72	Washington,Pa. J3
11/16	30x126 to 72x53	Massillon,O. R2
1	30x118 to 72x50	Massillon,O. R2
1	36x120 to 48x96	Washington,Pa. J3
1	40x516 to 170x300	Brackenridge,Pa. A4
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	40x516 to 170x300	Brackenridge,Pa. A4
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	40x516 to 170x300	Brackenridge,Pa. A4
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
Type 310S		
⅝ max.	24x72	Bridgeville,Pa. U4
Type 314		
⅝ max.	24x72	Bridgeville,Pa. U4
Check with mill for sizes		Brackenridge,Pa. A4
Type 316		
3/16	over 10 to 90x360	Munhall,Pa. U5
3/16	30x240 to 72x192	Massillon,O. R2
3/16	40x420 to 80x384	Brackenridge,Pa. A4
3/16	48x204 to 84x168	Middletown,O. A10
3/16	48x240 to 72x144	Washington,Pa. J3
3/16	96 x any length	Coatesville,Pa. C24
3/16–⅜	over 10 to 60x144	McKeesport,Pa. U5
3/16–½	48x60–120	NewCastle,Ind. I-4
3/16–1	48x140	Pittsburgh C18
1/4	30x240 to 72x192	Massillon,O. R2
1/4–¼	42x192 to 84x108	Middletown,O. A10
1/4	30x240 to 72x192	Massillon,O. R2
1/4	30x240 to 72x192	Massillon,O. R2
¼	over 10 to 100x360	Munhall,Pa. U5
¼	30x240 to 72x192	Massillon,O. R2
¼	40x420 to 100x348	Brackenridge,Pa. A4
¼	48x240 to 72x192	Washington,Pa. J3
¼	120 x any length	Coatesville,Pa. C24
17/64	30x240 to 72x192	Massillon,O. R2
17/64–5/16	36x180 to 84x92	Middletown,O. A10
17/64	30x240 to 72x192	Massillon,O. R2
5/16	over 10 to 110x360	Munhall,Pa. U5
5/16	30x240 to 72x192	Massillon,O. R2
5/16	40x444 to 110x372	Brackenridge,Pa. A4
5/16	48x240 to 72x192	Washington,Pa. J3
5/16	125 x any length	Coatesville,Pa. C24
11/32	30x240 to 72x180	Massillon,O. R2
11/32–⅜	36x156 to 72x108	Middletown,O. A10
⅜	over 10 to 120x360	Munhall,Pa. U5
⅜	30x240 to 72x180	Massillon,O. R2
⅜	40x444 to 125x320	Brackenridge,Pa. A4
⅜	48x240 to 72x156	Washington,Pa. J3
⅜	130 x any length	Coatesville,Pa. C24
13/32	30x240 to 72x144	Massillon,O. R2
13/32–½	36x120 to 72x84	Middletown,O. A10
7/16	over 10 to 125x360	Munhall,Pa. U5
7/16	30x240 to 72x132	Massillon,O. R2
7/16	36x240 to 72x144	Washington,Pa. J3
7/16	40x480 to 130x300	Brackenridge,Pa. A4
7/16	140 x any length	Coatesville,Pa. C24
15/32	30x240 to 72x124	Massillon,O. R2
½	over 10 to 130x360	Munhall,Pa. U5
½	30x240 to 72x120	Massillon,O. R2
½	36x240 to 72x120	Washington,Pa. J3
½	40x480 to 135x320	Brackenridge,Pa. A4
½	150 x any length	Coatesville,Pa. C24
9/16	30x240 to 72x104	Massillon,O. R2
9/16	36x216 to 72x108	Washington,Pa. J3
9/16	40x516 to 145x320	Brackenridge,Pa. A4
9/16	150 x any length	Coatesville,Pa. C24
9/16–1	over 10 to 132x360	Munhall,Pa. U5
5/8 max.	24x72	Bridgeville,Pa. U4
5/8	30x240 to 72x93	Massillon,O. R2
5/8	36x204 to 72x96	Washington,Pa. J3
5/8	40x516 to 155x300	Brackenridge,Pa. A4
5/8	150 x any length	Coatesville,Pa. C24
11/16	30x240 to 72x85	Massillon,O. R2
11/16	30x240 to 72x80	Massillon,O. R2
11/16	36x168 to 72x84	Washington,Pa. J3
11/16	40x516 to 170x300	Brackenridge,Pa. A4
11/16	30x240 to 72x72	Massillon,O. R2
11/16	30x240 to 72x69	Massillon,O. R2
11/16	36x144 to 72x72	Washington,Pa. J3
11/16	30x240 to 72x69	Massillon,O. R2
1	30x240 to 72x69	Massillon,O. R2
1	36x120 to 48x96	Washington,Pa. J3
1	40x516 to 170x300	Brackenridge,Pa. A4
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	40x516 to 170x300	Brackenridge,Pa. A4
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	40x516 to 170x300	Brackenridge,Pa. A4
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
Type 316C b		
3/16	48x240 to 72x144	Washington,Pa. J3
¼	48x240 to 72x192	Washington,Pa. J3
5/16	48x240 to 72x192	Washington,Pa. J3
⅜	48x240 to 72x156	Washington,Pa. J3
3/16	36x240 to 72x144	Washington,Pa. J3
1/4	36x240 to 72x120	Washington,Pa. J3
5/16	36x216 to 72x108	Washington,Pa. J3
⅜	36x204 to 72x96	Washington,Pa. J3
7/16	36x216 to 72x96	Washington,Pa. J3
½	36x204 to 72x96	Washington,Pa. J3
9/16	36x204 to 72x96	Washington,Pa. J3
⅝	36x168 to 72x84	Washington,Pa. J3
11/16	36x144 to 72x72	Washington,Pa. J3
1	36x120 to 48x96	Washington,Pa. J3
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
Type 316L		
3/16	48x204 to 84x168	Middletown,O. A10
3/16	48x240 to 72x144	Washington,Pa. J3
3/16	96 x any length	Coatesville,Pa. C24
3/16–⅜	over 10 to 72x210	McKeesport,Pa. U5
3/16–¼	42x192 to 84x108	Middletown,O. A10
1/4	48x240 to 72x192	Washington,Pa. J3
¼	120 x any length	Coatesville,Pa. C24
17/64–5/16	36x180 to 84x92	Middletown,O. A10
5/16	48x240 to 72x192	Washington,Pa. J3
5/16	125 x any length	Coatesville,Pa. C24
11/32–⅜	36x156 to 72x108	Middletown,O. A10
⅜	48x240 to 72x156	Washington,Pa. J3
⅜	130 x any length	Coatesville,Pa. C24
13/32–½	36x120 to 72x84	Middletown,O. A10
7/16	36x240 to 72x144	Washington,Pa. J3
7/16	140 x any length	Coatesville,Pa. C24
7/16	36x240 to 72x120	Washington,Pa. J3
½	150 x any length	Coatesville,Pa. C24
9/16	36x216 to 72x108	Washington,Pa. J3
9/16	150 x any length	Coatesville,Pa. C24
⅝ max.	24x72	Bridgeville,Pa. U4
⅝	36x204 to 72x96	Washington,Pa. J3
⅝	150 x any length	Coatesville,Pa. C24
¾	36x168 to 72x84	Washington,Pa. J3
¾	36x144 to 72x72	Washington,Pa. J3
1	36x120 to 48x96	Washington,Pa. J3
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
Type 317		
3/16	over 10 to 50x360	Munhall,Pa. U5
3/16	40x420 to 80x384	Brackenridge,Pa. A4
3/16	48x240 to 72x144	Washington,Pa. J3
3/16	72 x any length	Coatesville,Pa. C14
¼	over 10 to 55x360	Munhall,Pa. U5
¼	40x420 to 100x348	Brackenridge,Pa. A4
¼	48x240 to 72x192	Washington,Pa. J3
¼	72 x any length	Coatesville,Pa. C24
5/16	over 10 to 65x360	Munhall,Pa. U5
5/16	40x444 to 110x372	Brackenridge,Pa. A4
5/16	48x240 to 72x192	Washington,Pa. J3
5/16	84 x any length	Coatesville,Pa. C24
⅜	over 10 to 72x360	Munhall,Pa. U5
⅜	40x444 to 125x320	Brackenridge,Pa. A4
⅜	48x240 to 72x156	Washington,Pa. J3
⅜	84 x any length	Coatesville,Pa. C24
7/16	36x240 to 72x144	Washington,Pa. J3
7/16	40x480 to 130x300	Brackenridge,Pa. A4
7/16	96 x any length	Coatesville,Pa. C24
7/16	over 10 to 84x360	Munhall,Pa. U5
½	36x240 to 72x120	Washington,Pa. J3
½	40x480 to 135x320	Brackenridge,Pa. A4
½	100 x any length	Coatesville,Pa. C24
9/16	36x216 to 72x108	Washington,Pa. J3
9/16	40x516 to 145x320	Brackenridge,Pa. A4
9/16	100 x any length	Coatesville,Pa. C24
9/16–1	over 10 to 90x360	Munhall,Pa. U5
⅝ max.	24x72	Bridgeville,Pa. U4
⅝	36x204 to 72x96	Washington,Pa. J3
⅝	40x516 to 155x300	Brackenridge,Pa. A4
⅝	100 x any length	Coatesville,Pa. C24
¾	36x168 to 72x84	Washington,Pa. J3
¾	40x516 to 170x300	Brackenridge,Pa. A4
11/16	36x144 to 72x72	Washington,Pa. J3
1	36x120 to 48x96	Washington,Pa. J3
1	40x516 to 170x300	Brackenridge,Pa. A4
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	40x516 to 170x300	Brackenridge,Pa. A4
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	40x516 to 170x300	Brackenridge,Pa. A4

PLATES

(Code number following mill point indicates producing company, key on page 2)

Hot-Rolled, Sheared

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
1½–1⅝	48x72–82	Washington,Pa. J3
1⅝–1⅞	24x132–142	Washington,Pa. J3
1⅞–2	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3

Type 318

⅛–⅜	over 10 to 72x210	McKeesport,Pa. U5
Check with mill for sizes		Brackenridge,Pa. A4

Type 321

⅛	over 10 to 100x450	Munhall,Pa. U5
⅛	30x240 to 72x192	Massillon,O. R2
⅛	40x456 to 90x384	Brackenridge,Pa. A4
⅛	48x204 to 84x168	Middletown,O. A10
⅛	48x240 to 72x144	Washington,Pa. J3
⅛–⅜	over 10 to 72x210	McKeesport,Pa. U5
⅛–½	48x60–120	NewCastle,Ind. I-4
⅛–1	60x140	Pittsburgh C18
¼	30x240 to 72x192	Massillon,O. R2
¼–⅜	42x192 to 84x108	Middletown,O. A10
⅜	30x240 to 72x192	Massillon,O. R2
⅜	30x240 to 72x192	Massillon,O. R2
⅜	over 10 to 110x450	Munhall,Pa. U5
⅜	30x240 to 72x192	Massillon,O. R2
⅜	40x456 to 110x312	Brackenridge,Pa. A4
⅜	48x240 to 72x192	Washington,Pa. J3
⅜	30x240 to 72x192	Massillon,O. R2
⅜–⅛	36x180 to 84x92	Middletown,O. A10
⅜	30x240 to 72x192	Massillon,O. R2
⅜	over 10 to 120x450	Munhall,Pa. U5
⅜	30x240 to 72x192	Massillon,O. R2
⅜	40x480 to 120x384	Brackenridge,Pa. A4
⅜	48x240 to 72x192	Washington,Pa. J3
⅜	30x240 to 72x180	Massillon,O. R2
⅜–⅝	36x156 to 72x108	Middletown,O. A10
⅜	over 10 to 125x450	Munhall,Pa. U5
⅜	30x240 to 72x180	Massillon,O. R2
⅜	40x480 to 135x372	Brackenridge,Pa. A4
⅜	48x240 to 72x156	Washington,Pa. J3
⅜	30x240 to 72x144	Massillon,O. R2
⅜–½	36x120 to 72x84	Middletown,O. A10
⅜	over 10 to 130x450	Munhall,Pa. U5
⅜	30x240 to 72x132	Massillon,O. R2
⅜	36x240 to 72x144	Washington,Pa. J3
⅜	40x480 to 150x300	Brackenridge,Pa. A4
⅜	30x240 to 72x124	Massillon,O. R2
⅜	30x240 to 72x120	Massillon,O. R2
½	36x240 to 72x120	Washington,Pa. J3
½	40x480 to 170x300	Brackenridge,Pa. A4
½–1	over 10 to 132x450	Munhall,Pa. U5
½	30x240 to 72x104	Massillon,O. R2
½	36x216 to 72x108	Washington,Pa. J3
½	40x516 to 170x300	Brackenridge,Pa. A4
⅝ max.	24x72	Bridgeville,Pa. U4
⅝	30x240 to 72x93	Massillon,O. R2
⅝	36x204 to 72x96	Washington,Pa. J3
⅝	40x516 to 170x300	Brackenridge,Pa. A4
⅝	30x240 to 72x85	Massillon,O. R2
⅝	30x240 to 72x80	Massillon,O. R2
⅝	36x168 to 72x84	Washington,Pa. J3
⅝	40x516 to 170x300	Brackenridge,Pa. A4
⅝	30x240 to 72x72	Massillon,O. R2
⅝	30x240 to 72x69	Massillon,O. R2
⅝	36x144 to 72x72	Washington,Pa. J3
⅝	30x240 to 72x69	Massillon,O. R2
1	30x240 to 72x69	Massillon,O. R2
1	36x120 to 48x96	Washington,Pa. J3
1	40x516 to 170x300	Brackenridge,Pa. A4
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	40x516 to 170x300	Brackenridge,Pa. A4
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	40x516 to 170x300	Brackenridge,Pa. A4
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3

Type 330

⅛	48x240 to 72x144	Washington,Pa. J3
⅛–½	48x60–120	NewCastle,Ind. I-4
¼	48x240 to 72x192	Washington,Pa. J3
⅜	48x240 to 72x192	Washington,Pa. J3
½	48x240 to 72x156	Washington,Pa. J3
⅝	36x240 to 72x144	Washington,Pa. J3
⅝	36x240 to 72x120	Washington,Pa. J3
⅝	36x216 to 72x108	Washington,Pa. J3
⅝	36x204 to 72x96	Washington,Pa. J3
⅝	36x168 to 72x84	Washington,Pa. J3
⅝	36x144 to 72x72	Washington,Pa. J3
1	36x120 to 48x96	Washington,Pa. J3
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3

Type 347

⅛	over 10 to 100x450	Munhall,Pa. U5
⅛	30x240 to 72x192	Massillon,O. R2
⅛	40x456 to 90x384	Brackenridge,Pa. A4
⅛	48x204 to 84x168	Middletown,O. A10
⅛	48x240 to 72x144	Washington,Pa. J3
⅛	84 x any length	Coatesville,Pa. C24
⅛–⅜	over 10 to 72x210	McKeesport,Pa. U5
⅛–½	48x60–120	NewCastle,Ind. I-4
⅛–1	60x140	Pittsburgh C18
¼	30x240 to 72x192	Massillon,O. R2
¼–¼	42x192 to 84x108	Middletown,O. A10
¼	30x240 to 72x192	Massillon,O. R2
¼	30x240 to 72x192	Massillon,O. R2
¼	over 10 to 110x450	Munhall,Pa. U5
¼	30x240 to 72x192	Massillon,O. R2
¼	40x456 to 110x312	Brackenridge,Pa. A4
¼	48x240 to 72x192	Washington,Pa. J3
¼	96 x any length	Coatesville,Pa. C24
¼	30x240 to 72x192	Massillon,O. R2
¼–⅜	36x180 to 84x92	Middletown,O. A10
¼	30x240 to 72x192	Massillon,O. R2
¼	over 10 to 120x450	Munhall,Pa. U5
¼	30x240 to 72x192	Massillon,O. R2
¼	40x480 to 120x384	Brackenridge,Pa. A4
¼	48x240 to 72x192	Washington,Pa. J3
¼	96 x any length	Coatesville,Pa. C24
¼	30x240 to 72x180	Massillon,O. R2
¼–⅝	36x156 to 72x108	Middletown,O. A10
⅜	over 10 to 125x450	Munhall,Pa. U5
⅜	30x240 to 72x180	Massillon,O. R2
⅜	40x480 to 135x372	Brackenridge,Pa. A4
⅜	48x240 to 72x156	Washington,Pa. J3
⅜	110 x any length	Coatesville,Pa. C24
⅜	30x240 to 72x144	Massillon,O. R2
⅜–½	36x120 to 72x84	Middletown,O. A10
⅜	over 10 to 130x450	Munhall,Pa. U5
⅜	30x240 to 72x132	Massillon,O. R2
⅜	36x240 to 72x144	Washington,Pa. J3
⅜	40x480 to 150x300	Brackenridge,Pa. A4
⅜	**120 x any length**	Coatesville,Pa. C24
⅜	30x240 to 72x124	Massillon,O. R2
⅜	30x240 to 72x120	Massillon,O. R2
½	36x240 to 72x120	Washington,Pa. J3
½	40x480 to 170x300	Brackenridge,Pa. A4
½	**130 x any length**	Coatesville,Pa. C24
½–1	over 10 to 132x450	Munhall,Pa. U5
½	30x240 to 72x104	Massillon,O. R2
½	36x216 to 72x108	Washington,Pa. J3
½	40x516 to 170x300	Brackenridge,Pa. A4
½	**140 x any length**	Coatesville,Pa. C24
⅝ max.	24x72	Bridgeville,Pa. U4
⅝	30x240 to 72x93	Massillon,O. R2
⅝	36x204 to 72x96	Washington,Pa. J3
⅝	40x516 to 170x300	Brackenridge,Pa. A4
⅝	150 x any length	Coatesville,Pa. C24
⅝	30x240 to 72x85	Massillon,O. R2
⅝	30x240 to 72x80	Massillon,O. R2
⅝	36x168 to 72x84	Washington,Pa. J3
⅝	40x516 to 170x300	Brackenridge,Pa. A4
⅝	**160 x any length**	Coatesville,Pa. C24
⅝	30x240 to 72x72	Massillon,O. R2
⅝	30x240 to 72x69	Massillon,O. R2
⅝	36x144 to 72x72	Washington,Pa. J3
⅝	160 x any length	Coatesville,Pa. C24
⅝	30x240 to 72x69	Massillon,O. R2
1	30x240 to 72x69	Massillon,O. R2
1	36x120 to 48x96	Washington,Pa. J3
1	40x516 to 170x300	Brackenridge,Pa. A4
1	140 x any length	Coatesville,Pa. C24
1⅛	**130 x any length**	Coatesville,Pa. C24
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	40x516 to 170x300	Brackenridge,Pa. A4
1¼	48x90–100	Washington,Pa. J3
1¼	130 x any length	Coatesville,Pa. C24
1⅜	125 x any length	Coatesville,Pa. C24
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	40x516 to 170x300	Brackenridge,Pa. A4
1½	48x72–82	Washington,Pa. J3
1½	120 x any length	Coatesville,Pa. C24
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
1¾	120 x any length	Coatesville,Pa. C24
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
2	110 x any length	Coatesville,Pa. C24
2½	100 x any length	Coatesville,Pa. C24

Type 403

⅛	30x240 to 72x192	Massillon,O. R2
⅛	40x480 to 90x420	Brackenridge,Pa. A4
⅛	48x240 to 72x144	Washington,Pa. J3
¼	30x240 to 72x192	Massillon,O. R2
¼	30x240 to 72x192	Massillon,O. R2
¼	30x240 to 72x192	Massillon,O. R2
¼	30x240 to 72x192	Massillon,O. R2

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
¼	40x480 to 130x320	Brackenridge,Pa. A4
¼	48x240 to 72x156	Washington,Pa. J3
¼	30x240 to 72x192	Massillon,O. R2
⅜	30x240 to 72x192	Massillon,O. R2
⅜	30x240 to 72x192	Massillon,O. R2
⅜	40x480 to 145x280	Brackenridge,Pa. A4
⅜	48x240 to 72x156	Washington,Pa. J3
⅜	30x240 to 72x170	Massillon,O. R2
⅜	30x240 to 72x156	Massillon,O. R2
⅜	40x516 to 170x300	Brackenridge,Pa. A4
⅜	48x240 to 72x156	Washington,Pa. J3
⅜	30x240 to 72x157	Massillon,O. R2
⅜	30x240 to 72x146	Massillon,O. R2
⅜	36x240 to 72x144	Washington,Pa. J3
⅜	40x516 to 170x300	Brackenridge,Pa. A4
⅜	30x240 to 72x138	Massillon,O. R2
½	30x240 to 72x130	Massillon,O. R2
½	36x240 to 72x120	Washington,Pa. J3
½	40x516 to 170x300	Brackenridge,Pa. A4
½	30x240 to 72x114	Massillon,O. R2
½	36x216 to 72x108	Washington,Pa. J3
½	40x516 to 170x320	Brackenridge,Pa. A4
⅝ max.	24x72	Bridgeville,Pa. U4
⅝	30x240 to 72x103	Massillon,O. R2
⅝	36x204 to 72x96	Washington,Pa. J3
⅝	40x516 to 170x320	Brackenridge,Pa. A4
⅝	30x223 to 72x94	Massillon,O. R2
¾	30x205 to 72x86	Massillon,O. R2
¾	36x168 to 72x84	Washington,Pa. J3
¾	40x516 to 170x300	Brackenridge,Pa. A4
⅞	30x189 to 72x78	Massillon,O. R2
⅞	30x164 to 72x68	Massillon,O. R2
⅞	36x144 to 72x72	Washington,Pa. J3
⅞	30x164 to 72x68	Massillon,O. R2
1	30x153 to 72x64	Massillon,O. R2
1	36x120 to 48x96	Washington,Pa. J3
1	40x516 to 170x300	Brackenridge,Pa. A4
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	40x516 to 170x300	Brackenridge,Pa. A4
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	40x516 to 170x300	Brackenridge,Pa. A4
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3

Type 405

⅛	over 10 to 100x360	Munhall,Pa. U5
⅛	40x480 to 90x420	Brackenridge,Pa. A4
⅛	48x204 to 72x192	Middletown,O. A10
⅛	48x240 to 72x144	Washington,Pa. J3
⅛	90 x any length	Coatesville,Pa. C24
⅛–¼	over 10 to 50x144	McKeesport,Pa. U5
¼–¼	42x192 to 72x156	Middletown,O. A10
¼	over 10 to 110x360	Munhall,Pa. U5
¼	40x480 to 130x320	Brackenridge,Pa. A4
¼	48x240 to 72x156	Washington,Pa. J3
¼	96 x any length	Coatesville,Pa. C24
¼–⅜	36x180 to 72x120	Middletown,O. A10
⅜	over 10 to 120x360	Munhall,Pa. U5
⅜	40x480 to 145x280	Brackenridge,Pa. A4
⅜	48x240 to 72x156	Washington,Pa. J3
⅜	96 x any length	Coatesville,Pa. C24
⅜–⅝	36x156 to 72x108	Middletown,O. A10
⅜	over 10 to 125x360	Munhall,Pa. U5
⅜	40x516 to 170x300	Brackenridge,Pa. A4
⅜	48x240 to 72x156	Washington,Pa. J3
⅜	130 x any length	Coatesville,Pa. C24
⅜	over 10 to 130x360	Munhall,Pa. U5
⅜	36x240 to 72x144	Washington,Pa. J3
⅜	40x516 to 170x300	Brackenridge,Pa. A4
⅜	140 x any length	Coatesville,Pa. C24
⅜	36x240 to 72x120	Washington,Pa. J3
½	40x516 to 170x300	Brackenridge,Pa. A4
½	150 x any length	Coatesville,Pa. C24
½–1	over 10 to 132x360	Munhall,Pa. U5
½	36x216 to 72x108	Washington,Pa. J3
½	40x516 to 170x320	Brackenridge,Pa. A4
½	155 x any length	Coatesville,Pa. C24
⅝ max.	24x72	Bridgeville,Pa. U4
⅝	36x204 to 72x96	Washington,Pa. J3
⅝	40x516 to 170x320	Brackenridge,Pa. A4
⅝	160 x any length	Coatesville,Pa. C24
¾	36x168 to 72x84	Washington,Pa. J3
¾	40x516 to 170x300	Brackenridge,Pa. A4
¾	170 x any length	Coatesville,Pa. C24
⅞	36x144 to 72x72	Washington,Pa. J3
⅞	160 x any length	Coatesville,Pa. C24
1	36x120 to 48x96	Washington,Pa. J3
1	40x516 to 170x300	Brackenridge,Pa. A4
1	140 x any length	Coatesville,Pa. C24
1⅛	130 x any length	Coatesville,Pa. C24
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	40x516 to 170x300	Brackenridge,Pa. A4
1¼	48x90–100	Washington,Pa. J3
1¼	130 x any length	Coatesville,Pa. C24
1⅜	125 x any length	Coatesville,Pa. C24

PLATES

(Code number following mill point indicates producing company, key on page 2)

Hot-Rolled, Sheared

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
1½	24x132–144	Washington, Pa. J3
1½	36x100–110	Washington, Pa. J3
1½	40x516 to 170x300	Brackenridge, Pa. A4
1½	48x72–82	Washington, Pa. J3
1½	120 x any length	Coatesville, Pa. C24
1¾	24x132–142	Washington, Pa. J3
1¾	36x84–96	Washington, Pa. J3
1¾	120 x any length	Coatesville, Pa. C24
2	24x114–124	Washington, Pa. J3
2	36x72–83	Washington, Pa. J3
2	110 x any length	Coatesville, Pa. C24
2½	100 x any length	Coatesville, Pa. C24

Type 410

1/16	over 10 to 100x360	Munhall, Pa. U5
1/16	30x240 to 72x192	Massillon, O. R2
1/16	40x480 to 90x420	Brackenridge, Pa. A4
1/16	48x204 to 72x192	Middletown, O. A10
1/16	48x240 to 72x144	Washington, Pa. J3
1/16	90 x any length	Coatesville, Pa. C24
1/16–1	60x140	Pittsburgh C18
3/32	30x240 to 72x192	Massillon, O. R2
7/64–⅛	42x192 to 72x156	Middletown, O. A10
9/32	30x240 to 72x192	Massillon, O. R2
5/16	30x240 to 72x192	Massillon, O. R2
¼	over 10 to 110x360	Munhall, Pa. U5
¼	30x240 to 72x192	Massillon, O. R2
¼	40x480 to 130x320	Brackenridge, Pa. A4
¼	48x240 to 72x156	Washington, Pa. J3
¼	96 x any length	Coatesville, Pa. C24
¼	30x240 to 72x192	Massillon, O. R2
11/64		
11/64–⅛	36x180 to 72x120	Middletown, O. A10
3/8	30x240 to 72x192	Massillon, O. R2
3/8	over 10 to 120x360	Munhall, Pa. U5
3/8	30x240 to 72x192	Massillon, O. R2
3/8	40x480 to 145x280	Brackenridge, Pa. A4
3/8	48x240 to 72x156	Washington, Pa. J3
3/8	96 x any length	Coatesville, Pa. C24
13/32	30x240 to 72x170	Massillon, O. R2
13/32–⅜	36x156 to 72x108	Middletown, O. A10
⅜	over 10 to 125x360	Munhall, Pa. U5
⅜	30x240 to 72x156	Massillon, O. R2
⅜	40x516 to 170x300	Brackenridge, Pa. A4
⅜	48x240 to 72x156	Washington, Pa. J3
⅜	130 x any length	Coatesville, Pa. C24
7/16	30x240 to 72x157	Massillon, O. R2
7/16	over 10 to 130x360	Munhall, Pa. U5
7/16	30x240 to 72x146	Massillon, O. R2
7/16	36x240 to 72x144	Washington, Pa. J3
7/16	40x516 to 170x300	Brackenridge, Pa. A4
7/16	140 x any length	Coatesville, Pa. C24
15/32	30x240 to 72x138	Massillon, O. R2
½	30x240 to 72x130	Massillon, O. R2
½	36x240 to 72x120	Washington, Pa. J3
½	40x516 to 170x300	Brackenridge, Pa. A4
½	150 x any length	Coatesville, Pa. C24
½–1	over 10 to 132x360	Munhall, Pa. U5
9/16	30x240 to 72x114	Massillon, O. R2
9/16	36x216 to 72x108	Washington, Pa. J3
9/16	40x516 to 170x320	Brackenridge, Pa. A4
9/16	155 x any length	Coatesville, Pa. C24
5/8	max. 24x72	Bridgeville, Pa. U4
5/8	30x240 to 72x103	Massillon, O. R2
5/8	36x204 to 72x96	Washington, Pa. J3
5/8	40x516 to 170x320	Brackenridge, Pa. A4
5/8	160 x any length	Coatesville, Pa. C24
11/16	30x223 to 72x94	Massillon, O. R2
¾	30x205 to 72x86	Massillon, O. R2
¾	36x168 to 72x84	Washington, Pa. J3
¾	40x516 to 170x300	Brackenridge, Pa. A4
¾	170 x any length	Coatesville, Pa. C24
13/16	30x189 to 72x78	Massillon, O. R2
13/16	30x164 to 72x68	Massillon, O. R2
⅞	36x144 to 72x72	Washington, Pa. J3
⅞	160 x any length	Coatesville, Pa. C24
15/16	30x164 to 72x68	Massillon, O. R2
1	30x153 to 72x64	Massillon, O. R2
1	36x120 to 48x96	Washington, Pa. J3
1	40x516 to 170x300	Brackenridge, Pa. A4
1	140 x any length	Coatesville, Pa. C24
1 1/16	130 x any length	Coatesville, Pa. C24
1 1/16	24x132–144	Washington, Pa. J3
1 1/16	36x124–134	Washington, Pa. J3
1 1/16	40x516 to 170x300	Brackenridge, Pa. A4
1 1/16	48x90–100	Washington, Pa. J3
1 1/16	130 x any length	Coatesville, Pa. C24
1 1/16	125 x any length	Coatesville, Pa. C24
1 1/8	24x132–144	Washington, Pa. J3
1 1/8	36x100–110	Washington, Pa. J3
1 1/8	40x516 to 170x300	Brackenridge, Pa. A4
1 1/8	48x72–82	Washington, Pa. J3
1 1/8	120 x any length	Coatesville, Pa. C24
1 3/16	24x132–142	Washington, Pa. J3
1 3/16	36x84–96	Washington, Pa. J3
1 3/16	120 x any length	Coatesville, Pa. C24
2	24x114–124	Washington, Pa. J3
2	36x72–83	Washington, Pa. J3
2	110 x any length	Coatesville, Pa. C24
2 1/16	100 x any length	Coatesville, Pa. C24

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 414		
1/16	48x240 to 72x144	Washington, Pa. J3
¼	48x240 to 72x156	Washington, Pa. J3
7/16	48x240 to 72x156	Washington, Pa. J3
⅜	48x240 to 72x156	Washington, Pa. J3
7/16	36x240 to 72x144	Washington, Pa. J3
½	36x240 to 72x120	Washington, Pa. J3
9/16	36x216 to 72x108	Washington, Pa. J3
⅝	max. 24x72	Bridgeville, Pa. U4
⅝	36x204 to 72x96	Washington, Pa. J3
¾	36x168 to 72x84	Washington, Pa. J3
⅞	36x144 to 72x72	Washington, Pa. J3
1	36x120 to 48x96	Washington, Pa. J3
1 1/16	24x132–144	Washington, Pa. J3
1 1/16	36x124–134	Washington, Pa. J3
1 1/16	48x90–100	Washington, Pa. J3
1 1/8	24x132–144	Washington, Pa. J3
1 1/8	36x100–110	Washington, Pa. J3
1 1/8	48x72–82	Washington, Pa. J3
1 3/16	24x132–142	Washington, Pa. J3
1 3/16	36x84–96	Washington, Pa. J3
2	24x114–124	Washington, Pa. J3
2	36x72–83	Washington, Pa. J3
Check with mill for sizes		Brackenridge, Pa. A4
Type 416		
1/16	30x240 to 72x192	Massillon, O. R2
1/16	48x240 to 72x144	Washington, Pa. J3
1/16	30x240 to 72x192	Massillon, O. R2
3/32	30x240 to 72x192	Massillon, O. R2
1/16	30x240 to 72x192	Massillon, O. R2
¼	30x240 to 72x192	Massillon, O. R2
¼	48x240 to 72x156	Washington, Pa. J3
1/16	30x240 to 72x192	Massillon, O. R2
5/16	30x240 to 72x192	Massillon, O. R2
1/16	30x240 to 72x192	Massillon, O. R2
1/16	48x240 to 72x156	Washington, Pa. J3
1/16	30x240 to 72x170	Massillon, O. R2
3/8	30x240 to 72x156	Massillon, O. R2
3/8	48x240 to 72x156	Washington, Pa. J3
1/16	30x240 to 72x157	Massillon, O. R2
1/16	30x240 to 72x146	Massillon, O. R2
1/16	36x240 to 72x144	Washington, Pa. J3
1/16	30x240 to 72x138	Massillon, O. R2
½	30x240 to 72x130	Massillon, O. R2
½	36x240 to 72x120	Washington, Pa. J3
1/16	30x240 to 72x114	Massillon, O. R2
9/16	36x216 to 72x108	Washington, Pa. J3
⅝	max. 24x72	Bridgeville, Pa. U4
⅝	30x240 to 72x103	Massillon, O. R2
⅝	36x204 to 72x96	Washington, Pa. J3
11/16	30x223 to 72x94	Massillon, O. R2
¾	30x205 to 72x88	Massillon, O. R2
¾	36x168 to 72x84	Washington, Pa. J3
13/16	30x189 to 72x78	Massillon, O. R2
13/16	30x164 to 72x68	Massillon, O. R2
⅞	36x144 to 72x72	Washington, Pa. J3
15/16	30x164 to 72x68	Massillon, O. R2
1	30x153 to 72x64	Massillon, O. R2
1	36x120 to 48x96	Washington, Pa. J3
1 1/16	24x132–144	Washington, Pa. J3
1 1/16	36x124–134	Washington, Pa. J3
1 1/16	48x90–100	Washington, Pa. J3
1 1/8	24x132–144	Washington, Pa. J3
1 1/8	36x100–110	Washington, Pa. J3
1 1/8	48x72–82	Washington, Pa. J3
1 3/16	24x132–142	Washington, Pa. J3
1 3/16	36x84–96	Washington, Pa. J3
2	24x114–124	Washington, Pa. J3
2	36x72–83	Washington, Pa. J3
Check with mill for sizes		Brackenridge, Pa. A4
Type 420		
1/16	48x240 to 72x144	Washington, Pa. J3
¼	48x240 to 72x156	Washington, Pa. J3
7/16	48x240 to 72x156	Washington, Pa. J3
⅜	48x240 to 72x156	Washington, Pa. J3
7/16	36x240 to 72x144	Washington, Pa. J3
½	36x240 to 72x120	Washington, Pa. J3
9/16	36x216 to 72x108	Washington, Pa. J3
⅝	max. 24x72	Bridgeville, Pa. U4
⅝	36x264 to 72x96	Washington, Pa. J3
¾	36x168 to 72x84	Washington, Pa. J3
⅞	36x144 to 72x72	Washington, Pa. J3
1	36x120 to 48x96	Washington, Pa. J3
1 1/16	24x132–144	Washington, Pa. J3
1 1/16	36x124–134	Washington, Pa. J3
1 1/16	48x90–100	Washington, Pa. J3
1 1/8	24x132–144	Washington, Pa. J3
1 1/8	36x100–110	Washington, Pa. J3
1 1/8	48x72–82	Washington, Pa. J3
1 3/16	24x132–142	Washington, Pa. J3
1 3/16	36x84–96	Washington, Pa. J3
2	24x114–124	Washington, Pa. J3
2	36x72–83	Washington, Pa. J3
Check with mill for sizes		Brackenridge, Pa. A4

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 420F		
1/16	48x240 to 72x144	Washington, Pa. J3
¼	48x240 to 72x156	Washington, Pa. J3
7/16	48x240 to 72x156	Washington, Pa. J3
⅜	48x240 to 72x156	Washington, Pa. J3
7/16	36x240 to 72x144	Washington, Pa. J3
½	36x240 to 72x120	Washington, Pa. J3
9/16	36x216 to 72x108	Washington, Pa. J3
⅝	36x204 to 72x96	Washington, Pa. J3
¾	36x168 to 72x84	Washington, Pa. J3
⅞	36x144 to 72x72	Washington, Pa. J3
1	36x120 to 48x96	Washington, Pa. J3
1 1/16	24x132–144	Washington, Pa. J3
1 1/16	36x124–134	Washington, Pa. J3
1 1/16	48x90–100	Washington, Pa. J3
1 1/8	24x132–144	Washington, Pa. J3
1 1/8	36x100–110	Washington, Pa. J3
1 1/8	48x72–82	Washington, Pa. J3
1 3/16	24x132–142	Washington, Pa. J3
1 3/16	36x84–96	Washington, Pa. J3
2	24x114–124	Washington, Pa. J3
2	36x72–83	Washington, Pa. J3
Type 430		
1/16	over 10 to 100x360	Munhall, Pa. U5
1/16	30x240 to 72x192	Massillon, O. R2
1/16	40x480 to 90x420	Brackenridge, Pa. A4
1/16	48x204 to 72x192	Middletown, O. A10
1/16	48x240 to 72x144	Washington, Pa. J3
1/16	90 x any length	Coatesville, Pa. C24
1/16–⅛	over 10 to 50x144	McKeesport, Pa. U5
1/16–⅛	48x60–120	New Castle, Ind. I-4
1/16–1	60x140	Pittsburgh C18
3/32	30x240 to 72x192	Massillon, O. R2
7/64–⅛	42x192 to 72x156	Middletown, O. A10
9/32	30x240 to 72x192	Massillon, O. R2
5/16	30x240 to 72x192	Massillon, O. R2
¼	over 10 to 110x360	Munhall, Pa. U5
¼	30x240 to 72x192	Massillon, O. R2
¼	40x480 to 130x320	Brackenridge, Pa. A4
¼	48x240 to 72x156	Washington, Pa. J3
¼	96 x any length	Coatesville, Pa. C24
11/64	30x240 to 72x192	Massillon, O. R2
11/64–⅛	36x180 to 72x120	Middletown, O. A10
3/8	30x240 to 72x192	Massillon, O. R2
3/8	over 10 to 120x360	Munhall, Pa. U5
3/8	30x240 to 72x192	Massillon, O. R2
3/8	40x480 to 145x280	Brackenridge, Pa. A4
3/8	48x240 to 72x156	Washington, Pa. J3
3/8	96 x any length	Coatesville, Pa. C24
13/32	30x240 to 72x180	Massillon, O. R2
13/32–⅜	36x156 to 72x108	Middletown, O. A10
⅜	over 10 to 125x360	Munhall, Pa. U5
⅜	30x240 to 72x180	Massillon, O. R2
⅜	40x516 to 170x300	Brackenridge, Pa. A4
⅜	48x240 to 72x156	Washington, Pa. J3
⅜	130 x any length	Coatesville, Pa. C24
7/16	30x240 to 72x144	Massillon, O. R2
7/16	over 10 to 130x360	Munhall, Pa. U5
7/16	30x240 to 72x132	Massillon, O. R2
7/16	36x240 to 72x144	Washington, Pa. J3
7/16	40x516 to 170x300	Brackenridge, Pa. A4
7/16	140 x any length	Coatesville, Pa. C24
15/32	30x240 to 72x124	Massillon, O. R2
½	30x240 to 72x120	Massillon, O. R2
½	36x240 to 72x120	Washington, Pa. J3
½	40x516 to 170x300	Brackenridge, Pa. A4
½	150 x any length	Coatesville, Pa. C24
½–1	over 10 to 132x360	Munhall, Pa. U5
9/16	30x240 to 72x104	Massillon, O. R2
9/16	36x216 to 72x108	Washington, Pa. J3
9/16	40x516 to 170x320	Brackenridge, Pa. A4
9/16	155 x any length	Coatesville, Pa. C24
5/8	max. 24x72	Bridgeville, Pa. U4
5/8	30x240 to 72x93	Massillon, O. R2
5/8	36x204 to 72x96	Washington, Pa. J3
5/8	40x516 to 170x320	Brackenridge, Pa. A4
5/8	160 x any length	Coatesville, Pa. C24
11/16	30x240 to 72x85	Massillon, O. R2
¾	30x240 to 72x80	Massillon, O. R2
¾	36x168 to 72x84	Washington, Pa. J3
¾	40x516 to 170x300	Brackenridge, Pa. A4
¾	170 x any length	Coatesville, Pa. C24
13/16	30x240 to 72x72	Massillon, O. R2
⅞	30x240 to 72x69	Massillon, O. R2
⅞	36x144 to 72x72	Washington, Pa. J3
⅞	160 x any length	Coatesville, Pa. C24
15/16	30x240 to 72x69	Massillon, O. R2
1	30x240 to 72x69	Massillon, O. R2
1	36x120 to 48x96	Washington, Pa. J3
1	40x516 to 170x300	Brackenridge, Pa. A4
1	140 x any length	Coatesville, Pa. C24
1 1/16	130 x any length	Coatesville, Pa. C24
1 1/16	24x132–144	Washington, Pa. J3
1 1/16	36x124–134	Washington, Pa. J3
1 1/16	40x516 to 170x300	Brackenridge, Pa. A4
1 1/16	48x90–100	Washington, Pa. J3
1 1/16	130 x any length	Coatesville, Pa. C24
1 1/8	125 x any length	Coatesville, Pa. C24

PLATES

(Code number following mill point indicates producing company, key on page 2)

Hot-Rolled, Sheared

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	40x516 to 170x300	Brackenridge,Pa. A4
1½	48x72–82	Washington,Pa. J3
1½	120 x any length	Coatesville,Pa. C24
1⅝	24x132–142	Washington,Pa. J3
1⅝	36x84–96	Washington,Pa. J3
1⅝	120 x any length	Coatesville,Pa. C24
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3
2	110 x any length	Coatesville,Pa. C24
2½	100 x any length	Coatesville,Pa. C24

Type 430F

3/16	48x240 to 72x144	Washington,Pa. J3
1/4	48x240 to 72x156	Washington,Pa. J3
5/16	48x240 to 72x156	Washington,Pa. J3
3/8	48x240 to 72x156	Washington,Pa. J3
7/16	36x240 to 72x144	Washington,Pa. J3
1/2	36x240 to 72x120	Washington,Pa. J3
9/16	36x216 to 72x108	Washington,Pa. J3
5/8	max. 24x72	Bridgeville,Pa. U4
5/8	36x204 to 72x96	Washington,Pa. J3
3/4	36x168 to 72x84	Washington,Pa. J3
7/8	36x144 to 72x72	Washington,Pa. J3
1	36x120 to 48x96	Washington,Pa. J3
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3

Check with mill for sizes .. Brackenridge,Pa. A4

Type 430Ti

Check with mill for sizes .. Brackenridge,Pa. A4

Type 431

3/16	48x240 to 72x144	Washington,Pa. J3
1/4	48x240 to 72x156	Washington,Pa. J3
5/16	48x240 to 72x156	Washington,Pa. J3
3/8	48x240 to 72x156	Washington,Pa. J3
7/16	36x240 to 72x144	Washington,Pa. J3
1/2	36x240 to 72x120	Washington,Pa. J3
9/16	36x216 to 72x108	Washington,Pa. J3
5/8	max. 24x72	Bridgeville,Pa. U4
5/8	36x204 to 72x96	Washington,Pa. J3
3/4	36x168 to 72x84	Washington,Pa. J2
7/8	36x144 to 72x72	Washington,Pa. J3
1	36x120 to 48x96	Washington,Pa. J3
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3

Check with mill for sizes .. Brackenridge,Pa. A4

Type 440A

3/16	48x240 to 72x144	Washington,Pa. J3
1/4	48x240 to 72x156	Washington,Pa. J3
5/16	48x240 to 72x156	Washington,Pa. J3
3/8	48x240 to 72x156	Washington,Pa. J3
7/16	36x240 to 72x144	Washington,Pa. J3
1/2	36x240 to 72x120	Washington,Pa. J3
9/16	36x216 to 72x108	Washington,Pa. J3
5/8	max. 24x72	Bridgeville,Pa. U4
5/8	36x204 to 72x96	Washington,Pa. J3
3/4	36x168 to 72x84	Washington,Pa. J3
7/8	36x144 to 72x72	Washington,Pa. J3
1	36x120 to 48x96	Washington,Pa. J3
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3

Check with mill for sizes .. Brackenridge,Pa. A4

Type 440B

3/16	48x240 to 72x144	Washington,Pa. J3
1/4	48x240 to 72x156	Washington,Pa. J3
5/16	48x240 to 72x156	Washington,Pa. J3
3/8	48x240 to 72x156	Washington,Pa. J3
7/16	36x240 to 72x144	Washington,Pa. J3
1/2	36x240 to 72x120	Washington,Pa. J3
9/16	36x216 to 72x108	Washington,Pa. J3
5/8	max. 24x72	Bridgeville,Pa. U4
5/8	36x204 to 72x96	Washington,Pa. J3
3/4	36x168 to 72x84	Washington,Pa. J3
7/8	36x144 to 72x72	Washington,Pa. J3
1	36x120 to 48x96	Washington,Pa. J3
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3

Check with mill for sizes .. Brackenridge,Pa. A4

Type 440C

3/16	48x240 to 72x144	Washington,Pa. J3
1/4	48x240 to 72x156	Washington,Pa. J3
5/16	48x240 to 72x156	Washington,Pa. J3
3/8	48x240 to 72x156	Washington,Pa. J3
7/16	36x240 to 72x144	Washington,Pa. J3
1/2	36x240 to 72x120	Washington,Pa. J3
9/16	36x216 to 72x108	Washington,Pa. J3
5/8	max. 24x72	Bridgeville,Pa. U4
5/8	36x204 to 72x96	Washington,Pa. J3
3/4	36x168 to 72x84	Washington,Pa. J3
7/8	36x144 to 72x72	Washington,Pa. J3
1	36x120 to 48x96	Washington,Pa. J3
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3

Check with mill for sizes .. Brackenridge,Pa. A4

Type 442

Check with mill for sizes .. Brackenridge,Pa. A4

Type 446

3/16	30x192 to 72x192	Massillon,O. R2
1/4	40x480 to 90x420	Brackenridge,Pa. A4
1/4	48x240 to 72x144	Washington,Pa. J3
1/4–1/4	over 10 to 50x144	McKeesport,Pa. U5
1/4–3/8	48x144	Middletown,O. A10
3/32	30x192 to 72x192	Massillon,O. R2
7/32	30x192 to 72x192	Massillon,O. R2
9/32	30x192 to 72x192	Massillon,O. R2
1/4	30x192 to 72x192	Massillon,O. R2
1/4	40x480 to 130x320	Brackenridge,Pa. A4
1/4	48x240 to 72x156	Washington,Pa. J3
11/64	30x192 to 72x192	Massillon,O. R2
5/16	30x192 to 72x192	Massillon,O. R2
5/16	30x192 to 72x172	Massillon,O. R2
5/16	40x480 to 145x280	Brackenridge,Pa. A4
5/16	48x240 to 72x156	Washington,Pa. J3
11/32	30x192 to 72x156	Massillon,O. R2
3/8	30x192 to 72x143	Massillon,O. R2
3/8	40x516 to 170x300	Brackenridge,Pa. A4
3/8	48x240 to 72x156	Washington,Pa. J3
13/32	30x192 to 72x132	Massillon,O. R2
7/16	30x192 to 72x123	Massillon,O. R2
7/16	36x240 to 72x144	Washington,Pa. J3
7/16	40x516 to 170x300	Brackenridge,Pa. A4
15/32	30x192 to 72x115	Massillon,O. R2
1/2	30x192 to 72x108	Massillon,O. R2
1/2	36x240 to 72x120	Washington,Pa. J3
1/2	40x516 to 170x300	Brackenridge,Pa. A4
9/16	30x192 to 72x95	Massillon,O. R2
9/16	36x216 to 72x108	Washington,Pa. J3
9/16	40x516 to 170x320	Brackenridge,Pa. A4
5/8	max. 24x72	Bridgeville,Pa. U4
5/8	30x192 to 72x86	Massillon,O. R2
5/8	36x204 to 72x96	Washington,Pa. J3
5/8	40x516 to 170x320	Brackenridge,Pa. A4
11/16	30x187 to 72x78	Massillon,O. R2
3/4	30x171 to 72x71	Massillon,O. R2
3/4	36x168 to 72x84	Washington,Pa. J3
3/4	40x516 to 170x300	Brackenridge,Pa. A4
13/16	30x159 to 72x66	Massillon,O. R2
7/8	30x147 to 72x61	Massillon,O. R2
7/8	36x144 to 72x72	Washington,Pa. J3
15/16	30x137 to 72x57	Massillon,O. R2
1	30x129 to 72x54	Massillon,O. R2
1	36x120 to 48x96	Washington,Pa. J3
1	40x516 to 170x300	Brackenridge,Pa. A4
1¼	24x132–144	Washington,Pa. J3
1¼	36x124–134	Washington,Pa. J3
1¼	40x516 to 170x300	Brackenridge,Pa. A4
1¼	48x90–100	Washington,Pa. J3
1½	24x132–144	Washington,Pa. J3
1½	36x100–110	Washington,Pa. J3
1½	40x516 to 170x300	Brackenridge,Pa. A4
1½	48x72–82	Washington,Pa. J3
1¾	24x132–142	Washington,Pa. J3
1¾	36x84–96	Washington,Pa. J3
2	24x114–124	Washington,Pa. J3
2	36x72–83	Washington,Pa. J3

Hot-Rolled, Universal

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
All Types		
1/4–6	over 10 to 30x1320	SouthChicago,Ill. U5
1/4–15	over 10 to 48x1200	Munhall,Pa. U5
Type 302		
3/16–1	48x240	Midland,Pa. C18
Type 304		
3/16–1	48x240	Midland,Pa. C18
Type 305		
3/16–1	48x240	Midland,Pa. C18
Type 316		
3/16–1	48x240	Midland,Pa. C18
Type 321		
3/16–1	48x240	Midland,Pa. C18
Type 347		
3/16–1	48x240	Midland,Pa. C18
Type 410		
3/16–1	48x240	Midland,Pa. C18
Type 430		
3/16–1	48x240	Midland,Pa. C18

PLATES

(Code number following mill point indicates producing company, key on page 2)

Cold-Rolled, Sheared

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
All Types		
7/16–¼	over 10 to 48x178	McKeesport, Pa. U5
Type 301		
7/16	30x240 to 60x240	Massillon, O. R2
1/2	30x240 to 60x240	Massillon, O. R2
9/32	30x240 to 60x240	Massillon, O. R2
5/16	30x240 to 60x240	Massillon, O. R2
11/64	30x240 to 60x240	Massillon, O. R2
3/8	30x240 to 60x240	Massillon, O. R2
13/64	30x240 to 60x240	Massillon, O. R2
7/32	30x240 to 60x240	Massillon, O. R2
15/64	30x240 to 60x240	Massillon, O. R2
1/4	30x240 to 60x240	Massillon, O. R2
17/64	30x240 to 60x240	Massillon, O. R2
9/32	30x240 to 60x240	Massillon, O. R2
19/64	30x240 to 60x240	Massillon, O. R2
5/16	30x240 to 60x240	Massillon, O. R2
21/64	30x240 to 60x240	Massillon, O. R2
11/32	30x240 to 60x240	Massillon, O. R2
23/64	30x240 to 60x240	Massillon, O. R2
3/8	30x240 to 60x240	Massillon, O. R2
25/64	30x240 to 60x192	Massillon, O. R2
13/32	30x240 to 60x192	Massillon, O. R2
27/64	30x240 to 60x192	Massillon, O. R2
7/16	30x240 to 60x192	Massillon, O. R2
29/64	30x240 to 60x192	Massillon, O. R2
15/32	30x240 to 60x192	Massillon, O. R2
31/64	30x240 to 60x230	Massillon, O. R2
1/2	30x240 to 60x220	Massillon, O. R2
33/64	30x240 to 60x210	Massillon, O. R2
17/32	30x240 to 60x190	Massillon, O. R2
35/64	30x240 to 60x170	Massillon, O. R2
9/16	30x240 to 60x160	Massillon, O. R2
37/64	30x240 to 60x150	Massillon, O. R2
1	30x240 to 60x140	Massillon, O. R2
Type 302		
7/16	30x240 to 60x240	Massillon, O. R2
7/16–1	60x140	Pittsburgh C18
1/2	30x240 to 60x240	Massillon, O. R2
9/32	30x240 to 60x240	Massillon, O. R2
5/16	30x240 to 60x240	Massillon, O. R2
11/64	30x240 to 60x240	Massillon, O. R2
3/8	30x240 to 60x240	Massillon, O. R2
13/64	30x240 to 60x240	Massillon, O. R2
7/32	30x240 to 60x240	Massillon, O. R2
15/64	30x240 to 60x240	Massillon, O. R2
1/4	30x240 to 60x240	Massillon, O. R2
17/64	30x240 to 60x240	Massillon, O. R2
9/32	30x240 to 60x240	Massillon, O. R2
19/64	30x240 to 60x192	Massillon, O. R2
5/16	30x240 to 60x192	Massillon, O. R2
21/64	30x240 to 60x192	Massillon, O. R2
11/32	30x240 to 60x192	Massillon, O. R2
23/64	30x240 to 60x230	Massillon, O. R2
3/8	30x240 to 60x220	Massillon, O. R2
25/64	30x240 to 60x210	Massillon, O. R2
13/32	30x240 to 60x190	Massillon, O. R2
27/64	30x240 to 60x170	Massillon, O. R2
7/16	30x240 to 60x160	Massillon, O. R2
29/64	30x240 to 60x150	Massillon, O. R2
1	30x240 to 60x140	Massillon, O. R2
Type 302B		
7/16	30x240 to 60x240	Massillon, O. R2
1/2	30x240 to 60x240	Massillon, O. R2
9/32	30x240 to 60x240	Massillon, O. R2
5/16	30x240 to 60x240	Massillon, O. R2
11/64	30x240 to 60x240	Massillon, O. R2
3/8	30x240 to 60x240	Massillon, O. R2
13/64	30x240 to 60x240	Massillon, O. R2
7/32	30x240 to 60x240	Massillon, O. R2
15/64	30x240 to 60x223	Massillon, O. R2
1/4	30x240 to 60x204	Massillon, O. R2
17/64	30x240 to 60x188	Massillon, O. R2
9/32	30x240 to 60x175	Massillon, O. R2
19/64	30x240 to 60x164	Massillon, O. R2
5/16	30x240 to 60x153	Massillon, O. R2
21/64	30x240 to 60x137	Massillon, O. R2
11/32	30x240 to 60x122	Massillon, O. R2
23/64	30x223 to 60x109	Massillon, O. R2
3/8	30x205 to 60x102	Massillon, O. R2
25/64	30x189 to 60x95	Massillon, O. R2
13/32	30x164 to 60x81	Massillon, O. R2
27/64	30x164 to 60x81	Massillon, O. R2
1	30x153 to 60x76	Massillon, O. R2
Type 303		
7/16	30x240 to 60x240	Massillon, O. R2
1/2	30x240 to 60x240	Massillon, O. R2
9/32	30x240 to 60x240	Massillon, O. R2
5/16	30x240 to 60x240	Massillon, O. R2
11/64	30x240 to 60x240	Massillon, O. R2
3/8	30x240 to 60x240	Massillon, O. R2
13/64	30x240 to 60x240	Massillon, O. R2
7/32	30x240 to 60x240	Massillon, O. R2
15/64	30x240 to 60x240	Massillon, O. R2
1/4	30x240 to 60x240	Massillon, O. R2
17/64	30x240 to 60x192	Massillon, O. R2
9/32	30x240 to 60x192	Massillon, O. R2
19/64	30x240 to 60x192	Massillon, O. R2
5/16	30x240 to 60x192	Massillon, O. R2
21/64	30x240 to 60x230	Massillon, O. R2
11/32	30x240 to 60x209	Massillon, O. R2
23/64	30x240 to 60x190	Massillon, O. R2
3/8	30x240 to 60x175	Massillon, O. R2
25/64	30x240 to 60x161	Massillon, O. R2
13/32	30x240 to 60x160	Massillon, O. R2
27/64	30x240 to 60x136	Massillon, O. R2
1	30x240 to 60x127	Massillon, O. R2
Type 304		
7/16	30x240 to 60x240	Massillon, O. R2
7/16–1	60x140	Pittsburgh C18
1/2	30x240 to 60x240	Massillon, O. R2
9/32	30x240 to 60x240	Massillon, O. R2
5/16	30x240 to 60x240	Massillon, O. R2
11/64	30x240 to 60x240	Massillon, O. R2
3/8	30x240 to 60x240	Massillon, O. R2
13/64	30x240 to 60x240	Massillon, O. R2
7/32	30x240 to 60x240	Massillon, O. R2
15/64	30x240 to 60x240	Massillon, O. R2
1/4	30x240 to 60x240	Massillon, O. R2
17/64	30x240 to 60x240	Massillon, O. R2
9/32	30x240 to 60x240	Massillon, O. R2
19/64	30x240 to 60x192	Massillon, O. R2
5/16	30x240 to 60x192	Massillon, O. R2
21/64	30x240 to 60x192	Massillon, O. R2
11/32	30x240 to 60x192	Massillon, O. R2
23/64	30x240 to 60x230	Massillon, O. R2
3/8	30x240 to 60x220	Massillon, O. R2
25/64	30x240 to 60x210	Massillon, O. R2
13/32	30x240 to 60x190	Massillon, O. R2
27/64	30x240 to 60x170	Massillon, O. R2
7/16	30x240 to 60x160	Massillon, O. R2
29/64	30x240 to 60x150	Massillon, O. R2
1	30x240 to 60x140	Massillon, O. R2
Type 305		
7/16	30x240 to 60x240	Massillon, O. R2
7/16–1	48x140	Pittsburgh C18
1/2	30x240 to 60x240	Massillon, O. R2
9/32	30x240 to 60x240	Massillon, O. R2
5/16	30x240 to 60x240	Massillon, O. R2
11/64	30x240 to 60x240	Massillon, O. R2
3/8	30x240 to 60x240	Massillon, O. R2
13/64	30x240 to 60x240	Massillon, O. R2
7/32	30x240 to 60x240	Massillon, O. R2
15/64	30x240 to 60x240	Massillon, O. R2
1/4	30x240 to 60x192	Massillon, O. R2
17/64	30x240 to 60x192	Massillon, O. R2
9/32	30x240 to 60x192	Massillon, O. R2
19/64	30x240 to 60x192	Massillon, O. R2
5/16	30x240 to 60x230	Massillon, O. R2
11/32	30x240 to 60x209	Massillon, O. R2
23/64	30x240 to 60x190	Massillon, O. R2
3/8	30x240 to 60x175	Massillon, O. R2
25/64	30x240 to 60x161	Massillon, O. R2
13/32	30x240 to 60x160	Massillon, O. R2
27/64	30x240 to 60x136	Massillon, O. R2
1	30x240 to 60x127	Massillon, O. R2
Type 309		
7/16	30x192 to 60x192	Massillon, O. R2
7/16–1	48x140	Pittsburgh C18
1/2	30x192 to 60x192	Massillon, O. R2
9/32	30x192 to 60x192	Massillon, O. R2
5/16	30x192 to 60x192	Massillon, O. R2
11/64	30x192 to 60x192	Massillon, O. R2
3/8	30x192 to 60x192	Massillon, O. R2
13/64	30x192 to 60x192	Massillon, O. R2
7/32	30x192 to 60x178	Massillon, O. R2
15/64	30x192 to 60x163	Massillon, O. R2
1/4	30x192 to 60x151	Massillon, O. R2
17/64	30x192 to 60x140	Massillon, O. R2
9/32	30x192 to 60x130	Massillon, O. R2
19/64	30x192 to 60x120	Massillon, O. R2
5/16	30x192 to 60x105	Massillon, O. R2
11/32	30x189 to 60x95	Massillon, O. R2
23/64	30x172 to 60x86	Massillon, O. R2
3/8	30x158 to 60x78	Massillon, O. R2
25/64	30x146 to 60x72	Massillon, O. R2
13/32	30x135 to 60x66	Massillon, O. R2
27/64	30x126 to 60x64	Massillon, O. R2
1	30x118 to 60x59	Massillon, O. R2
Type 310		
7/16	30x192 to 60x192	Massillon, O. R2
7/16–1	48x140	Pittsburgh C18
1/2	30x192 to 60x192	Massillon, O. R2
9/32	30x192 to 60x192	Massillon, O. R2
5/16	30x192 to 60x192	Massillon, O. R2
11/64	30x192 to 60x192	Massillon, O. R2
3/8	30x192 to 60x192	Massillon, O. R2
13/64	30x192 to 60x192	Massillon, O. R2
7/32	30x192 to 60x178	Massillon, O. R2
15/64	30x192 to 60x163	Massillon, O. R2
1/4	30x192 to 60x151	Massillon, O. R2
17/64	30x192 to 60x140	Massillon, O. R2
9/32	30x192 to 60x130	Massillon, O. R2
19/64	30x192 to 60x120	Massillon, O. R2
5/16	30x192 to 60x105	Massillon, O. R2
11/32	30x189 to 60x95	Massillon, O. R2
23/64	30x172 to 60x86	Massillon, O. R2
3/8	30x158 to 60x78	Massillon, O. R2
25/64	30x146 to 60x72	Massillon, O. R2
13/32	30x135 to 60x66	Massillon, O. R2
27/64	30x126 to 60x64	Massillon, O. R2
1	30x118 to 60x59	Massillon, O. R2
Type 316		
7/16	30x240 to 60x240	Massillon, O. R2
7/16–1	48x140	Pittsburgh C18
1/2	30x240 to 60x240	Massillon, O. R2
9/32	30x240 to 60x240	Massillon, O. R2
5/16	30x240 to 60x240	Massillon, O. R2
11/64	30x240 to 60x240	Massillon, O. R2
3/8	30x240 to 60x240	Massillon, O. R2
13/64	30x240 to 60x240	Massillon, O. R2
7/32	30x240 to 60x240	Massillon, O. R2
15/64	30x240 to 60x240	Massillon, O. R2
1/4	30x240 to 60x240	Massillon, O. R2
17/64	30x240 to 60x192	Massillon, O. R2
9/32	30x240 to 60x192	Massillon, O. R2
19/64	30x240 to 60x192	Massillon, O. R2
5/16	30x240 to 60x192	Massillon, O. R2
21/64	30x240 to 60x192	Massillon, O. R2
11/32	30x240 to 60x230	Massillon, O. R2
23/64	30x240 to 60x220	Massillon, O. R2
3/8	30x240 to 60x210	Massillon, O. R2
25/64	30x240 to 60x190	Massillon, O. R2
13/32	30x240 to 60x170	Massillon, O. R2
27/64	30x240 to 60x160	Massillon, O. R2
7/16	30x240 to 60x150	Massillon, O. R2
1	30x240 to 60x140	Massillon, O. R2
Type 321		
7/16	30x240 to 60x240	Massillon, O. R2
7/16–1	60x140	Pittsburgh C18
1/2	30x240 to 60x240	Massillon, O. R2
9/32	30x240 to 60x240	Massillon, O. R2
5/16	30x240 to 60x240	Massillon, O. R2
11/64	30x240 to 60x240	Massillon, O. R2
3/8	30x240 to 60x240	Massillon, O. R2
13/64	30x240 to 60x240	Massillon, O. R2
7/32	30x240 to 60x240	Massillon, O. R2
15/64	30x240 to 60x240	Massillon, O. R2
1/4	30x240 to 60x240	Massillon, O. R2
17/64	30x240 to 60x192	Massillon, O. R2
9/32	30x240 to 60x192	Massillon, O. R2
19/64	30x240 to 60x192	Massillon, O. R2
5/16	30x240 to 60x192	Massillon, O. R2
21/64	30x240 to 60x230	Massillon, O. R2
11/32	30x240 to 60x220	Massillon, O. R2
23/64	30x240 to 60x210	Massillon, O. R2
3/8	30x240 to 60x190	Massillon, O. R2
25/64	30x240 to 60x170	Massillon, O. R2
13/32	30x240 to 60x160	Massillon, O. R2
27/64	30x240 to 60x150	Massillon, O. R2
1	30x240 to 60x140	Massillon, O. R2
Type 347		
7/16	30x240 to 60x240	Massillon, O. R2
7/16–1	60x140	Pittsburgh C18
1/2	30x240 to 60x240	Massillon, O. R2
9/32	30x240 to 60x240	Massillon, O. R2
5/16	30x240 to 60x240	Massillon, O. R2
11/64	30x240 to 60x240	Massillon, O. R2
3/8	30x240 to 60x240	Massillon, O. R2
13/64	30x240 to 60x240	Massillon, O. R2
7/32	30x240 to 60x240	Massillon, O. R2
15/64	30x240 to 60x240	Massillon, O. R2
1/4	30x240 to 60x240	Massillon, O. R2
17/64	30x240 to 60x192	Massillon, O. R2
9/32	30x240 to 60x192	Massillon, O. R2
19/64	30x240 to 60x192	Massillon, O. R2
5/16	30x240 to 60x192	Massillon, O. R2
21/64	30x240 to 60x230	Massillon, O. R2
11/32	30x240 to 60x220	Massillon, O. R2
23/64	30x240 to 60x210	Massillon, O. R2
3/8	30x240 to 60x190	Massillon, O. R2
25/64	30x240 to 60x170	Massillon, O. R2
13/32	30x240 to 60x160	Massillon, O. R2
27/64	30x240 to 60x150	Massillon, O. R2
1	30x240 to 60x140	Massillon, O. R2
Type 403		
7/16	30x240 to 60x240	Massillon, O. R2
1/2	30x240 to 60x240	Massillon, O. R2
9/32	30x240 to 60x240	Massillon, O. R2
5/16	30x240 to 60x240	Massillon, O. R2
11/64	30x240 to 60x240	Massillon, O. R2
3/8	30x240 to 60x240	Massillon, O. R2
13/64	30x240 to 60x240	Massillon, O. R2
7/32	30x240 to 60x240	Massillon, O. R2
15/64	30x240 to 60x223	Massillon, O. R2
1/4	30x240 to 60x204	Massillon, O. R2
17/64	30x240 to 60x188	Massillon, O. R2
9/32	30x240 to 60x175	Massillon, O. R2
19/64	30x240 to 60x164	Massillon, O. R2
5/16	30x240 to 60x153	Massillon, O. R2
21/64	30x240 to 60x137	Massillon, O. R2
11/32	30x240 to 60x122	Massillon, O. R2
23/64	30x223 to 60x109	Massillon, O. R2
3/8	30x205 to 60x102	Massillon, O. R2
25/64	30x189 to 60x95	Massillon, O. R2
13/32	30x164 to 60x81	Massillon, O. R2
27/64	30x164 to 60x81	Massillon, O. R2
1	30x153 to 60x76	Massillon, O. R2

PLATES

(Code number following mill point indicates producing company, key on page 2)

Cold-Rolled, Sheared

Thickness (inches)	Max. Widths Max. Lengths or Size Range	Mill Point, Producer
Type 410		
7/16	30x240 to 60x240	Massillon,O. R2
7/16-1	60x140	Pittsburgh C18
1/2	30x240 to 60x240	Massillon,O. R2
9/16	30x240 to 60x240	Massillon,O. R2
5/8	30x240 to 60x240	Massillon,O. R2
11/16	30x240 to 60x240	Massillon,O. R2
3/4	30x240 to 60x240	Massillon,O. R2
13/16	30x240 to 60x240	Massillon,O. R2
7/8	30x240 to 60x240	Massillon,O. R2
15/16	30x240 to 60x240	Massillon,O. R2
1	30x240 to 60x223	Massillon,O. R2
1 1/16	30x240 to 60x204	Massillon,O. R2
1 1/8	30x240 to 60x188	Massillon,O. R2
1 3/16	30x240 to 60x175	Massillon,O. R2
1 1/4	30x240 to 60x164	Massillon,O. R2
1 5/16	30x240 to 60x153	Massillon,O. R2
1 3/8	30x240 to 60x137	Massillon,O. R2
1 7/16	30x240 to 60x122	Massillon,O. R2
1 1/2	30x223 to 60x109	Massillon,O. R2
1 9/16	30x205 to 60x102	Massillon,O. R2
1 5/8	30x189 to 60x95	Massillon,O. R2
1 11/16	30x164 to 60x81	Massillon,O. R2
1 3/4	30x164 to 60x81	Massillon,O. R2
1	30x153 to 60x76	Massillon,O. R2
Type 416		
7/16	30x240 to 60x240	Massillon,O. R2
1/2	30x240 to 60x240	Massillon,O. R2
9/16	30x240 to 60x240	Massillon,O. R2
5/8	30x240 to 60x240	Massillon,O. R2
1/4	30x240 to 60x240	Massillon,O. R2
1/2	30x240 to 60x240	Massillon,O. R2
7/16	30x240 to 60x240	Massillon,O. R2
1/2	30x240 to 60x240	Massillon,O. R2
9/16	30x240 to 60x240	Massillon,O. R2
5/8	30x240 to 60x240	Massillon,O. R2
11/16	30x240 to 60x240	Massillon,O. R2
3/4	30x240 to 60x240	Massillon,O. R2
13/16	30x240 to 60x240	Massillon,O. R2
7/8	30x240 to 60x240	Massillon,O. R2
15/16	30x240 to 60x240	Massillon,O. R2
1	30x240 to 60x240	Massillon,O. R2
1 1/16	30x240 to 60x240	Massillon,O. R2
1 1/8	30x240 to 60x240	Massillon,O. R2
1 3/16	30x240 to 60x240	Massillon,O. R2
1 1/4	30x240 to 60x240	Massillon,O. R2
1 5/16	30x240 to 60x240	Massillon,O. R2
1 3/8	30x240 to 60x240	Massillon,O. R2
1 7/16	30x240 to 60x240	Massillon,O. R2
1 1/2	30x240 to 60x240	Massillon,O. R2
1 9/16	30x240 to 60x240	Massillon,O. R2
1 5/8	30x240 to 60x240	Massillon,O. R2
1 11/16	30x240 to 60x240	Massillon,O. R2
1 3/4	30x240 to 60x240	Massillon,O. R2
1 13/16	30x240 to 60x240	Massillon,O. R2
1 7/8	30x240 to 60x240	Massillon,O. R2
1 15/16	30x240 to 60x240	Massillon,O. R2
2	30x240 to 60x240	Massillon,O. R2
2 1/16	30x240 to 60x240	Massillon,O. R2
2 1/8	30x240 to 60x240	Massillon,O. R2
2 3/16	30x240 to 60x240	Massillon,O. R2
2 1/4	30x240 to 60x240	Massillon,O. R2
2 5/16	30x240 to 60x240	Massillon,O. R2
2 3/8	30x240 to 60x240	Massillon,O. R2
2 7/16	30x240 to 60x240	Massillon,O. R2
2 1/2	30x240 to 60x240	Massillon,O. R2
Type 430		
7/16	30x240 to 60x240	Massillon,O. R2
7/16-1	60x140	Pittsburgh C18
1/2	30x240 to 60x240	Massillon,O. R2
9/16	30x240 to 60x240	Massillon,O. R2
5/8	30x240 to 60x240	Massillon,O. R2
11/16	30x240 to 60x240	Massillon,O. R2
3/4	30x240 to 60x240	Massillon,O. R2
13/16	30x240 to 60x240	Massillon,O. R2
7/8	30x240 to 60x240	Massillon,O. R2
15/16	30x240 to 60x240	Massillon,O. R2
1	30x240 to 60x240	Massillon,O. R2
1 1/16	30x240 to 60x240	Massillon,O. R2
1 1/8	30x240 to 60x192	Massillon,O. R2
1 3/16	30x240 to 60x192	Massillon,O. R2
1 1/4	30x240 to 60x192	Massillon,O. R2
1 5/16	30x240 to 60x192	Massillon,O. R2
1 3/8	30x240 to 60x230	Massillon,O. R2
1 7/16	30x240 to 60x192	Massillon,O. R2
1 1/2	30x240 to 60x210	Massillon,O. R2
1 9/16	30x240 to 60x190	Massillon,O. R2
1 5/8	30x240 to 60x170	Massillon,O. R2
1 11/16	30x240 to 60x160	Massillon,O. R2
1 3/4	30x240 to 60x150	Massillon,O. R2
1	30x240 to 60x140	Massillon,O. R2
Type 446		
7/16	30x192 to 72x192	Massillon,O. R2
1/2	30x192 to 72x192	Massillon,O. R2
9/16	30x192 to 72x192	Massillon,O. R2
5/8	30x192 to 72x192	Massillon,O. R2
11/16	30x192 to 72x192	Massillon,O. R2
3/4	30x192 to 72x192	Massillon,O. R2
13/16	30x192 to 72x192	Massillon,O. R2
7/8	30x192 to 72x172	Massillon,O. R2
15/16	30x192 to 72x156	Massillon,O. R2
1	30x192 to 72x143	Massillon,O. R2
1 1/16	30x192 to 72x132	Massillon,O. R2
1 1/8	30x192 to 72x123	Massillon,O. R2
1 3/16	30x192 to 72x115	Massillon,O. R2
1 1/4	30x192 to 72x108	Massillon,O. R2
1 5/16	30x192 to 72x95	Massillon,O. R2
1 3/8	30x192 to 72x86	Massillon,O. R2
1 7/16	30x187 to 72x78	Massillon,O. R2
1 1/2	30x171 to 72x71	Massillon,O. R2
1 9/16	30x159 to 72x66	Massillon,O. R2
1 5/8	30x147 to 72x61	Massillon,O. R2
1 11/16	30x137 to 72x57	Massillon,O. R2
1	30x129 to 72x54	Massillon,O. R2

STRIP

Hot-Rolled, Coil Stock

Thickness (inches)	Widths Min. Max. (inches)	Mill Point, Producer
Any Type		
.095-.187	3-24	Massillon,O. R2
Type 302		
.125-.1875	1/4-48	Midland,Pa. C18
.125-.340	1/2-6	Reading,Pa. C4
Type 304		
.125-.1875	1/4-48	Midland,Pa. C18
.125-.340	1/2-6	Reading,Pa. C4
Type 305		
.125-.1875	1/4-48	Midland,Pa. C18
.125-.340	1/2-6	Reading,Pa. C4
Type 316		
.125-.1875	1/4-48	Midland,Pa. C18
.125-.340	1/2-6	Reading,Pa. C4
Type 317		
.125-.340	1/2-6	Reading,Pa. C4
Type 321		
.125-.1875	1/4-48	Midland,Pa. C18
.125-.340	1/2-6	Reading,Pa. C4
Type 329		
.125-.340	1/2-6	Reading,Pa. C4
Type 347		
.125-.1875	1/4-48	Midland,Pa. C18
.125-.340	1/2-6	Reading,Pa. C4
Type 403		
.125-.340	1/2-6	Reading,Pa. C4
Type 410		
.125-.1875	1/4-48	Midland,Pa. C18
.125-.340	1/2-6	Reading,Pa. C4
Type 414		
.125-.340	1/2-6	Reading,Pa. C4
Type 420		
.125-.340	1/2-6	Reading,Pa. C4
Type 430		
.125-.1875	1/4-48	Midland,Pa. C18
.125-.340	1/2-6	Reading,Pa. C4
Type 440A		
.125-.340	1/2-6	Reading,Pa. C4
Type 443		
.125-.340	1/2-6	Reading,Pa. C4

Cold-Rolled, Coil Stock

Thickness (inches)	Widths Min. Max. (inches)	Mill Point, Producer
Any Type		
.004-.016	3/8-1/4	Massillon,O. R2
.004-.030	1/4-3/8	Massillon,O. R2
.004-.1875	3/8-1 1/2	Massillon,O. R2
.005-.1875	1 1/2-24	Massillon,O. R2
Type 301		
.001-.015	1/4-16	Butler,Pa. A10
.001-.035	1/16-7 3/4	Youngstown C8
.001-.037	1/8 exactly	Butler,Pa. A10
.001-.037	3/16 exactly	Butler,Pa. A10
.002-.085	1/4-25	Wallingford,Conn. W2
.003-.006	1/16-5	Carnegie,Pa. S18
.003-.009	1/16-3	Cleveland A7
.004-.008	6 max.	Bridgeville,Pa. U4
.004-.009	over 3-5	Cleveland A7
.005-.009	over 5-6	Cleveland A7
.005-.016	1/16-under 1/4	W.Leechburg,Pa. A4
.005-.030	1/4-under 3/8	W.Leechburg,Pa. A4
.005-.078		Washington,Pa. W4
.005-.1875	3/8-under 24	W.Leechburg,Pa. A4
.006-.009	over 6-10	Cleveland A7
.007-.009	over 10-12	Cleveland A7
.007-.014	1/16-14	Carnegie,Pa. S18
.008-.009	over 12-16	Cleveland A7
.009-.010	over 16-23 1/16	Cleveland A7
.009-.012	12 max.	Bridgeville,Pa. U4
.010-.015	3/8-12	Farrell,Pa. S3
.010-.016	1/16-23 1/16	Cleveland A7
.010-.030	1/4-23 1/16	Cleveland A7
.010-.109	over 3/8-23 1/16	Cleveland A7
.010-.125	3/8-6	Pawtucket,R.I. N8
.010-.125	over 1/2-23 1/16	Cleveland A7
.010-.150	over 5/8-23 1/16	Cleveland A7
.013-.125	17 max.	Bridgeville,Pa. U4
.015-.035	3/8-16 1/2	Farrell,Pa. S3
.015-.062	1/4-1/2	Butler,Pa. A10
.015-.062	3/4-15 3/4	Detroit M1
.015-.095	3/8-23 1/16	Carnegie,Pa. S18
.015-.125	over 1/2-under 24	Butler,Pa. A10
over .035-.100	1/2-16 1/2	Farrell,Pa. S3
.085-.135	1/4-8	Wallingford,Conn. W2
.151-.1875	over 3/4-23 1/16	Cleveland A7
Type 302		
.001-.015	1/4-16	Butler,Pa. A10
.001-.035	1/16-7 3/4	Youngstown C8
.001-.037	1/8 exactly	Butler,Pa. A10
.001-.037	3/16 exactly	Butler,Pa. A10
.002-.085	1/4-25	Wallingford,Conn. W2
.003-.006	1/16-5	Carnegie,Pa. S18
.003-.009	1/16-3	Cleveland A7
.004-.008	6 max.	Bridgeville,Pa. U4
.004-.009	over 3-5	Cleveland A7
.005-.009	over 5-6	Cleveland A7
.005-.016	1/16-under 1/4	ProspectPk.,Pa. A5
.005-.016	1/16-under 1/4	W.Leechburg,Pa. A4
.005-.020	1/4-3/8	ProspectPark,Pa. A5
.005-.030	1/4-under 3/8	W.Leechburg,Pa. A4
.005-.078		Washington,Pa. W4
.005-.1875	3/8-under 24	W.Leechburg,Pa. A4
.006-.009	over 6-10	Cleveland A7
.007-.009	over 10-12	Cleveland A7
.007-.014	1/16-14	Carnegie,Pa. S18
.008-.009	over 12-16	Cleveland A7
.009-.010	over 16-23 1/16	Cleveland A7
.009-.012	12 max.	Bridgeville,Pa. U4
.010-.015	3/8-12	Farrell,Pa. S3
.010-.016	1/16-23 1/16	Cleveland A7
.010-.030	1/4-23 1/16	Cleveland A7

STRIP

(Code number following mill point indicates producing company, key on page 2)

Cold-Rolled, Coil Stock

Thickness (inches)	Widths Min. Max. (inches)	Mill Point, Producer
.010–.109	over ⅝-23⅛	Cleveland A7
.010–.125	⅝-6	Pawtucket,R.I. N8
.010–.125	over ½-23⅛	Cleveland A7
.010–.150	over ⅝-23⅛	Cleveland A7
.010–.187	⅞-10	Reading,Pa. C4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.035	⅜-16½	Farrell,Pa. S3
.015–.062	¼-½	Butler,Pa. A10
.015–.062	¾-15¾	Detroit M1
.015–.095	⅜-23⅛	Carnegie,Pa. S18
.015–.125	over ½-under 24	Butler,Pa. A10
.020–.187	⅞-12	Harrison,N.J. C18
.020–.187	⅞-23⅛	Midland,Pa. C18
.020–.1875	⅝	ProspectPark,Pa. A5
.025–.040	⅝-1½	ProspectPark,Pa. A5
.025–.062	⅝-1	ProspectPark,Pa. A5
over .035–.100	½-16½	Farrell,Pa. S3
.085–.135	¼-8	Wallingford,Conn. W2
.151–.1875	over ¾-23⅛	Cleveland A7

Type 302B

.003–.006	⅜-5	Carnegie,Pa. S18
.004–.008	6 max.	Bridgeville,Pa. U4
.005–.016	⅞-under ¼	W.Leechburg,Pa. A4
.005–.030	¼-under ⅝	W.Leechburg,Pa. A4
.005–.1875	⅝-under 24	W.Leechburg,Pa. A4
.007–.014	⅞-14	Carnegie,Pa. S18
.009–.012	12 max.	Bridgeville,Pa. U4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.062	¾-15¾	Detroit M1
.015–.095	⅜-23⅛	Carnegie,Pa. S18

Type 303

.004–.008	6 max.	Bridgeville,Pa. U4
.005–.016	⅞-under ¼	ProspectPark,Pa. A5
.005–.016	⅞-under ¼	W.Leechburg,Pa. A4
.005–.020	¼-⅜	ProspectPark,Pa. A5
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.009–.012	12 max.	Bridgeville,Pa. U4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.062	¾-15¾	Detroit M1
.020–.1875	⅜	ProspectPark,Pa. A5

Type 304

.001–.015	¼-16	Butler,Pa. A10
.001–.035	⅞-7¾	Youngstown C8
.001–.037	1/32 exactly	Butler,Pa. A10
.001–.037	1/16 exactly	Butler,Pa. A10
.002–.085	¼-25	Wallingford,Conn. W2
.003–.006	⅜-5	Carnegie,Pa. S18
.003–.009	⅛-3	Cleveland A7
.004–.008	6 max.	Bridgeville,Pa. U4
.004–.009	over 3-5	Cleveland A7
.005–.009	over 5-6	Cleveland A7
.005–.016	⅞-under ¼	ProspectPark,Pa. A5
.005–.016	⅞-under ¼	W.Leechburg,Pa. A4
.005–.020	¼-⅜	ProspectPark,Pa. A5
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.078		Washington,Pa. W4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.006–.009	over 6-10	Cleveland A7
.007–.009	over 10-12	Cleveland A7
.007–.014	⅞-14	Carnegie,Pa. S18
.008–.009	over 12-16	Cleveland A7
.009–.010	over 16-23⅛	Cleveland A7
.009–.012	12 max.	Bridgeville,Pa. U4
.010–.015	⅝-12	Farrell,Pa. S3
.010–.016	⅞-23⅛	Cleveland A7
.010–.030	¼-23⅛	Cleveland A7
.010–.109	over ⅝-23⅛	Cleveland A7
.010–.125	over ½-23⅛	Cleveland A7
.010–.150	over ⅝-23⅛	Cleveland A7
.010–.187	⅞-10	Reading,Pa. C4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.035	⅜-16½	Farrell,Pa. S3
.015–.062	¼-½	Butler,Pa. A10
.015–.062	¾-15¾	Detroit M1
.015–.095	⅜-23⅛	Carnegie,Pa. S18
.015–.125	over ½-under 24	Butler,Pa. A10
.020–.187	⅞-12	Harrison,N.J. C18
.020–.187	⅞-23⅛	Midland,Pa. C18
.020–.1875	⅝	ProspectPark,Pa. A5
.025–.040	⅝-1½	ProspectPark,Pa. A5
.025–.062	⅝-1	ProspectPark,Pa. A5
over .035–.100	½-16½	Farrell,Pa. S3
.151–.1875	over ¾-23⅛	Cleveland A7

Type 304L

.001–.015	¼-16	Butler,Pa. A10
.001–.037	1/32 exactly	Butler,Pa. A10
.001–.037	1/16 exactly	Butler,Pa. A10
.003–.006	⅜-5	Carnegie,Pa. S18
.004–.008	6 max.	Bridgeville,Pa. U4
.007–.014	⅞-14	Carnegie,Pa. S18
.009–.012	12 max.	Bridgeville,Pa. U4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.062	¼-½	Butler,Pa. A10
.015–.062	¾-15¾	Detroit M1
.015–.095	⅜-23⅛	Carnegie,Pa. S18
.015–.125	over ½-under 24	Butler,Pa. A10
.020–.187	⅞-12	Harrison,N.J. C18
.020–.187	⅞-23⅛	Midland,Pa. C18
.020–.1875	⅝	ProspectPark,Pa. A5
.025–.040	⅝-1½	ProspectPark,Pa. A5
.025–.062	⅝-1	ProspectPark,Pa. A5
over .035–.100	½-16½	Farrell,Pa. S3
.151–.1875	over ¾-23⅛	Cleveland A7

Thickness (inches)	Widths Min. Max. (inches)	Mill Point, Producer
.015–.095	⅜-23⅛	Carnegie,Pa. S18
.015–.125	over ½-under 24	Butler,Pa. A10

Type 305

.001–.015	¼-16	Butler,Pa. A10
.001–.035	⅞-7¾	Youngstown C8
.001–.037	1/32 exactly	Butler,Pa. A10
.001–.037	1/16 exactly	Butler,Pa. A10
.002–.085	¼-25	Wallingford,Conn. W2
.003–.009	⅛-3	Cleveland A7
.004–.008	6 max.	Bridgeville,Pa. U4
.004–.009	over 3-5	Cleveland A7
.005–.009	over 5-6	Cleveland A7
.005–.016	⅞-under ¼	W.Leechburg,Pa. A4
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.006–.009	over 6-10	Cleveland A7
.007–.009	over 10-12	Cleveland A7
.008–.009	over 12-16	Cleveland A7
.009–.010	over 16-23⅛	Cleveland A7
.009–.012	12 max.	Bridgeville,Pa. U4
.010–.015	⅝-12	Farrell,Pa. S3
.010–.016	⅞-23⅛	Cleveland A7
.010–.030	¼-23⅛	Cleveland A7
.010–.109	over ⅝-23⅛	Cleveland A7
.010–.125	⅝-6	Pawtucket,R.I. N8
.010–.125	over ½-23⅛	Cleveland A7
.010–.150	over ⅝-23⅛	Cleveland A7
.010–.187	⅞-10	Reading,Pa. C4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.035	⅜-16½	Farrell,Pa. S3
.015–.062	¼-½	Butler,Pa. A10
.015–.062	¾-15¾	Detroit M1
.015–.095	⅜-23⅛	Carnegie,Pa. S18
.015–.125	over ½-under 24	Butler,Pa. A10
.020–.187	⅞-12	Harrison,N.J. C18
.020–.187	⅞-23⅛	Midland,Pa. C18
over .035–.100	½-16½	Farrell,Pa. S3
.151–.1875	over ¾-23⅛	Cleveland A7

Type 308

.004–.008	6 max.	Bridgeville,Pa. U4
.005–.016	⅞-under ¼	ProspectPark,Pa. A5
.005–.016	⅞-under ¼	W.Leechburg,Pa. A4
.005–.020	¼-⅜	ProspectPark,Pa. A5
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.009–.012	12 max.	Bridgeville,Pa. U4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.062	¾-15¾	Detroit M1
.020–.1875	⅜	ProspectPark,Pa. A5

Type 309

.001–.015	¼-16	Butler,Pa. A10
.001–.037	1/32 exactly	Butler,Pa. A10
.001–.037	1/16 exactly	Butler,Pa. A10
.003–.006	⅜-5	Carnegie,Pa. S18
.003–.009	⅛-3	Cleveland A7
.004–.008	6 max.	Bridgeville,Pa. U4
.004–.009	over 3-5	Cleveland A7
.005–.009	over 5-6	Cleveland A7
.005–.016	⅞-under ¼	ProspectPk.,Pa. A5
.005–.016	⅞-under ¼	W.Leechburg,Pa. A4
.005–.020	¼-⅜	ProspectPark,Pa. A5
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.006–.009	over 6-10	Cleveland A7
.007–.009	over 10-12	Cleveland A7
.007–.014	⅞-14	Carnegie,Pa. S18
.008–.009	over 12-16	Cleveland A7
.009–.010	over 16-23⅛	Cleveland A7
.009–.012	12 max.	Bridgeville,Pa. U4
.010–.016	⅞-23⅛	Cleveland A7
.010–.030	¼-23⅛	Cleveland A7
.010–.109	over ⅝-23⅛	Cleveland A7
.010–.125	over ½-23⅛	Cleveland A7
.010–.150	over ⅝-23⅛	Cleveland A7
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.062	¼-½	Butler,Pa. A10
.015–.062	¾-15¾	Detroit M1
.015–.095	⅜-23⅛	Carnegie,Pa. S18
.015–.125	over ½-under 24	Butler,Pa. A10
.020–.1875	⅜	ProspectPark,Pa. A5
.151–.1875	over ¾-23⅛	Cleveland A7

Type 309S

.003–.006	⅜-5	Carnegie,Pa. S18
.003–.009	⅛-3	Cleveland A7
.004–.008	6 max.	Bridgeville,Pa. U4
.004–.009	over 3-5	Cleveland A7
.005–.009	over 5-6	Cleveland A7
.005–.016	⅞-under ¼	W.Leechburg,Pa. A4
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.006–.009	over 6-10	Cleveland A7
.007–.009	over 10-12	Cleveland A7
.007–.014	⅞-14	Carnegie,Pa. S18
.008–.009	over 12-16	Cleveland A7
.009–.010	over 16-23⅛	Cleveland A7
.009–.012	12 max.	Bridgeville,Pa. U4
.010–.016	⅞-23⅛	Cleveland A7
.010–.030	¼-23⅛	Cleveland A7
.010–.109	over ⅝-23⅛	Cleveland A7

Thickness (inches)	Widths Min. Max. (inches)	Mill Point, Producer
.010–.125	over ½-23⅛	Cleveland A7
.010–.150	over ⅝-23⅛	Cleveland A7
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.062	¾-15¾	Detroit M1
.015–.095	⅜-23⅛	Carnegie,Pa. S18
.151–.1875	over ¾-23⅛	Cleveland A7

Type 310

.003–.006	⅜-5	Carnegie,Pa. S18
.003–.009	⅛-3	Cleveland A7
.004–.008	6 max.	Bridgeville,Pa. U4
.004–.009	over 3-5	Cleveland A7
.005–.009	over 5-6	Cleveland A7
.005–.016	⅞-under ¼	ProspectPk.,Pa. A5
.005–.016	⅞-under ¼	W.Leechburg,Pa. A4
.005–.020	¼-⅜	ProspectPark,Pa. A5
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.006–.009	over 6-10	Cleveland A7
.007–.009	over 10-12	Cleveland A7
.007–.014	⅞-14	Carnegie,Pa. S18
.008–.009	over 12-16	Cleveland A7
.009–.010	over 16-23⅛	Cleveland A7
.009–.012	12 max.	Bridgeville,Pa. U4
.010–.015	⅝-12	Farrell,Pa. S3
.010–.016	⅞-23⅛	Cleveland A7
.010–.030	¼-23⅛	Cleveland A7
.010–.109	over ⅝-23⅛	Cleveland A7
.010–.125	over ½-23⅛	Cleveland A7
.010–.150	over ⅝-23⅛	Cleveland A7
.010–.187	⅞-10	Reading,Pa. C4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.035	⅜-14	Farrell,Pa. S3
.015–.062	¼-½	Butler,Pa. A10
.015–.062	¾-14	Detroit M1
.015–.095	⅜-23⅛	Carnegie,Pa. S18
.015–.125	over ½-under 24	Butler,Pa. A10
.020–.187	⅞-12	Harrison,N.J. C18
.020–.187	⅞-23⅛	Midland,Pa. C18
.020–.1875	⅝	ProspectPark,Pa. A5
over .035–.100	½-14	Farrell,Pa. S3
.151–.1875	over ¾-23⅛	Cleveland A7

Type 316L

.001–.015	¼-16	Butler,Pa. A10
.001–.037	1/32 exactly	Butler,Pa. A10
.001–.037	1/16 exactly	Butler,Pa. A10
.004–.008	6 max.	Bridgeville,Pa. U4
.009–.012	12 max.	Bridgeville,Pa. U4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.062	¼-½	Butler,Pa. A10

STRIP

(Code number following mill point indicates producing company, key on page 2)

Cold-Rolled, Coil Stock

Thickness (inches)	Widths Min. Max. (inches)	Mill Point, Producer
.015–.062	¾-15¾	Detroit M1
.015–.125	over ½-under 24	Butler,Pa. A10
Type 317		
.001–.035	1/16-7¾	Youngstown C8
.002–.085	¼-25	Wallingford,Conn. W2
.004–.008	**6 max.**	**Bridgeville,Pa. U4**
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.009–.012	**12 max.**	**Bridgeville,Pa. U4**
.010–.187	1/16-10	Reading,Pa. C4
.013–.125	**17 max.**	**Bridgeville,Pa. U4**
.015–.062	¾-15¾	Detroit M1
Type 318		
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
Type 321		
.001–.015	¼-16	Butler,Pa. A10
.001–.037	1/16 exactly	Butler,Pa. A10
.001–.037	1/16 exactly	Butler,Pa. A10
.002–.085	¼-25	Wallingford,Conn. W2
.003–.006	1/16-5	Carnegie,Pa. S18
.003–.009	1/16-3	Cleveland A7
.004–.008	6 max.	Bridgeville,Pa. U4
.004–.009	over 3-5	Cleveland A7
.005–.009	over 5–6	Cleveland A7
.005–.016	1/16-under ¼	ProspectPk.,Pa. A5
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.020	¼-⅜	Prospect Park,Pa. A5
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.078		Washington,Pa. W4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.006–.009	over 6-10	Cleveland A7
.007–.009	over 10-12	Cleveland A7
.007–.014	1/16-14	Carnegie,Pa. S18
.008–.009	over 12-16	Cleveland A7
.009–.010	over 16-23½	Cleveland A7
.009–.012	12 max.	Bridgeville,Pa. U4
.010–.015	⅜-12	Farrell,Pa. S3
.010–.016	1/16-23½	Cleveland A7
.010–.030	¼-23½	Cleveland A7
.010–.109	over ⅝-23½	Cleveland A7
.010–.125	over ½-23½	Cleveland A7
.010–.150	over ⅝-23½	Cleveland A7
.010–.187	1/16-10	Reading,Pa. C4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.035	⅝-16½	Farrell,Pa. S3
.015–.062	¼-½	Butler,Pa. A10
.015–.062	¾-15¾	**Detroit M1**
.015–.095	⅜-23½	Carnegie,Pa. S18
.015–.125	over ¼-under 24	Butler,Pa. A10
.020–.187	1/16-12	Harrison,N.J. C18
.020–.187	1/16-23½	Midland,Pa. C18
.020–.1875	⅜	ProspectPark,Pa. A5
over .035–.100	½-16½	Farrell,Pa. S3
.151–.1875	over ¾-23½	Cleveland A7
Type 329		
.010–.178	1/16-10	Reading,Pa. C4
Type 330		
.005–.016	1/16-under ¼	ProspectPk.,Pa. A5
.005–.020	¼-⅜	ProspectPark,Pa. A5
.020–.1875	⅜	ProspectPark,Pa. A5
Type 347		
.001–.015	¼-16	Butler,Pa. A10
.001–.035	1/16-7¾	Youngstown C8
.001–.037	1/16 exactly	Butler,Pa. A10
.001–.037	1/16 exactly	Butler,Pa. A10
.002–.085	¼-25	Wallingford,Conn. W2
.003–.006	1/16-5	Carnegie,Pa. S18
.003–.009	1/16-3	Cleveland A7
.004–.008	6 max.	Bridgeville,Pa. U4
.004–.009	over 3-5	Cleveland A7
.005–.009	over 5–6	Cleveland A7
.005–.016	1/16-under ¼	ProspectPk.,Pa. A5
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.020	¼-⅜	ProspectPark,Pa. A5
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.078		Washington,Pa. W4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.006–.009	over 6-10	Cleveland A7
.007–.009	over 10-12	Cleveland A7
.007–.014	1/16-14	Carnegie,Pa. S18
.008–.009	over 12-16	Cleveland A7
.009–.010	over 16-23½	Cleveland A7
.009–.012	12 max.	Bridgeville,Pa. U4
.010–.015	⅜-12	Farrell,Pa. S3
.010–.016	1/16-23½	Cleveland A7
.010–.030	¼-23½	Cleveland A7
.010–.109	over ⅝-23½	Cleveland A7
.010–.125	over ½-23½	Cleveland A7
.010–.150	over ⅝-23½	Cleveland A7
.010–.187	1/16-10	Reading,Pa. C4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.035	⅝-16½	Farrell,Pa. S3
.015–.062	¼-½	Butler,Pa. A10
.015–.062	¾-15¾	Detroit M1
.015–.095	⅜-23½	Carnegie,Pa. S18
.015–.125	over ½-under 24	Butler,Pa. A10
.020–.187	1/16-12	Harrison,N.J. C18
.020–.187	1/16-23½	Midland,Pa. C18
.020–.1875	⅜	ProspectPark,Pa. A5
over .035–.100	½-16½	Farrell,Pa. S3
.151–.1875	over ¾-23½	Cleveland A7

Thickness (inches)	Widths Min. Max. (inches)	Mill Point, Producer
.015–.062	¼-½	Butler,Pa. A10
.015–.062	¾-14	Detroit M1
.015–.095	⅜-23½	Carnegie,Pa. S18
.015–.125	over ½-under 24	Butler,Pa. A10
.020–.187	1/16-12	Harrison,N.J. C18
.020–.187	1/16-23½	Midland,Pa. C18
.020–.1875	⅜	ProspectPark,Pa. A5
over .035–.100	½-16½	Farrell,Pa. S3
.151–.1875	over ¾-23½	Cleveland A7
Type 403		
.004–.008	**6 max.**	**Bridgeville,Pa. U4**
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.009–.012	**12 max.**	**Bridgeville,Pa. U4**
.010–.187	1/16-10	Reading,Pa. C4
.013–.125	**17 max.**	**Bridgeville,Pa. U4**
.015–.062	¾-15¾	Detroit M1
Type 405		
.004–.008	**6 max.**	**Bridgeville,Pa. U4**
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.009–.012	12 max.	Bridgeville,Pa. U4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.062	¾-15¾	Detroit M1
Type 410		
.001–.015	¼-16	Butler,Pa. A10
.001–.037	1/16 exactly	Butler,Pa. A10
.001–.037	1/16 exactly	Butler,Pa. A10
.001–.042	1/16-7¾	Youngstown C8
.002–.085	¼-25	Wallingford,Conn. W2
.003–.006	1/16-5	Carnegie,Pa. S18
.003–.009	1/16-3	Cleveland A7
.004–.008	**6 max.**	**Bridgeville,Pa. U4**
.004–.009	over 3-5	Cleveland A7
.005–.009	over 5–6	Cleveland A7
.005–.016	1/16-under ¼	ProspectPk.,Pa. A5
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.020	¼-⅜	ProspectPark,Pa. A5
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.006–.009	over 6-10	Cleveland A7
.007–.009	over 10-12	Cleveland A7
.007–.014	1/16-14	Carnegie,Pa. S18
.008–.009	over 12-16	Cleveland A7
.008–.035	⅜-16½	Farrell,Pa. S3
.009–.010	over 16-23½	Cleveland A7
.009–.012	**12 max.**	**Bridgeville,Pa. U4**
.010–.016	1/16-23½	Cleveland A7
.010–.030	¼-23½	Cleveland A7
.010–.109	over ⅝-23½	Cleveland A7
.010–.125	over ½-23½	Cleveland A7
.010–.150	over ⅝-23½	Cleveland A7
.010–.187	1/16-10	Reading,Pa. C4
.013–.125	**17 max.**	**Bridgeville,Pa. U4**
.015–.062	¼-½	Butler,Pa. A10
.015–.062	¾-14	Detroit M1
.015–.095	⅜-23½	Carnegie,Pa. S18
.015–.125	over ½-under 24	Butler,Pa. A10
.020–.187	1/16-12	Harrison,N.J. C18
.020–.187	1/16-23½	Midland,Pa. C18
.020–.1875	⅜	ProspectPark,Pa. A5
over .035–.100	½-16½	Farrell,Pa. S3
.151–.1875	over ¾-23½	Cleveland A7
Type 414		
.002–.085	¼-25	Wallingford,Conn. W2
.004–.008	**6 max.**	**Bridgeville,Pa. U4**
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.009–.012	**12 max.**	**Bridgeville,Pa. U4**
.010–.187	1/16-10	Reading,Pa. C4
.013–.125	**17 max.**	**Bridgeville,Pa. U4**
.015–.062	¾-15¾	Detroit M1
Type 416		
.004–.008	**6 max.**	**Bridgeville,Pa. U4**
.005–.016	1/16-under ¼	ProspectPk.,Pa. A5
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.020	¼-⅜	ProspectPark,Pa. A5
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.009–.012	**12 max.**	**Bridgeville,Pa. U4**
.013–.125	**17 max.**	**Bridgeville,Pa. U4**
.015–.062	¾-14	Detroit M1
.020–.1875	⅜	ProspectPark,Pa. A5
Type 420		
.003–.006	1/16-5	Carnegie,Pa. S18
.003–.009	1/16-3	Cleveland A7
.004–.008	**6 max.**	**Bridgeville,Pa. U4**
.004–.009	over 3-5	Cleveland A7
.005–.009	over 5–6	Cleveland A7
.005–.016	1/16-under ¼	ProspectPk.,Pa. A5
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4

Thickness (inches)	Widths Min. Max. (inches)	Mill Point, Producer
.005–.020	¼-⅜	ProspectPark,Pa. A5
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.006–.009	over 6-10	Cleveland A7
.007–.009	over 10-12	Cleveland A7
.007–.014	1/16-14	Carnegie,Pa. S18
.008–.009	over 12-16	Cleveland A7
.009–.010	over 16-23½	Cleveland A7
.009–.012	**12 max.**	**Bridgeville,Pa. U4**
.010–.016	1/16-23½	Cleveland A7
.010–.030	¼-23½	Cleveland A7
.010–.109	over ⅝-23½	Cleveland A7
.010–.125	over ½-23½	Cleveland A7
.010–.150	over ⅝-23½	Cleveland A7
.010–.187	1/16-10	Reading,Pa. C4
.013–.125	**17 max.**	**Bridgeville,Pa. U4**
.015–.062	¼-½	Butler,Pa. A10
.015–.062	¾-15¾	Detroit M1
.015–.095	⅜-23½	Carnegie,Pa. S18
.015–.125	over ½-under 24	Butler,Pa. A10
.020–.187	1/16-12	Harrison,N.J. C18
.020–.187	1/16-23½	Midland,Pa. C18
.020–.1875	⅜	ProspectPark,Pa. A5
over .035–.100	½-16½	Farrell,Pa. S3
.151–.1875	over ¾-23½	Cleveland A7
Type 430		
.001–.015	1/16-7¾	Youngstown C8
.001–.015	¼-16	Butler,Pa. A10
.001–.037	1/16 exactly	Butler,Pa. A10
.001–.037	1/16 exactly	Butler,Pa. A10
.002–.085	¼-25	Wallingford,Conn. W2
.003–.006	1/16-5	Carnegie,Pa. S18
.003–.009	1/16-3	Cleveland A7
.004–.008	**6 max.**	**Bridgeville,Pa. U4**
.004–.009	over 3-5	Cleveland A7
.005–.009	over 5–6	Cleveland A7
.005–.016	1/16-under ¼	ProspectPk.,Pa. A5
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.020	¼-⅜	ProspectPark,Pa. A5
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.006–.009	over 6-10	Cleveland A7
.007–.009	over 10-12	Cleveland A7
.007–.014	1/16-14	Carnegie,Pa. S18
.008–.009	over 12-16	Cleveland A7
.008–.035	⅜-17½	Farrell,Pa. S3
.009–.010	over 16-23½	Cleveland A7
.009–.012	**12 max.**	**Bridgeville,Pa. U4**
.010–.016	1/16-23½	Cleveland A7
.010–.030	¼-23½	Cleveland A7
.010–.109	over ⅝-23½	Cleveland A7
.010–.125	⅜-6	Pawtucket,R.I. N8
.010–.125	over ½-23½	Cleveland A7
.010–.150	over ⅝-23½	Cleveland A7
.010–.187	1/16-10	Reading,Pa. C4
.013–.125	**17 max.**	**Bridgeville,Pa. U4**
.015–.062	¼-½	Butler,Pa. A10
.015–.062	¾-15¾	Detroit M1
.015–.095	⅜-23½	Carnegie,Pa. S18
.015–.125	over ½-under 24	Butler,Pa. A10
.020–.187	1/16-12	Harrison,N.J. C18
.020–.187	1/16-23½	Midland,Pa. C18
.020–.1875	⅜	ProspectPark,Pa. A5
over .035–.100	½-17½	Farrell,Pa. S3
.085–.135	¼-8	Wallingford,Conn. W2
.151–.1875	over ¾-23½	Cleveland A7
Type 430F		
.004–.008	**6 max.**	**Bridgeville,Pa. U4**
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	**⅜-under 24**	**W.Leechburg,Pa. A4**
.009–.012	12 max.	Bridgeville,Pa. U4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.062	¾-15¾	Detroit M1
Type 430Ti		
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.008–.035	⅜-17½	Farrell,Pa. S3
over .035–.100	½-17½	Farrell,Pa. S3
Type 431		
.004–.008	**6 max.**	**Bridgeville,Pa. U4**
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.009–.012	**12 max.**	**Bridgeville,Pa. U4**
.013–.125	**17 max.**	**Bridgeville,Pa. U4**
.015–.062	¾-15¾	Detroit M1
Type 434		
.005–.016	1/16-under ¼	ProspectPk.,Pa. A5
.005–.020	¼-⅜	ProspectPark,Pa. A5
.020–.1875	⅜	ProspectPark,Pa. A5
Type 440A		
.003–.006	1/16-5	Carnegie,Pa. S18
.004–.008	**6 max.**	**Bridgeville,Pa. U4**
.005–.016	1/16-under ¼	W.Leechburg,Pa. A4
.005–.030	¼-under ⅜	W.Leechburg,Pa. A4
.005–.1875	⅜-under 24	W.Leechburg,Pa. A4
.007–.014	1/16-14	Carnegie,Pa. S18
.009–.012	**12 max.**	**Bridgeville,Pa. U4**

STRIP

(Code number following mill point indicates producing company, key on page 2)

Cold-Rolled, Coil Stock

Thickness (inches)	Widths Min. Max. (inches)	Mill Point, Producer
.010–.187	$\frac{3}{16}$–10	Reading,Pa. C4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.062	$\frac{3}{4}$–15$\frac{3}{4}$	Detroit M1
.015–.095	$\frac{3}{8}$–23$\frac{1}{8}$	Carnegie,Pa. S18
.042–.095	$\frac{1}{2}$–14	Farrell,Pa. S3
Type 440B		
.003–.006	$\frac{3}{16}$–5	Carnegie,Pa. S18
.004–.008	6 max.	Bridgeville,Pa. U4
.005–.016	$\frac{3}{16}$–under $\frac{1}{4}$	W.Leechburg,Pa. A4
.005–.030	$\frac{1}{4}$–under $\frac{3}{8}$	W.Leechburg,Pa. A4
.005–.1875	$\frac{3}{8}$–under 24	W.Leechburg,Pa. A4
.007–.014	$\frac{3}{16}$–14	Carnegie,Pa. S18
.009–.012	12 max.	Bridgeville,Pa. U4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.062	$\frac{3}{4}$–15$\frac{3}{4}$	Detroit M1
.015–.095	$\frac{3}{8}$–23$\frac{1}{8}$	Carnegie,Pa. S18
.060–.095	$\frac{1}{2}$–14	Farrell,Pa. S3

Thickness (inches)	Widths Min. Max. (inches)	Mill Point, Producer
Type 440C		
.004–.008	6 max.	Bridgeville,Pa. U4
.005–.016	$\frac{3}{16}$–under $\frac{1}{4}$	W.Leechburg,Pa. A4
.005–.030	$\frac{1}{4}$–under $\frac{3}{8}$	W.Leechburg,Pa. A4
.005–.1875	$\frac{3}{8}$–under 24	W.Leechburg,Pa. A4
.009–.012	12 max.	Bridgeville,Pa. U4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.062	$\frac{3}{4}$–15$\frac{3}{4}$	Detroit M1
Type 442		
.002–.085	$\frac{1}{16}$–25	Wallingford,Conn. W2
.005–.016	$\frac{3}{16}$–under $\frac{1}{4}$	ProspectPk.,Pa. A5
.005–.016	$\frac{3}{16}$–under $\frac{1}{4}$	W.Leechburg,Pa. A4
.005–.020	$\frac{1}{4}$–$\frac{3}{8}$	ProspectPark,Pa. A5
.005–.030	$\frac{1}{4}$–under $\frac{3}{8}$	W.Leechburg,Pa. A4
.005–.1875	$\frac{3}{8}$–under 24	W.Leechburg,Pa. A4
.020–.1875	$\frac{3}{8}$	ProspectPark,Pa. A5

Thickness (inches)	Widths Min. Max. (inches)	Mill Point, Producer
Type 443		
.010–.187	$\frac{3}{16}$–10	Reading,Pa. C4
Type 446		
.003–.006	$\frac{3}{16}$–5	Carnegie,Pa. S18
.004–.008	6 max.	Bridgeville,Pa. U4
.005–.016	$\frac{3}{16}$–under $\frac{1}{4}$	ProspectPk.,Pa. A5
.005–.016	$\frac{3}{16}$–under $\frac{1}{4}$	W.Leechburg,Pa. A4
.005–.020	$\frac{1}{4}$–$\frac{3}{8}$	ProspectPark,Pa. A5
.005–.030	$\frac{1}{4}$–under $\frac{3}{8}$	W.Leechburg,Pa. A4
.005–.1875	$\frac{3}{8}$–under 24	W.Leechburg,Pa. A4
.007–.014	$\frac{3}{16}$–14	Carnegie,Pa. S18
.009–.012	12 max.	Bridgeville,Pa. U4
.013–.125	17 max.	Bridgeville,Pa. U4
.015–.062	$\frac{3}{4}$–15$\frac{3}{4}$	Detroit M1
.015–.095	$\frac{3}{8}$–23$\frac{1}{8}$	Carnegie,Pa. S18
.020–.1875	$\frac{3}{8}$	ProspectPark,Pa. A5

Cold-Rolled, Cut Lengths

Thickness (inches)	Widths Min.-Max. (inches)	Max. Length (inches)	Mill Point, Producer
Any Type			
.004–.016	$\frac{3}{16}$–$\frac{1}{4}$	192	Massillon,O. R2
.004–.030	$\frac{1}{4}$–$\frac{3}{8}$	192	Massillon,O. R2
.004–.1875	$\frac{3}{8}$–1$\frac{1}{2}$	192	Massillon,O. R2
.005–.1875	1$\frac{1}{2}$–24	192	Massillon,O. R2
Type 301			
.005–.078	Check with mill for widths	240	Washington,Pa. W4
.010–.015	$\frac{3}{8}$–12	any	Farrell,Pa. S3
.010–.016	$\frac{3}{16}$–under $\frac{1}{4}$	any	W.Leechburg,Pa. A4
.010–.030	$\frac{1}{4}$–under $\frac{3}{8}$	any	W.Leechburg,Pa. A4
.010–.030	$\frac{1}{4}$–23$\frac{1}{16}$	264	Cleveland A7
.010–.085	$\frac{1}{4}$–25	144	Wallingford,Conn. W2
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.109	over $\frac{3}{8}$–23$\frac{1}{16}$	264	Cleveland A7
.010–.125	over $\frac{1}{2}$–23$\frac{1}{16}$	264	Cleveland A7
.010–.150	over $\frac{5}{8}$–23$\frac{1}{16}$	264	Cleveland A7
.010–.1875	$\frac{3}{8}$–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.024	1–under 24	164	Butler,Pa. A10
.015–.035	$\frac{3}{8}$–16$\frac{1}{2}$	any	Farrell,Pa. S3
.015–.037	$\frac{1}{8}$ exactly	120	Butler,Pa. A10
.015–.037	$\frac{7}{16}$ exactly	120	Butler,Pa. A10
.015–.062	$\frac{1}{4}$–under $\frac{1}{2}$	120	Butler,Pa. A10
.015–.062	.5–15$\frac{3}{4}$	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.025–.062	$\frac{1}{2}$–under 1	144	Butler,Pa. A10
.025–.125	1–under 24	192	Butler,Pa. A10
over .035–.100	$\frac{1}{2}$–16$\frac{1}{2}$	any	Farrell,Pa. S3
.085–.135	$\frac{1}{4}$–8	144	Wallingford,Conn. W2
.151–.1875	over $\frac{3}{8}$–23$\frac{1}{16}$	264	Cleveland A7
Type 302			
.005–.078	Check with mill for widths	240	Washington,Pa. W4
.010–.015	$\frac{3}{8}$–12	any	Farrell,Pa. S3
.010–.016	$\frac{3}{16}$–under $\frac{1}{4}$	any	W.Leechburg,Pa. A4
.010–.030	$\frac{1}{4}$–under $\frac{3}{8}$	any	W.Leechburg,Pa. A4
.010–.030	$\frac{1}{4}$–23$\frac{1}{16}$	264	Cleveland A7
.010–.085	$\frac{1}{4}$–25	144	Wallingford,Conn. W2
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.109	over $\frac{3}{8}$–23$\frac{1}{16}$	264	Cleveland A7
.010–.125	over $\frac{1}{2}$–23$\frac{1}{16}$	264	Cleveland A7
.010–.150	over $\frac{5}{8}$–23$\frac{1}{16}$	264	Cleveland A7
.010–.187	$\frac{3}{16}$–10	180	Reading,Pa. C4
.010–.1875	$\frac{3}{8}$–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	$\frac{1}{4}$–$\frac{3}{8}$	144	ProspectPark,Pa. A5
.015–.024	1–under 24	164	Butler,Pa. A10
.015–.035	$\frac{3}{8}$–16$\frac{1}{2}$	any	Farrell,Pa. S3
.015–.037	$\frac{1}{8}$ exactly	120	Butler,Pa. A10
.015–.037	$\frac{7}{16}$ exactly	120	Butler,Pa. A10
.015–.062	$\frac{1}{4}$–under $\frac{1}{2}$	120	Butler,Pa. A10
.015–.062	.5–15$\frac{3}{4}$	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.020–.187	$\frac{3}{16}$–12	200	Harrison,N.J. C18
.020–.187	$\frac{3}{16}$–23$\frac{1}{16}$	200	Midland,Pa. C18
.020–.1875	$\frac{3}{8}$	144	ProspectPark,Pa. A5
.025–.040	$\frac{3}{8}$–1$\frac{1}{2}$	144	ProspectPark,Pa. A5
.025–.062	$\frac{3}{8}$–1	144	ProspectPark,Pa. A5
.025–.062	$\frac{1}{2}$–under 1	144	Butler,Pa. A10
.025–.125	1–under 24	192	Butler,Pa. A10
over .035–.100	$\frac{1}{2}$–16$\frac{1}{2}$	any	Farrell,Pa. S3
.085–.135	$\frac{1}{4}$–8	144	Wallingford,Conn. W2
.151–.1875	over $\frac{3}{8}$–23$\frac{1}{16}$	264	Cleveland A7

Thickness (inches)	Widths Min.-Max. (inches)	Max. Length (inches)	Mill Point, Producer
Type 302B			
.010–.016	$\frac{3}{16}$–under $\frac{1}{4}$	any	W.Leechburg,Pa. A4
.010–.030	$\frac{1}{4}$–under $\frac{3}{8}$	any	W.Leechburg,Pa. A4
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.1875	$\frac{3}{8}$–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.062	.5–15$\frac{3}{4}$	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
Type 303			
.010–.016	$\frac{3}{16}$–under $\frac{1}{4}$	any	W.Leechburg,Pa. A4
.010–.030	$\frac{1}{4}$–under $\frac{3}{8}$	any	W.Leechburg,Pa. A4
.010–.1875	$\frac{3}{8}$–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	$\frac{1}{4}$–$\frac{3}{8}$	144	ProspectPark,Pa. A5
.015–.062	.5–15$\frac{3}{4}$	96	Detroit M1
.020–.1875	$\frac{3}{8}$	144	ProspectPark,Pa. A5
Type 304			
.005–.078	Check with mill for widths	240	Washington,Pa. W4
.010–.015	$\frac{3}{8}$–12	any	Farrell,Pa. S3
.010–.016	$\frac{3}{16}$–under $\frac{1}{4}$	any	W.Leechburg,Pa. A4
.010–.030	$\frac{1}{4}$–under $\frac{3}{8}$	any	W.Leechburg,Pa. A4
.010–.030	$\frac{1}{4}$–23$\frac{1}{16}$	264	Cleveland A7
.010–.085	$\frac{1}{4}$–25	144	Wallingford,Conn. W2
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.109	over $\frac{3}{8}$–23$\frac{1}{16}$	264	Cleveland A7
.010–.125	over $\frac{1}{2}$–23$\frac{1}{16}$	264	Cleveland A7
.010–.150	over $\frac{5}{8}$–23$\frac{1}{16}$	264	Cleveland A7
.010–.187	$\frac{3}{16}$–10	180	Reading,Pa. C4
.010–.1875	$\frac{3}{8}$–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	$\frac{1}{4}$–$\frac{3}{8}$	144	ProspectPark,Pa. A5
.015–.024	1–under 24	164	Butler,Pa. A10
.015–.035	$\frac{3}{8}$–16$\frac{1}{2}$	any	Farrell,Pa. S3
.015–.037	$\frac{1}{8}$ exactly	120	Butler,Pa. A10
.015–.037	$\frac{7}{16}$ exactly	120	Butler,Pa. A10
.015–.062	$\frac{1}{4}$–under $\frac{1}{2}$	120	Butler,Pa. A10
.015–.062	.5–15$\frac{3}{4}$	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.020–.187	$\frac{3}{16}$–12	200	Harrison,N.J. C18
.020–.187	$\frac{3}{16}$–23$\frac{1}{16}$	200	Midland,Pa. C18
.020–.1875	$\frac{3}{8}$	144	ProspectPark,Pa. A5
.025–.040	$\frac{3}{8}$–1$\frac{1}{2}$	144	ProspectPark,Pa. A5
.025–.062	$\frac{3}{8}$–1	144	ProspectPark,Pa. A5
.025–.062	$\frac{1}{2}$–under 1	144	Butler,Pa. A10
.025–.125	1–under 24	192	Butler,Pa. A10
over .035–.100	$\frac{1}{2}$–16$\frac{1}{2}$	any	Farrell,Pa. S3
.151–.1875	over $\frac{3}{8}$–23$\frac{1}{16}$	264	Cleveland A7
Type 304L			
.010–.095	2–6	144	Carnegie,Pa. S18
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.024	1–under 24	164	Butler,Pa. A10
.015–.037	$\frac{1}{8}$ exactly	120	Butler,Pa. A10
.015–.037	$\frac{7}{16}$ exactly	120	Butler,Pa. A10
.015–.062	$\frac{1}{4}$–under $\frac{1}{2}$	120	Butler,Pa. A10
.015–.062	.5–15$\frac{3}{4}$	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.025–.062	$\frac{1}{2}$–under 1	144	Butler,Pa. A10
.025–.125	1–under 24	192	Butler,Pa. A10
Type 305			
.010–.015	$\frac{3}{8}$–12	any	Farrell,Pa. S3
.010–.016	$\frac{3}{16}$–under $\frac{1}{4}$	any	W.Leechburg,Pa. A4
.010–.030	$\frac{1}{4}$–under $\frac{3}{8}$	any	W.Leechburg,Pa. A4
.010–.030	$\frac{1}{4}$–23$\frac{1}{16}$	264	Cleveland A7
.010–.085	$\frac{1}{4}$–25	144	Wallingford,Conn. W2
.010–.109	over $\frac{3}{8}$–23$\frac{1}{16}$	264	Cleveland A7

STRIP

(Code number following mill point indicates producing company, key on page 2)

Cold-Rolled, Cut Lengths

Thickness (inches)	Widths Min.-Max. (inches)	Max. Length (inches)	Mill Point, Producer
.010–.125	⅜–6	144	Pawtucket,R.I. N8
.010–.125	over ½–23⅛	264	Cleveland A7
.010–.150	over ⅝–23⅛	264	Cleveland A7
.010–.187	⅞–10	180	Reading,Pa. C4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.024	1–under 24	164	Butler,Pa. A10
.015–.035	⅜–16½	any	Farrell,Pa. S3
.015–.037	⅛ exactly	120	Butler,Pa. A10
.015–.037	7/64 exactly	120	Butler,Pa. A10
.015–.062	¼–under ½	120	Butler,Pa. A10
.015–.062	5–15¾	96	Detroit M1
.020–.187	3/16–12	200	Harrison,N.J. C18
.020–.187	3/16–23⅛	200	Midland,Pa. C18
.025–.062	½–under 1	144	Butler,Pa. A10
.025–.125	1–under 24	192	Butler,Pa. A10
over .035–.100	½–16½	any	Farrell,Pa. S3
.151–.1875	over ¾–23⅛	264	Cleveland A7
Type 308			
.010–.016	1/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.015–.062	5–15¾	96	Detroit M1
.020–.1875	⅜	144	ProspectPark,Pa. A5
Type 309			
.010–.016	1/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.030	¼–23⅛	264	Cleveland A7
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.109	over ⅜–23⅛	264	Cleveland A7
.010–.125	over ½–23⅛	264	Cleveland A7
.010–.150	over ⅝–23⅛	264	Cleveland A7
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.015–.024	1–under 24	164	Butler,Pa. A10
.015–.037	⅛ exactly	120	Butler,Pa. A10
.015–.037	7/64 exactly	120	Butler,Pa. A10
.015–.062	¼–under ½	120	Butler,Pa. A10
.015–.062	5–15¾	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.020–.1875	⅜	144	ProspectPark,Pa. A5
.025–.062	½–under 1	144	Butler,Pa. A10
.025–.125	1–under 24	192	Butler,Pa. A10
.151–.1875	over ¾–23⅛	264	Cleveland A7
Type 309S			
.010–.016	1/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.030	¼–23⅛	264	Cleveland A7
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.109	over ⅜–23⅛	264	Cleveland A7
.010–.125	over ½–23⅛	264	Cleveland A7
.010–.150	over ⅝–23⅛	264	Cleveland A7
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.062	5–15¾	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.151–.1875	over ¾–23⅛	264	Cleveland A7
Type 310			
.010–.016	1/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.030	¼–23⅛	264	Cleveland A7
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.109	over ⅜–23⅛	264	Cleveland A7
.010–.125	over ½–23⅛	264	Cleveland A7
.010–.150	over ⅝–23⅛	264	Cleveland A7
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.015–.062	5–15¾	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.020–.1875	⅜	144	ProspectPark,Pa. A5
.151–.1875	over ¾–23⅛	264	Cleveland A7
Type 310S			
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.062	5–15¾	96	Detroit M1
Type 314			
.010–.016	1/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.015–.062	5–15¾	96	Detroit M1
.020–.1875	⅜	144	ProspectPark,Pa. A5
Type 316			
.005–.078	Check with mill for widths	240	Washington,Pa. W4
.010–.015	⅜–12	any	Farrell,Pa. S3
.010–.016	1/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.030	¼–23⅛	264	Cleveland A7
.010–.085	¼–25	144	Wallingford,Conn. W2
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.109	over ⅜–23⅛	264	Cleveland A7
.010–.125	over ½–23⅛	264	Cleveland A7
.010–.150	over ⅝–23⅛	264	Cleveland A7
.010–.187	3/16–10	180	Reading,Pa. C4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.015–.024	1–under 24	164	Butler,Pa. A10
.015–.035	⅜–16½	any	Farrell,Pa. S3
.015–.037	⅛ exactly	120	Butler,Pa. A10
.015–.037	7/64 exactly	120	Butler,Pa. A10
.015–.062	¼–under ½	120	Butler,Pa. A10
.015–.062	5–15¾	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.020–.187	3/16–12	200	Harrison,N.J. C18
.020–.187	3/16–23⅛	200	Midland,Pa. C18
.020–.1875	⅜	144	ProspectPark,Pa. A5
.025–.062	½–under 1	144	Butler,Pa. A10
.025–.125	1–under 24	192	Butler,Pa. A10
over .035–.100	½–14	any	Farrell,Pa. S3
.151–.1875	over ¾–23⅛	264	Cleveland A7
Type 316L			
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.024	1–under 24	164	Butler,Pa. A10
.015–.037	⅛ exactly	120	Butler,Pa. A10
.015–.037	7/64 exactly	120	Butler,Pa. A10
.015–.062	¼–under ½	120	Butler,Pa. A10
.015–.062	5–15¾	96	Detroit M1
.025–.062	½–under 1	144	Butler,Pa. A10
.025–.125	1–under 24	192	Butler,Pa. A10
Type 317			
.010–.016	1/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.085	¼–25	144	Wallingford,Conn. W2
.010–.187	3/16–10	180	Reading,Pa. C4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.062	5–15¾	96	Detroit M1
Type 318			
.010–.016	1/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
Type 321			
.005–.078	Check with mill for widths	240	Washington,Pa. W4
.010–.015	⅜–12	any	Farrell,Pa. S3
.010–.016	1/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.030	¼–23⅛	264	Cleveland A7
.010–.085	¼–25	144	Wallingford,Conn. W2
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.109	over ⅜–23⅛	264	Cleveland A7
.010–.125	over ½–23⅛	264	Cleveland A7
.010–.150	over ⅝–23⅛	264	Cleveland A7
.010–.187	3/16–10	180	Reading,Pa. C4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	¼–⅜	144	Prospect Park,Pa. A5
.015–.024	1–under 24	164	Butler,Pa. A10
.015–.035	⅜–16½	any	Farrell,Pa. S3
.015–.037	⅛ exactly	120	Butler,Pa. A10
.015–.037	7/64 exactly	120	Butler,Pa. A10
.015–.062	¼–under ½	120	Butler,Pa. A10
.015–.062	5–15¾	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.020–.187	3/16–12	200	Harrison,N.J. C18
.020–.187	3/16–23⅛	200	Midland,Pa. C18
.020–.1875	⅜	144	ProspectPark,Pa. A5
.025–.062	½–under 1	144	Butler,Pa. A10
.025–.125	1–under 24	192	Butler,Pa. A10
over .035–.100	½–16½	any	Farrell,Pa. S3
.151–.1875	over ¾–23⅛	264	Cleveland A7
Type 329			
.010–.187	3/16–10	180	Reading,Pa. C4
Type 330			
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.020–.1875	⅜	144	ProspectPark,Pa. A5
Type 347			
.005–.078	Check with mill for widths	240	Washington,Pa. W4
.010–.015	⅜–12	any	Farrell,Pa. S3
.010–.016	1/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.030	¼–23⅛	264	Cleveland A7
.010–.085	¼–25	144	Wallingford,Conn. W2
.010–.095	2–6	144	Carnegie,Pa. S18
.013–.109	over ⅜–23⅛	264	Cleveland A7
.010–.125	over ½–23⅛	264	Cleveland A7
.010–.150	over ⅝–23⅛	264	Cleveland A7
.010–.187	3/16–10	180	Reading,Pa. C4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.015–.024	1–under 24	164	Butler,Pa. A10

(Code number following mill point indicates producing company, key on page 2)

Cold-Rolled, Cut Lengths

Thickness (inches)	Widths Min.-Max. (inches)	Max. Length (inches)	Mill Point, Producer
.015–.035	⅜–16½	any	Farrell,Pa. S3
.015–.037	⅛ exactly	120	Butler,Pa. A10
.015–.037	7/16 exactly	120	Butler,Pa. A10
.015–.062	¼–under ½	120	Butler,Pa. A10
.015–.062	.5–14	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.020–.187	7/16–12	200	Harrison,N.J. C18
.020–.187	7/16–23 1/16	200	Midland,Pa. C18
.020–.1875	⅜	144	ProspectPark,Pa. A5
.025–.062	½–under 1	144	Butler,Pa. A10
.025–.125	1–under 24	192	Butler,Pa. A10
over .035–.100	½–16½	any	Farrell,Pa. S3
.151–.1875	over ¾–23 1/16	264	Cleveland A7
Type 403			
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.187	7/16–10	180	Reading,Pa. C4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.062	.5–15¾	96	Detroit M1
Type 405			
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.062	.5–15¾	96	Detroit M1
Type 410			
.008–.035	⅜–16½	any	Farrell,Pa. S3
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.030	¼–23 1/16	264	Cleveland A7
.010–.085	¼–25	144	Wallingford,Conn. W2
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.109	over ⅜–23 1/16	264	Cleveland A7
.010–.125	⅜–6	144	Pawtucket,R.I. N8
.010–.125	over ½–23 1/16	264	Cleveland A7
.010–.150	over ⅝–23 1/16	264	Cleveland A7
.010–.187	7/16–10	180	Reading,Pa. C4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.015–.024	1–under 24	164	Butler,Pa. A10
.015–.037	⅛ exactly	120	Butler,Pa. A10
.015–.037	7/16 exactly	120	Butler,Pa. A10
.015–.062	¼–under ½	120	Butler,Pa. A10
.015–.062	.5–14	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.020–.187	7/16–12	200	Harrison,N.J. C18
.020–.187	7/16–23 1/16	200	Midland,Pa. C18
.020–.1875	⅜	144	ProspectPark,Pa. A5
.025–.062	½–under 1	144	Butler,Pa. A10
.025–.125	1–under 24	192	Butler,Pa. A10
over .035–.100	½–16½	any	Farrell,Pa. S3
.151–.1875	over ¾–23 1/16	264	Cleveland A7
Type 414			
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.085	¼–25	144	Wallingford,Conn. W2
.010–.187	7/16–10	180	Reading,Pa. C4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.062	.5–15¾	96	Detroit M1
Type 416			
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.015–.062	.5–14	96	Detroit M1
.020–.1875	⅜	144	ProspectPark,Pa. A5
Type 420			
.008–.035	⅜–16½	any	Farrell,Pa. S3
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.030	¼–23 1/16	264	Cleveland A7
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.109	over ⅜–23 1/16	264	Cleveland A7
.010–.125	over ½–23 1/16	264	Cleveland A7
.010–.150	over ⅝–23 1/16	264	Cleveland A7
.010–.187	7/16–10	180	Reading,Pa. C4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.015–.062	.5–15¾	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.020–.1875	⅜	144	ProspectPark,Pa. A5
.025–.040	⅜–1 1/2	144	ProspectPark,Pa. A5
.025–.062	⅜–1	144	ProspectPark,Pa. A5
over .035–.100	½–16½	any	Farrell,Pa. S3
.151–.1875	over ¾–23 1/16	264	Cleveland A7
Type 430			
.008–.035	¾–17½	any	Farrell,Pa. S3
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.030	¼–23 1/16	264	Cleveland A7
.010–.085	¼–25	144	Wallingford,Conn. W2
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.109	over ⅜–23 1/16	264	Cleveland A7
.010–.125	⅜–6	144	Pawtucket,R.I. N8
.010–.125	over ½–23 1/16	264	Cleveland A7
.010–.150	over ⅝–23 1/16	264	Cleveland A7
.010–.187	7/16–10	180	Reading,Pa. C4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.015–.062	.5–15¾	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.020–.1875	⅜	144	ProspectPark,Pa. A5
.025–.062	½–under 1	144	Butler,Pa. A10
.025–.125	1–under 24	192	Butler,Pa. A10
over .035–.100	½–17½	any	Farrell,Pa. S3
.085–.135	¼–8	144	Wallingford,Conn. W2
.151–.1875	over ¾–23 1/16	264	Cleveland A7
Type 430F			
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.019–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.062	.5–15¾	96	Detroit M1
Type 430T1			
.008–.035	¾–17½	any	Farrell,Pa. S3
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
over .035–.100	½–17½	any	Farrell,Pa. S3
Type 431			
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.062	.5–15¾	96	Detroit M1
Type 434			
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.020–.1875	⅜	144	ProspectPark,Pa. A5
Type 440A			
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.187	7/16–10	180	Reading,Pa. C4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.062	.5–15¾	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.042–.095	½–14	any	Farrell,Pa. S3
Type 440B			
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.062	.5–15¾	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.060–.095	½–14	any	Farrell,Pa. S3
Type 440C			
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.062	.5–15¾	96	Detroit M1
Type 442			
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.085	¼–25	144	Wallingford,Conn. W2
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.020–.1875	⅜	144	ProspectPark,Pa. A5
Type 446			
.010–.016	3/16–under ¼	any	W.Leechburg,Pa. A4
.010–.030	¼–under ⅜	any	W.Leechburg,Pa. A4
.010–.095	2–6	144	Carnegie,Pa. S18
.010–.187	7/16–10	180	Reading,Pa. C4
.010–.1875	⅜–under 24	any	W.Leechburg,Pa. A4
.010 up	up to 10	120	Bridgeville,Pa. U4
over .010	up to 17	216	Bridgeville,Pa. U4
.015–.020	¼–⅜	144	ProspectPark,Pa. A5
.015–.062	.5–15¾	96	Detroit M1
.015–.095	over 6–24	144	Carnegie,Pa. S18
.020–.1875	⅜	144	ProspectPark,Pa. A5

BARS

(Code number following mill point indicates producing company, key on page 2)

Hot-Rolled Bars
Available on special inquiry....B2

Flats, Hot-Rolled

Sizes Produced (inches)	Mill Point, Producer
All Types	
⅛–1 x 1½–10	McKeesport,Pa. U5
⅛–2⅞ x ⅜–10	Duquesne,Pa. U5
⅞–1½ x ⅝–6	Gary,Ind. U5
1⅞ and over x ½–10	Munhall,Pa. U5
⅞–2½ x over ½–10	SouthChicago,Ill. U5
½–1 x ⅝–2⅜	Youngstown U5
Type 301	
⅛–⅞ x ¼–4	Pittsburgh C18
⅛–⅞ x ¼–4	Syracuse,N.Y. C18
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ⅜–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
¼–1 x 1–9	Pittsburgh C18
¼–1 x 1–9	Syracuse,N.Y. C18
¼–2 x 2–6	Pittsburgh C18
¼–2 x 2–6	Syracuse,N.Y. C18
⅜–1 x 1–10	Pittsburgh C18
⅜–1 x 1–10	Syracuse,N.Y. C18
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 302	
⅛–⅞ x ¼–4	Pittsburgh C18
⅛–⅞ x ¼–4	Syracuse,N.Y. C18
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ⅜–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ¼–6	Reading,Pa. C4
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
⅛–1 x 1–9	Pittsburgh C18
¼–1 x 1–9	Syracuse,N.Y. C18
¼–2 x 2–6	Pittsburgh C18
¼–2 x 2–6	Syracuse,N.Y. C18
⅜–1 x 1–10	Pittsburgh C18
⅜–1 x 1–10	Syracuse,N.Y. C18
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 302B	
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ⅜–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 303	
⅛–⅞ x ¼–4	Pittsburgh C18
⅛–⅞ x ¼–4	Syracuse,N.Y. C18
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ⅜–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ¼–6	Reading,Pa. C4
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
¼–1 x 1–9	Pittsburgh C18
¼–1 x 1–9	Syracuse,N.Y. C18
¼–2 x 2–6	Pittsburgh C18
¼–2 x 2–6	Syracuse,N.Y. C18
⅜–1 x 1–10	Pittsburgh C18
⅜–1 x 1–10	Syracuse,N.Y. C18
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
½ min. thick., 12 in. max. width Corry,Pa. M14	
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 303Se	
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
Type 304	
⅛–⅞ x ¼–4	Pittsburgh C18
⅛–⅞ x ¼–4	Syracuse,N.Y. C18
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ⅜–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ¼–6	Reading,Pa. C4

Sizes Produced (inches)	Mill Point, Producer
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
¼–1 x 1–9	Pittsburgh C18
¼–1 x 1–9	Syracuse,N.Y. C18
¼–2 x 2–6	Pittsburgh C18
¼–2 x 2–6	Syracuse,N.Y. C18
⅜–1 x 1–10	Pittsburgh C18
⅜–1 x 1–10	Syracuse,N.Y. C18
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
½ min. thick., 12 in. max. width Corry,Pa. M14	
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 304L	
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ⅜–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Washington,Pa. J3
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 305	
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ⅜–3½	Ft.Wayne,Ind. J6
⅛–2 x ¼–6	Reading,Pa. C4
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
Type 308	
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ⅜–3½	Ft.Wayne,Ind. J6
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
Type 309	
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ⅜–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 309S	
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ⅜–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 310	
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ⅜–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 310S	
⅛–½ x ¾–3½	Ft.Wayne,Ind. J6
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
Type 314	
⅛–½ x ¾–3½	Ft.Wayne,Ind. J6
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4

Sizes Produced (inches)	Mill Point, Producer
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
Type 316	
⅛–⅞ x ¼–4	Pittsburgh C18
⅛–⅞ x ¼–4	Syracuse,N.Y. C18
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ⅜–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ¼–6	Reading,Pa. C4
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
¼–1 x 1–9	Pittsburgh C18
¼–1 x 1–9	Syracuse,N.Y. C18
¼–2 x 2–6	Pittsburgh C18
¼–2 x 2–6	Syracuse,N.Y. C18
⅜–1 x 1–10	Pittsburgh C18
⅜–1 x 1–10	Syracuse,N.Y. C18
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
½ min. thick., 12 in. max. width Corry,Pa. M14	
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 316Cb	
⅛–½ x ½–2	Washington,Pa. J3
⅛–⅞ x 2⅛–4	Washington,Pa. J3
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
Type 316F	
⅛–1½ x ⅛–6	Baltimore A10
1⅜–2 x 1⅛–3½	Baltimore A10
Type 316L	
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ¾–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 316Se	
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
Type 317	
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ¾–3½	Ft.Wayne,Ind. J6
⅛–2 x ¼–6	Reading,Pa. C4
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
Type 318	
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
Type 321	
⅛–⅞ x ¼–4	Pittsburgh C18
⅛–⅞ x ¼–4	Syracuse,N.Y. C18
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ¾–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ¼–6	Reading,Pa. C4
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
¼–1 x 1–9	Pittsburgh C18
¼–1 x 1–9	Syracuse,N.Y. C18
¼–2 x 2–6	Pittsburgh C18
¼–2 x 2–6	Syracuse,N.Y. C18
⅜–1 x 1–10	Pittsburgh C18
⅜–1 x 1–10	Syracuse,N.Y. C18
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
½ min. thick., 12 in. max. width Corry,Pa. M14	
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 329	
⅛–2 x ⅛–6	Reading,Pa. C4
Type 330	
¼–½ x ½–2	Washington,Pa. J3
¼–⅞ x 2⅛–4	Washington,Pa. J3
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
Type 347	
⅛–⅞ x ¼–4	Pittsburgh C18

Sizes Produced (inches)	Mill Point, Producer
⅛–⅞ x ¼–4	Syracuse,N.Y. C18
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ¾–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ¼–6	Reading,Pa. C4
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
¼–1 x 1–9	Pittsburgh C18
¼–1 x 1–9	Syracuse,N.Y. C18
¼–2 x 2–6	Pittsburgh C18
¼–2 x 2–6	Syracuse,N.Y. C18
⅜–1 x 1–10	Pittsburgh C18
⅜–1 x 1–10	Syracuse,N.Y. C18
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
½ min. thick., 12 in. max. width Corry,Pa. M14	
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 347F	
⅛–1½ x ⅛–6	Baltimore A10
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
1⅜–2 x 1⅛–3½	Baltimore A10
Type 347F se	
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
Type 403	
⅛–⅞ x ¼–4	Pittsburgh C18
⅛–⅞ x ¼–4	Syracuse,N.Y. C18
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ¾–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ¼–6	Reading,Pa. C4
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
⅜–1 x 1–9	Pittsburgh C18
⅜–1 x 1–9	Syracuse,N.Y. C18
⅜–2 x 2–6	Pittsburgh C18
⅜–2 x 2–6	Syracuse,N.Y. C18
⅜–1 x 1–10	Pittsburgh C18
⅜–1 x 1–10	Syracuse,N.Y. C18
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 405	
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ¾–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 406	
⅞–3 x ⅜–6	Canton,O. T7
Type 410	
⅛–⅞ x ¼–4	Pittsburgh C18
⅛–⅞ x ¼–4	Syracuse,N.Y. C18
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ¾–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10
⅛–2 x ¼–6	Reading,Pa. C4
⅛–2 x ½–6	Bridgeville,Pa. U4
⅛–2 x ½–6	Titusville,Pa. U4
⅛–9 x ¼–10	Dunkirk,N.Y. A4
⅛–9 x ¼–10	Watervliet,N.Y. A4
⅞–⅜ x 2⅛–4	Washington,Pa. J3
⅞–3 x ⅜–6	Canton,O. T7
¼–1 x 1–9	Pittsburgh C18
¼–1 x 1–9	Syracuse,N.Y. C18
¼–2 x 2–6	Pittsburgh C18
¼–2 x 2–6	Syracuse,N.Y. C18
⅜–1 x 1–10	Pittsburgh C18
⅜–1 x 1–10	Syracuse,N.Y. C18
⅜–1 x 2⅛–5	Washington,Pa. J3
⅜–2 x 5–8	Washington,Pa. J3
½ min. thick., 12 in. max. width Corry,Pa. M14	
1–1¼ x 1¼–3½	Ft.Wayne,Ind. J6
1⅜–2 x 1⅛–3½	Baltimore A10
Type 414	
⅛–½ x ½–2	Washington,Pa. J3
⅛–½ x ⅜–3½	Ft.Wayne,Ind. J6
⅛–1½ x ⅛–6	Baltimore A10

BARS

(Code number following mill point indicates producing company, key on page 2)

Flats, Hot-Rolled

Sizes Produced (inches)	Mill Point, Producer
Type 416	
1/8–2 x 1/4–6	Reading,Pa. C4
1/8–2 x 1/2–6	Bridgeville,Pa. U4
1/8–2 x 1/2–6	Titusville,Pa. U4
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
7/16–3/8 x 2 1/8–4	Washington,Pa. J3
1/16–3 x 3/4–6	Canton,O. T7
3/8–1 x 2 1/8–5	Washington,Pa. J3
3/8–2 x 5–8	Washington,Pa. J3
1–1 1/4 x 1 1/4–3 1/2	Ft.Wayne,Ind. J6
1 1/8–2 x 1 1/4–3 1/2	Baltimore A10
Type 416	
1/8–1/2 x 1/4–4	Pittsburgh C18
1/8–1/2 x 1/4–4	Syracuse,N.Y. C18
1/8–1/2 x 1/2–2	Washington,Pa. J3
1/8–1/2 x 3/4–3 1/2	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–6	Baltimore A10
1/8–2 x 1/4–6	Reading,Pa. C4
1/8–2 x 1/2–6	Bridgeville,Pa. U4
1/8–2 x 1/2–6	Titusville,Pa. U4
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
7/16–3/8 x 2 1/8–4	Washington,Pa. J3
1/16–3 x 3/4–6	Canton,O. T7
1/4–1 x 1–9	Pittsburgh C18
1/4–1 x 1–9	Syracuse,N.Y. C18
1/4–2 x 2–6	Pittsburgh C18
1/4–2 x 2–6	Syracuse,N.Y. C18
3/8–1 x 1–10	Pittsburgh C18
3/8–1 x 1–10	Syracuse,N.Y. C18
3/8–1 x 2 1/8–5	Washington,Pa. J3
3/8–2 x 5–8	Washington,Pa. J3
1/2 min. thick., 12 in. max. width	Corry,Pa. M14
1–1 1/4 x 1 1/4–3 1/2	Ft.Wayne,Ind. J6
1 1/8–2 x 1 1/4–3 1/2	Baltimore A10
Type 416Se	
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
Type 420	
1/8–3/8 x 1/4–4	Pittsburgh C18
1/8–1/2 x 1/4–4	Syracuse,N.Y. C18
1/8–1/2 x 1/2–2	Washington,Pa. J3
1/8–1/2 x 3/4–3 1/2	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–6	Baltimore A10
1/8–2 x 1/4–6	Reading,Pa. C4
1/8–2 x 1/2–6	Bridgeville,Pa. U4
1/8–2 x 1/2–6	Titusville,Pa. U4
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
7/16–3/8 x 2 1/8–4	Washington,Pa. J3
1/16–3 x 3/4–6	Canton,O. T7
1/4–1 x 1–9	Pittsburgh C18
1/4–1 x 1–9	Syracuse,N.Y. C18
1/4–2 x 2–6	Pittsburgh C18
1/4–2 x 2–6	Syracuse,N.Y. C18
3/8–1 x 1–10	Pittsburgh C18
3/8–1 x 1–10	Syracuse,N.Y. C18
3/8–1 x 2 1/8–5	Washington,Pa. J3
3/8–2 x 5–8	Washington,Pa. J3
1/2 min. thick., 12 in. max. width	Corry,Pa. M14
1–1 1/4 x 1 1/4–3 1/2	Ft.Wayne,Ind. J6
1 1/8–2 x 1 1/4–3 1/2	Baltimore A10
Type 420F	
1/8–1/2 x 1/2–2	Washington,Pa. J3
1/8–1 1/2 x 4/3–6	Baltimore A10
1/8–2 x 1/4–6	Reading,Pa. C4
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
7/16–3/8 x 2 1/8–4	Washington,Pa. J3
3/8–1 x 2 1/8–5	Washington,Pa. J3
3/8–2 x 5–8	Washington,Pa. J3
1 1/8–2 x 1 1/4–3 1/2	Baltimore A10
Type 420F se	
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
Type 430	
1/8–1/2 x 1/2–2	Washington,Pa. J3
1/8–1/2 x 3/4–3 1/2	Ft.Wayne,Ind. J6
1/8–1 1/2 x 4/3–6	Baltimore A10
1/8–2 x 1/4–6	Reading,Pa. C4
1/8–2 x 1/2–6	Bridgeville,Pa. U4
1/8–2 x 1/2–6	Titusville,Pa. U4
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
7/16–3/8 x 2 1/8–4	Washington,Pa. J3
1/16–3 x 3/4–6	Canton,O. T7
3/8–1 x 2 1/8–5	Washington,Pa. J3
3/8–2 x 5–8	Washington,Pa. J3
1/2 min. thick., 12 in. max. width	Corry,Pa. M14
1–1 1/4 x 1 1/4–3 1/2	Ft.Wayne,Ind. J6
1 1/8–2 x 1 1/4–3 1/2	Baltimore A10
Type 430F	
1/8–1/2 x 1/2–2	Washington,Pa. J3
1/8–1/2 x 3/4–3 1/2	Ft.Wayne,Ind. J6
1/8–1 1/2 x 4/3–6	Baltimore A10
1/8–2 x 1/4–6	Reading,Pa. C4
1/8–2 x 1/2–6	Bridgeville,Pa. U4
1/8–2 x 1/2–6	Titusville,Pa. U4
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
7/16–3/8 x 2 1/8–4	Washington,Pa. J3
1/16–3 x 3/4–6	Canton,O. T7
3/8–1 x 2 1/8–5	Washington,Pa. J3
3/8–2 x 5–8	Washington,Pa. J3
1–1 1/4 x 1 1/4–3 1/2	Ft.Wayne,Ind. J6
1 1/8–2 x 1 1/4–3 1/2	Baltimore A10
Type 430F se	
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
Type 430Ti	
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
Type 431	
1/8–1/2 x 1/2–2	Washington,Pa. J3
1/8–1/2 x 3/4–3 1/2	Ft.Wayne,Ind. J6
1/8–1 1/2 x 4/3–6	Baltimore A10
1/8–2 x 1/2–6	Bridgeville,Pa. U4
1/8–2 x 1/2–6	Titusville,Pa. U4
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
7/16–3/8 x 2 1/8–4	Washington,Pa. J3
1/16–3 x 3/4–6	Canton,O. T7
3/8–1 x 2 1/8–5	Washington,Pa. J3
3/8–2 x 5–8	Washington,Pa. J3
1–1 1/4 x 1 1/4–3 1/2	Ft.Wayne,Ind. J6
1 1/8–2 x 1 1/4–3 1/2	Baltimore A10
Type 440A	
1/8–1/2 x 1/2–2	Washington,Pa. J3
1/8–1/2 x 3/4–3 1/2	Ft.Wayne,Ind. J6
1/8–1 1/2 x 4/3–6	Baltimore A10
1/8–2 x 1/4–6	Reading,Pa. C4
1/8–2 x 1/2–6	Bridgeville,Pa. U4
1/8–2 x 1/2–6	Titusville,Pa. U4
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
7/16–3/8 x 2 1/8–4	Washington,Pa. J3
1/16–3 x 3/4–6	Canton,O. T7
3/8–1 x 2 1/8–5	Washington,Pa. J3
3/8–2 x 5–8	Washington,Pa. J3
1–1 1/4 x 1 1/4–3 1/2	Ft.Wayne,Ind. J6
1 1/8–2 x 1 1/4–3 1/2	Baltimore A10
Type 440B	
1/8–1/2 x 1/2–2	Washington,Pa. J3
1/8–1/2 x 3/4–3 1/2	Ft.Wayne,Ind. J6
1/8–1 1/2 x 4/3–6	Baltimore A10
1/8–2 x 1/4–6	Reading,Pa. C4
1/8–2 x 1/2–6	Bridgeville,Pa. U4
1/8–2 x 1/2–6	Titusville,Pa. U4
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
7/16–3/8 x 2 1/8–4	Washington,Pa. J3
1/16–3 x 3/4–6	Canton,O. T7
3/8–1 x 2 1/8–5	Washington,Pa. J3
3/8–2 x 5–8	Washington,Pa. J3
1–1 1/4 x 1 1/4–3 1/2	Ft.Wayne,Ind. J6
1 1/8–2 x 1 1/4–3 1/2	Baltimore A10
Type 440C	
1/8–1/2 x 1/2–2	Washington,Pa. J3
1/8–1/2 x 3/4–3 1/2	Ft.Wayne,Ind. J6
1/8–1 1/2 x 4/3–6	Baltimore A10
1/8–2 x 1/4–6	Reading,Pa. C4
1/8–2 x 1/2–6	Bridgeville,Pa. U4
1/8–2 x 1/2–6	Titusville,Pa. U4
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
7/16–3/8 x 2 1/8–4	Washington,Pa. J3
1/16–3 x 3/4–6	Canton,O. T7
3/8–1 x 2 1/8–5	Washington,Pa. J3
3/8–2 x 5–8	Washington,Pa. J3
1–1 1/4 x 1 1/4–3 1/2	Ft.Wayne,Ind. J6
1 1/8–2 x 1 1/4–3 1/2	Baltimore A10
Type 440F	
1/8–1 1/2 x 4/3–6	Baltimore A10
1/8–2 x 1/4–6	Reading,Pa. C4
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
1 1/8–2 x 1 1/4–3 1/2	Baltimore A10
Type 440F se	
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
Type 442	
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
1/16–3 x 3/4–6	Canton,O. T7
Type 443	
1/8–2 x 1/4–6	Reading,Pa. C4
1/16–3 x 3/4–6	Canton,O. T7
Type 446	
1/8–1/2 x 1/2–2	Washington,Pa. J3
1/8–1/2 x 3/4–3 1/2	Ft.Wayne,Ind. J6
1/8–1 1/2 x 4/3–6	Baltimore A10
1/8–2 x 1/2–6	Bridgeville,Pa. U4
1/8–2 x 1/2–6	Titusville,Pa. U4
1/8–9 x 1/4–10	Dunkirk,N.Y. A4
1/8–9 x 1/4–10	Watervliet,N.Y. A4
7/16–3/8 x 2 1/8–4	Washington,Pa. J3
1/16–3 x 3/4–6	Canton,O. T7
3/8–1 x 2 1/8–5	Washington,Pa. J3
3/8–2 x 5–8	Washington,Pa. J3
1–1 1/4 x 1 1/4–3 1/2	Ft.Wayne,Ind. J6
1 1/8–2 x 1 1/4–3 1/2	Baltimore A10

Squares, Hot-Rolled

Sizes Min.-Max. (inches)	Mill Point, Producer
All Types	
1/4–2 1/16	Massillon,O. R2
1/2–2	Gary,Ind. U5
1/2–2	SouthChicago,Ill. U5
1/2–2	Youngstown U5
1/2–5 1/2	Duquesne,Pa. U5
Type 301	
1/4–5	Pittsburgh C18
1/4–5	Syracuse,N.Y. C18
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
1/4–15	Baltimore A10
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
1/2–6	Canton,O. T7
Type 302	
1/4–5	Pittsburgh C18
1/4–5	Syracuse,N.Y. C18
1/4–6	Reading,Pa. C4
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
1/4–15	Baltimore A10
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
1/2–6	Canton,O. T7
Type 302B	
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
1/4–15	Baltimore A10
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
1/2–6	Canton,O. T7
Type 303	
1/4–5	Pittsburgh C18
1/4–5	Syracuse,N.Y. C18
1/4–6	Reading,Pa. C4
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
1/4–15	Baltimore A10
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
1/2–6	Canton,O. T7
1/2–12	Corry,Pa. M14
Type 303Se	
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
Type 304	
1/4–5	Pittsburgh C18
1/4–5	Syracuse,N.Y. C18
1/4–6	Reading,Pa. C4
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
1/4–15	Baltimore A10
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
1/2–6	Canton,O. T7
1/2–12	Corry,Pa. M14
Type 304L	
1/4–15	Baltimore A10
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
Type 305	
1/4–6	Reading,Pa. C4
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
Type 308	
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
1/2–6	Canton,O. T7
Type 309	
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
1/4–15	Baltimore A10
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
1/2–6	Canton,O. T7
Type 309S	
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
Type 310	
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
1/4–15	Baltimore A10
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
1/2–6	Canton,O. T7
Type 310S	
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
Type 314	
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
Type 316	
1/4–5	Pittsburgh C18
1/4–5	Syracuse,N.Y. C18
1/4–6	Reading,Pa. C4
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
1/4–15	Baltimore A10
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
1/2–6	Canton,O. T7
1/2–12	Corry,Pa. M14
Type 316Cb	
5/8–2 1/4	Washington,Pa. J3
Type 316F	
1/4–15	Baltimore A10
Type 316L	
1/4–15	Baltimore A10
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6
7/8–3 1/4	Bridgeville,Pa. U4
7/8–3 1/4	Titusville,Pa. U4
Type 316Se	
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
Type 317	
1/4–6	Reading,Pa. C4
1/4–10	Dunkirk,N.Y. A4
1/4–10	Watervliet,N.Y. A4
1/4–15	Baltimore A10
5/8–2 1/4	Washington,Pa. J3
5/8–4	Ft.Wayne,Ind. J6

BARS

(Code number following mill point indicates producing company, key on page 2)

Squares, Hot-Rolled

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 318	
⅛–10	Dunkirk,N.Y. A4
⅛–10	Watervliet,N.Y. A4
Type 321	
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–6	Reading,Pa. C4
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
¼–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7
½–12	Corry,Pa. M14
Type 329	
¼–6	Reading,Pa. C4
Type 330	
⅝–2¼	Washington,Pa. J3
Type 347	
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–6	Reading,Pa. C4
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
¼–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7
½–12	Corry,Pa. M14
Type 347F	
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
¼–15	Baltimore A10
Type 347F se	
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
Type 403	
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–6	Reading,Pa. C4
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
¼–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 405	
⅛–10	Dunkirk,N.Y. A4
⅛–10	Watervliet,N.Y. A4
⅛–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7
Type 406	
½–6	Canton,O. T7
Type 410	
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–5½	McKeesport,Pa. F2
¼–6	Reading,Pa. C4
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
¼–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7
½–12	Corry,Pa. M14
Type 414	
¼–5½	McKeesport,Pa. F2
¼–6	Reading,Pa. C4
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
¼–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7
Type 416	
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–5½	McKeesport,Pa. F2
¼–6	Reading,Pa. C4
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
¼–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7
½–12	Corry,Pa. M14
Type 416Se	
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
Type 420	
¼–5	Pittsburgh C18

Sizes Min.-Max. (inches)	Mill Point, Producer
¼–5	Syracuse,N.Y. C18
¼–5½	McKeesport,Pa. F2
¼–6	Reading,Pa. C4
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
¼–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7
Type 420F	
¼–6	Reading,Pa. C4
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
¼–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
Type 420F se	
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
Type 430	
¼–5½	McKeesport,Pa. F2
¼–6	Reading,Pa. C4
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
¼–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7
½–12	Corry,Pa. M14
Type 430F	
¼–6	Reading,Pa. C4
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
¼–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7
Type 430F se	
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
Type 430Ti	
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
Type 431	
¼–10	Dunkirk,N.Y. A4
¼–10	Watervliet,N.Y. A4
¼–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 440	
⅛–5½	McKeesport,Pa. F2
Type 440A	
⅛–6	Reading,Pa. C4
⅛–10	Dunkirk,N.Y. A4
⅛–10	Watervliet,N.Y. A4
⅛–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7
Type 440B	
⅛–6	Reading,Pa. C4
⅛–10	Dunkirk,N.Y. A4
⅛–10	Watervliet,N.Y. A4
⅛–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7
Type 440C	
⅛–6	Reading,Pa. C4
⅛–10	Dunkirk,N.Y. A4
⅛–10	Watervliet,N.Y. A4
⅛–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7
Type 440F	
⅛–6	Reading,Pa. C4
⅛–10	Dunkirk,N.Y. A4
⅛–10	Watervliet,N.Y. A4
⅛–15	Baltimore A10
Type 440F se	
⅛–10	Dunkirk,N.Y. A4
⅛–10	Watervliet,N.Y. A4
Type 442	
½–6	Canton,O. T7
⅛–10	Dunkirk,N.Y. A4
⅛–10	Watervliet,N.Y. A4
Type 443	
⅛–6	Reading,Pa. C4
½–6	Canton,O. T7
Type 446	
⅛–10	Dunkirk,N.Y. A4
⅛–10	Watervliet,N.Y. A4
⅛–15	Baltimore A10
⅝–2¼	Washington,Pa. J3
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–6	Canton,O. T7

Round Cornered Squares, Hot-Rolled

All Types	
⅝–6	Massillon,O. R2
½–7	Duquesne,Pa. U5
⅝–1⅛	Gary,Ind. U5
⅝–2	SouthChicago,Ill. U5
Type 301	
⅛–5	Pittsburgh C18
⅛–5	Syracuse,N.Y. C18
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
⅛–18	Baltimore A10
Type 302	
⅛–5	Pittsburgh C18
⅛–5	Syracuse,N.Y. C18
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
⅛–18	Baltimore A10
Type 302B	
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
⅛–18	Baltimore A10
Type 303	
⅛–5	Pittsburgh C18
⅛–5	Syracuse,N.Y. C18
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–12	Corry,Pa. M14
⅛–18	Baltimore A10

Type 304	
⅛–5	Pittsburgh C18
⅛–5	Syracuse,N.Y. C18
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–12	Corry,Pa. M14
⅛–18	Baltimore A10
Type 304L	
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
⅛–18	Baltimore A10
Type 305	
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
Type 308	
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
Type 309	
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
⅛–18	Baltimore A10
Type 309S	
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4

Type 310	
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
⅛–18	Baltimore A10
Type 310S	
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
Type 314	
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
Type 316	
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–12	Corry,Pa. M14
⅛–18	Baltimore A10
Type 316F	
⅛–18	Baltimore A10
Type 316L	
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
⅛–18	Baltimore A10
Type 317	
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4

Type 321	
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–12	Corry,Pa. M14
⅛–18	Baltimore A10
Type 347	
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
½–12	Corry,Pa. M14
⅛–18	Baltimore A10
Type 347F	
⅛–18	Baltimore A10
Type 403	
⅛–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
⅛–18	Baltimore A10
Type 405	
⅝–4	Ft.Wayne,Ind. J6
⅞–3¼	Bridgeville,Pa. U4
1⅛–3¼	Titusville,Pa. U4
⅛–18	Baltimore A10

(Code number following mill point indicates producing company, key on page 2)

Round Cornered Squares, Hot-Rolled

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 410	
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
⅜–4	Ft.Wayne,Ind. J6
7/16–3¼	Bridgeville,Pa. U4
7/16–3¼	Titusville,Pa. U4
½–12	Corry,Pa. M14
9/16–18	Baltimore A10
Type 414	
⅜–4	Ft.Wayne,Ind. J6
7/16–3¼	Bridgeville,Pa. U4
7/16–3¼	Titusville,Pa. U4
9/16–18	Baltimore A10
Type 416	
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
⅜–4	Ft.Wayne,Ind. J6
7/16–3¼	Bridgeville,Pa. U4
7/16–3¼	Titusville,Pa. U4
½–12	Corry,Pa. M14
9/16–18	Baltimore A10
Type 420	
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
⅜–4	Ft.Wayne,Ind. J6
7/16–3¼	Bridgeville,Pa. U4
7/16–3¼	Titusville,Pa. U4
9/16–18	Baltimore A10
Type 420F	
9/16–18	Baltimore A10
Type 430	
⅜–4	Ft.Wayne,Ind. J6
7/16–3¼	Bridgeville,Pa. U4
7/16–3¼	Titusville,Pa. U4
½–12	Corry,Pa. M14
9/16–18	Baltimore A10
Type 430F	
⅜–4	Ft.Wayne,Ind. J6
7/16–3¼	Bridgeville,Pa. U4
7/16–3¼	Titusville,Pa. U4
9/16–18	Baltimore A10
Type 431	
⅜–4	Ft.Wayne,Ind. J6
7/16–3¼	Bridgeville,Pa. U4
7/16–3¼	Titusville,Pa. U4
9/16–18	Baltimore A10
Type 440A	
⅜–4	Ft.Wayne,Ind. J6
7/16–3¼	Bridgeville,Pa. U4
7/16–3¼	Titusville,Pa. U4
9/16–18	Baltimore A10
Type 440B	
⅜–4	Ft.Wayne,Ind. J6
7/16–3¼	Bridgeville,Pa. U4
7/16–3¼	Titusville,Pa. U4
9/16–18	Baltimore A10
Type 440C	
⅜–4	Ft.Wayne,Ind. J6
7/16–3¼	Bridgeville,Pa. U4
7/16–3¼	Titusville,Pa. U4
9/16–18	Baltimore A10
Type 440F	
9/16–18	Baltimore A10
Type 446	
⅜–4	Ft.Wayne,Ind. J6
7/16–3¼	Bridgeville,Pa. U4
7/16–3¼	Titusville,Pa. U4
9/16–18	Baltimore A10

Rounds, Hot-Rolled

Sizes Min.-Max. (inches)	Mill Point, Producer
All Types	
1/32–8½	Massillon,O. R2
1/32–1 7/8	Gary,Ind. U5
1/32–8⅛	Duquesne,Pa. U5
1/32–8⅛	SouthChicago,Ill. U5
Type 301	
¼–5	Midland,Pa. C18
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 302	
¼–5	Midland,Pa. C18
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 302B	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 303	
¼–5	Midland,Pa. C18
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
½–12	Corry,Pa. M14
Type 303Se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 304	
¼–5	Midland,Pa. C18
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
½–12	Corry,Pa. M14
Type 304L	
¼–12	Baltimore A10
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 305	
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 308	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 309	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 309S	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 310	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 310S	
⅜–4	Ft.Wayne,Ind. J6
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 314	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
⅜–4	Ft.Wayne,Ind. J6
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 316	
¼–5	Midland,Pa. C18
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
½–12	Corry,Pa. M14
Type 316Cb	
⅜–6	Washington,Pa. J3
Type 316L	
¼–12	Baltimore A10
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 316Se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 317	
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 318	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 321	
¼–5	Midland,Pa. C18
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
½–12	Corry,Pa. M14
Type 329	
¼–6	Reading,Pa. C4
Type 330	
⅜–6	Washington,Pa. J3
Type 347	
¼–5	Midland,Pa. C18
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
½–12	Corry,Pa. M14
Type 347F	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
Type 347F se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 403	
¼–5	Midland,Pa. C18
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 405	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 406	
7/16–6	Canton,O. T7
Type 410	
¼–5	Midland,Pa. C18
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–5½	McKeesport,Pa. P2
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
7/16–6	Canton,O. T7

‡ Available after Jan. 1, 1954.

BARS

(Code number following mill point indicates producing company, key on page 2)

Rounds, Hot-Rolled

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 414	
⅜–5½	McKeesport,Pa. F2
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
⅞–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 416	
¼–5	Midland,Pa. C18
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–5½	McKeesport,Pa. F2
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
⅞–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
½–12	Corry,Pa. M14
Type 416Se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 420	
¼–5	Midland,Pa. C18
¼–5	Pittsburgh C18
¼–5	Syracuse,N.Y. C18
¼–5½	McKeesport,Pa. F2

Sizes Min.-Max. (inches)	Mill Point, Producer
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
⅞–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 420F	
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
⅜–6	Washington,Pa. J3
Type 420F se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 430	
¼–5½	McKeesport,Pa. F2
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
⅞–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
½–12	Corry,Pa. M14
Type 430F	
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
⅞–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4

Sizes Min.-Max. (inches)	Mill Point, Producer
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 430F se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 430Ti	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 431	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
⅞–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 440	
⅜–5½	McKeesport,Pa. F2
Type 440A	
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
⅞–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 440B	
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
⅞–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3

Sizes Min.-Max. (inches)	Mill Point, Producer
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 440C	
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
⅞–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7
Type 440F	
¼–6	Dunkirk,N.Y. A4
¼–6	Reading,Pa. C4
¼–6	Watervliet,N.Y. A4
Type 440F se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 442	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅞–6	Canton,O. T7
Type 443	
¼–6	Reading,Pa. C4
⅞–6	Canton,O. T7
Type 446	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
¼–12	Baltimore A10
⅞–6	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–6	Washington,Pa. J3
7/16–4½	Bridgeville,Pa. U4
7/16–4½	Titusville,Pa. U4
½–4½‡	Detroit R7

‡ Available after Jan. 1, 1954.

Hexagons, Hot-Rolled

Sizes Min.-Max. (inches)	Mill Point, Producer
All Types	
⅜–2	Massillon,O. R2
½–2	Gary,Ind. U5
½–3¼	Duquesne,Pa.U 5
½–3¼	SouthChicago,Ill. U5
½–3⅜	Youngstown U5
Type 301	
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–2⅜	Pittsburgh C18
⅜–2⅜	Syracuse,N.Y. C18
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 302	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–2⅜	Pittsburgh C18
⅜–2⅜	Syracuse,N.Y. C18
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 302B	
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 303	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–2⅜	Pittsburgh C18
⅜–2⅜	Syracuse,N.Y. C18
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
½–6	Corry,Pa. M14
Type 303Se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 304	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–2⅜	Pittsburgh C18
⅜–2⅜	Syracuse,N.Y. C18
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
½–6	Corry,Pa. M14
Type 304L	
¼–6	Baltimore A10
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
Type 305	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10

Sizes Min.-Max. (inches)	Mill Point, Producer
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
Type 308	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 309	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 309S	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
Type 310	
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–3	Ft.Wayne,Ind. J6

Sizes Min.-Max. (inches)	Mill Point, Producer
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 310S	
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
Type 314	
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–2⅜	Pittsburgh C18
⅜–2⅜	Syracuse,N.Y. C18
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
½–6	Corry,Pa. M14
Type 316	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–2⅜	Pittsburgh C18
⅜–2⅜	Syracuse,N.Y. C18
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
½–6	Corry,Pa. M14
Type 316L	
¼–6	Baltimore A10
⅜–1⅝	Bridgeville,Pa. U4
⅜–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
Type 316Cb	
⅜–2	Washington,Pa. J3

‡ Available after Jan. 1, 1954.

(Code number following mill point indicates producing company, key on page 2)

Hexagons, Hot-Rolled

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 316Se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 317	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 318	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 321	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–2⅝	Pittsburgh C18
⅝–2⅝	Syracuse,N.Y. C18
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
½–6	Corry,Pa. M14
Type 329	
¼–2	Reading,Pa. C4
Type 330	
⅝–2	Washington,Pa. J3
Type 347	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–2⅝	Pittsburgh C18
⅝–2⅝	Syracuse,N.Y. C18
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
½–6	Corry,Pa. M14
Type 347F	
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 347F se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 403	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–2⅝	Pittsburgh C18
⅝–2⅝	Syracuse,N.Y. C18
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 405	
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 406	
½–2½	Canton,O. T7
Type 410	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–2⅝	Pittsburgh C18
⅝–2⅝	Syracuse,N.Y. C18
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
½–6	Corry,Pa. M14
Type 414	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–2⅝	Pittsburgh C18
⅝–2⅝	Syracuse,N.Y. C18
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
½–6	Corry,Pa. M14
Type 416	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–2⅝	Pittsburgh C18
⅝–2⅝	Syracuse,N.Y. C18
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
½–6	Corry,Pa. M14
Type 416Se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 420	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–2⅝	Pittsburgh C18
⅝–2⅝	Syracuse,N.Y. C18
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 420F	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–2	Washington,Pa. J3
Type 420F se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 430	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
½–6	Corry,Pa. M14
Type 430F	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 430F se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 430Ti	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 431	
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
⅜–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 440A	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 440B	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 440C	
¼–2	Reading,Pa. C4
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7
Type 440F	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 440F se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 442	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
½–2½	Canton,O. T7
Type 443	
¼–2	Reading,Pa. C4
½–2½	Canton,O. T7
Type 446	
¼–6	Baltimore A10
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅝–1⅝	Bridgeville,Pa. U4
⅝–1⅝	Titusville,Pa. U4
⅝–2	Washington,Pa. J3
⅝–3	Ft.Wayne,Ind. J6
½–2‡	Detroit R7
½–2½	Canton,O. T7

‡ Available after Jan. 1, 1954.

Half Rounds, Hot-Rolled

Sizes Min.-Max. (inches)	Mill Point, Producer
Check with mill for types and sizes C18	
Type 301	
½–4	Ft.Wayne,Ind. J6
Type 302	
½–4	Ft.Wayne,Ind. J6
Type 302B	
½–4	Ft.Wayne,Ind. J6
Type 303	
½–4	Ft.Wayne,Ind. J6
Type 304	
½–4	Ft.Wayne,Ind. J6
Type 304L	
½–4	Ft.Wayne,Ind. J6
Type 305	
½–4	Ft.Wayne,Ind. J6
Type 308	
½–4	Ft.Wayne,Ind. J6
Type 309	
½–4	Ft.Wayne,Ind. J6
Type 309S	
½–4	Ft.Wayne,Ind. J6
Type 310	
½–4	Ft.Wayne,Ind. J6
Type 310S	
½–4	Ft.Wayne,Ind. J6
Type 314	
½–4	Ft.Wayne,Ind. J6
Type 316	
½–4	Ft.Wayne,Ind. J6
Type 316L	
½–4	Ft.Wayne,Ind. J6
Type 317	
½–4	Ft.Wayne,Ind. J6
Type 321	
½–4	Ft.Wayne,Ind. J6
Type 347	
½–4	Ft.Wayne,Ind. J6
Type 403	
½–4	Ft.Wayne,Ind. J6
Type 405	
½–4	Ft.Wayne,Ind. J6
Type 410	
½–4	Ft.Wayne,Ind. J6
Type 414	
½–4	Ft.Wayne,Ind. J6
Type 416	
½–4	Ft.Wayne,Ind. J6
Type 420	
½–4	Ft.Wayne,Ind. J6
Type 430	
½–4	Ft.Wayne,Ind. J6
Type 430F	
½–4	Ft.Wayne,Ind. J6
Type 431	
½–4	Ft.Wayne,Ind. J6
Type 440A	
½–4	Ft.Wayne,Ind. J6
Type 440B	
½–4	Ft.Wayne,Ind. J6
Type 440C	
½–4	Ft.Wayne,Ind. J6
Type 446	
½–4	Ft.Wayne,Ind. J6

BARS

(Code number following mill point indicates producing company, key on page 2)

Octagons, Hot-Rolled

Sizes Min.-Max. (inches)	Mill Point, Producer
All Types	
7/16–1¼	Massillon,O. R2
Type 301	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1¼	Pittsburgh C18
⅜–1¼	Syracuse,N.Y. C18
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1¾–6	Baltimore A10
Type 302	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1¼	Pittsburgh C18
⅜–1¼	Syracuse,N.Y. C18
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1¾–6	Baltimore A10
Type 302B	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1¾–6	Baltimore A10
Type 303	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1¼	Pittsburgh C18
⅜–1¼	Syracuse,N.Y. C18
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
½–6	Corry,Pa. M14
1¾–6	Baltimore A10
Type 303Se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 304	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1¼	Pittsburgh C18
⅜–1¼	Syracuse,N.Y. C18
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
½–6	Corry,Pa. M14
1¾–6	Baltimore A10
Type 304L	
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1¾–6	Baltimore A10
Type 305	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1¾–6	Baltimore A10
Type 308	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
Type 309	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
Type 309S	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
Type 310	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1⅜–6	Baltimore A10
Type 310S	
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
Type 314	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
1¾–6	Baltimore A10
Type 316	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1¼	Pittsburgh C18
⅜–1¼	Syracuse,N.Y. C18
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
½–6	Corry,Pa. M14
1¾–6	Baltimore A10
Type 316Cb	
⅜–2	Washington,Pa. J3
Type 316L	
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1⅜–6	Baltimore A10
Type 316Se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 317	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1¾–6	Baltimore A10
Type 318	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 321	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1¼	Pittsburgh C18
⅜–1¼	Syracuse,N.Y. C18
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
½–6	Corry,Pa. M14
1¾–6	Baltimore A10
Type 329	
¼–2	Reading,Pa. C4
Type 330	
⅜–2	Washington,Pa. J3
Type 347	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1¼	Pittsburgh C18
⅜–1¼	Syracuse,N.Y. C18
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
½–6	Corry,Pa. M14
1¾–6	Baltimore A10
Type 347F	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
1¾–6	Baltimore A10
Type 347F se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 403	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1¼	Pittsburgh C18
⅜–1¼	Syracuse,N.Y. C18
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1⅜–6	Baltimore A10
Type 405	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1¾–6	Baltimore A10
Type 410	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1¼	Pittsburgh C18
⅜–1¼	Syracuse,N.Y. C18
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
½–6	Corry,Pa. M14
1¾–6	Baltimore A10
Type 414	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1¾–6	Baltimore A10
Type 416	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1¼	Pittsburgh C18
⅜–1¼	Syracuse,N.Y. C18
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
½–6	Corry,Pa. M14
1¾–6	Baltimore A10
Type 416Se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 420	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1¼	Pittsburgh C18
⅜–1¼	Syracuse,N.Y. C18
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
½–6	Corry,Pa. M14
1¾–6	Baltimore A10
Type 420F	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–2	Washington,Pa. J3
Type 420F se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 430	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
½–6	Corry,Pa. M14
1¾–6	Baltimore A10
Type 430F	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1¾–6	Baltimore A10
Type 430F se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 430Ti	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 431	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1⅜–6	Baltimore A10
Type 440A	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1¾–6	Baltimore A10
Type 440B	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1¾–6	Baltimore A10
Type 440C	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1¾–6	Baltimore A10
Type 440F	
¼–2	Reading,Pa. C4
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 440F se	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 442	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
Type 443	
¼–2	Reading,Pa. C4
Type 446	
¼–6	Dunkirk,N.Y. A4
¼–6	Watervliet,N.Y. A4
⅜–1⅛	Bridgeville,Pa. U4
⅜–1⅛	Titusville,Pa. U4
⅜–2	Washington,Pa. J3
1¾–6	Baltimore A10

Blunt Ovals, Hot-Rolled

Check with mill for types and sizes C18

Sharp Ovals, Hot-Rolled

Check with mill for types and sizes C18

Half Ovals, Hot-Rolled

Check with mill for types and sizes C18

Special Bar Sections, H-R

All types

On application .. Bridgeville,Pa. U4
On application .... Massillon,O. R2
On application U5
On application C18
On application .. Titusville,Pa. U4

Type 301
Baltimore A10

Type 302
Baltimore A10

Type 303
Baltimore A10
Corry,Pa. M14

Type 304
Baltimore A10
Corry,Pa. M14

Type 304L
Baltimore A10

Type 316
Baltimore A10
Corry,Pa. M14

Type 316L
Baltimore A10

Type 321
Baltimore A10
Corry,Pa. M14

Type 347
Baltimore A10
Corry,Pa. M14

Type 347F
Baltimore A10

Type 403
Baltimore A10

Type 410
Baltimore A10
Corry,Pa. M14

Type 416
Baltimore A10
Corry,Pa. M14

Type 420
Baltimore A10

Type 430
Baltimore A10
Corry,Pa. M14

Type 430F
Baltimore A10

(Code number following mill point indicates producing company, key on page 2)

Cold-Finished Bars
Available on special inquiry . . . B2

Flats, Cold-Finished

All Types

Sizes Produced (inches)	Mill Point, Producer
1/8–7/8 x up to 2	Massillon,O. R2
1/8–1/4 x 1 1/2–10	McKeesport,Pa. U5
7/8–2 1/2 x over 1/2–10	SouthChicago,Ill. U5
1/4–7/8 x up to 3	Massillon,O. R2
3/8–1 x up to 5	Massillon,O. R2

Type 301

1/8–7/8 x over 1/8–2	Baltimore A10
1/8–1/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
1/8–1/2 x 3/4–1 1/2	Canton,O. T7
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
1 3/4 x 2–2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 302

1/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–1/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
1/8–2 x 1/4–4 1/2	Syracuse,N.Y. C18
7/8–1/2 x 3/4–1 1/2	Canton,O. T7
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
1 3/4 x 2–2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 302B

1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8– x 3/8–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
7/8–1/2 x 3/4–1 1/2	Canton,O. T7
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
1 3/4 x 2–2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 303

1/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
1/8–2 x 1/4–4 1/2	Syracuse,N.Y. C18
7/8–1/2 x 3/4–1 1/2	Canton,O. T7
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
1 3/4 x 2–2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 303Se

1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
3/8 x 1/2–4	Dunkirk,N.Y. A4
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
1 1/4 x 2 2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4

Type 304

1/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–1/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
1/8–2 x 1/4–4 1/2	Syracuse,N.Y. C18
7/8–1/2 x 3/4–1 1/2	Canton,O. T7
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
1 3/4 x 2–2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 304L

1/8–7/8 x over 1/8–2	Baltimore A10
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8–1 x over 3/8–4	Baltimore A10
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
14 sq. in. max.	Washington,Pa. J3

Type 305

1/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–1/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
1 3/4 x 2–2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 308

1/8–7/8 x over 1/8–2	Baltimore A10
1/8–1/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
7/8–1/2 x 3/4–1 1/2	Canton,O. T7
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
1 3/4 x 2–2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 309

1/8–7/8 x over 1/8–2	Baltimore A10
1/8–1/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
7/8–1/2 x 3/4–1 1/2	Canton,O. T7
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
1 3/4 x 2–2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 309S

1/8–7/8 x over 1/8–2	Baltimore A10
1/8–1/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
1 3/4 x 2–2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 310

1/8–7/8 x over 1/8–2	Baltimore A10
1/8–1/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
7/8–1/2 x 3/4–1 1/2	Canton,O. T7
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
1 3/4 x 2–2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 310S

1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4

Type 314

1/8–7/8 x over 1/8–2	Baltimore A10
1/8–1/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
1 3/4 x 2–2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4

Type 316

1/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
1/8–2 x 1/4–4 1/2	Syracuse,N.Y. C18
7/8–1/2 x 3/4–1 1/2	Canton,O. T7
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
1 3/4 x 2–2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 316Cb

14 sq. in. max.	Washington,Pa. J3

Type 316L

1/8–7/8 x over 1/8–2	Baltimore A10
1/8–1/8 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8–1 x over 3/8–4	Baltimore A10
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
14 sq. in. max.	Washington,Pa. J3

Type 316Se

1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
3/8 x 1/2–4	Dunkirk,N.Y. A4
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
1 3/4 x 2 2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4

Type 317

1/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–1/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
7/8–1/2 x 3/4–1 1/2	Canton,O. T7
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10
1 3/4 x 2 2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 318

1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
3/8 x 1/2–4	Dunkirk,N.Y. A4
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
1 3/4 x 2 2 1/2	Dunkirk,N.Y. A4
2 x 2 1/4–2 1/2	Dunkirk,N.Y. A4

Type 321

1/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–1/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/4–3	Ft.Wayne,Ind. J6
1/8–1 1/2 x 1/2–3	Bridgeville,Pa. U4
1/8–2 x 1/4–4 1/2	Syracuse,N.Y. C18
7/8–1/2 x 3/4–1 1/2	Canton,O. T7
1/4–1/4 x over 1/4–2 1/2	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1 1/4–6	Dunkirk,N.Y. A4
over 1–1 1/2 x over 1–3 1/2	Baltimore A10
1 1/4 x 1 1/2–5	Dunkirk,N.Y. A4
1 1/2 x 1 3/4–3	Dunkirk,N.Y. A4
over 1 1/2–2 x over 1 1/2–3	Baltimore A10

(Code number following mill point indicates producing company, key on page 2)

Flats, Cold-Finished

Sizes Produced (inches)	Mill Point, Producer
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 329

7/8–2 x 3/8–4	Reading,Pa. C4

Type 330

14 sq. in. max.	Washington,Pa. J3

Type 347

7/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1½ x 1/8–3	Bridgeville,Pa. U4
1/8–2 x 1/4–4½	Syracuse,N.Y. C18
7/8–1/2 x 3/4–1½	Canton,O. T7
1/4–1/4 x over 1/4–2½	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/8–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 347F

1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
3/8 x 1/2–4	Dunkirk,N.Y. A4
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4

Type 347F se

1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
3/8 x 1/2–4	Dunkirk,N.Y. A4
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4

Type 403

7/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1½ x 1/8–3	Bridgeville,Pa. U4
1/8–2 x 1/4–4½	Syracuse,N.Y. C18
7/8–1/2 x 3/4–1½	Canton,O. T7
1/4–1/4 x over 1/4–2½	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/8–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 405

1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1½ x 1/8–3	Bridgeville,Pa. U4
7/8–1/2 x 3/4–1½	Canton,O. T7
1/4–1/4 x over 1/4–2½	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/8–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Sizes Produced (inches)	Mill Point, Producer
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 406

7/8–1½ x 3/4–1½	Canton,O. T7
1/2–2 x 3/4–4	Canton,O. T7

Type 410

7/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1½ x 1/8–3	Bridgeville,Pa. U4
1/8–2 x 1/4–4½	Syracuse,N.Y. C18
7/8–1/2 x 3/4–1½	Canton,O. T7
1/4–1/4 x over 1/4–2½	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/8–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 414

7/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1½ x 1/8–3	Bridgeville,Pa. U4
7/8–1/2 x 3/4–1½	Canton,O. T7
1/4–1/4 x over 1/4–2½	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 416

7/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1½ x 1/8–3	Bridgeville,Pa. U4
1/8–2 x 1/4–4½	Syracuse,N.Y. C18
7/8–1/2 x 3/4–1½	Canton,O. T7
1/4–1/4 x over 1/4–2½	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/8–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 416Se

1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
3/8 x 1/2–4	Dunkirk,N.Y. A4
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4

Type 420

7/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1½ x 1/8–3	Bridgeville,Pa. U4

Sizes Produced (inches)	Mill Point, Producer
1/8–2 x 1/4–4½	Syracuse,N.Y. C18
7/8–1/2 x 3/4–1½	Canton,O. T7
1/4–1/4 x over 1/4–2½	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/8–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 420F

7/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
3/8 x 1/2–4	Dunkirk,N.Y. A4
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 420F se

1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
3/8 x 1/2–4	Dunkirk,N.Y. A4
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4

Type 430

7/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1½ x 1/8–3	Bridgeville,Pa. U4
7/8–1/2 x 3/4–1½	Canton,O. T7
1/4–1/4 x over 1/4–2½	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 430F

7/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk, N.Y. A4
1/8–1/2 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1½ x 1/8–3	Bridgeville,Pa. U4
7/8–1/2 x 3/4–1½	Canton,O. T7
1/4–1/4 x over 1/4–2½	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 430F se

1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
3/8 x 1/2–4	Dunkirk,N.Y. A4
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4

Sizes Produced (inches)	Mill Point, Producer
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4

Type 430Ti

1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
3/8 x 1/2–4	Dunkirk,N.Y. A4
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4

Type 431

1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1½ x 1/8–3	Bridgeville,Pa. U4
7/8–1/2 x 3/4–1½	Canton,O. T7
1/4–1/4 x over 1/4–2½	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/8–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 440A

7/8–2 x 3/8–4	Reading,Pa. C4
1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1½ x 1/8–3	Bridgeville,Pa. U4
7/8–1/2 x 3/4–1½	Canton,O. T7
1/4–1/4 x over 1/4–2½	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 440B

1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1½ x 1/8–3	Bridgeville,Pa. U4
7/8–1/2 x 3/4–1½	Canton,O. T7
1/4–1/4 x over 1/4–2½	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Type 440C

1/8–7/8 x over 1/8–2	Baltimore A10
1/8–7/8 x 3/8–3	Dunkirk,N.Y. A4
1/8–1/2 x 3/8–3	Ft.Wayne,Ind. J6
1/8–1½ x 1/8–3	Bridgeville,Pa. U4
7/8–1/2 x 3/4–1½	Canton,O. T7
1/4–1/4 x over 1/4–2½	Baltimore A10
3/8 x 1/2–4	Dunkirk,N.Y. A4
3/8–1 x over 3/8–4	Baltimore A10
1/2–5/8 x 3/4–6	Dunkirk,N.Y. A4
1/2–2 x 3/4–4	Canton,O. T7
3/4 x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4

BARS

(Code number following mill point indicates producing company, key on page 2)

Flats, Cold-Finished

Sizes Produced (inches)	Mill Point, Producer
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3
Type 440F	
⅛–7/16 x ⅝–3	Dunkirk,N.Y. A4
⅝ x ½–4	Dunkirk,N.Y. A4
½–⅝ x ¾–6	Dunkirk,N.Y. A4
¾ x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
Type 440F se	
⅛–7/16 x ⅝–3	Dunkirk,N.Y. A4
⅝ x ½–4	Dunkirk,N.Y. A4
½–⅝ x ¾–6	Dunkirk,N.Y. A4
¾ x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
Type 442	
⅛–7/16 x ⅝–3	Dunkirk,N.Y. A4
7/16–½ x ¾–1½	Canton,O. T7
⅝ x ½–4	Dunkirk,N.Y. A4
½–⅝ x ¾–6	Dunkirk,N.Y. A4
½–2 x ¾–4	Canton,O. T7
¾ x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
Type 443	
7/16–2 x ⅝–4	Reading,Pa. C4
7/16–½ x ¾–1½	Canton,O. T7
½–2 x ¾–4	Canton,O. T7
Type 446	
⅛–½ x over ⅛–2	Baltimore A10
⅛–7/16 x ⅝–3	Dunkirk,N.Y. A4
⅛–½ x ¾–3	Ft.Wayne,Ind. J6
⅛–1½ x ½–3	Bridgeville,Pa. U4
¾ x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
Type 446	
⅛–½ x ¾–1½	Canton,O. T7
¼–¼ x over ⅛–2½	Baltimore A10
⅝ x ½–4	Dunkirk,N.Y. A4
⅝–1 x over ⅝–4	Baltimore A10
½–⅝ x ¾–6	Dunkirk,N.Y. A4
½–2 x ¾–4	Canton,O. T7
¾ x 1–6	Dunkirk,N.Y. A4
1 x 1¼–6	Dunkirk,N.Y. A4
over 1–1½ x over 1–3½	Baltimore A10
1¼ x 1½–5	Dunkirk,N.Y. A4
1½ x 1¾–3	Dunkirk,N.Y. A4
over 1½–2 x over 1½–3	Baltimore A10
1¾ x 2–2½	Dunkirk,N.Y. A4
2 x 2¼–2½	Dunkirk,N.Y. A4
14 sq. in. max.	Washington,Pa. J3

Squares, Cold-Finished

Sizes Min.-Max. (inches)	Mill Point, Producer
All Types	
½–2	SouthChicago,Ill. U5
7/16–2½	Massillon,O. R2
Type 301	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 302	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 302B	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 303	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 303Se	
.044–2¾	Dunkirk,N.Y. A4
Type 304	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 304L	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 305	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 308	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 309	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 309S	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 310	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 310S	
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 314	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 316	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 316Cb	
14 sq. in. max.	Washington,Pa. J3
Type 316L	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 316Se	
.044–2¾	Dunkirk,N.Y. A4
Type 317	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 318	
.044–2¾	Dunkirk,N.Y. A4
Type 321	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 329	
⅛–3	Reading,Pa. C4
Type 330	
14 sq. in. max.	Washington,Pa. J3
Type 347	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 347F	
.044–2¾	Dunkirk,N.Y. A4
Type 347F se	
.044–2¾	Dunkirk,N.Y. A4
Type 403	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 405	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 406	
¼–2⅜	Canton,O. T7
Type 410	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 414	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 416	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 416Se	
.044–2¾	Dunkirk,N.Y. A4
Type 420	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 420F	
.044–2¾	Dunkirk,N.Y. A4
⅛–3	Reading,Pa. C4
14 sq. in. max.	Washington,Pa. J3
Type 420F se	
.044–2¾	Dunkirk,N.Y. A4
Type 430	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 430F	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 430F se	
.044–2¾	Dunkirk,N.Y. A4
Type 430Ti	
.044–2¾	Dunkirk,N.Y. A4
Type 431	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 440A	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 440B	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 440C	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3
Type 440F	
.044–2¾	Dunkirk,N.Y. A4
Type 440F se	
.044–2¾	Dunkirk,N.Y. A4
Type 442	
.044–2¾	Dunkirk,N.Y. A4
¼–2⅜	Canton,O. T7
Type 443	
⅛–3	Reading,Pa. C4
¼–2⅜	Canton,O. T7
Type 446	
.044–2¾	Dunkirk,N.Y. A4
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–2⅜	Canton,O. T7
⅜–2½	Ft.Wayne,Ind. J6
14 sq. in. max.	Washington,Pa. J3

BARS

(Code number following mill point indicates producing company, key on page 2)

Round Cornered Squares, Cold-Finished

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 301	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 302	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
Type 302B	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 303	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
Type 304	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
Type 304L	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 305	
¼–2½	Baltimore A10
¼–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 308	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 309	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 309S	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 310	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 310S	
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 314	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 316	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
Type 316L	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 317	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 321	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
Type 347	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
Type 403	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
Type 405	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 410	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
Type 414	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 416	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 420	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
¼–3	Syracuse,N.Y. C18
⅜–2½	Ft.Wayne,Ind. J6
Type 430	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 430F	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 431	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 440A	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 440B	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 440C	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6
Type 446	
⅛–2½	Baltimore A10
⅛–2¾	Bridgeville,Pa. U4
⅜–2½	Ft.Wayne,Ind. J6

Rounds, Cold-Finished

Sizes Min.-Max. (inches)	Mill Point, Producer
All Types	
½–3	SouthChicago,Ill. U5
⅛–8	Massillon,O. R2
Type 301	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 302	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
⅛–3	Syracuse,N.Y. C18
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 302B	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 303	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
⅛–3	Syracuse,N.Y. C18
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 303Se	
.044–4	Dunkirk,N.Y. A4
Type 304	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
⅛–3	Syracuse,N.Y. C18
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 304L	
.030–2	Baltimore A10
.045–3	Bridgeville,Pa. U4
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 305	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 308	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 309	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 309S	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 310	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 310S	
.045–3	Bridgeville,Pa. U4
⅝–4	Ft.Wayne,Ind. J6
½–4½‡	Detroit R7
Type 314	
.030–2	Baltimore A10

Sizes Min.-Max. (inches)	Mill Point, Producer
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
⅝–4	Ft.Wayne,Ind. J6
½–4½‡	Detroit R7
Type 316	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
⅛–3	Syracuse,N.Y. C18
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 316Cb	
⅝–4	Washington,Pa. J3
Type 316L	
.030–2	Baltimore A10
.045–3	Bridgeville,Pa. U4
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 316Se	
.044–4	Dunkirk,N.Y. A4
Type 317	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 318	
.044–4	Dunkirk,N.Y. A4
Type 321	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
⅛–3	Syracuse,N.Y. C18
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 329	
.051–4½	Reading,Pa. C4
Type 330	
⅝–4	Washington,Pa. J3
Type 347	
.030–2	Baltimore A10

Sizes Min.-Max. (inches)	Mill Point, Producer
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
⅛–3	Syracuse,N.Y. C18
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 347F	
.044–4	Dunkirk,N.Y. A4
Type 347F se	
.044–4	Dunkirk,N.Y. A4
Type 403	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
⅛–3	Syracuse,N.Y. C18
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 405	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 406	
¼–2⅝	Canton,O. T7
Type 410	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
⅛–3	Syracuse,N.Y. C18
¼–2⅝	Canton,O. T7
⅜–4	Ft.Wayne,Ind. J6
⅜–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 414	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7

‡ Available after Jan. 1, 1954.

(Code number following mill point indicates producing company, key on page 2)

Rounds, Cold-Finished

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 416	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
7/16–3	Syracuse,N.Y. C18
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 416Se	
.044–4	Dunkirk,N.Y. A4
Type 420	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
7/16–3	Syracuse,N.Y. C18
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 420F	
.044–4	Dunkirk,N.Y. A4
.051–4½	Reading,Pa. C4
⅝–4	Washington,Pa. J3
Type 420F se	
.044–4	Dunkirk,N.Y. A4
Type 430	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
¼–2⅝	Canton,O. T7
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 430F	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 430F se	
.044–4	Dunkirk,N.Y. A4
Type 430TI	
.044–4	Dunkirk,N.Y. A4
Type 431	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 440A	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 440B	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 440C	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
.051–4½	Reading,Pa. C4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7
Type 440F	
.044–4	Dunkirk,N.Y. A4
.051–4½	Reading,Pa. C4
Type 440F se	
.044–4	Dunkirk,N.Y. A4
Type 442	
.044–4	Dunkirk,N.Y. A4
¼–2⅝	Canton,O. T7
Type 443	
.051–4½	Reading,Pa. C4
¼–2⅝	Canton,O. T7
Type 446	
.030–2	Baltimore A10
.044–4	Dunkirk,N.Y. A4
.045–3	Bridgeville,Pa. U4
¼–2⅝	Canton,O. T7
⅝–4	Ft.Wayne,Ind. J6
⅝–4	Washington,Pa. J3
½–4½‡	Detroit R7

‡ Available after Jan. 1, 1954

Centerless Ground Rounds, Cold-Finished

Sizes Min.-Max. (inches)	Mill Point, Producer
All Types	
½–3⅞	Duquesne,Pa. U5
½–4	SouthChicago,Ill. U5
Type 301	
.058–4	Watervliet,N.Y. A4
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 302	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Over 3–5	Syracuse,N.Y. C18
Type 302B	
.058–4	Watervliet,N.Y. A4
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 303	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Over 3–5	Syracuse,N.Y. C18
Type 303A	
1/16–½	Waukegan,Ill. A7
Type 303Se	
.058–4	Watervliet,N.Y. A4
Type 304	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Over 3–5	Syracuse,N.Y. C18
Type 304L	
.093–6	Baltimore A10
Type 305	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
Type 307	
1/16–½	Waukegan,Ill. A7
Type 308	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 309	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 309S	
.058–4	Watervliet,N.Y. A4
.093–6	Baltimore A10
Type 310	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 314	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
Type 316	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Over 3–5	Syracuse,N.Y. C18
Type 316L	
.093–6	Baltimore A10
Type 316Se	
.058–4	Watervliet,N.Y. A4
Type 317	
.058–4	Watervliet,N.Y. A4
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 318	
.058–4	Watervliet,N.Y. A4
Type 321	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Over 3–5	Syracuse,N.Y. C18
Type 347	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Over 3–5	Syracuse,N.Y. C18
Type 347F	
.058–4	Watervliet,N.Y. A4
Type 347F se	
.058–4	Watervliet,N.Y. A4
Type 403	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Over 3–5	Syracuse,N.Y. C18
Type 405	
.058–4	Watervliet,N.Y. A4
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 406	
3/32–2½	Canton,O. T7
Type 410	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Over 3–5	Syracuse,N.Y. C18
Type 414	
.058–4	Watervliet,N.Y. A4
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 416	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Over 3–5	Syracuse,N.Y. C18
Type 416Se	
.058–4	Watervliet,N.Y. A4
Type 420	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Over 3–5	Syracuse,N.Y. C18
Type 420F	
.058–4	Watervliet,N.Y. A4
Type 420F se	
.058–4	Watervliet,N.Y. A4
Type 430	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 430F	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 430F se	
.058–4	Watervliet,N.Y. A4
Type 430TI	
.058–4	Watervliet,N.Y. A4
Type 431	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 440A	
.058–4	Watervliet,N.Y. A4
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 440B	
.058–4	Watervliet,N.Y. A4
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 440C	
.058–4	Watervliet,N.Y. A4
.093–6	Baltimore A10
3/32–2½	Canton,O. T7
Type 440F	
.058–4	Watervliet,N.Y. A4
Type 440F se	
.058–4	Watervliet,N.Y. A4
Type 442	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
3/32–2½	Canton,O. T7
Type 443	
3/32–2½	Canton,O. T7
Type 446	
.058–4	Watervliet,N.Y. A4
1/16–½	Waukegan,Ill. A7
.093–6	Baltimore A10
3/32–2½	Canton,O. T7

BARS

(Code number following mill point indicates producing company, key on page 2)

Turned Rounds, Cold-Finished

Sizes Min.-Max. (inches)	Mill Point, Producer
All Types	
1¼–5¾	Duquesne,Pa. U5
3–7¾	SouthChicago,Ill. U5
Type 301	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 302	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
over 5	Syracuse,N.Y. C18
Type 302B	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 303	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
over 5	Syracuse,N.Y. C18
Type 304	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
over 5	Syracuse,N.Y. C18
Type 304L	
over 3–8	Titusville,Pa. U4
Type 305	
over 3–8	Titusville,Pa. U4
Type 308	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 309	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 309S	
over 3–8	Titusville,Pa. U4
Type 310	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 310S	
over 3–8	Titusville,Pa. U4
Type 314	
over 3–8	Titusville,Pa. U4
Type 316	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
over 5	Syracuse,N.Y. C18
Type 316L	
over 3–8	Titusville,Pa. U4
Type 317	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 321	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
over 5	Syracuse,N.Y. C18
Type 347	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
over 5	Syracuse,N.Y. C18
Type 403	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
over 5	Syracuse,N.Y. C18
Type 405	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 406	
1¼–7¾	Canton,O. T7
Type 410	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
over 5	Syracuse,N.Y. C18
Type 414	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 416	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
over 5	Syracuse,N.Y. C18
Type 420	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
over 5	Syracuse,N.Y. C18
Type 430	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 430F	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 431	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 440A	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 440B	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 440C	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4
Type 442	
1¼–7¾	Canton,O. T7
Type 443	
1¼–7¾	Canton,O. T7
Type 446	
1¼–7¾	Canton,O. T7
over 3–8	Titusville,Pa. U4

Half Rounds, Cold-Finished

Check with mill for types and sizes	C18
Type 301	
.029 x .055 to ⅜ x 1½	Baltimore A10
⅛–4	Ft.Wayne,Ind. J6
Type 302	
.029 x .055 to ⅜ x 1½	Baltimore A10
⅛–4	Ft.Wayne,Ind. J6
Type 302B	
⅛–4	Ft.Wayne,Ind. J6
Type 303	
⅛–4	Ft.Wayne,Ind. J6
Type 304	
.029 x .055 to ⅜ x 1½	Baltimore A10
⅛–4	Ft.Wayne,Ind. J6
Type 304L	
.029 x .055 to ⅜ x 1½	Baltimore A10
⅛–4	Ft.Wayne,Ind. J6
Type 305	
⅛–4	Ft.Wayne,Ind. J6
Type 308	
.029 x .055 to ⅜ x 1½	Baltimore A10
⅛–4	Ft.Wayne,Ind. J6
Types 309, 309S, 310, 310S, 314	
⅛–4	Ft.Wayne,Ind. J6
Type 316	
.029 x .055 to ⅜ x 1½	Baltimore A10
⅛–4	Ft.Wayne,Ind. J6
Type 316L	
.029 x .055 to ⅜ x 1½	Baltimore A10
⅛–4	Ft.Wayne,Ind. J6
Type 317	
⅛–4	Ft.Wayne,Ind. J6
Type 321	
.029 x .055 to ⅜ x 1½	Baltimore A10
⅛–4	Ft.Wayne,Ind. J6
Type 347	
.029 x .055 to ⅜ x 1½	Baltimore A10
⅛–4	Ft.Wayne,Ind. J6
Type 403	
⅛–4	Ft.Wayne,Ind. J6
Type 405	
⅛–4	Ft.Wayne,Ind. J6
Type 410	
.029 x .055 to ⅜ x 1½	Baltimore A10
⅛–4	Ft.Wayne,Ind. J6
Type 414	
⅛–4	Ft.Wayne,Ind. J6
Type 416	
.029 x .055 to ⅜ x 1½	Baltimore A10
⅛–4	Ft.Wayne,Ind. J6
Type 420	
.029 x .055 to ⅜ x 1½	Baltimore A10
⅛–4	Ft.Wayne,Ind. J6
Type 430	
.029 x .055 to ⅜ x 1½	Baltimore A10
⅛–4	Ft.Wayne,Ind. J6
Type 430F	
⅛–4	Ft.Wayne,Ind. J6
Type 431	
⅛–4	Ft.Wayne,Ind. J6
Type 440A	
⅛–4	Ft.Wayne,Ind. J6
Type 440B	
⅛–4	Ft.Wayne,Ind. J6
Type 440C	
⅛–4	Ft.Wayne,Ind. J6
Type 446	
⅛–4	Ft.Wayne,Ind. J6

Octagons, Cold-Finished

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 301	
.044–4	Dunkirk,N.Y. A4
¼–2¾	Bridgeville,Pa. U4
14 sq. in. max.	Washington,Pa. J3
Type 302	
.044–4	Dunkirk,N.Y. A4
⅞–1⅞	Syracuse,N.Y. C18
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 302B	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
14 sq. in. max.	Washington,Pa. J3
Type 303	
.044–4	Dunkirk,N.Y. A4
⅞–1⅞	Syracuse,N.Y. C18
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 303Se	
.044–4	Dunkirk,N.Y. A4
Type 304	
.044–4	Dunkirk,N.Y. A4
⅞–1⅞	Syracuse,N.Y. C18
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 304L	
⅛–2¾	Bridgeville,Pa. U4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 305	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
14 sq. in. max.	Washington,Pa. J3
Type 308	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
14 sq. in. max.	Washington,Pa. J3
Type 309	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
14 sq. in. max.	Washington,Pa. J3
Type 309S	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
14 sq. in. max.	Washington,Pa. J3
Type 310	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
14 sq. in. max.	Washington,Pa. J3
Type 310S	
⅛–2¾	Bridgeville,Pa. U4
Type 314	
.044–4	Dunkirk,N.Y. A4
Type 316	
.044–4	Dunkirk,N.Y. A4
⅞–1⅞	Syracuse,N.Y. C18
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 316Cb	
14 sq. in. max.	Washington,Pa. J3
Type 316L	
⅛–2¾	Bridgeville,Pa. U4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 316Se	
.044–4	Dunkirk,N.Y. A4
Type 317	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
14 sq. in. max.	Washington,Pa. J3
Type 318	
.044–4	Dunkirk,N.Y. A4
Type 321	
.044–4	Dunkirk,N.Y. A4
⅞–1⅞	Syracuse,N.Y. C18
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 329	
⅛–3	Reading,Pa. C4
Type 330	
14 sq. in. max.	Washington,Pa. J3
Type 347	
.044–4	Dunkirk,N.Y. A4
⅞–1⅞	Syracuse,N.Y. C18
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3

Sizes Min.-Max. (inches)	Mill Point, Producer
Type 347F	
.044–4	Dunkirk,N.Y. A4
Type 347F se	
.044–4	Dunkirk,N.Y. A4
Type 403	
.044–4	Dunkirk,N.Y. A4
⅞–1⅞	Syracuse,N.Y. C18
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
14 sq. in. max.	Washington,Pa. J3
Type 405	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
14 sq. in. max.	Washington,Pa. J3
Type 410	
.044–4	Dunkirk,N.Y. A4
⅞–1⅞	Syracuse,N.Y. C18
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 414	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
14 sq. in. max.	Washington,Pa. J3
Type 416	
.044–4	Dunkirk,N.Y. A4
⅞–1⅞	Syracuse,N.Y. C18
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 416Se	
.044–4	Dunkirk,N.Y. A4
Type 420	
.044–4	Dunkirk,N.Y. A4
⅞–1⅞	Syracuse,N.Y. C18
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 420F	
.044–4	Dunkirk,N.Y. A4
⅛–3	Reading,Pa. C4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 420F se	
.044–4	Dunkirk,N.Y. A4
Type 430	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 430F	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 430F se	
.044–4	Dunkirk,N.Y. A4
Type 430Ti	
.044–4	Dunkirk,N.Y. A4
Type 431	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
14 sq. in. max.	Washington,Pa. J3
Type 440A	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
⅛–3	Reading,Pa. C4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 440B	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 440C	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
⅞–1⅞	Baltimore A10
14 sq. in. max.	Washington,Pa. J3
Type 440F	
.044–4	Dunkirk,N.Y. A4
⅞–1⅞	Baltimore A10
Type 440F se	
.044–4	Dunkirk,N.Y. A4
Type 442	
.044–4	Dunkirk,N.Y. A4
Type 443	
⅛–3	Reading,Pa. C4
Type 446	
.044–4	Dunkirk,N.Y. A4
⅛–2¾	Bridgeville,Pa. U4
14 sq. in. max.	Washington,Pa. J3

(Code number following mill point indicates producing company, key on page 2)

Hexagons, Cold-Finished

Sizes Min.-Max. (inches) — Mill Point, Producer

All Types

½–3¼ ..... SouthChicago,Ill. U5
¼–3 ..... Massillon,O. R2

Type 301

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 302

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
⅛–3 ..... Syracuse,N.Y. C18
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 302B

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 303

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
⅛–3 ..... Syracuse,N.Y. C18
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 303Se

.044–4 ..... Dunkirk,N.Y. A4

Type 304

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
⅛–3 ..... Syracuse,N.Y. C18
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 304L

⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 305

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 308

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 309

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 309S

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 310

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 310S

⅛–2¾ ..... Bridgeville,Pa. U4
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7

Type 314

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7

Type 316

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
⅛–3 ..... Syracuse,N.Y. C18
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 316Cb

14 sq. in. max. .Washington,Pa. J3

Type 316L

⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 316Se

.044–4 ..... Dunkirk,N.Y. A4

Type 317

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 318

.044–4 ..... Dunkirk,N.Y. A4

Type 321

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
⅛–3 ..... Syracuse,N.Y. C18
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 329

⅛–3 ..... Reading,Pa. C4

Type 330

14 sq. in. max. .Washington,Pa. J3

Type 347

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
⅛–3 ..... Syracuse,N.Y. C18
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 347F

.044–4 ..... Dunkirk,N.Y. A4

Type 347F se

.044–4 ..... Dunkirk,N.Y. A4

Type 403

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
⅛–3 ..... Syracuse,N.Y. C18
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 405

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 406

¼–2⅝ ..... Canton,O. T7

Type 410

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
⅛–3 ..... Syracuse,N.Y. C18
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 414

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 416

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
⅛–3 ..... Syracuse,N.Y. C18
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 416Se

.044–4 ..... Dunkirk,N.Y. A4

Type 420

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
⅛–3 ..... Syracuse,N.Y. C18
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 420F

.044–4 ..... Dunkirk,N.Y. A4
⅛–3 ..... Reading,Pa. C4
14 sq. in. max. .Washington,Pa. J3

Type 420F se

.044–4 ..... Dunkirk,N.Y. A4

Type 430

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 430F

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 430F se

.044–4 ..... Dunkirk,N.Y. A4

Type 430Ti

.044–4 ..... Dunkirk,N.Y. A4

Type 431

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 440A

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
⅛–3 ..... Reading,Pa. C4
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 440B

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 440C

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

Type 440F

.044–4 ..... Dunkirk,N.Y. A4

Type 440F se

.044–4 ..... Dunkirk,N.Y. A4

Type 442

.044–4 ..... Dunkirk,N.Y. A4
¼–2⅝ ..... Canton,O. T7

Type 443

⅛–3 ..... Reading,Pa. C4
¼–2⅝ ..... Canton,O. T7

Type 446

.044–4 ..... Dunkirk,N.Y. A4
⅛–2¾ ..... Bridgeville,Pa. U4
⅛–3 ..... Baltimore A10
¼–2⅝ ..... Canton,O. T7
⅝–3 ..... Ft.Wayne,Ind. J6
½–2‡ ..... Detroit R7
14 sq. in. max. .Washington,Pa. J3

‡ Available after Jan. 1, 1954.

Blunt Ovals, C-F

Check with mill for types and sizes C18

Sharp Ovals, C-F

Check with mill for types and sizes C18

BARS

(Code number following mill point indicates producing company, key on page 2)

Half Ovals, Cold-Finished

Sizes Produced (inches)	Mill Point, Producer
Check with mill for types and sizes	C18
Type 301	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
⅞ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 302	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 303	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 304	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 304L	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 307	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 308	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 309	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 316	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 316L	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 321	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 347	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 403	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 410	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 416	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10
Type 420	
½ x ⅜	Baltimore A10
⅝ x ⅜	Baltimore A10
¾ x ⅜	Baltimore A10
¾ x ¼	Baltimore A10
1 x ¼	Baltimore A10
1 x ⅜	Baltimore A10
1⅛ x ⅜	Baltimore A10
1¼ x ⅜	Baltimore A10

Special Bar Sections, C-F

On application	Bridgeville, Pa. U4
On application	Ft. Wayne, Ind. J6
On application	Massillon, O. R2
On application	C18
On application	U5

BAR SIZE SHAPES

Angles, Equal Leg (sq. rt.)

Sizes Produced (inches)	Mill Point, Producer
Type 301	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 302B	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 303	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 303Se	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 304	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 305	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 308	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 309	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 309S	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 310	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 314	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 316	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 316Se	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 317	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 318	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 321	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 347	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 347F	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 347F se	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 403	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 405	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 410	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 414	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 416	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 416S	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 420	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 420F	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 420F se	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 430	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 430F	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 430F se	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 430Ti	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 431	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 440A	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 440B	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 440C	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 440F	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 440F se	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 442	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4
Type 446	
⅞ x ⅞ x ⅛ to 3x3x 5/16 & thicker	Watervliet, N.Y. A4

Channels

Type 301	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 302	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 302B	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 303	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 304	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 304L	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 305	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 308	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 309	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 309S	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 310	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 310S	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 314	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 316	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 316L	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 317	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 321	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 347	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 403	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 405	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 410	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 414	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 416	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 420	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 430	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 430F	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 431	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 440A	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 440B	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 440C	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6
Type 446	
¾ x ⅝ x ⅛ to 2½ x ⅝ x ¼	Ft. Wayne, Ind. J6

(Code number following mill point indicates producing company, key on page 2)

L Angles, Equal Leg (fillet)

Sizes Produced (inches)	Mill Point, Producer
All Types	
¾ x ¾ x 1/8 to 4x4x½	Gary,Ind. U5
¾ x ¾ x 1/8 to 8x8x1	SouthChicago,Ill. U5
Type 301	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 302	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
Type 302B	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 303	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 303Se	
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 304	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
Type 304L	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
Type 305	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
Type 308	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 309	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 309S	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 310	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 310S	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
Type 314	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 316	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10

Sizes Produced (inches)	Mill Point, Producer
Type 316L	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
Type 316Se	
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 317	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 318	
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 321	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
Type 347	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
Type 347F	
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 347F se	
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 403	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 405	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
Type 410	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
Type 414	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
Type 416	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 416Se	
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4

Sizes Produced (inches)	Mill Point, Producer
Type 420	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
Type 420F	
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 420F se	
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 430	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 430F	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 430F se	
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 430Ti	
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 431	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
Type 440A	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 440B	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 440C	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 440F	
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 440F se	
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
Type 442	
¾ x ¾ x 1/8, 7/16, ¼	Baltimore A10
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4
1x1x 1/8, 7/16, ¼	Baltimore A10
1¼x1¼x 1/8, 7/16, ¼	Baltimore A10
1½x1½x 1/8, 7/16, ¼	Baltimore A10
1¾x1¾x 1/8, 7/16, ¼	Baltimore A10
2x2x 7/16, ¼, ⅜	Baltimore A10
2½x2½x 7/16, ¼, ⅜	Baltimore A10
3x3x 7/16, ¼, ⅜	Baltimore A10
Type 446	
¾ x ¾ x 1/8 to 2½x2½ x 7/16	Ft.Wayne,Ind. J6
⅞ x ⅞ x 1/8 to 3x3x 7/16 & thicker	Watervliet,N.Y. A4

Angles, Unequal Leg (fillet)

Sizes Produced (inches)	Mill Point, Producer
All Types	
¾ x ½ x 1/8 to 4x4x½	Gary,Ind. U5
¾ x ½ x 1/8 to 8x8x1	SouthChicago,Ill. U5

SEAMLESS TUBING

(Code number following mill point indicates producing company, key on page 2)

Round, Hot-Finished

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
Type 302		
.120–.500	over 2-2¼	Canton,O. T7
.120–.625	over 2¼-2¾	Canton,O. T7
.120–.750	over 2¾-3¼	Canton,O. T7
.134–.437	1⅜-2	Canton,O. T7
.134–1	over 3¼-3¾	Canton,O. T7
.134–1.125	over 3¾-4	Canton,O. T7
.148–1.25	over 4-4¼	Canton,O. T7
.165–1.25	over 4¼-4¾	Canton,O. T7
.188–1.5	over 4¾-5¼	Canton,O. T7
.203–1.625	over 5¼-5¾	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7
Type 304		
.095 and lgtr.	1½ and smaller	OakLane,Pa. I-6
.120–.500	over 2-2¼	Canton,O. T7
.120–.625	over 2¼-2¾	Canton,O. T7
.120–.750	over 2¾-3¼	Canton,O. T7
.134–.437	1⅜-2	Canton,O. T7
.134–1	over 3¼-3¾	Canton,O. T7
.134–1.125	over 3¾-4	Canton,O. T7
.148–1.25	over 4-4¼	Canton,O. T7
.165–1.25	over 4¼-4¾	Canton,O. T7
.188–1.5	over 4¾-5¼	Canton,O. T7
.203–1.625	over 5¼-5¾	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7
Type 309		
.120–.500	over 2-2¼	Canton,O. T7
.120–.625	over 2¼-2¾	Canton,O. T7
.120–.750	over 2¾-3¼	Canton,O. T7
.134–.437	1⅜-2	Canton,O. T7
.134–1	over 3¼-3¾	Canton,O. T7
.134–1.125	over 3¾-4	Canton,O. T7
.148–1.25	over 4-4¼	Canton,O. T7
.165–1.25	over 4¼-4¾	Canton,O. T7
.188–1.5	over 4¾-5¼	Canton,O. T7
.203–1.625	over 5¼-5¾	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7
Type 310		
.120–.500	over 2-2¼	Canton,O. T7
.120–.625	over 2¼-2¾	Canton,O. T7
.120–.750	over 2¾-3¼	Canton,O. T7
.134–.437	1⅜-2	Canton,O. T7
.134–1	over 3¼-3¾	Canton,O. T7
.134–1.125	over 3¾-4	Canton,O. T7
.148–1.25	over 4-4¼	Canton,O. T7
.165–1.25	over 4¼-4¾	Canton,O. T7
.188–1.5	over 4¾-5¼	Canton,O. T7
.203–1.625	over 5¼-5¾	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7
Type 316		
.120–.500	over 2-2¼	Canton,O. T7
.120–.625	over 2¼-2¾	Canton,O. T7
.120–.750	over 2¾-3¼	Canton,O. T7
.134–.437	1⅜-2	Canton,O. T7
.134–1	over 3¼-3¾	Canton,O. T7
.134–1.125	over 3¾-4	Canton,O. T7
.148–1.25	over 4-4¼	Canton,O. T7
.165–1.25	over 4¼-4¾	Canton,O. T7
.188–1.5	over 4¾-5¼	Canton,O. T7
.203–1.625	over 5¼-5¾	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7
Type 347		
.095 and lgtr.	1½ and smaller	OakLane,Pa. I-6
.120–.500	over 2-2¼	Canton,O. T7
.120–.625	over 2¼-2¾	Canton,O. T7
.120–.750	over 2¾-3¼	Canton,O. T7
.134–.437	1⅜-2	Canton,O. T7
.134–1	over 3¼-3¾	Canton,O. T7
.134–1.125	over 3¾-4	Canton,O. T7
.148–1.25	over 4-4¼	Canton,O. T7
.165–1.25	over 4¼-4¾	Canton,O. T7
.188–1.5	over 4¾-5¼	Canton,O. T7
.203–1.625	over 5¼-5¾	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7
Type 403		
.120–.500	over 2-2¼	Canton,O. T7
.120–.625	over 2¼-2¾	Canton,O. T7
.120–.750	over 2¾-3¼	Canton,O. T7
.134–.437	1⅜-2	Canton,O. T7
.134–1	over 3¼-3¾	Canton,O. T7
.134–1.125	over 3¾-4	Canton,O. T7
.148–1.25	over 4-4¼	Canton,O. T7
.165–1.25	over 4¼-4¾	Canton,O. T7
.188–1.5	over 4¾-5¼	Canton,O. T7
.203–1.625	over 5¼-5¾	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7
Type 405		
.095 and lgtr.	1½ and smaller	OakLane,Pa. I-6
.120–.500	over 2-2¼	Canton,O. T7
.120–.625	over 2¼-2¾	Canton,O. T7
.120–.750	over 2¾-3¼	Canton,O. T7
.134–.437	1⅜-2	Canton,O. T7
.134–1	over 3¼-3¾	Canton,O. T7
.134–1.125	over 3¾-4	Canton,O. T7
.148–1.25	over 4-4¼	Canton,O. T7
.165–1.25	over 4¼-4¾	Canton,O. T7
.188–1.5	over 4¾-5¼	Canton,O. T7
.203–1.625	over 5¼-5¾	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7
Type 410		
.120–.500	over 2-2¼	Canton,O. T7
.120–.625	over 2¼-2¾	Canton,O. T7
.120–.750	over 2¾-3¼	Canton,O. T7
.134–.437	1⅜-2	Canton,O. T7
.134–1	over 3¼-3¾	Canton,O. T7
.134–1.125	over 3¾-4	Canton,O. T7
.148–1.25	over 4-4¼	Canton,O. T7
.165–1.25	over 4¼-4¾	Canton,O. T7
.188–1.5	over 4¾-5¼	Canton,O. T7
.203–1.625	over 5¼-5¾	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7
Type 420		
.120–.500	over 2-2¼	Canton,O. T7
.120–.625	over 2¼-2¾	Canton,O. T7
.120–.750	over 2¾-3¼	Canton,O. T7
.134–.437	1⅜-2	Canton,O. T7
.134–1	over 3¼-3¾	Canton,O. T7
.134–1.125	over 3¾-4	Canton,O. T7
.148–1.25	over 4-4¼	Canton,O. T7
.165–1.25	over 4¼-4¾	Canton,O. T7
.188–1.5	over 4¾-5¼	Canton,O. T7
.203–1.625	over 5¼-5¾	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7
Type 430		
.120–.500	over 2-2¼	Canton,O. T7
.120–.625	over 2¼-2¾	Canton,O. T7
.120–.750	over 2¾-3¼	Canton,O. T7
.134–.437	1⅜-2	Canton,O. T7
.134–1	over 3¼-3¾	Canton,O. T7
.134–1.125	over 3¾-4	Canton,O. T7
.148–1.25	over 4-4¼	Canton,O. T7
.165–1.25	over 4¼-4¾	Canton,O. T7
.188–1.5	over 4¾-5¼	Canton,O. T7
.203–1.625	over 5¼-5¾	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7
Type 443		
.120–.500	over 2-2¼	Canton,O. T7
.120–.625	over 2¼-2¾	Canton,O. T7
.120–.750	over 2¾-3¼	Canton,O. T7
.134–.437	1⅜-2	Canton,O. T7
.134–1	over 3¼-3¾	Canton,O. T7
.134–1.125	over 3¾-4	Canton,O. T7
.148–1.25	over 4-4¼	Canton,O. T7
.165–1.25	over 4¼-4¾	Canton,O. T7
.188–1.5	over 4¾-5¼	Canton,O. T7
.203–1.625	over 5¼-5¾	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7
Type 446		
.120–.500	over 2-2¼	Canton,O. T7
.120–.625	over 2¼-2¾	Canton,O. T7
.120–.750	over 2¾-3¼	Canton,O. T7
.134–.437	1⅜-2	Canton,O. T7
.134–1	over 3¼-3¾	Canton,O. T7
.134–1.125	over 3¾-4	Canton,O. T7
.148–1.25	over 4-4¼	Canton,O. T7
.165–1.25	over 4¼-4¾	Canton,O. T7
.188–1.5	over 4¾-5¼	Canton,O. T7
.203–1.625	over 5¼-5¾	Canton,O. T7
.313–1.875	over 5¾-6	Canton,O. T7
.375–2	over 6-7	Canton,O. T7
.438–2.5	over 7-7½	Canton,O. T7
.500–2.625	over 7½–8	Canton,O. T7
.563–2.75	over 8-8½	Canton,O. T7
.625–3	over 8½-10½	Canton,O. T7

Round, Cold-Finished

Type 302		
.003–.065*	.012-1	Springfield,O. S21
.008–.072*	⅛-1¼	GrandRapids,Mich. H7
.035–1.000*	.405–8.625	BeaverFalls,Pa. B1
.065–.125	¾-1	Canton,O. T7
.065–.187	1-1¼	Canton,O. T7
.083–.250	over 1¼-1½	Canton,O. T7
.095–.313	over 1½-1¾	Canton,O. T7
.109–.375	over 1¾-2¼	Canton,O. T7
.109–.500	over 2¼-2½	Canton,O. T7
.120–.562	over 2½-2¾	Canton,O. T7
.120–.625	over 2¾-3	Canton,O. T7
.134–.750	over 3-3¼	Canton,O. T7
.134–.875	over 3¼-3¾	Canton,O. T7
.165–1	over 3¾-4¼	Canton,O. T7
.188–1.125	over 4¼-4¾	Canton,O. T7
.203–1.250	over 4¾-5¼	Canton,O. T7
.250–1.250	over 5¼-6	Canton,O. T7
.438–1.250	over 6-7½	Canton,O. T7
.500–1.250	over 7½-8½	Canton,O. T7
.563–1.250	over 8½-10	Canton,O. T7
Type 302B		
.035–1.000*	.405–8.625	BeaverFalls,Pa. B1
Type 303		
.002–.004	.012	Norristown,Pa. S23
.002–.010	.0315	Norristown,Pa. S23
.002–.083*	.008-1.000	Malvern,Pa. B15
.003–.028	.0625	Norristown,Pa. S23
.003–.065*	.012-1	Springfield,O. S21
.004–.042	.0937	Norristown,Pa. S23
.004–.049	.125	Norristown,Pa. S23
.005–.049	.1875	Norristown,Pa. S23
.005–.065	.250	Norristown,Pa. S23
.005–.083	.3125	Norristown,Pa. S23
.005–.125	.375	Norristown,Pa. S23
.005–.125	.4375	Norristown,Pa. S23
.006–.125	.500	Norristown,Pa. S23
.006–.125	.5625	Norristown,Pa. S23
.006–.125	.625	Norristown,Pa. S23

* Dependent on O.D.

(Code number following mill point indicates producing company, key on page 2)

Round, Cold-Finished

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
Type 304		
.002–.004	.012	Norristown,Pa. S23
.002–.010	.0315	Norristown,Pa. S23
.002–.083*	.008-1.000	Malvern,Pa. B15
.003–.028	.0625	Norristown,Pa. S23
.003–.065*	.012-1	Springfield,O. S21
.004–.042	.0937	Norristown,Pa. S23
.004–.049	.125	Norristown,Pa. S23
.004–.125	up to .625	Bridgeport,Pa. T13
.005–.049	.1875	Norristown,Pa. S23
.005–.065	.250	Norristown,Pa. S23
.005–.083	.3125	Norristown,Pa. S23
.005–.125	.375	Norristown,Pa. S23
.005–.125	.4375	Norristown,Pa. S23
.006–.125	.500	Norristown,Pa. S23
.006–.125	.5625	Norristown,Pa. S23
.006–.125	.625	Norristown,Pa. S23
.008–.072*	1/2-1 1/8	GrandRapids,Mich. H7
.013–.344	1/4-3 1/2	Watervliet,N.Y. A4
.016–.095	1/4	LosAngeles P2
.016–.120	1/8	LosAngeles P2
.016–.134	5/32	LosAngeles P2
.016–.148	3/16	LosAngeles P2
.016–.156	1/2	LosAngeles P2
.018–.156	3/16-3/4	LosAngeles P2
.020–.156	1/8-7/8	LosAngeles P2
.022–.156	1/4	LosAngeles P2
.022–.156	1	LosAngeles P2
.025–.156	1 1/16	LosAngeles P2
.025–.156	1 1/8	LosAngeles P2
.028–.156	1 3/16-1 3/8	LosAngeles P2
.032–.156	1 1/16	LosAngeles P2
.032–.156	1 1/8	LosAngeles P2
.035 max.	1 1/4 max.	Norristown,Pa. S23
.035–.095 to .250–1.00	1/2 6	Milwaukee G3
.035–.109	2-2 7/16	LosAngeles P2
.035–.109	2 1/4	LosAngeles P2
.035–.109	2 5/16	LosAngeles P2
.035–.109	2 3/8	LosAngeles P2
.035–.120	2 1/2	LosAngeles P2
.035–.148	3/8-under 1/2	EllwoodCity,Pa. N3
.035–.148	3/8-under 1/2	Gary,Ind. N3
.035–.156	1/2-under 5/8	EllwoodCity,Pa. N3
.035–.156	1/2-under 5/8	Gary,Ind. N3
.035–.156	1 3/8-1 3/8	LosAngeles P2
.035–.218	5/8-under 3/4	EllwoodCity,Pa. N3
.035–.218	5/8-under 3/4	Gary,Ind. N3
.035–.312	3/4-under 1	EllwoodCity,Pa. N3
.035–.312	3/4-under 1	Gary,Ind. N3
.035–.375	1-under 1 1/4	EllwoodCity,Pa. N3
.035–.375	1-under 1 1/4	Gary,Ind. N3
.035–.437	1 1/4-under 1 1/2	EllwoodCity,Pa. N3
.035–.437	1 1/4-under 1 1/2	Gary,Ind. N3
.035–.500	1 1/2-under 1 3/4	EllwoodCity,Pa. N3
.035–.500	1 1/2-under 1 3/4	Gary,Ind. N3
.035–.562	1 3/4-under 2	EllwoodCity,Pa. N3
.035–.562	1 3/4-under 2	Gary,Ind. N3
.035–1.000*	405-8.625	BeaverFalls,Pa. B1
.049–.120	2 5/8	LosAngeles P2
.049–.625	2-under 3	EllwoodCity,Pa. N3
.049–.625	2-under 3	Gary,Ind. N3
.065–.120	2 3/4	LosAngeles P2
.065–.125	3/4-1	Canton,O. T7
.065–.187	1-1 1/4	Canton,O. T7
.065–.687	3-under 4	EllwoodCity,Pa. N3
.065–.687	3-under 4	Gary,Ind. N3
.083–.120	2 7/8	LosAngeles P2
.083–.250	over 1 1/4-1 1/2	Canton,O. T7
.083–.750	4-under 4 1/2	EllwoodCity,Pa. N3
.083–.750	4-under 4 1/2	Gary,Ind. N3
.083–.937	4 1/2-under 5	EllwoodCity,Pa. N3
.083–.937	4 1/2-under 5	Gary,Ind. N3
.095–.313	over 1 1/2-1 3/4	Canton,O. T7
.109–.375	over 1 3/4-2 1/4	Canton,O. T7
.109–.500	over 2 1/4-2 1/2	Canton,O. T7
.109–.937	5-under 5 1/2	EllwoodCity,Pa. N3
.109–.937	5-under 5 1/2	Gary,Ind. N3
.120–.562	over 2 1/2-2 3/4	Canton,O. T7
.120–.625	over 2 3/4-3	Canton,O. T7
.120–.937	5 1/2-under 6	EllwoodCity,Pa. N3
.120–.937	5 1/2-under 6	Gary,Ind. N3
.134–.750	over 3-3 1/4	Canton,O. T7
.134–.875	over 3 1/4-3 3/4	Canton,O. T7
.165–1	over 3 3/4-4 1/4	Canton,O. T7
.187–1.031	6-under 6 1/2	EllwoodCity,Pa. N3
.187–1.031	6-under 6 1/2	Gary,Ind. N3
.188–1.125	over 4 1/4-4 3/4	Canton,O. T7
.203–1.250	over 4 3/4-5 1/4	Canton,O. T7
.250–1.031	6 1/2-under 7	EllwoodCity,Pa. N3
.250–1.031	6 1/2-under 7	Gary,Ind. N3
.250–1.250	over 5 1/4-6	Canton,O. T7
.312–1.156	7-under 7 1/2	EllwoodCity,Pa. N3
.312–1.156	7-under 7 1/2	Gary,Ind. N3
.322–1.125	7 1/2-8 5/8	EllwoodCity,Pa. N3
.322–1.125	7 1/2-8 5/8	Gary,Ind. N3
.375–1.031	8 5/8-9	EllwoodCity,Pa. N3
.375–1.031	8 5/8-9	Gary,Ind. N3
.438–1.250	over 6-7 1/2	Canton,O. T7
.500–1.250	over 7 1/2-8 1/2	Canton,O. T7
.563–1.250	over 8 1/2-10	Canton,O. T7

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
Type 305		
.002–.004	.012	Norristown,Pa. S23
.002–.010	.0315	Norristown,Pa. S23
.003–.028	.0625	Norristown,Pa. S23
.004–.042	.0937	Norristown,Pa. S23
.004–.049	.125	Norristown,Pa. S23
.005–.049	.1875	Norristown,Pa. S23
.005–.065	.250	Norristown,Pa. S23
.005–.083	.3125	Norristown,Pa. S23
.005–.125	.375	Norristown,Pa. S23
.005–.125	.4375	Norristown,Pa. S23
.006–.125	.500	Norristown,Pa. S23
.006–.125	.5625	Norristown,Pa. S23
.006–.125	.625	Norristown,Pa. S23
.008–.072*	1/2-1 1/8	GrandRapids,Mich. H7
Type 308		
.035–1.000*	405-8.625	BeaverFalls,Pa. B1
Type 309		
.008–.072*	1/2-1 1/8	GrandRapids,Mich. H7
.035–1.000*	405-8.625	BeaverFalls,Pa. B1
.065–.125	3/4-1	Canton,O. T7
.065–.187	1-1 1/4	Canton,O. T7
.083–.250	over 1 1/4-1 1/2	Canton,O. T7
.095–.313	over 1 1/2-1 3/4	Canton,O. T7
.109–.375	over 1 3/4-2 1/4	Canton,O. T7
.109–.500	over 2 1/4-2 1/2	Canton,O. T7
.120–.562	over 2 1/2-2 3/4	Canton,O. T7
.120–.625	over 2 3/4-3	Canton,O. T7
.134–.750	over 3-3 1/4	Canton,O. T7
.134–.875	over 3 1/4-3 3/4	Canton,O. T7
.165–1	over 3 3/4-4 1/4	Canton,O. T7
.188–1.125	over 4 1/4-4 3/4	Canton,O. T7
.203–1.250	over 4 3/4-5 1/4	Canton,O. T7
.250–1.250	over 5 1/4-6	Canton,O. T7
.438–1.250	over 6-7 1/2	Canton,O. T7
.500–1.250	over 7 1/2-8 1/2	Canton,O. T7
.563–1.250	over 8 1/2-10	Canton,O. T7
Type 309Cb		
.035–1.000*	405-8.625	BeaverFalls,Pa. B1
Type 310		
.002–.004	.012	Norristown,Pa. S23
.002–.010	.0315	Norristown,Pa. S23
.002–.083*	.008-1.000	Malvern,Pa. B15
.003–.028	.0625	Norristown,Pa. S23
.003–.065*	.012-1	Springfield,O. S21
.004–.042	.0937	Norristown,Pa. S23
.004–.049	.125	Norristown,Pa. S23
.005–.049	.1875	Norristown,Pa. S23
.005–.065	.250	Norristown,Pa. S23
.005–.083	.3125	Norristown,Pa. S23
.005–.125	.375	Norristown,Pa. S23
.005–.125	.4375	Norristown,Pa. S23
.006–.125	.500	Norristown,Pa. S23
.006–.125	.5625	Norristown,Pa. S23
.006–.125	.625	Norristown,Pa. S23
.013–.344	1/4-3 1/2	Watervliet,N.Y. A4
.035–.148	3/8-under 1/2	EllwoodCity,Pa. N3
.035–.148	3/8-under 1/2	Gary,Ind. N3
.035–.156	1/2-under 5/8	EllwoodCity,Pa. N3
.035–.156	1/2-under 5/8	Gary,Ind. N3
.035–.218	5/8-under 3/4	EllwoodCity,Pa. N3
.035–.218	5/8-under 3/4	Gary,Ind. N3
.035–.312	3/4-under 1	EllwoodCity,Pa. N3
.035–.312	3/4-under 1	Gary,Ind. N3
.035–.375	1-under 1 1/4	EllwoodCity,Pa. N3
.035–.375	1-under 1 1/4	Gary,Ind. N3
.035–1.000*	405-8.625	BeaverFalls,Pa. B1
.049–.437	1 1/4-under 1 1/2	EllwoodCity,Pa. N3
.049–.437	1 1/4-under 1 1/2	Gary,Ind. N3
.049–.500	1 1/2-under 1 3/4	EllwoodCity,Pa. N3
.049–.500	1 1/2-under 1 3/4	Gary,Ind. N3
.049–.562	1 3/4-under 2	EllwoodCity,Pa. N3
.049–.562	1 3/4-under 2	Gary,Ind. N3
.065–.125	3/4-1	Canton,O. T7
.065–.187	1-1 1/4	Canton,O. T7
.065–.625	2-under 3	EllwoodCity,Pa. N3
.065–.625	2-under 3	Gary,Ind. N3
.065–.687	3-under 4	EllwoodCity,Pa. N3
.065–.687	3-under 4	Gary,Ind. N3
.083–.250	over 1 1/4-1 1/2	Canton,O. T7
.083–.750	4-under 4 1/2	EllwoodCity,Pa. N3
.083–.750	4-under 4 1/2	Gary,Ind. N3
.095–.313	over 1 1/2-1 3/4	Canton,O. T7
.109–.375	over 1 3/4-2 1/4	Canton,O. T7
.109–.500	over 2 1/4-2 1/2	Canton,O. T7
.120–.562	over 2 1/2-2 3/4	Canton,O. T7
.120–.625	over 2 3/4-3	Canton,O. T7
.134–.750	over 3-3 1/4	Canton,O. T7
.134–.875	over 3 1/4-3 3/4	Canton,O. T7
.165–1	over 3 3/4-4 1/4	Canton,O. T7
.188–1.125	over 4 1/4-4 3/4	Canton,O. T7
.203–1.250	over 4 3/4-5 1/4	Canton,O. T7
.250–1.250	over 5 1/4-6	Canton,O. T7
.438–1.250	over 6-7 1/2	Canton,O. T7
.500–1.250	over 7 1/2-8 1/2	Canton,O. T7
.563–1.250	over 8 1/2-10	Canton,O. T7
Type 310Cb		
.035–1.000*	405-8.625	BeaverFalls,Pa. B1

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
Type 316		
.002–.004	.012	Norristown,Pa. S23
.002–.010	.0315	Norristown,Pa. S23
.002–.083*	.008-1.000	Malvern,Pa. B15
.003–.028	.0625	Norristown,Pa. S23
.003–.065*	.012-1	Springfield,O. S21
.004–.042	.0937	Norristown,Pa. S23
.004–.049	.125	Norristown,Pa. S23
.004–.125	up to .625	Bridgeport,Pa. T13
.005–.049	.1875	Norristown,Pa. S23
.005–.065	.250	Norristown,Pa. S23
.005–.083	.3125	Norristown,Pa. S23
.005–.125	.375	Norristown,Pa. S23
.005–.125	.4375	Norristown,Pa. S23
.006–.125	.500	Norristown,Pa. S23
.006–.125	.5625	Norristown,Pa. S23
.006–.125	.625	Norristown,Pa. S23
.008–.072*	1/2-1 1/8	GrandRapids,Mich. H7
.013–.344	1/4-3 1/2	Watervliet,N.Y. A4
.016–.095	1/4	LosAngeles P2
.016–.120	1/8	LosAngeles P2
.016–.134	5/32	LosAngeles P2
.016–.134	5/32	LosAngeles P2
.016–.156	1/2	LosAngeles P2
.018–.156	3/16-3/4	LosAngeles P2
.020–.156	1/8-7/8	LosAngeles P2
.022–.156	1/4	LosAngeles P2
.022–.156	1	LosAngeles P2
.025–.156	1 1/16	LosAngeles P2
.025–.156	1 1/8	LosAngeles P2
.028–.156	1 3/16-1 3/8	LosAngeles P2
.032–.156	1 1/16	LosAngeles P2
.032–.156	1 1/8	LosAngeles P2
.035 max.	1 1/4 max.	Norristown,Pa. S23
.035–.095 to .250–1.00	1/2 6	Milwaukee G3
.035–.148	3/8-under 1/2	EllwoodCity,Pa. N3
.035–.148	3/8-under 1/2	Gary,Ind. N3
.035–.156	1/2-under 5/8	EllwoodCity,Pa. N3
.035–.156	1/2-under 5/8	Gary,Ind. N3
.035–.156	1 3/8	LosAngeles P2
.035–.218	5/8-under 3/4	EllwoodCity,Pa. N3
.035–.218	5/8-under 3/4	Gary,Ind. N3
.035–.312	3/4-under 1	EllwoodCity,Pa. N3
.035–.312	3/4-under 1	Gary,Ind. N3
.035–.375	1-under 1 1/4	EllwoodCity,Pa. N3
.035–.375	1-under 1 1/4	Gary,Ind. N3
.035–1.000*	405-8.625	BeaverFalls,Pa. B1
.049–.437	1 1/4-under 1 1/2	EllwoodCity,Pa. N3
.049–.437	1 1/4-under 1 1/2	Gary,Ind. N3
.049–.500	1 1/2-under 1 3/4	EllwoodCity,Pa. N3
.049–.500	1 1/2-under 1 3/4	Gary,Ind. N3
.049–.562	1 3/4-under 2	EllwoodCity,Pa. N3
.049–.562	1 3/4-under 2	Gary,Ind. N3
.058–.156	1 5/8	LosAngeles P2
.065–.125	3/4-1	Canton,O. T7
.065–.156	1 1/4	LosAngeles P2
.065–.187	1-1 1/4	Canton,O. T7
.065–.625	2-under 3	EllwoodCity,Pa. N3
.065–.625	2-under 3	Gary,Ind. N3
.065–.687	3-under 4	EllwoodCity,Pa. N3
.065–.687	3-under 4	Gary,Ind. N3
.083–.156	1 3/8	LosAngeles P2
.083–.250	over 1 1/4-1 1/2	Canton,O. T7
.083–.750	4-under 4 1/2	EllwoodCity,Pa. N3
.083–.750	4-under 4 1/2	Gary,Ind. N3
.083–.750	4-under 4 1/2	Canton,O. T7
.095–.313	over 1 1/2-1 3/4	LosAngeles P2
.109–.156	1 1/2	Canton,O. T7
.109–.375	over 1 3/4-2 1/4	Canton,O. T7
.109–.500	over 2 1/4-2 1/2	Canton,O. T7
.120–.156	1 5/8	LosAngeles P2
.120–.562	over 2 1/2-2 3/4	Canton,O. T7
.120–.625	over 2 3/4-3	Canton,O. T7
.134–.750	over 3-3 1/4	Canton,O. T7
.134–.875	over 3 1/4-3 3/4	EllwoodCity,Pa. N3
.134–.937	4 1/2-under 5	Gary,Ind. N3
.134–.937	4 1/2-under 5	Canton,O. T7
.165–1	over 3 3/4-4 1/4	EllwoodCity,Pa. N3
.187–.937	5-under 5 1/2	Gary,Ind. N3
.187–.937	5-under 5 1/2	Canton,O. T7
.188–1.125	over 4 1/4-4 3/4	Canton,O. T7
.203–1.250	over 4 3/4-5 1/4	Canton,O. T7
.218–.937	5 1/2-under 6	EllwoodCity,Pa. N3
.218–.937	5 1/2-under 6	Gary,Ind. N3
.250–1.031	6-under 6 1/2	EllwoodCity,Pa. N3
.250–1.031	6-under 6 1/2	Gary,Ind. N3
.250–1.250	over 5 1/4-6	Canton,O. T7
.280–1.031	6 1/2-under 7	EllwoodCity,Pa. N3
.280–1.031	6 1/2-under 7	Gary,Ind. N3
.312–1.156	7-under 7 1/2	EllwoodCity,Pa. N3
.312–1.156	7-under 7 1/2	Gary,Ind. N3
.322–1.125	7 1/2-8 5/8	EllwoodCity,Pa. N3
.322–1.125	7 1/2-8 5/8	Gary,Ind. N3
.375–1.031	8 5/8-9	EllwoodCity,Pa. N3
.375–1.031	8 5/8-9	Gary,Ind. N3
.438–1.250	over 6-7 1/2	Canton,O. T7
.500–1.250	over 7 1/2-8 1/2	Canton,O. T7
.563–1.250	over 8 1/2-10	Canton,O. T7

* Dependent on O.D.

(Code number following mill point indicates producing company, key on page 2)

Round, Cold-Finished

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
Type 316Cb		
.035–1.000*	.405–8.625	Beaver Falls,Pa. B1
Type 317		
.002–.004	.012	Norristown,Pa. S23
.002–.010	.0315	Norristown,Pa. S23
.003–.028	.0625	Norristown,Pa. S23
.004–.042	.0937	Norristown,Pa. S23
.004–.049	.125	Norristown,Pa. S23
.005–.049	.1875	Norristown,Pa. S23
.005–.065	.250	Norristown,Pa. S23
.005–.083	.3125	Norristown,Pa. S23
.005–.125	.375	Norristown,Pa. S23
.005–.125	.4375	Norristown,Pa. S23
.006–.125	.500	Norristown,Pa. S23
.006–.125	.5625	Norristown,Pa. S23
.006–.125	.625	Norristown,Pa. S23
.008–.072*	1/2-1 1/8	Grand Rapids,Mich. H7
.013–.344	1/4-3 1/2	Watervliet,N.Y. A4
.035–1.000*	.405–8.625	Beaver Falls,Pa. B1
Type 321		
.002–.004	.012	Norristown,Pa. S23
.002–.010	.0315	Norristown,Pa. S23
.002–.083*	.008-1.000	Malvern,Pa. B15
.003–.028	.0625	Norristown,Pa. S23
.003–.065*	.012-1	Springfield,O. S21
.004–.042	.0937	Norristown,Pa. S23
.004–.049	.125	Norristown,Pa. S23
.004–.125	up to .625	Bridgeport,Pa. T13
.005–.049	.1875	Norristown,Pa. S23
.005–.065	.250	Norristown,Pa. S23
.005–.083	.3125	Norristown,Pa. S23
.005–.125	.375	Norristown,Pa. S23
.005–.125	.4375	Norristown,Pa. S23
.006–.125	.500	Norristown,Pa. S23
.006–.125	.5625	Norristown,Pa. S23
.006–.125	.625	Norristown,Pa. S23
.008–.072*	1/2-1 1/8	Grand Rapids,Mich. H7
.013–.344	1/4-3 1/2	Watervliet,N.Y. A4
.016–.095	1/4	Lo Angeles P2
.016–.120	1/8	LosAngeles P2
.016–.134	5/32	LosAngeles P2
.016–.148	3/16	LosAngeles P2
.016–.156	1/32	LosAngeles P2
.018–.156	1/32-3/8	LosAngeles P2
.020–.156	1/32-3/8	LosAngeles P2
.022–.156	1/32	LosAngeles P2
.022–.156	1	LosAngeles P2
.025–.156	1 1/32	LosAngeles P2
.025–.156	1 1/16	LosAngeles P2
.028–.156	1 1/32-1 3/8	LosAngeles P2
.032–.156	1 1/16	LosAngeles P2
.032–.156	1 1/32	LosAngeles P2
.035–.095	1/2 to	
.250–1.00	.6	Milwaukee G3
.035–.109	2-2 3/32	LosAngeles P2
.035–.109	2 1/4	LosAngeles P2
.035–.109	2 5/32	LosAngeles P2
.035–.109	2 3/8	LosAngeles P2
.035–.120	2 1/2	LosAngeles P2
.035–.148	3/8-under 1/2	Ellwood City,Pa. N3
.035–.148	3/8-under 1/2	Gary,Ind. N3
.035–.156	1/2-under 5/8	Ellwood City,Pa. N3
.035–.156	1/2-under 5/8	Gary,Ind. N3
.035–.156	1 1/8-1 3/8	LosAngeles P2
.035–.218	5/8-under 3/4	Ellwood City,Pa. N3
.035–.218	5/8-under 3/4	Gary,Ind. N3
.035–.312	3/4-under 1	Ellwood City,Pa. N3
.035–.312	3/4-under 1	Gary,Ind. N3
.035–.375	1-under 1 1/4	Ellwood City,Pa. N3
.035–.375	1-under 1 1/4	Gary,Ind. N3
.035–.437	1 1/4-under 1 1/2	Ellwood City,Pa. N3
.035–.437	1 1/4-under 1 1/2	Gary,Ind. N3
.035–.500	1 1/2-under 1 3/4	Ellwood City,Pa. N3
.035–.500	1 1/2-under 1 3/4	Gary,Ind. N3
.035–.562	1 3/4-under 2	Ellwood City,Pa. N3
.035–.562	1 3/4-under 2	Gary,Ind. N3
.035–1.000*	.405–8.625	Beaver Fall ,Pa. B1
.049–.120	2 3/8	LosAngeles P2
.049–.625	2-under 3	Ellwood City,Pa. N3
.049–.625	2-under 3	Gary,Ind. N3
.065–.120	2 3/4	LosAngeles P2
.065–.125	3/4-1	Canton,O. T7
.065–.187	1-1 1/4	Canton,O. T7
.065–.687	3-under 4	Ellwood City,Pa. N3
.065–.687	3-under 4	Gary,Ind. N3
.083–.120	2 5/8	LosAngeles P2
.083–.250	over 1 1/4 1 1/2	Canton,O. T7
.083–.750	4-under 4 1/2	Ellwood City,Pa. N3
.083–.750	4-under 4 1/2	Gary,Ind. N3
.083–.937	4 1/2-under 5	Ellwood City,Pa. N3
.083–.937	4 1/2-under 5	Gary,Ind. N3
.095–.313	over 1 1/2-1 3/4	Canton,O. T7
.109–.375	over 1 3/4-2 1/4	Canton,O. T7
.109–.500	over 2 1/4-2 1/2	Canton,O. T7
.109–.937	5-under 5 1/2	Ellwood City,Pa. N3
.109–.937	5-under 5 1/2	Gary,Ind. N3
.120–.562	over 2 1/2-2 3/4	Canton,O. T7
.120–.625	over 2 3/4-3	Canton,O. T7
.120–.937	5 1/2-under 6	Ellwood City,Pa. N3
.120–.937	5 1/2-under 6	Gary,Ind. N3
.134–.750	over 3-3 1/4	Canton,O. T7
.134–.875	over 3 1/4-3 3/4	Canton,O. T7
.165–1	over 3 3/4-4 1/4	Canton,O. T7
.187–1.031	6-under 6 1/2	Ellwood City,Pa. N3
.187–1.031	6-under 6 1/2	Gary,Ind. N3
.188–1.125	over 4 1/4-4 3/4	Canton,O. T7
.203–1.250	over 4 3/4-5 1/4	Canton,O. T7
.250–1.031	6 1/2-under 7	Ellwood City,Pa. N3
.250–1.031	6 1/2-under 7	Gary,Ind. N3
.250–1.250	over 5 1/4-6	Canton,O. T7
.312–1.156	7-under 7 1/2	Ellwood City,Pa. N3
.312–1.156	7-under 7 1/2	Gary,Ind. N3
.322–1.125	7 1/2-8 5/8	Ellwood City,Pa. N3
.322–1.125	7 1/2-8 5/8	Gary,Ind. N3
.375–1.031	8 5/8-9	Ellwood City,Pa. N3
.375–1.031	8 5/8-9	Gary,Ind. N3
.438–1.250	over 6-7 1/2	Canton,O. T7
.500–1.250	over 7 1/2-8 1/2	Canton,O. T7
.563–1.250	over 8 1/2-10	Canton,O. T7
Type 329		
.002–.083*	.008-1.000	Malvern,Pa. B15
Type 347		
.002–.004	.012	Norristown,Pa. S23
.002–.010	.0315	Norristown,Pa. S23
.002–.083*	.008-1.000	Malvern,Pa. B15
.003–.028	.0625	Norristown,Pa. S23
.003–.065*	.012-1	Springfield,O. S21
.004–.042	.0937	Norristown,Pa. S23
.004–.049	.125	Norristown,Pa. S23
.004–.125	up to .625	Bridgeport,Pa. T13
.005–.049	.1875	Norristown,Pa. S23
.005–.065	.250	Norristown,Pa. S23
.005–.083	.3125	Norristown,Pa. S23
.005–.125	.375	Norristown,Pa. S23
.005–.125	.4375	Norristown,Pa. S23
.006–.125	.500	Norristown,Pa. S23
.006–.125	.5625	Norristown,Pa. S23
.006–.125	.625	Norristown,Pa. S23
.008–.072*	1/2-1 1/8	Grand Rapids,Mich. H7
.013–.344	1/4-3 1/2	Watervliet,N.Y. A4
.016–.095	1/4	Los Angeles P2
.016–.120	1/8	Los Angeles P2
.016–.134	5/32	Los Angeles P2
.016–.148	3/16	Los Angeles P2
.016–.156	1/32	Los Angeles P2
.018–.156	1/32-3/8	Los Angeles P2
.020–.156	1/32-3/8	Los Angeles P2
.022–.156	1/32	Los Angeles P2
.022–.156	1	Los Angeles P2
.025–.156	1 1/32	Los Angeles P2
.025–.156	1 1/16	Los Angeles P2
.028–.156	1 1/32-1 3/8	Los Angeles P2
.032–.156	1 1/16	Los Angeles P2
.032–.156	1 1/32	Los Angeles P2
.035 max.	1 3/8 max.	Norristown,Pa. S23
.035–.095	1/2 to	
.250–1.00	.6	Milwaukee G3
.035–.109	2-2 3/32	Los Angeles P2
.035–.109	2 1/4	Los Angeles P2
.035–.109	2 5/32	Los Angeles P2
.035–.109	2 3/8	Los Angeles P2
.035–.120	2 1/2	Los Angeles P2
.035–.148	3/8-under 1/2	Ellwood City,Pa. N3
.035–.148	3/8-under 1/2	Gary,Ind. N3
.035–.156	1/2-under 5/8	Ellwood City,Pa. N3
.035–.156	1/2-under 5/8	Gary,Ind. N3
.035–.156	1 1/8-1 3/8	Los Angeles P2
.035–.218	5/8-under 3/4	Ellwood City,Pa. N3
.035–.218	5/8-under 3/4	Gary,Ind. N3
.035–.312	3/4-under 1	Ellwood City,Pa. N3
.035–.312	3/4-under 1	Gary,Ind. N3
.035–.375	1-under 1 1/4	Ellwood City,Pa. N3
.035–.375	1-under 1 1/4	Gary,Ind. N3
.035–1.000*	.405–8.625	Beaver Falls,Pa. B1
.049–.120	2 3/8	Los Angeles P2
.049–.437	1 1/4-under 1 1/2	Ellwood City,Pa. N3
.049–.437	1 1/4-under 1 1/2	Gary,Ind. N3
.049–.500	1 1/2-under 1 3/4	Ellwood City,Pa. N3
.049–.500	1 1/2-under 1 3/4	Gary,Ind. N3
.049–.562	1 3/4-under 2	Ellwood City,Pa. N3
.049–.562	1 3/4-under 2	Gary,Ind. N3
.065–.120	2 3/4	Los Angeles P2
.065–.125	3/4-1	Canton,O. T7
.065–.187	1-1 1/4	Canton,O. T7
.065–.625	2-under 3	Ellwood City,Pa. N3
.065–.625	2-under 3	Gary,Ind. N3
.065–.687	3-under 4	Ellwood City,Pa. N3
.065–.687	3-under 4	Gary,Ind. N3
.083–.120	2 5/8	Los Angeles P2
.083–.250	over 1 1/4-1 1/2	Canton,O. T7
.083–.750	4-under 4 1/2	Ellwood City,Pa. N3
.083–.750	4-under 4 1/2	Gary,Ind. N3
.083–.937	4 1/2-under 5	Ellwood City,Pa. N3
.083–.937	4 1/2-under 5	Gary,Ind. N3
.095–.313	over 1 1/2-1 3/4	Canton,O. T7
.109–.375	over 1 3/4-2 1/4	Canton,O. T7
.109–.500	over 2 1/4-2 1/2	Canton,O. T7
.120–.562	over 2 1/2-2 3/4	Canton,O. T7
.120–.625	over 2 3/4-3	Canton,O. T7
.134–.750	over 3-3 1/4	Canton,O. T7
.134–.875	over 3 1/4-3 3/4	Canton,O. T7
.134–.937	4 1/2-under 5	Ellwood City,Pa. N3
.134–.937	4 1/2-under 5	Gary,Ind. N3
.165–1	over 3 3/4-4 1/4	Canton,O. T7
.187–.937	5-under 5 1/2	Ellwood City,Pa. N3
.187–.937	5-under 5 1/2	Gary,Ind. N3
.188–1.125	over 4 1/4-4 3/4	Canton,O. T7
.203–1.250	over 4 3/4-5 1/4	Canton,O. T7
.218–.937	5 1/2-under 6	Ellwood City,Pa. N3
.218–.937	5 1/2-under 6	Gary,Ind. N3
.250–1.031	6-under 6 1/2	Ellwood City,Pa. N3
.250–1.031	6-under 6 1/2	Gary,Ind. N3
.250–1.250	over 5 1/4-6	Canton,O. T7
.250–1.031	6 1/2-under 7	Ellwood City,Pa. N3
.250–1.031	6 1/2-under 7	Gary,Ind. N3
.312–1.156	7-under 7 1/2	Ellwood City,Pa. N3
.312–1.156	7-under 7 1/2	Gary,Ind. N3
.322–1.125	7 1/2-8 5/8	Ellwood City,Pa. N3
.322–1.125	7 1/2-8 5/8	Gary,Ind. N3
.375–1.031	8 5/8-9	Ellwood City,Pa. N3
.375–1.031	8 5/8-9	Gary,Ind. N3
.438–1.250	over 6-7 1/2	Canton,O. T7
.500–1.250	over 7 1/2-8 1/2	Canton,O. T7
.563–1.250	over 8 1/2-10	Canton,O. T7
Type 403		
.002–.004	.012	Norristown,Pa. S23
.002–.010	.0315	Norristown,Pa. S23
.003–.028	.0625	Norristown,Pa. S23
.004–.042	.0937	Norristown,Pa. S23
.004–.049	.125	Norristown,Pa. S23
.005–.049	.1875	Norristown,Pa. S23
.005–.065	.250	Norristown,Pa. S23
.005–.083	.3125	Norristown,Pa. S23
.005–.125	.375	Norristown,Pa. S23
.005–.125	.4375	Norristown,Pa. S23
.006–.125	.500	Norristown,Pa. S23
.006–.125	.5625	Norristown,Pa. S23
.006–.125	.625	Norristown,Pa. S23
.035–.095	1/2 to	
.250–1.00	.6	Milwaukee G3
.035–1.000*	.405–8.625	Beaver Falls,Pa. B1
.065–.125	3/4-1	Canton,O. T7
.065–.187	1-1 1/4	Canton,O. T7
.083–.250	over 1 1/4-1 1/2	Canton,O. T7
.095–.313	over 1 1/2-1 3/4	Canton,O. T7
.109–.375	over 1 3/4-2 1/4	Canton,O. T7
.109–.500	over 2 1/4-2 1/2	Canton,O. T7
.120–.562	over 2 1/2-2 3/4	Canton,O. T7
.120–.625	over 2 3/4-3	Canton,O. T7
.134–.750	over 3-3 1/4	Canton,O. T7
.134–.875	over 3 1/4-3 3/4	Canton,O. T7
.134–.937	4 1/2-under 5	Ellwood City,Pa. N3
.134–.937	4 1/2-under 5	Gary,Ind. N3
.165–1	over 3 3/4-4 1/4	Canton,O. T7
.187–.937	5-under 5 1/2	Ellwood City,Pa. N3
.187–.937	5-under 5 1/2	Gary,Ind. N3
.188–1.125	over 4 1/4-4 3/4	Canton,O. T7
.203–1.250	over 4 3/4-5 1/4	Canton,O. T7
.218–.937	5 1/2-under 6	Ellwood City,Pa. N3
.218–.937	5 1/2-under 6	Gary,Ind. N3
.250–1.031	6-under 6 1/2	Ellwood City,Pa. N3
.250–1.031	6-under 6 1/2	Gary,Ind. N3
.250–1.250	over 5 1/4-6	Canton,O. T7
.250–1.031	6 1/2-under 7	Ellwood City,Pa. N3
.250–1.031	6 1/2-under 7	Gary,Ind. N3
.312–1.156	7-under 7 1/2	Ellwood City,Pa. N3
.312–1.156	7-under 7 1/2	Gary,Ind. N3
.322–1.125	7 1/2-8 5/8	Ellwood City,Pa. N3
.322–1.125	7 1/2-8 5/8	Gary,Ind. N3
.375–1.031	8 5/8-9	Ellwood City,Pa. N3
.375–1.031	8 5/8-9	Gary,Ind. N3
.438–1.250	over 6-7 1/2	Canton,O. T7
.500–1.250	over 7 1/2-8 1/2	Canton,O. T7
.563–1.250	over 8 1/2-10	Canton,O. T7
Type 405		
.035–.095	1/2 to	
.250–1.00	.6	Milwaukee G3
.035–.148	3/8-under 1/2	Ellwood City,Pa. N3
.035–.148	3/8-under 1/2	Gary,Ind. N3
.035–.156	1/2-under 5/8	Ellwood City,Pa. N3
.035–.156	1/2-under 5/8	Gary,Ind. N3
.035–.218	5/8-under 3/4	Ellwood City,Pa. N3
.035–.218	5/8-under 3/4	Gary,Ind. N3
.035–.312	3/4-under 1	Ellwood City,Pa. N3
.035–.312	3/4-under 1	Gary,Ind. N3
.035–.375	1-under 1 1/4	Ellwood City,Pa. N3
.035–.375	1-under 1 1/4	Gary,Ind. N3
.035–.437	1 1/4-under 1 1/2	Ellwood City,Pa. N3
.035–.437	1 1/4-under 1 1/2	Gary,Ind. N3
.035–.500	1 1/2-under 1 3/4	Ellwood City,Pa. N3
.035–.500	1 1/2-under 1 3/4	Gary,Ind. N3
.035–.562	1 3/4-under 2	Ellwood City,Pa. N3
.035–.562	1 3/4-under 2	Gary,Ind. N3
.035–1.000*	.405–8.625	Beaver Falls,Pa. B1
.049–.625	2-under 3	Ellwood City,Pa. N3
.049–.625	2-under 3	Gary,Ind. N3
.065–.125	3/4-1	Canton,O. T7
.065–.187	1-1 1/4	Canton,O. T7
.065–.687	3-under 4	Ellwood City,Pa. N3
.065–.687	3-under 4	Gary,Ind. N3
.083–.250	over 1 1/4-1 1/2	Canton,O. T7
.083–.750	4-under 4 1/2	Ellwood City,Pa. N3
.083–.750	4-under 4 1/2	Gary,Ind. N3
.083–.937	4 1/2-under 5	Ellwood City,Pa. N3
.083–.937	4 1/2-under 5	Gary,Ind. N3
.095–.313	over 1 1/2-1 3/4	Canton,O. T7
.109–.375	over 1 3/4-2 1/4	Canton,O. T7
.109–.500	over 2 1/4-2 1/2	Canton,O. T7
.109–.937	5-under 5 1/2	Ellwood City,Pa. N3
.109–.937	5-under 5 1/2	Gary,Ind. N3
.120–.562	over 2 1/2-2 3/4	Canton,O. T7

* Dependent on O.D.

(Code number following mill point indicates producing company, key on page 2)

○ Round, Cold-Finished

Wall thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
.120-.625	over 2¾-3	Canton,O. T7
.120-.937	5½-under 6	EllwoodCity,Pa. N3
.120-.937	5½-under 6	Gary,Ind. N3
.134-.750	over 3-3¼	Canton,O. T7
.134-.875	over 3¼-3¾	Canton,O. T7
.165-1	over 3¾-4¼	Canton,O. T7
.187-1.031	6-under 6½	EllwoodCity,Pa. N3
.187-1.031	6-under 6½	Gary,Ind. N3
.188-1.125	over 4¼-4¾	Canton,O. T7
.203-1.250	over 4¾-5¼	Canton,O. T7
.250-1.031	6½-under 7	EllwoodCity,Pa. N3
.250-1.031	6½-under 7	Gary,Ind. N3
.250-1.250	over 5¼-6	Canton,O. T7
.312-1.156	7-under 7½	EllwoodCity,Pa. N3
.312-1.156	7-under 7½	Gary,Ind. N3
.322-1.125	7½-8⅝	EllwoodCity,Pa. N3
.322-1.125	7½-8⅝	Gary,Ind. N3
.375-1.031	8⅝-9	EllwoodCity,Pa. N3
.375-1.031	8⅝-9	Gary,Ind. N3
.438-1.250	over 6-7½	Canton,O. T7
.500-1.250	over 7½-8½	Canton,O. T7
.563-1.250	over 8½-10	Canton,O. T7

Type 410

.002-.004	.012	Norristown,Pa. S23
.002-.010	.0315	Norristown,Pa. S23
.002-.083*	.008-1.000	Malvern,Pa. B15
.003-.028	.0625	Norristown,Pa. S23
.003-.065*	.012-1	Springfield,O. S21
.004-.042	.0937	Norristown,Pa. S23
.004-.049	.125	Norristown,Pa. S23
.004-.125	up to .625	Bridgeport,Pa. T13
.005-.049	.1875	Norristown,Pa. S23
.005-.065	.250	Norristown,Pa. S23
.005-.083	.3125	Norristown,Pa. S23
.005-.125	.375	Norristown,Pa. S23
.005-.125	.4375	Norristown,Pa. S23
.006-.125	.500	Norristown,Pa. S23
.006-.125	.5625	Norristown,Pa. S23
.006-.125	.625	Norristown,Pa. S23
.031-.344	⅛-3½	Watervliet,N.Y. A4
.035-.095	½ to 6	Milwaukee G3
.035-1.000*	.405-8.625	BeaverFalls,Pa. B1
.065-.125	¾-1	Canton,O. T7
.065-.187	1-1¼	Canton,O. T7
.083-.250	over 1¼-1½	Canton,O. T7
.095-.313	over 1½-1¾	Canton,O. T7
.109-.375	over 1¾-2¼	Canton,O. T7
.109-.500	over 2¼-2½	Canton,O. T7
.120-.562	over 2½-2¾	Canton,O. T7
.120-.625	over 2¾-3	Canton,O. T7
.134-.750	over 3-3¼	Canton,O. T7
.134-.875	over 3¼-3¾	Canton,O. T7
.165-1	over 3¾-4¼	Canton,O. T7
.188-1.125	over 4¼-4¾	Canton,O. T7
.203-1.250	over 4¾-5¼	Canton,O. T7
.250-1.250	over 5¼-6	Canton,O. T7
.438-1.250	over 6-7½	Canton,O. T7
.500-1.250	over 7½-8½	Canton,O. T7
.563-1.250	over 8½-10	Canton,O. T7

Type 414

.035-1.000*	.405-8.625	BeaverFalls,Pa. B1

Type 420

.002-.083*	.008-1.000	Malvern,Pa. B15
.003-.065*	.012-1	Springfield,O. S21
.035-1.000*	.405-8.625	BeaverFalls,Pa. B1
.065-.125	¾-1	Canton,O. T7
.065-.187	1-1¼	Canton,O. T7
.083-.250	over 1¼-1½	Canton,O. T7
.095-.313	over 1½-1¾	Canton,O. T7
.109-.375	over 1¾-2¼	Canton,O. T7
.109-.500	over 2¼-2½	Canton,O. T7
.120-.562	over 2½-2¾	Canton,O. T7

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
.120-.625	over 2¾-3	Canton,O. T7
.134-.750	over 3-3¼	Canton,O. T7
.134-.875	over 3¼-3¾	Canton,O. T7
.165-1	over 3¾-4¼	Canton,O. T7
.188-1.125	over 4¼-4¾	Canton,O. T7
.203-1.250	over 4¾-5¼	Canton,O. T7
.250-1.250	over 5¼-6	Canton,O. T7
.438-1.250	over 6-7½	Canton,O. T7
.500-1.250	over 7½-8½	Canton,O. T7
.563-1.250	over 8½-10	Canton,O. T7

Type 430

.002-.004	.012	Norristown,Pa. S23
.002-.010	.0315	Norristown,Pa. S23
.002-.083*	.008-1.000	Malvern,Pa. B15
.003-.028	.0625	Norristown,Pa. S23
.003-.065*	.012-1	Springfield,O. S21
.004-.042	.0937	Norristown,Pa. S23
.004-.049	.125	Norristown,Pa. S23
.004-.125	up to .625	Bridgeport,Pa. T13
.005-.049	.1875	Norristown,Pa. S23
.005-.065	.250	Norristown,Pa. S23
.005-.083	.3125	Norristown,Pa. S23
.005-.125	.375	Norristown,Pa. S23
.005-.125	.4375	Norristown,Pa. S23
.006-.125	.500	Norristown,Pa. S23
.006-.125	.5625	Norristown,Pa. S23
.006-.125	.625	Norristown,Pa. S23
.008-.072*	⅛-1⅛	GrandRapids,Mich. H7
.031-.344	⅛-3½	Watervliet,N.Y. A4
.035-.095	½ to 6	Milwaukee G3
.035-.148	⅝-under ½	EllwoodCity,Pa. N3
.035-.148	⅝-under ½	Gary,Ind. N3
.035-.156	½-under ⅝	EllwoodCity,Pa. N3
.035-.156	½-under ⅝	Gary,Ind. N3
.035-.218	⅝-under ¾	EllwoodCity,Pa. N3
.035-.218	⅝-under ¾	Gary,Ind. N3
.035-.312	¾-under 1	EllwoodCity,Pa. N3
.035-.312	¾-under 1	Gary,Ind. N3
.035-.375	1-under 1¼	EllwoodCity,Pa. N3
.035-.375	1-under 1¼	Gary,Ind. N3
.035-.437	1¼-under 1½	EllwoodCity,Pa. N3
.035-.437	1¼-under 1½	Gary,Ind. N3
.035-.500	1½-under 1¾	EllwoodCity,Pa. N3
.035-.500	1½-under 1¾	Gary,Ind. N3
.035-.562	1¾-under 2	EllwoodCity,Pa. N3
.035-.562	1¾-under 2	Gary,Ind. N3
.035-1.000*	.405-8.625	BeaverFalls,Pa. B1
.049-.625	2-under 3	EllwoodCity,Pa. N3
.049-.625	2-under 3	Gary,Ind. N3
.065-.125	¾-1	Canton,O. T7
.065-.187	1-1¼	Canton,O. T7
.065-.687	3-under 4	EllwoodCity,Pa. N3
.065-.687	3-under 4	Gary,Ind. N3
.083-.250	over 1¼-1½	Canton,O. T7
.083-.750	4-under 4½	EllwoodCity,Pa. N3
.083-.750	4-under 4½	Gary,Ind. N3
.083-.937	4½-under 5	EllwoodCity,Pa. N3
.083-.937	4½-under 5	Gary,Ind. N3
.095-.313	over 1½-1¾	Canton,O. T7
.109-.375	over 1¾-2¼	Canton,O. T7
.109-.500	over 2¼-2½	Canton,O. T7
.109-.937	5-under 5½	EllwoodCity,Pa. N3
.109-.937	5-under 5½	Gary,Ind. N3
.120-.562	over 2½-2¾	Canton,O. T7
.120-.625	over 2¾-3	Canton,O. T7
.120-.937	5½-under 6	EllwoodCity,Pa. N3
.120-.937	5½-under 6	Gary,Ind. N3
.134-.750	over 3-3¼	Canton,O. T7
.134-.875	over 3¼-3¾	Canton,O. T7
.165-1	over 3¾-4¼	Canton,O. T7
.187-1.031	6-under 6½	EllwoodCity,Pa. N3
.187-1.031	6-under 6½	Gary,Ind. N3
.188-1.125	over 4¼-4¾	Canton,O. T7
.203-1.250	over 4¾-5¼	Canton,O. T7

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
.250-1.031	6½-under 7	EllwoodCity,Pa. N3
.250-1.031	6½-under 7	Gary,Ind. N3
.250-1.250	over 5¼-6	Canton,O. T7
.312-1.156	7-under 7½	EllwoodCity,Pa. N3
.312-1.156	7-under 7½	Gary,Ind. N3
.322-1.125	7½-8⅝	EllwoodCity,Pa. N3
.322-1.125	7½-8⅝	Gary,Ind. N3
.375-1.031	8⅝-9	EllwoodCity,Pa. N3
.375-1.031	8⅝-9	Gary,Ind. N3
.438-1.250	over 6-7½	Canton,O. T7
.500-1.250	over 7½-8½	Canton,O. T7
.563-1.250	over 8½-10	Canton,O. T7

Type 443

.035-.095	½ to 6	Milwaukee G3
.035-1.000*	.405-8.625	BeaverFalls,Pa. B1
.065-.125	¾-1	Canton,O. T7
.065-.187	1-1¼	Canton,O. T7
.083-.250	over 1¼-1½	Canton,O. T7
.095-.313	over 1½-1¾	Canton,O. T7
.109-.375	over 1¾-2¼	Canton,O. T7
.109-.500	over 2¼-2½	Canton,O. T7
.120-.562	over 2½-2¾	Canton,O. T7
.120-.625	over 2¾-3	Canton,O. T7
.134-.750	over 3-3¼	Canton,O. T7
.134-.875	over 3¼-3¾	Canton,O. T7
.165-1	over 3¾-4¼	Canton,O. T7
.188-1.125	over 4¼-4¾	Canton,O. T7
.203-1.250	over 4¾-5¼	Canton,O. T7
.250-1.250	over 5¼-6	Canton,O. T7
.438-1.250	over 6-7½	Canton,O. T7
.500-1.250	over 7½-8½	Canton,O. T7
.563-1.250	over 8½-10	Canton,O. T7

Type 446

.002-.004	.012	Norristown,Pa. S23
.002-.010	.0315	Norristown,Pa. S23
.002-.083*	.008-1.000	Malvern,Pa. B15
.003-.028	.0625	Norristown,Pa. S23
.003-.065*	.012-1	Springfield,O. S21
.004-.042	.0937	Norristown,Pa. S23
.004-.049	.125	Norristown,Pa. S23
.004-.125	up to .625	Bridgeport,Pa. T13
.005-.049	.1875	Norristown,Pa. S23
.005-.065	.250	Norristown,Pa. S23
.005-.083	.3125	Norristown,Pa. S23
.005-.125	.375	Norristown,Pa. S23
.005-.125	.4375	Norristown,Pa. S23
.006-.125	.500	Norristown,Pa. S23
.006-.125	.5625	Norristown,Pa. S23
.006-.125	.625	Norristown,Pa. S23
.031-.344	⅛-3½	Watervliet,N.Y. A4
.035-.095	½ to 6	Milwaukee G3
.035-1.000*	.405-8.625	BeaverFalls,Pa. B1
.065-.125	¾-1	Canton,O. T7
.065-.187	1-1¼	Canton,O. T7
.083-.250	over 1¼-1½	Canton,O. T7
.095-.313	over 1½-1¾	Canton,O. T7
.109-.375	over 1¾-2¼	Canton,O. T7
.109-.500	over 2¼-2½	Canton,O. T7
.120-.562	over 2½-2¾	Canton,O. T7
.120-.625	over 2¾-3	Canton,O. T7
.134-.750	over 3-3¼	Canton,O. T7
.134-.875	over 3¼-3¾	Canton,O. T7
.165-1	over 3¾-4¼	Canton,O. T7
.188-1.125	over 4¼-4¾	Canton,O. T7
.203-1.250	over 4¾-5¼	Canton,O. T7
.250-1.250	over 5¼-6	Canton,O. T7
.438-1.250	over 6-7½	Canton,O. T7
.500-1.250	over 7½-8½	Canton,O. T7
.563-1.250	over 8½-10	Canton,O. T7

* Dependent on O.D.

□ Square, Cold-Finished

Type 302

.008-.072*	⅛-1	GrandRapids,Mich. H7
.035-.688*	.500-6.250	BeaverFalls,Pa. B1
.065 and lighter	⅛-⅝	Springfield,O. S21

Type 302B

.035-.688*	.500-6.250	BeaverFalls,Pa. B1

Type 303

.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
Check with mill for sizes		Norristown,Pa. S23

Type 304

.008-.072*	⅛-1	GrandRapids,Mich. H7
.025-.049	⅛-⅝	LosAngeles P2
.025-.065	1/16-⅝	LosAngeles P2
.025-.083	1/16-⅝	LosAngeles P2
.025-.109	1/16-⅞	LosAngeles P2
.025-.134	1/16-1⅛	LosAngeles P2
.028-.134	1/16-1⅝	LosAngeles P2
.035-.120	1/16-1⅞	LosAngeles P2
.035-.688*	.500-6.250	BeaverFalls,Pa. B1
.049-.083	⅜-½	EllwoodCity,Pa. N3
.049-.083	⅜-½	Gary,Ind. N3
.049-.109	⅜-⅞	EllwoodCity,Pa. N3
.049-.109	⅜-⅞	Gary,Ind. N3
.049-.120	1-1¼	EllwoodCity,Pa. N3
.049-.120	1-1¼	Gary,Ind. N3
.049-.188	1⅛-1½	EllwoodCity,Pa. N3
.049-.188	1⅛-1½	Gary,Ind. N3
.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
.065-.250	1⅝-2½	EllwoodCity,Pa. N3
.065-.250	1⅝-2½	Gary,Ind. N3
.083-.312	2⅛-3	EllwoodCity,Pa. N3
.083-.312	2⅛-3	Gary,Ind. N3
.109-.375	3⅛-3½	EllwoodCity,Pa. N3
.109-.375	3⅛-3½	Gary,Ind. N3
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23

Type 305

.008-.072*	⅛-1	GrandRapids,Mich. H7
Check with mill for sizes		Norristown,Pa. S23

Type 308

.035-.688*	.500-6.250	BeaverFalls,Pa. B1

*Dependent on O.D.

SEAMLESS TUBING

(Code number following mill point indicates producing company, key on page 2)

Square, Cold-Finished

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
Type 309		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
Type 309Cb		
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
Type 310		
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
Check with mill for sizes		Norristown,Pa. S23
Type 310Cb		
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
Type 316		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.025–.049	¼-⅝	LosAngeles P2
.025–.065	⅛-½	LosAngeles P2
.025–.083	⅛-⅝	LosAngeles P2
.025–.109	⅛-¾	LosAngeles P2
.025–.134	⅛-1¼	LosAngeles P2
.028–.134	1⅛-1⅝	LosAngeles P2
.035–.120	1¼-1⅞	LosAngeles P2
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
.049–.083	⅜-½	EllwoodCity,Pa. N3
.049–.083	⅜-½	Gary,Ind. N3
.049–.109	⅜-⅞	EllwoodCity,Pa. N3
.049–.109	⅜-⅞	Gary,Ind. N3
.049–.120	1-1¼	EllwoodCity,Pa. N3
.049–.120	1-1¼	Gary,Ind. N3
.049–.188	1⅜-1½	EllwoodCity,Pa. N3
.049–.188	1⅜-1½	Gary,Ind. N3
.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
.065–.250	1⅝-2½	EllwoodCity,Pa. N3
.065–.250	1⅝-2½	Gary,Ind. N3
.083–.312	2⅛-3	EllwoodCity,Pa. N3
.083–.312	2⅛-3	Gary,Ind. N3
.109–.375	3⅛-3½	EllwoodCity,Pa. N3
.109–.375	3⅛-3½	Gary,Ind. N3
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Type 316Cb		
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
Type 317		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
Check with mill for sizes		Norristown,Pa. S23
Type 321		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.025–.049	¼-⅝	LosAngeles P2
.025–.065	⅛-½	LosAngeles P2
.025–.083	⅛-⅝	LosAngeles P2
.025–.109	⅛-¾	LosAngeles P2
.025–.134	⅛-1¼	LosAngeles P2
.028–.134	1⅛-1⅝	LosAngeles P2
.035–.120	1¼-1⅞	LosAngeles P2
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
.049–.083	⅜-½	EllwoodCity,Pa. N3
.049–.083	⅜-½	Gary,Ind. N3
.049–.109	⅜-⅞	EllwoodCity,Pa. N3
.049–.109	⅜-⅞	Gary,Ind. N3
.049–.120	1-1¼	EllwoodCity,Pa. N3
.049–.120	1-1¼	Gary,Ind. N3
.049–.188	1⅜-1½	EllwoodCity,Pa. N3
.049–.188	1⅜-1½	Gary,Ind. N3
.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
Type 329		
up to .065	up to .500	Malvern,Pa. B15
Type 347		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.025–.049	¼-⅝	LosAngeles P2
.025–.065	⅛-½	LosAngeles P2
.025–.083	⅛-⅝	LosAngeles P2
.025–.109	⅛-¾	LosAngeles P2
.025–.134	⅛-1¼	LosAngeles P2
.028–.134	1⅛-1⅝	LosAngeles P2
.035–.120	1¼-1⅞	LosAngeles P2
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
.049–.083	⅜-½	EllwoodCity,Pa. N3
.049–.083	⅜-½	Gary,Ind. N3
.049–.109	⅜-⅞	EllwoodCity,Pa. N3
.049–.109	⅜-⅞	Gary,Ind. N3
.049–.120	1-1¼	EllwoodCity,Pa. N3
.049–.120	1-1¼	Gary,Ind. N3
.049–.188	1⅜-1½	EllwoodCity,Pa. N3
.049–.188	1⅜-1½	Gary,Ind. N3
.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
.065–.250	1⅝-2½	EllwoodCity,Pa. N3
.065–.250	1⅝-2½	Gary,Ind. N3
.083–.312	2⅛-3	EllwoodCity,Pa. N3
.083–.312	2⅛-3	Gary,Ind. N3
.109–.375	3⅛-3½	EllwoodCity,Pa. N3
.109–.375	3⅛-3½	Gary,Ind. N3
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Type 403		
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Type 405		
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
Only on special order		Milwaukee G3
Type 410		
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Type 414		
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
Type 420		
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
Type 430		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Type 443		
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
Only on special order		Milwaukee G3
Type 446		
.035–.688*	.500–6.250	BeaverFalls,Pa. B1
.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23

* Dependent on O.D.

Rectangular, Cold-Finished

Type 302		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.688*	500-6.000 #	BeaverFalls,Pa. B1
.065 & lighter, min. ⅛, max. ⅝		Springfield,O. S21
Type 302B		
.035–.688*	500-6.000 #	BeaverFalls,Pa. B1
Type 303		
.065 & lighter, min. ⅛, max. ⅝		Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
Check with mill for sizes		Norristown,Pa. S23
Type 304		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.688*	500-6.000 #	BeaverFalls,Pa. B1
.065 & lighter, min. ⅛, max. ⅝		Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
Check with mill for sizes		EllwoodCity,Pa. N3
Check with mill for sizes		Gary,Ind. N3
Check with mill for sizes		LosAngeles P2
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Type 305		
.008–.072*	⅛-1	GrandRapids,Mich. H7
Check with mill for sizes		Norristown,Pa. S23
Type 308		
.035–.688*	500-6.000 #	BeaverFalls,Pa. B1
Type 309		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.688*	500-6.000 #	BeaverFalls,Pa. B1
Type 309Cb		
.035–.688*	500-6.000 #	BeaverFalls,Pa. B1
Type 310		
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
.065 & lighter, min. ⅛, max. ⅝		Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
Check with mill for sizes		Norristown,Pa. S23
Type 310Cb		
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
Type 316		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
.065 & lighter, min. ⅛, max. ⅝		Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
Check with mill for sizes		EllwoodCity,Pa. N3
Check with mill for sizes		Gary,Ind. N3
Check with mill for sizes		LosAngeles P2
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Type 316Cb		
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
Type 317		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
Check with mill for sizes		Norristown,Pa. S23
Type 321		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
.065 & lighter, min. ⅛, max. ⅝		Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
Check with mill for sizes		Gary,Ind. N3
Check with mill for sizes		EllwoodCity,Pa. N3
Check with mill for sizes		LosAngeles P2
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Type 329		
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
Type 347		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
.065 & lighter, min. ⅛, max. ⅝		Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
Check with mill for sizes		EllwoodCity,Pa. N3
Check with mill for sizes		Gary,Ind. N3
Check with mill for sizes		LosAngeles P2
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Type 403		
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Type 405		
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
Only on special order		Milwaukee G3
Type 410		
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
.065 & lighter, min. ⅛, max. ⅝		Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Type 414		
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
Type 420		
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
.065 & lighter, min. ⅛, max. ⅝		Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
Type 430		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
.065 & lighter, min. ⅛, max. ⅝		Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Type 443		
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
Only on special order		Milwaukee G3
Type 446		
.035–.688*	.500-6.000 #	BeaverFalls,Pa. B1
.065 & lighter, min. ⅛, max. ⅝		Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23

* Dependent on O.D. # Per side.

(Code number following mill point indicates producing company, key on page 2)

O Round, Cold-Rolled

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
Type 302		
.003–.065*	.012-1	Springfield,O. S21
.006–.250*	1/8-4	EastTroy,Wis. T11
.008–.072*	1/32-1 1/8	GrandRapids,Mich. H7
.020–.042	1/4 to .5	Milwaukee G3
.020–.065	5/8	Cleveland R2
.020–.065	7/16	Cleveland R2
.020–.083	1/2	Cleveland R2
.020–.083	7/16	Cleveland R2
.020–.109	1/2-3	Detroit S14
.022–.083	5/8	Cleveland R2
.022–.083	11/16	Cleveland R2
.022–.095	3/4	Cleveland R2
.022–.095	13/16	Cleveland R2
.025–.109	7/8	Cleveland R2
.025–.109	15/16	Cleveland R2
.025–.120	1	Cleveland R2
.028–.120	1 1/16	Cleveland R2
.028–.120	1 1/8	Cleveland R2
.028–.120	1 3/16	Cleveland R2
.028–.120	1 1/4	Cleveland R2
.035–.120	1 5/16	Cleveland R2
.035–.120	1 3/8	Cleveland R2
.035–.120	1 7/16	Cleveland R2
.035–.134	1 1/2	Cleveland R2
.035–.134	1 5/8	Cleveland R2
.035–.134	1 11/16	Cleveland R2
.035–.134	1 3/4	Cleveland R2
.035–.134	1 7/8	Cleveland R2
.035–.148	2	Cleveland R2
.035–.148	2 1/8	Cleveland R2
.035–.148	2 1/4	Cleveland R2
.035–.154*	.405-4.500	BeaverFalls,Pa. B1
.035–.165	2 3/8	Cleveland R2
.035–.165	2 1/2	Cleveland R2
.035–.165	2 5/8	Cleveland R2
.035–.165	2 3/4	Cleveland R2
.035–.165	2 7/8	Cleveland R2
.035–.165	3	Cleveland R2
.065–.165	3 1/4	Cleveland R2
.065–.165	3 1/2	Cleveland R2
.065–.165	3 3/4	Cleveland R2
.065–.165	4	Cleveland R2
.065–.165	4 1/2	Cleveland R2
.065–.165	5	Cleveland R2
Type 304		
.002–.004	.012	Norristown,Pa. S23
.002–.012	.0315	Norristown,Pa. S23
.002–.083*	.008-1.000	Malvern,Pa. B15
.003–.020	.0625	Norristown,Pa. S23
.003–.065*	.012-1	Springfield,O. S21
.004–.028	.0937	Norristown,Pa. S23
.004–.035	.125	Norristown,Pa. S23
.004–.125	up to .625	Bridgeport,Pa. T13
.005–.042	.1875	Norristown,Pa. S23
.005–.049	.250	Norristown,Pa. S23
.005–.049	.3125	Norristown,Pa. S23
.005–.065	.375	Norristown,Pa. S23
.006–.250*	1/8-40	EastTroy,Wis. T11
.007–.065	.4375	Norristown,Pa. S23
.007–.065	.500	Norristown,Pa. S23
.008–.072*	1/32-1 1/8	GrandRapids,Mich. H7
.010–.065	.5625	Norristown,Pa. S23
.010–.065	.625	Norristown,Pa. S23
.016–.095	1/4	LosAngeles P2
.016–.120	5/16	LosAngeles P2
.016–.134	3/8	LosAngeles P2
.016–.148	7/16	LosAngeles P2
.016–.156	1/2	LosAngeles P2
.018–.156	9/16-3/4	LosAngeles P2
.020	1/4-1 1/4	Union,N.J. C4
.020–.042	1/4 to .5	Milwaukee G3
.020–.065	5/8	Cleveland R2
.020–.065	7/16	Cleveland R2
.020–.083	1/2	Cleveland R2
.020–.083	7/16	Cleveland R2
.020–.109	1/2-3	Detroit S14
.020–.156	1/2-7/8	LosAngeles P2
.022	1/4-1 1/4	Union,N.J. C4
.022–.083	5/8	Cleveland R2
.022–.083	11/16	Cleveland R2
.022–.095	3/4	Cleveland R2
.022–.095	13/16	Cleveland R2
.022–.156	1/2	Lo Angeles P2
.022–.156	1	LosAngeles P2
.025	1/4-2	Union,N.J. C4
.025–.049	5/8-under 1/2	Elkhart,Ind. M17
.025–.065	1/2-under 11/16	Elkhart,Ind. M17
.025–.109	7/8	Cleveland R2
.025–.109	15/16	Cleveland R2
.025–.120	1	Cleveland R2
.025–.156	1 1/16	LosAngeles P2
.025–.156	1 1/8	LosAngeles P2
.028	1/4-2 1/2	Union,N.J. C4
.028	5/8-1	Greenville,Pa. D8
.028–.072	11/16-under 1 1/16	Elkhart,Ind. M17
.028–.120	1 1/16	Cleveland R2
.028–.120	1 1/8	Cleveland R2
.028–.120	1 3/16	Cleveland R2
.028–.120	1 1/4	Cleveland R2
.028–.156	1 5/16-1 3/8	LosAngeles P2
.032	1/4-2 3/4	Union,N.J. C4
.032	5/8-1	Greenville,Pa. D8
.032–.083	1 1/16-under 1 1/16	Elkhart,Ind. M17
.032–.156	1 7/16	LosAngeles P2
.032–.156	1 1/2	LosAngeles P2
.035	1/4-3	Union,N.J. C4
.035	5/8-1 1/2	Greenville,Pa. D8
.035–.095	1 1/16-2 1/16	Elkhart,Ind. M17
.035–.109	2-2 1/16	LosAngeles P2
.035–.109	2 1/16-under 3 1/8	Elkhart,Ind. M17
.035–.120	1 1/16	Cleveland R2
.035–.120	1 1/8	Cleveland R2
.035–.120	1 1/16	Cleveland R2
.035–.134	1 1/2	Cleveland R2
.035–.134	1 5/8	Cleveland R2
.035–.134	1 11/16	Cleveland R2
.035–.134	1 3/4	Cleveland R2
.035–.134	1 7/8	Cleveland R2
.035–.148	2	Cleveland R2
.035–.148	2 1/8	Cleveland R2
.035–.148	2 1/4	Cleveland R2
.035–.154*	.405-4.500	BeaverFalls,Pa. B1
.035–.156	1 7/8-1 7/8	LosAngeles P2
.035–.165	2 3/8	Cleveland R2
.035–.165	2 1/2	Cleveland R2
.035–.165	2 5/8	Cleveland R2
.035–.165	2 3/4	Cleveland R2
.035–.165	2 7/8	Cleveland R2
.035–.165	3	Cleveland R2
.042	1/4-3 1/2	Union,N.J. C4
.042	5/8-1 1/2	Greenville,Pa. D8
.042–.109	3 1/8-3 1/2	Elkhart,Ind. M17
.049	1/4-4	Union,N.J. C4
.049	5/8-2	Greenville,Pa. D8
.049–.109	2 1/4	LosAngeles P2
.050–1.000	5.00-48.00	JerseyCity,N.J. S25
.058	5/8-2	Greenville,Pa. D8
.058	5/8-4	Union,N.J. C4
.065	5/8-3	Greenville,Pa. D8
.065	5/8-5	Union,N.J. C4
.065–.109	2 1/16	LosAngeles P2
.065–.165	3 1/4	Cleveland R2
.065–.165	3 1/2	Cleveland R2
.065–.165	3 3/4	Cleveland R2
.065–.165	4	Cleveland R2
.065–.165	4 1/2	Cleveland R2
.065–.165	5	Cleveland R2
.072	5/8-3	Greenville,Pa. D8
.072	1/2-5	Union,N.J. C4
.083	5/8-3	Greenville,Pa. D8
.083	7/16-5	Union,N.J. C4
.083–.109	2 3/8	LosAngeles P2
.095	5/8-3	Greenville,Pa. D8
.095	7/16-5	Union,N.J. C4
.095 and lighter	1 1/2 and smaller	OakLane,Pa. I-6
.109	5/8-3	Greenville,Pa. D8
.109	7/16-5	Union,N.J. C4
.120	1-3	Greenville,Pa. D8
.120	1 1/8-5	Union,N.J. C4
.135	1 1/16-5	Union,N.J. C4
Type 304L		
.020	1/4-1 1/4	Union,N.J. C4
.022	1/4-1 1/4	Union,N.J. C4
.025	1/4-2	Union,N.J. C4
.028	1/4-2 1/2	Union,N.J. C4
.032	1/4-2 3/4	Union,N.J. C4
.035	1/4-3	Union,N.J. C4
.042	1/4-3 1/2	Union,N.J. C4
.049	1/4-4	Union,N.J. C4
.058	5/8-4	Union,N.J. C4
.065	5/8-5	Union,N.J. C4
.072	1/2-5	Union,N.J. C4
.083	7/16-5	Union,N.J. C4
.095	7/16-5	Union,N.J. C4
.109	7/16-5	Union,N.J. C4
.120	1 1/8-5	Union,N.J. C4
.135	1 1/16-5	Union,N.J. C4
Type 305		
.002–.004	.012	Norristown,Pa. S23
.002–.012	.0315	Norristown,Pa. S23
.002–.083*	.008-1.000	Malvern,Pa. B15
.003–.020	.0625	Norristown,Pa. S23
.004–.028	.0937	Norristown,Pa. S23
.004–.035	.125	Norristown,Pa. S23
.005–.042	.1875	Norristown,Pa. S23
.005–.049	.250	Norristown,Pa. S23
.005–.049	.3125	Norristown,Pa. S23
.005–.065	.375	Norristown,Pa. S23
.007–.065	.4375	Norristown,Pa. S23
.007–.065	.500	Norristown,Pa. S23
.008–.072*	1/32-1 1/8	GrandRapids,Mich. H7
.010–.065	.5625	Norristown,Pa. S23
.010–.065	.625	Norristown,Pa. S23
Type 308		
.006–.250*	1/8-40	EastTroy,Wis. T11
.020–.042	1/4 to .5	Milwaukee G3
.025–.049	5/8-under 1/2	Elkhart,Ind. M17
.025–.065	1/2-under 11/16	Elkhart,Ind. M17
.028–.072	11/16-under 1 1/16	Elkhart,Ind. M17
.032–.083	1 1/16-under 1 7/16	Elkhart,Ind. M17
.035–.095	1 7/16-2 1/16	Elkhart,Ind. M17
.035–.109	2 1/16-under 3 1/8	Elkhart,Ind. M17
.035–.154*	.405-4.500	BeaverFalls,Pa. B1
.042–.109	3 1/8-3 1/2	Elkhart,Ind. M17
Type 309		
.002–.004	.012	Norristown,Pa. S23
.002–.012	.0315	Norristown,Pa. S23
.003–.020	.0625	Norristown,Pa. S23
.004–.028	.0937	Norristown,Pa. S23
.004–.035	.125	Norristown,Pa. S23
.005–.042	.1875	Norristown,Pa. S23
.005–.049	.250	Norristown,Pa. S23
.005–.049	.3125	Norristown,Pa. S23
.005–.065	.375	Norristown,Pa. S23
.007–.065	.4375	Norristown,Pa. S23
.007–.065	.500	Norristown,Pa. S23
.008–.072*	1/32-1 1/8	GrandRapids,Mich. H7
.010–.065	.5625	Norristown,Pa. S23
.010–.065	.625	Norristown,Pa. S23
.020–.042	1/4 to .5	Milwaukee G3
.035–.154*	.405-4.500	BeaverFalls,Pa. B1
Type 309Cb		
.020	1/4-1 1/4	Union,N.J. C4
.022	1/4-1 1/4	Union,N.J. C4
.025	1/4-2	Union,N.J. C4
.028	1/4-2 1/2	Union,N.J. C4
.028	5/8-1	Greenville,Pa. D8
.032	1/4-2 3/4	Union,N.J. C4
.032	5/8-1	Greenville,Pa. D8
.035	1/4-3	Union,N.J. C4
.035	5/8-1 1/2	Greenville,Pa. D8
.035–.154*	.405-4.500	BeaverFalls,Pa. B1
.042	1/4-3 1/2	Union,N.J. C4
.042	5/8-1 1/2	Greenville,Pa. D8
.049	1/4-4	Union,N.J. C4
.049	5/8-2	Greenville,Pa. D8
.058	5/8-2	Greenville,Pa. D8
.058	5/8-4	Union,N.J. C4
.065	5/8-3	Greenville,Pa. D8
.065	5/8-5	Union,N.J. C4
.072	5/8-3	Greenville,Pa. D8
.072	1/2-5	Union,N.J. C4
.083	5/8-3	Greenville,Pa. D8
.083	7/16-5	Union,N.J. C4
.095	5/8-3	Greenville,Pa. D8
.095	7/16-5	Union,N.J. C4
.109	5/8-3	Greenville,Pa. D8
.109	7/16-5	Union,N.J. C4
.120	1-3	Greenville,Pa. D8
.120	1 1/16-5	Union,N.J. C4
.135	1 1/16-5	Union,N.J. C4
Type 309S		
.006–.250*	1/8-40	EastTroy,Wis. T11
.020	1/4-1 1/4	Union,N.J. C4
.020–.065	5/8	Cleveland R2
.020–.065	7/16	Cleveland R2
.020–.083	1/2	Cleveland R2
.020–.083	7/16	Cleveland R2
.022	1/4-1 1/4	Union,N.J. C4
.022–.083	5/8	Cleveland R2
.022–.083	11/16	Cleveland R2
.022–.095	3/4	Cleveland R2
.022–.095	13/16	Cleveland R2
.025	1/4-2	Union,N.J. C4
.025–.049	5/8-under 1/2	Elkhart,Ind. M17
.025–.065	1/2-under 11/16	Elkhart,Ind. M17
.025–.109	7/8	Cleveland R2
.025–.109	15/16	Cleveland R2
.025–.120	1	Cleveland R2
.028	1/4-2 1/2	Union,N.J. C4
.028	5/8-1	Greenville,Pa. D8
.028–.072	11/16-under 1 1/16	Elkhart,Ind. M17
.032–.083	1 1/16-under 1 7/16	Elkhart,Ind. M17
.028–.120	1 1/16	Cleveland R2
.028–.120	1 1/8	Cleveland R2
.028–.120	1 1/16	Cleveland R2
.028–.120	1 1/4	Cleveland R2
.032	1/4-2 3/4	Union,N.J. C4
.032	5/8-1	Greenville,Pa. D8
.035	1/4-3	Union,N.J. C4
.035	5/8-1 1/2	Greenville,Pa. D8
.035–.095	1 1/16-2 1/16	Elkhart,Ind. M17
.035–.109	2 1/16-under 3 1/8	Elkhart,Ind. M17
.035–.120	1 1/16	Cleveland R2
.035–.120	1 1/8	Cleveland R2
.035–.120	1 1/16	Cleveland R2
.035–.134	1 1/2	Cleveland R2
.035–.134	1 7/16	Cleveland R2

* Dependent on O.D.

(Code number following mill point indicates producing company, key on page 2)

○ Round, Cold-Rolled

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
.035–.134	1⅝	Cleveland R2
.035–.134	1¼	Cleveland R2
.035–.134	1⅜	Cleveland R2
.035–.134	1⅞	Cleveland R2
.035–.134	2	Cleveland R2
.035–.148	2⅛	Cleveland R2
.035–.148	2¼	Cleveland R2
.035–.165	2⅜	Cleveland R2
.035–.165	2½	Cleveland R2
.035–.165	2⅝	Cleveland R2
.035–.165	2¾	Cleveland R2
.035–.165	2⅞	Cleveland R2
.035–.165	3	Cleveland R2
.042	¼-3½	Union,N.J. C4
.042	⅜-1½	Greenville,Pa. D8
.042–.109	3⅛-3½	Elkhart,Ind. M17
.049	¼-4	Union,N.J. C4
.049	⅜-2	Greenville,Pa. D8
.050–1.000	5.00-48.00	JerseyCity,N.J. S25
.058	⅜-2	Greenville,Pa. D8
.058	¼-4	Union,N.J. C4
.065	⅜-3	Greenville,Pa. D8
.065	⅜-5	Union,N.J. C4
.065–.165	3¼	Cleveland R2
.065–.165	3½	Cleveland R2
.065–.165	3¾	Cleveland R2
.065–.165	4	Cleveland R2
.065–.165	4½	Cleveland R2
.065–.165	5	Cleveland R2
.072	⅜-3	Greenville,Pa. D8
.072	½-5	Union,N.J. C4
.083	⅜-3	Greenville,Pa. D8
.083	½-5	Union,N.J. C4
.095	⅜-3	Greenville,Pa. D8
.095	½-5	Union,N.J. C4
.109	⅜-3	Greenville,Pa. D8
.109	½-5	Union,N.J. C4
.120	1-3	Greenville,Pa. D8
.120	1⅛-5	Union,N.J. C4
.135	1⅜-5	Union,N.J. C4

Type 309S cb

.006–.250*	⅛-40	EastTroy,Wis. T11

Type 310

.002–.004	.012	Norristown,Pa. S23
.002–.012	.0315	Norristown,Pa. S23
.003–.020	.0625	Norristown,Pa. S23
.003–.065*	.012-1	Springfield,O. S21
.004–.028	.0937	Norristown,Pa. S23
.004–.035	.125	Norristown,Pa. S23
.005–.042	.1875	Norristown,Pa. S23
.005–.049	.250	Norristown,Pa. S23
.005–.049	.3125	Norristown,Pa. S23
.005–.065	.375	Norristown,Pa. S23
.006–.250*	⅛-40	EastTroy,Wis. T11
.007–.065	.4375	Norristown,Pa. S23
.007–.065	.500	Norristown,Pa. S23
.010–.065	.5625	Norristown,Pa. S23
.010–.065	.625	Norristown,Pa. S23
.020	¼-1¼	Union,N.J. C4
.020–.042 to .095–.165	¼ 5	Milwaukee G3
.020–.065	⅜	Cleveland R2
.020–.065	½	Cleveland R2
.020–.083	⅝	Cleveland R2
.020–.083	¾	Cleveland R2
.022	¼-1¼	Union,N.J. C4
.022–.083	⅜	Cleveland R2
.022–.083	½	Cleveland R2
.022–.095	⅝	Cleveland R2
.022–.095	¾	Cleveland R2
.025	¼-2	Union,N.J. C4
.025–.049	⅜-under ½	Elkhart,Ind. M17
.025–.065	½-under ¾	Elkhart,Ind. M17
.025–.109	⅜	Cleveland R2
.025–.109	½	Cleveland R2
.025–.120	1	Cleveland R2
.028	¼-2½	Union,N.J. C4
.028	⅜-1	Greenville,Pa. D8
.028–.072	¾-under 1⅛	Elkhart,Ind. M17
.028–.120	1⅛	Cleveland R2
.028–.120	1¼	Cleveland R2
.028–.120	1⅜	Cleveland R2
.028–.120	1¾	Cleveland R2
.032	¼-2¾	Union,N.J. C4
.032	⅜-1	Greenville,Pa. D8
.032–.083	1⅛-under 1⅝	Elkhart,Ind. M17
.035	¼-3	Union,N.J. C4
.035	⅜-1½	Greenville,Pa. D8
.035–.095	1⅛-2⅛	Elkhart,Ind. M17
.035–.109	2⅛-under 3⅛	Elkhart,Ind. M17
.035–.120	1⅛	Cleveland R2
.035–.120	1⅜	Cleveland R2
.035–.120	1⅞	Cleveland R2
.035–.134	1½	Cleveland R2
.035–.134	1⅝	Cleveland R2
.035–.134	1¾	Cleveland R2
.035–.134	1⅞	Cleveland R2
.035–.134	2	Cleveland R2
.035–.148	2⅛	Cleveland R2
.035–.148	2¼	Cleveland R2
.035–.154*	.405-4.500	BeaverFalls,Pa. B1
.035–.156	1⅛	LosAngeles P2
.035–.165	2⅜	Cleveland R2
.035–.165	2½	Cleveland R2
.035–.165	2⅝	Cleveland R2
.035–.165	2¾	Cleveland R2
.035–.165	2⅞	Cleveland R2
.035–.165	3	Cleveland R2
.042	¼-3½	Union,N.J. C4
.042	⅜-1½	Greenville,Pa. D8
.042–.109	3⅛-3½	Elkhart,Ind. M17
.049	¼-4	Union,N.J. C4
.049	⅜-2	Greenville,Pa. D8
.050–1.000	5.00-48.00	JerseyCity,N.J. S25
.058	⅜-2	Greenville,Pa. D8
.058	¼-4	Union,N.J. C4
.065	⅜-3	Greenville,Pa. D8
.065	⅜-5	Union,N.J. C4
.065–.165	3¼	Cleveland R2
.065–.165	3½	Cleveland R2
.065–.165	3¾	Cleveland R2
.065–.165	4	Cleveland R2
.065–.165	4½	Cleveland R2
.065–.165	5	Cleveland R2
.072	⅜-3	Greenville,Pa. D8
.072	½-5	Union,N.J. C4
.083	⅜-3	Greenville,Pa. D8
.083	⅞-5	Union,N.J. C4
.095	⅜-3	Greenville,Pa. D8
.095	⅞-5	Union,N.J. C4
.109	⅜-3	Greenville,Pa. D8
.109	⅞-5	Union,N.J. C4
.120	1-3	Greenville,Pa. D8
.120	1⅛-5	Union,N.J. C4
.135	1⅜-5	Union,N.J. C4

Type 310Cb

.035–.154*	.405-4.500	BeaverFalls,Pa. B1

Type 311

.006–.250*	⅛-40	EastTroy,Wis. T11

Type 314

.020–.042 to .095–.165	¼ 5	Milwaukee G3

Type 316

.002–.004	.012	Norristown,Pa. S23
.002–.012	.0315	Norristown,Pa. S23
.002–.083*	.008-1.000	Malvern,Pa. B15
.003–.020	.0625	Norristown,Pa. S23
.003–.065*	.012-1	Springfield,O. S21
.004–.028	.0937	Norristown,Pa. S23
.004–.035	.125	Norristown,Pa. S23
.005–.042	.1875	Norristown,Pa. S23
.005–.049	.250	Norristown,Pa. S23
.005–.049	.3125	Norristown,Pa. S23
.005–.065	.375	Norristown,Pa. S23
.006–.250*	⅛-40	EastTroy,Wis. T11
.007–.065	.4375	Norristown,Pa. S23
.007–.065	.500	Norristown,Pa. S23
.008–.072*	1/32-1⅛	GrandRapids,Mich. H7
.010–.065	.5625	Norristown,Pa. S23
.010–.065	.625	Norristown,Pa. S23
.016–.095	¼	LosAngeles P2
.016–.120	5/16	LosAngeles P2
.016–.134	⅜	LosAngeles P2
.016–.134	7/16	LosAngeles P2
.016–.156	½	LosAngeles P2
.018–.156	5/16-⅜	LosAngeles P2
.020	¼-1¼	Union,N.J. C4
.020–.042 to .095–.165	¼ 5	Milwaukee G3
.020–.065	⅜	Cleveland R2
.020–.065	7/16	Cleveland R2
.020–.083	½	Cleveland R2
.020–.083	5/16	Cleveland R2
.020–.109	½-3	Detroit S14
.020–.156	⅛-⅜	LosAngeles P2
.022	¼-1¼	Union,N.J. C4
.022–.083	⅜	Cleveland R2
.022–.083	⅛	Cleveland R2
.022–.095	⅝	Cleveland R2
.022–.095	⅛	Cleveland R2
.022–.156	⅛	LosAngeles P2
.022–.156	1	LosAngeles P2
.025	¼-2	Union,N.J. C4
.025–.049	⅜-under ½	Elkhart,Ind. M17
.025–.065	½-under ¾	Elkhart,Ind. M17
.025–.109	⅞	Cleveland R2
.025–.109	⅛	Cleveland R2
.025–.120	1	Cleveland R2
.025–.156	1⅛	LosAngeles P2
.025–.156	1⅛	LosAngeles P2
.028	¼-2½	Union,N.J. C4
.028	⅜-1	Greenville,Pa. D8
.028–.072	¾-under 1⅛	Elkhart,Ind. M17
.028–.120	1⅛	Cleveland R2
.028–.120	1⅜	Cleveland R2
.028–.120	1⅝	Cleveland R2
.028–.120	1¾	Cleveland R2

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
.028–.156	1⅛-1⅜	LosAngeles P2
.032	¼-2¾	Union,N.J. C4
.032	⅜-1	Greenville,Pa. D8
.032–.083	1⅛-under 1⅜	Elkhart,Ind. M17
.032–.156	1⅛	LosAngeles P2
.032–.156	1½	LosAngeles P2
.035	¼-3	Union,N.J. C4
.035	⅜-1½	Greenville,Pa. D8
.035–.095	1⅛-2⅛	Elkhart,Ind. M17
.035–.109	2⅛-under 3⅛	Elkhart,Ind. M17
.035–.120	1⅛	Cleveland R2
.035–.120	1⅜	Cleveland R2
.035–.120	1⅞	Cleveland R2
.035–.134	1½	Cleveland R2
.035–.134	1⅝	Cleveland R2
.035–.134	1¾	Cleveland R2
.035–.134	1⅞	Cleveland R2
.035–.134	2	Cleveland R2
.035–.148	2⅛	Cleveland R2
.035–.148	2¼	Cleveland R2
.035–.154*	.405-4.500	BeaverFalls,Pa. B1
.035–.156	1⅛	LosAngeles P2
.035–.165	2⅜	Cleveland R2
.035–.165	2½	Cleveland R2
.035–.165	2⅝	Cleveland R2
.035–.165	2¾	Cleveland R2
.035–.165	2⅞	Cleveland R2
.035–.165	3	Cleveland R2
.042	¼-3½	Union,N.J. C4
.042	⅜-1½	Greenville,Pa. D8
.042–.109	3⅛-3½	Elkhart,Ind. M17
.049	¼-4	Union,N.J. C4
.049	⅜-2	Greenville,Pa. D8
.050–1.000	5.00-48.00	JerseyCity,N.J. S25
.058	⅜-2	Greenville,Pa. D8
.058	¼-4	Union,N.J. C4
.058–.156	1⅛	LosAngeles P2
.065	⅜-3	Greenville,Pa. D8
.065	⅜-5	Union,N.J. C4
.065–.156	1¼	LosAngeles P2
.065–.165	3¼	Cleveland R2
.065–.165	3½	Cleveland R2
.065–.165	3¾	Cleveland R2
.065–.165	4	Cleveland R2
.065–.165	4½	Cleveland R2
.065–.165	5	Cleveland R2
.072	⅜-3	Greenville,Pa. D8
.072	½-5	Union,N.J. C4
.083	⅜-3	Greenville,Pa. D8
.083	½-5	Union,N.J. C4
.083–.156	1⅜	LosAngeles P2
.095	⅜-3	Greenville,Pa. D8
.095	½-5	Union,N.J. C4
.109	⅜-3	Greenville,Pa. D8
.109	½-5	Union,N.J. C4
.109–.156	1⅛	LosAngeles P2
.120	1-3	Greenville,Pa. D8
.120	1⅛-5	Union,N.J. C4
.120–.156	1⅜	LosAngeles P2
.135	1½-5	Union,N.J. C4

Type 316Cb

.020	¼-1¼	Union,N.J. C4
.022	¼-1¼	Union,N.J. C4
.025	¼-2	Union,N.J. C4
.028	¼-2½	Union,N.J. C4
.028	⅜-1	Greenville,Pa. D8
.032	¼-2¾	Union,N.J. C4
.032	⅜-1	Greenville,Pa. D8
.035	¼-3	Union,N.J. C4
.035	⅜-1½	Greenville,Pa. D8
.035–.154*	.405-4.500	BeaverFalls,Pa. B1
.042	¼-3½	Union,N.J. C4
.042	⅜-1½	Greenville,Pa. D8
.049	¼-4	Union,N.J. C4
.049	⅜-2	Greenville,Pa. D8
.058	⅜-2	Greenville,Pa. D8
.058	¼-4	Union,N.J. C4
.065	⅜-3	Greenville,Pa. D8
.065	⅜-5	Union,N.J. C4
.072	⅜-3	Greenville,Pa. D8
.072	½-5	Union,N.J. C4
.083	⅜-3	Greenville,Pa. D8
.083	⅞-5	Union,N.J. C4
.095	⅜-3	Greenville,Pa. D8
.095	⅞-5	Union,N.J. C4
.109	⅜-3	Greenville,Pa. D8
.109	⅞-5	Union,N.J. C4
.120	1-3	Greenville,Pa. D8
.120	1⅛-5	Union,N.J. C4
.135	1⅜-5	Union,N.J. C4

Type 316L

.020	¼-1¼	Union,N.J. C4
.022	¼-1¼	Union,N.J. C4
.025	¼-2	Union,N.J. C4
.028	¼-2½	Union,N.J. C4
.032	¼-2¾	Union,N.J. C4

* Dependent on O.D.

(Code number following mill point indicates producing company, key on page 2)

O Round, Cold-Rolled

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
.035	¼-3	Union,N.J. C4
.042	¼-3½	Union,N.J. C4
.049	¼-4	Union,N.J. C4
.058	⅜-4	Union,N.J. C4
.065	⅜-5	Union,N.J. C4
.072	½-5	Union,N.J. C4
.083	⅝-5	Union,N.J. C4
.095	⅝-5	Union,N.J. C4
.109	¾-5	Union,N.J. C4
.120	1⅛	Union,N.J. C4
.135	1⅞-5	Union,N.J. C4

Type 317

.002–.004	.012	Norristown,Pa. S23
.002–.012	.0315	Norristown,Pa. S23
.003–.020	.0625	Norristown,Pa. S23
.004–.028	.0937	Norristown,Pa. S23
.004–.035	.125	Norristown,Pa. S23
.005–.042	.1875	Norristown,Pa. S23
.005–.049	.250	Norristown,Pa. S23
.005–.049	.3125	Norristown,Pa. S23
.005–.065	.375	Norri-town,Pa. S23
.006–.250*	⅛-40	EastTroy,Wis. T11
.007–.065	.4375	Norristown,Pa. S23
.007–.065	.500	Norristown,Pa. S23
.008–.072*	¼-1⅛	GrandRapids,Mich. H7
.010–.065	.5625	Norristown,Pa. S23
.010–.065	.625	Norristown,Pa. S23
.020	¼-1¼	Union,N.J. C4
.020–.042 to .095–.165	¼ .5	Milwaukee G3
.020–.065	⅜	Cleveland R2
.020–.065	½	Cleveland R2
.020–.083	⅝	Cleveland R2
.020–.083	¾	Cleveland R2
.022	¼-1¼	Union,N.J. C4
.022–.083	⅝	Cleveland R2
.022–.083	¾	Cleveland R2
.022–.095	⅞	Cleveland R2
.022–.095	1	Cleveland R2
.025	¼-2	Union,N.J. C4
.025–.049	⅜-under ½	Elkhart,Ind. M17
.025–.065	½-under ¾	Elkhart,Ind. M17
.025–.109	⅞	Cleveland R2
.025–.109	1⅛	Cleveland R2
.025–.120	1	Cleveland R2
.028	¼-2½	Union,N.J. C4
.028	⅜-1	Greenville,Pa. D8
.028–.072	¾-under 1⅛	Elkhart,Ind. M17
.028–.120	1⅛	Cleveland R2
.028–.120	1⅜	Cleveland R2
.028–.120	1⅝	Cleveland R2
.028–.120	1⅞	Cleveland R2
.032	¼-2¾	Union,N.J. C4
.032	⅜-1	Greenville,Pa. D8
.032–.083	1⅛-under 1⅜	Elkhart,Ind. M17
.035	¼-3	Union,N.J. C4
.035	⅜-1½	Greenville,Pa. D8
.035–.095	1⅜-2⅛	Elkhart,Ind. M17
.035–.109	2⅛-under 3⅛	Elkhart,Ind. M17
.035–.120	1⅜	Cleveland R2
.035–.120	1⅝	Cleveland R2
.035–.120	1⅞	Cleveland R2
.035–.134	1½	Cleveland R2
.035–.134	1⅝	Cleveland R2
.035–.134	1¾	Cleveland R2
.035–.134	1⅞	Cleveland R2
.035–.148	2	Cleveland R2
.035–.148	2⅛	Cleveland R2
.035–.148	2¼	Cleveland R2
.035–.154*	.405-4.500	BeaverFalls,Pa. B1
.035–.165	2⅜	Cleveland R2
.035–.165	2½	Cleveland R2
.035–.165	2⅝	Cleveland R2
.035–.165	2¾	Cleveland R2
.035–.165	2⅞	Cleveland R2
.035–.165	3	Cleveland R2
.042	¼-3½	Union,N.J. C4
.042	⅜-1½	Greenville,Pa. D8
.042–.109	3⅛-3½	Elkhart,Ind. M17
.049	¼-4	Union,N.J. C4
.049	⅜-2	Greenville,Pa. D8
.058	⅜-2	Greenville,Pa. D8
.058	⅜-4	Union,N.J. C4
.065	⅜-3	Greenville,Pa. D8
.065	⅜-5	Union,N.J. C4
.065–.165	3¼	Cleveland R2
.065–.165	3½	Cleveland R2
.065–.165	3¾	Cleveland R2
.065–.165	4	Cleveland R2
.065–.165	4½	Cleveland R2
.065–.165	5	Cleveland R2
.072	⅜-3	Greenville,Pa. D8
.072	½-5	Union,N.J. C4
.083	⅜-3	Greenville,Pa. D8
.083	⅝-5	Union,N.J. C4
.095	⅜-3	Greenville,Pa. D8
.095	⅝-5	Union,N.J. C4
.109	⅜-3	Greenville,Pa. D8
.109	⅞-5	Union,N.J. C4
.120	1-3	Greenville,Pa. D8
.120	1⅛-5	Union,N.J. C4
.135	1⅞-5	Union,N.J. C4

Type 318

.006–.250*	⅛-40	EastTroy,Wis. T11

Type 321

.002–.083*	.008-1.000	Malvern,Pa. B15
.003–.065*	.012-1	Springfield,O. S21
.006–.250*	⅛-40	EastTroy,Wis. T11
.008–.072*	¼-1⅛	GrandRapids,Mich. H7
.020	¼-1¼	Union,N.J. C4
.020–.042 to .095–.165	¼ .5	Milwaukee G3
.020–.065	⅜	Cleveland R2
.020–.065	½	Cleveland R2
.020–.083	⅝	Cleveland R2
.020–.083	¾	Cleveland R2
.020–.109	½-3	Detroit S14
.022	¼-1¼	Union,N.J. C4
.022–.083	⅜	Cleveland R2
.022–.083	½	Cleveland R2
.022–.095	¾	Cleveland R2
.022–.095	⅞	Cleveland R2
.025	¼-2	Union,N.J. C4
.025–.109	⅞	Cleveland R2
.025–.109	1⅛	Cleveland R2
.025–.120	1	Cleveland R2
.028	¼-2½	Union,N.J. C4
.028	⅜-1	Greenville,Pa. D8
.028–.120	1⅛	Cleveland R2
.028–.120	1⅜	Cleveland R2
.028–.120	1⅝	Cleveland R2
.028–.120	1⅞	Cleveland R2
.032	¼-2¾	Union,N.J. C4
.032	⅜-1	Greenville,Pa. D8
.035	¼-3	Union,N.J. C4
.035	⅜-1½	Greenville,Pa. D8
.035–.120	1⅛	Cleveland R2
.035–.120	1⅜	Cleveland R2
.035–.120	1⅞	Cleveland R2
.035–.134	1½	Cleveland R2
.035–.134	1⅞	Cleveland R2
.035–.134	1⅝	Cleveland R2
.035–.134	1¾	Cleveland R2
.035–.134	1⅞	Cleveland R2
.035–.134	1⅞	Cleveland R2
.035–.148	2	Cleveland R2
.035–.148	2⅛	Cleveland R2
.035–.148	2¼	Cleveland R2
.035–.154*	.405-4.500	BeaverFalls,Pa. B1
.035–.165	2⅜	Cleveland R2
.035–.165	2½	Cleveland R2
.035–.165	2⅝	Cleveland R2
.035–.165	2¾	Cleveland R2
.035–.165	2⅞	Cleveland R2
.035–.165	3	Cleveland R2
.042	¼-3½	Union,N.J. C4
.042	⅜-1½	Greenville,Pa. D8
.049	¼-4	Union,N.J. C4
.049	⅜-2	Greenville,Pa. D8
.050–1.000	5.00-48.00	JerseyCity,N.J. S25
.058	⅜-2	Greenville,Pa. D8
.058	⅜-4	Union,N.J. C4
.065	⅜-3	Greenville,Pa. D8
.065	⅜-5	Union,N.J. C4
.065–.165	3¼	Cleveland R2
.065–.165	3½	Cleveland R2
.065–.165	3¾	Cleveland R2
.065–.165	4	Cleveland R2
.065–.165	4½	Cleveland R2
.065–.165	5	Cleveland R2
.072	⅜-3	Greenville,Pa. D8
.072	½-5	Union,N.J. C4
.083	⅜-3	Greenville,Pa. D8
.083	⅝-5	Union,N.J. C4
.095	⅜-3	Greenville,Pa. D8
.095	⅞-5	Union,N.J. C4
.095 and lighter	1½ and smaller	OakLane,Pa. I-6
.109	⅜-3	Greenville,Pa. D8
.109	⅞-5	Union,N.J. C4
.120	1-3	Greenville,Pa. D8
.120	1⅛-5	Union,N.J. C4
.135	1⅞-5	Union,N.J. C4

Type 329

.020	¼-1¼	Union,N.J. C4
.020–.042 to .095–.165	¼ .5	Milwaukee G3
.022	¼-1¼	Union,N.J. C4
.025	⅜-2	Union,N.J. C4
.028	¼-2½	Union,N.J. C4
.032	¼-2¾	Union,N.J. C4
.035	¼-3	Union,N.J. C4
.042	⅜-3½	Union,N.J. C4
.049	⅜-4	Union,N.J. C4
.058	½-4	Union,N.J. C4
.065	½-4½	Union,N.J. C4
.072	⅝-4½	Union,N.J. C4
.083	⅞-4½	Union,N.J. C4
.095	1⅛-4½	Union,N.J. C4
.109	1⅜-4½	Union,N.J. C4

Type 330

.006–.250*	⅛-40	EastTroy,Wis. T11
.020–.042 to .095–.165	¼ .5	Milwaukee G3
.028	⅜-1	Greenville,Pa. D8
.032	⅜-1	Greenville,Pa. D8
.035	⅜-1½	Greenville,Pa. D8
.042	⅜-1½	Greenville,Pa. D8
.049	⅜-2	Greenville,Pa. D8
.058	⅜-2	Greenville,Pa. D8
.065	⅜-3	Greenville,Pa. D8
.072	⅜-3	Greenville,Pa. D8
.083	⅜-3	Greenville,Pa. D8
.095	⅜-3	Greenville,Pa. D8
.109	⅜-3	Greenville,Pa. D8
.120	1-3	Greenville,Pa. D8

Type 347

.002–.004	.012	Norristown,Pa. S23
.002–.012	.0315	Norristown,Pa. S23
.002–.083*	.008-1.000	Malvern,Pa. B15
.003–.020	.0625	Norristown,Pa. S23
.003–.065*	.012-1	Springfield,O. S21
.004–.028	.0937	Norristown,Pa. S23
.004–.035	.125	Norristown,Pa. S23
.004–.125	up to .625	Bridgeport,Pa. T13
.005–.042	.1875	Norristown,Pa. S23
.005–.049	.250	Norristown,Pa. S23
.005–.049	.3125	Norristown,Pa. S23
.005–.065	.375	Norristown,Pa. S23
.006–.250*	⅛-40	EastTroy,Wis. T11
.007–.065	.4375	Norristown,Pa. S23
.007–.065	.500	Norristown,Pa. S23
.008–.072*	¼-1⅛	GrandRapids,Mich. H7
.010–.065	.5625	Norristown,Pa. S23
.010–.065	.625	Norristown,Pa. S23
.016–.095	¼	LosAngeles P2
.016–.120	⅜	LosAngeles P2
.016–.134	½	LosAngeles P2
.016–.148	⅝	LosAngeles P2
.016–.156	¾	LosAngeles P2
.018–.156	⅞-⅜	LosAngeles P2
.020	¼-1¼	Union,N.J. C4
.020–.042 to .095–.165	¼ .5	Milwaukee G3
.020–.065	⅜	Cleveland R2
.020–.065	½	Cleveland R2
.020–.083	⅝	Cleveland R2
.020–.083	¾	Cleveland R2
.020–.109	½-3	Detroit S14
.020–.156	⅛-⅜	LosAngeles P2
.022	¼-1¼	Union,N.J. C4
.022–.083	⅜	Cleveland R2
.022–.083	½	Cleveland R2
.022–.095	¾	Cleveland R2
.022–.095	⅞	Cleveland R2
.022–.156	⅛	LosAngeles P2
.022–.156	1	LosAngeles P2
.025	¼-2	Union,N.J. C4
.025–.049	⅜-under ½	Elkhart,Ind. M17
.025–.065	½-under ¾	Elkhart,Ind. M17
.025–.109	⅞	Cleveland R2
.025–.109	1⅛	Cleveland R2
.025–.120	1	Cleveland R2
.025–.156	1⅛	LosAngeles P2
.025–.156	1⅜	LosAngeles P2
.028	¼-2½	Union,N.J. C4
.028	⅜-1	Greenville,Pa. D8
.028–.072	¾-under 1⅛	Elkhart,Ind. M17
.028–.120	1⅛	Cleveland R2
.028–.120	1⅜	Cleveland R2
.028–.120	1⅝	Cleveland R2
.028–.120	1⅞	Cleveland R2
.028–.156	1⅛-1⅜	LosAngeles P2
.032	¼-2¾	Union,N.J. C4
.032	⅜-1	Greenville,Pa. D8
.032–.083	1⅛-under 1⅜	Elkhart,Ind. M17
.032–.156	1⅜	LosAngeles P2
.032–.156	1⅝	LosAngeles P2
.035	¼-3	Union,N.J. C4
.035	⅜-1½	Greenville,Pa. D8
.035–.095	1⅜-2⅛	Elkhart,Ind. M17
.035–.109	2-2⅜	LosAngeles P2
.035–.109	2⅛-under 3⅛	Elkhart,Ind. M17
.035–.120	1⅜	Cleveland R2
.035–.120	1⅝	Cleveland R2
.035–.120	1⅞	Cleveland R2
.035–.134	1½	Cleveland R2
.035–.134	1⅝	Cleveland R2
.035–.134	1⅞	Cleveland R2
.035–.134	1⅞	Cleveland R2
.035–.134	1¾	Cleveland R2
.035–.148	2	Cleveland R2

* Dependent on O.D.

(Code number following mill point indicates producing company, key on page 2)

O Round, Cold-Rolled

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
.035–.148	2⅛	Cleveland R2
.035–.148	2¼	Cleveland R2
.035–.154*	.405–4.500	BeaverFalls,Pa. B1
.035–.156	1⅜–1⅞	LosAngeles P2
.035–.165	2⅜	Cleveland R2
.035–.165	2½	Cleveland R2
.035–.165	2⅝	Cleveland R2
.035–.165	2¾	Cleveland R2
.035–.165	2⅞	Cleveland R2
.035–.165	3	Cleveland R2
.042	¼–3½	Union,N.J. C4
.042	⅝–1½	Greenville,Pa. D8
.042–.109	3⅛–3½	Elkhart,Ind. M17
.049	¼–4	Union,N.J. C4
.049	⅜–2	Greenville,Pa. D8
.049–.109	2¼	LosAngeles P2
.050–1.000	5.00–48.00	JerseyCity,N.J. S25
.058	⅜–2	Greenville,Pa. D8
.058	⅜–4	Union,N.J. C4
.065	⅜–3	Greenville,Pa. D8
.065	⅜–5	Union,N.J. C4
.065–.109	2⅞	LosAngeles P2
.065–.165	3¼	Cleveland R2
.065–.165	3½	Cleveland R2
.065–.165	3¾	Cleveland R2
.065–.165	4	Cleveland R2
.065–.165	4½	Cleveland R2
.065–.165	5	Cleveland R2
.072	⅜–3	Greenville,Pa. D8
.072	½–5	Union,N.J. C4
.083	⅜–3	Greenville,Pa. D8
.083	⅜–5	Union,N.J. C4
.083–.109	2⅜	LosAngeles P2
.095	⅜–3	Greenville,Pa. D8
.095	⅝–5	Union,N.J. C4
.095 and lgtr	1½ and smaller	OakLane,Pa. I-6
.109	⅜–3	Greenville,Pa. D8
.109	⅜–5	Union,N.J. C4
.120	1–3	Greenville,Pa. D8
.120	1⅜–5	Union,N.J. C4
.135	1⅝–5	Union,N.J. C4

Type 403

.020–.042 to .095–.165	¼ – 5	Milwaukee G3

Type 405

.020–.042 to .095–.165	¼ – 5	Milwaukee G3

Type 410

.020–.042 to .095–.165	¼ – 5	Milwaukee G3
.035–.154*	.405–4.500	BeaverFalls,Pa. B1

Type 420

.002–.004	.012	Norristown,Pa. S23
.002–.012	.0315	Norristown,Pa. S23
.003–.020	.0625	Norristown,Pa. S23
.004–.028	.0937	Norristown,Pa. S23
.004–.035	.125	Norristown,Pa. S23
.005–.042	.1875	Norristown,Pa. S23
.005–.049	.250	Norristown,Pa. S23
.005–.049	.3125	Norristown,Pa. S23
.005–.065	.375	Norristown,Pa. S23
.007–.065	.4375	Norristown,Pa. S23
.007–.065	.500	Norristown,Pa. S23
.010–.065	.5625	Norristown,Pa. S23
.010–.065	.625	Norristown,Pa. S23

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
.002–.064	.012	Norristown,Pa. S23
.002–.012	.0315	Norristown,Pa. S23
.002–.083*	.008–1.000	Malvern,Pa. B15
.003–.020	.0625	Norristown,Pa. S23
.003–.065*	.012–1	Springfield,O. S21
.004–.028	.0937	Norristown,Pa. S23
.004–.035	.125	Norristown,Pa. S23
.004–.125	up to .625	Bridgeport,Pa. T13
.005–.042	.1875	Norristown,Pa. S23
.005–.049	.250	Norristown,Pa. S23
.005–.049	.3125	Norristown,Pa. S23
.005–.065	.375	Norristown,Pa. S23
.007–.065	.4375	Norristown,Pa. S23
.007–.065	.500	Norristown,Pa. S23
.008–.072*	½–1⅛	GrandRapids,Mich. H7
.010–.065	.5625	Norristown,Pa. S23
.010–.065	.625	Norristown,Pa. S23
.020	¼–1¼	Union,N.J. C4
.020–.042 to .095–.165	¼ – 5	Milwaukee G3
.020–.065	⅝	Cleveland R2
.020–.065	¾	Cleveland R2
.020–.083	⅞	Cleveland R2
.020–.083	1⅛	Cleveland R2
.022	¼–1⅛	Union,N.J. C4
.022–.083	⅝	Cleveland R2
.022–.083	¾	Cleveland R2
.022–.095	⅞	Cleveland R2
.022–.095	1⅛	Cleveland R2
.025	¼–2	Union,N.J. C4
.025–.049	⅝–under ½	Elkhart,Ind. M17
.025–.065	½–under ⅝	Elkhart,Ind. M17
.025–.109	⅞	Cleveland R2
.025–.109	1⅛	Cleveland R2
.025–.120	1	Cleveland R2
.028	¼–2½	Union,N.J. C4
.028–.072	⅝–under 1⅛	Elkhart,Ind. M17
.028–.120	1⅛	Cleveland R2
.028–.120	1¼	Cleveland R2
.028–.120	1⅜	Cleveland R2
.028–.120	1½	Cleveland R2
.032	¼–2¾	Union,N.J. C4
.032–.083	1⅛–under 1⅝	Elkhart,Ind. M17
.035	¼–3	Union,N.J. C4
.035–.095	1⅛–2⅛	Elkhart,Ind. M17
.035–.109	2⅛–under 3⅛	Elkhart,Ind. M17
.035–.120	1⅛	Cleveland R2
.035–.120	1⅜	Cleveland R2
.035–.120	1⅝	Cleveland R2
.035–.134	1½	Cleveland R2
.035–.134	1⅝	Cleveland R2
.035–.134	1¾	Cleveland R2
.035–.134	1⅞	Cleveland R2
.035–.134	2	Cleveland R2
.035–.148	2⅛	Cleveland R2
.035–.148	2¼	Cleveland R2
.035–.154*	.405–4.500	BeaverFalls,Pa. B1
.035–.165	2⅜	Cleveland R2
.035–.165	2½	Cleveland R2
.035–.165	2⅝	Cleveland R2
.035–.165	2¾	Cleveland R2
.035–.165	2⅞	Cleveland R2
.035–.165	3	Cleveland R2
.042	⅜–3½	Union,N.J. C4
.042–.109	3⅛–3½	Elkhart,Ind. M17
.049	⅜–4	Union,N.J. C4
.058	½–4	Union,N.J. C4
.065	½–4¼	Union,N.J. C4

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
.065–.165	3¼	Cleveland R2
.065–.165	3½	Cleveland R2
.065–.165	3¾	Cleveland R2
.065–.165	4	Cleveland R2
.065–.165	4½	Cleveland R2
.065–.165	5	Cleveland R2
.072	⅜–4½	Union,N.J. C4
.083	⅞–4½	Union,N.J. C4
.095	1⅛–4½	Union,N.J. C4
.109	1⅛–4½	Union,N.J. C4

Type 430Ti

.020	¼–1¼	Union,N.J. C4
.020–.109	½–3	Detroit S14
.022	¼–1¼	Union,N.J. C4
.025	¼–2	Union,N.J. C4
.028	¼–2½	Union,N.J. C4
.032	¼–2¾	Union,N.J. C4
.035	¼–3	Union,N.J. C4
.042	⅜–3½	Union,N.J. C4
.049	⅜–4	Union,N.J. C4
.058	½–4	Union,N.J. C4
.065	½–4½	Union,N.J. C4
.072	⅜–4½	Union,N.J. C4
.083	⅞–4½	Union,N.J. C4
.095	1⅛–4½	Union,N.J. C4
.109	1⅛–4½	Union,N.J. C4

Type 442

.025–.049	⅜–under ½	Elkhart,Ind. M17
.025–.065	½–under ⅝	Elkhart,Ind. M17
.028–.072	⅝–under 1⅛	Elkhart,Ind. M17
.032–.083	1⅛–under 1⅝	Elkhart,Ind. M17
.035–.095	1⅛–2⅛	Elkhart,Ind. M17
.035–.109	2⅛–under 3⅛	Elkhart,Ind. M17
.042–.109	3⅛–3½	Elkhart,Ind. M17

Type 443

.020	¼–1¼	Union,N.J. C4
.020–.042 to .095–.165	¼ – 5	Milwaukee G3
.022	¼–1¼	Union,N.J. C4
.025	¼–2	Union,N.J. C4
.028	¼–2½	Union,N.J. C4
.032	¼–2¾	Union,N.J. C4
.035	¼–3	Union,N.J. C4
.042	⅜–3½	Union,N.J. C4
.049	⅜–4	Union,N.J. C4
.058	½–4	Union,N.J. C4
.065	½–4½	Union,N.J. C4
.072	⅜–4½	Union,N.J. C4
.083	⅞–4½	Union,N.J. C4
.095	1⅛–4½	Union,N.J. C4
.109	1⅛–4½	Union,N.J. C4

Type 446

.002–.004	.012	Norristown,Pa. S23
.002–.012	.0315	Norristown,Pa. S23
.003–.020	.0625	Norristown,Pa. S23
.004–.028	.0937	Norristown,Pa. S23
.004–.035	.125	Norristown,Pa. S23
.005–.042	.1875	Norristown,Pa. S23
.005–.049	.250	Norristown,Pa. S23
.005–.049	.3125	Norristown,Pa. S23
.005–.065	.375	Norristown,Pa. S23
.007–.065	.4375	Norristown,Pa. S23
.007–.065	.500	Norristown,Pa. S23
.010–.065	.5625	Norristown,Pa. S23
.010–.065	.625	Norristown,Pa. S23
.020–.042 to .095–.165	¼ – 5	Milwaukee G3

* Dependent on O.D.

□ Square, Cold-Rolled

Type 302

.008–.072*	⅛–1	GrandRapids,Mich. H7
.020–.109	½–2½	Detroit S14
.035–.154*	.500–3.500	BeaverFalls,Pa. B1
.065 and lighter	⅛–⅝	Springfield,O. S21
up to .120	up to 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Only on special order		Milwaukee G3

Type 304

.008–.072*	⅛–1	GrandRapids,Mich. H7
.020–.109	½–2½	Detroit S14
.025–.049	¼–⅝	LosAngeles P2
.025–.065	⅛–½	LosAngeles P2
.025–.083	⅛–⅝	LosAngeles P2
.025–.109	⅛–¾	LosAngeles P2
.025–.134	⅛–1¼	LosAngeles P2
.028–.134	1⅛–1⅝	LosAngeles P2
.035–.120	1¼–1⅞	LosAngeles P2
.035–.154*	.500–3.500	BeaverFalls,Pa. B1
.065 and lighter	⅛–⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
up to .120	up to 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Check with mill for sizes		Union,N.J. C4

Type 304L

Check with mill for sizes		Union,N.J. C4

Type 305

.008–.072*	⅛–1	GrandRapids,Mich. H7
up to .065	up to .500	Malvern,Pa. B15
Check with mill for sizes		Norristown,Pa. S23

Type 308

.035–.154*	.500–3.500	BeaverFalls,Pa. B1
up to .120	up to 2	EastTroy,Wis. T11
Only on special order		Milwaukee G3

Type 309

.008–.072*	⅛–1	GrandRapids,Mich. H7
.035–.154*	.500–3.500	BeaverFalls,Pa. B1
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23

Type 309Cb

.035–.154*	.500–3.500	BeaverFalls,Pa. B1
Check with mill for sizes		Union,N.J. C4

Type 309S

up to .120	up to 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Check with mill for sizes		Union,N.J. C4

Type 309S cb

up to .120	up to 2	EastTroy,Wis. T11

Type 310

.035–.154*	.500–3.500	BeaverFalls,Pa. B1
.065 and lighter	⅛–⅝	Springfield,O. S21
up to .120	up to 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Check with mill for sizes		Union,N.J. C4

Type 310Cb

.035–.154*	.500–3.500	BeaverFalls,Pa. B1

* Dependent on O.D.

(Code number following mill point indicates producing company, key on page 2)

Square, Cold-Rolled

Wall Thickness (inches)	Outside Dimensions (inches)	Mill Point, Producer
Type 311		
up to .120	up to 2	EastTroy,Wis. T11
Type 314		
Only on special order		Milwaukee G3
Type 316		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.020–.109	½-2½	Detroit S14
.025–.049	¼-⅝	LosAngeles P2
.025–.065	⅛-½	LosAngeles P2
.025–.083	⅛-⅝	LosAngeles P2
.025–.109	⅛-¾	LosAngeles P2
.025–.134	⅛-1¼	LosAngeles P2
.028–.131	1⅛-1⅝	LosAngeles P2
.035–.120	1⅛-1⅝	LosAngeles P2
.035–.154*	.500-3.500	BeaverFalls,Pa. B1
.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
up to .120	up to 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Check with mill for sizes		Union,N.J. C4
Type 316Cb		
.035–.154*	.500-3.500	BeaverFalls,Pa. B1
Check with mill for sizes		Union,N.J. C4
Type 316L		
Check with mill for sizes		Union,N.J. C4
Type 317		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.154*	.500-3.500	BeaverFalls,Pa. B1
up to .120	up to 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Check with mill for sizes		Union,N.J. C4
Type 318		
up to .120	up to 2	EastTroy,Wis. T11
Type 321		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.020–.109	½-2½	Detroit S14
.035–.154*	.500-3.500	BeaverFalls,Pa. B1
.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
up to .120	up to 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Only on special order		Milwaukee G3
Check with mill for sizes		Union,N.J. C4
Type 329		
Only on special order		Milwaukee G3
Check with mill for sizes		Union,N.J. C4
Type 330		
up to .120	up to 2	EastTroy,Wis. T11
Type 347		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.020–.109	½-2½	Detroit S14
.025–.049	¼-⅝	LosAngeles P2
.025–.065	⅛-½	LosAngeles P2
.025–.083	⅛-⅝	LosAngeles P2
.025–.109	⅛-¾	LosAngeles P2
.025–.134	⅛-1¼	LosAngeles P2
.028–.134	1⅛-1⅝	LosAngeles P2
.035–.120	1⅛-1⅝	LosAngeles P2
.035–.154*	.500-3.500	BeaverFalls,Pa. B1
.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
Check with mill for sizes		Cleveland R2
Check with mill for sizes		Norristown,Pa. S23
Check with mill for sizes		Union,N.J. C4
Type 410		
.035–.154*	.500-3.500	BeaverFalls,Pa. B1
Type 420		
Check with mill for sizes		Norristown,Pa. S23
Type 430		
.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.154*	.500-3.500	BeaverFalls,Pa. B1
.065 and lighter	⅛-⅝	Springfield,O. S21
up to .065	up to .500	Malvern,Pa. B15
Check with mill for sizes		Cleveland R2
Check with mill for sizes		Norristown,Pa. S23
Check with mill for sizes		Union,N.J. C4
Type 430Ti		
.020–.109	½-2½	Detroit S14
Check with mill for sizes		Union,N.J. C4
Type 443		
Check with mill for sizes		Union,N.J. C4
Type 446		
Check with mill for sizes		Norristown,Pa. S23

Rectangular, Cold-Rolled

Type 302

.008–.072*	⅛-1	GrandRapids,Mich. H7
.020–.109	periphery same as square ½-2½	Detroit S14
.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1
.065 & lighter	min. ⅛, max. ⅝	Springfield,O. S21
up to .065	up to 1 x 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Only on special order		Milwaukee G3

Type 304

.008–.072*	⅛-1	GrandRapids,Mich. H7
.020–.109	periphery same as square ½-2½	Detroit S14
.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1
.065 & lighter	min. ⅛, max. ⅝	Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
up to .065	up to 1 x 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Check with mill for sizes		Los Angeles P2
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Check with mill for sizes		Union,N.J. C4

Type 304L

Check with mill for sizes		Union,N.J. C4

Type 305

.008–.072*	⅛-1	GrandRapids,Mich. H7
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
Check with mill for sizes		Norristown,Pa. S23

Type 308

.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1
up to .065	up to 1 x 2	EastTroy,Wis. T11
Only on special order		Milwaukee G3

Type 309

.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23

Type 309Cb

.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1
Check with mill for sizes		Union,N.J. C4

Type 309S

up to .065	up to 1 x 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Check with mill for sizes		Union,N.J. C4

Type 309S cb

up to .065	up to 1 x 2	EastTroy,Wis. T11

Type 310

.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1
.065 & lighter	min. ⅛, max. ⅝	Springfield,O. S21
up to .065	up to 1 x 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Check with mill for sizes		Union,N.J. C4

Type 310Cb

.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1

Type 311

up to .065	up to 1 x 2	EastTroy,Wis. T11

Type 314

Only on special order		Milwaukee G3

Type 316

.008–.072*	⅛-1	GrandRapids,Mich. H7
.020–.109	periphery same as square ½-2½	Detroit S14
.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1
.065 & lighter	min. ⅛, max. ⅝	Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
up to .065	up to 1 x 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Check with mill for sizes		LosAngeles P2
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Check with mill for sizes		Union,N.J. C4

Type 316Cb

.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1
Check with mill for sizes		Union,N.J. C4

Type 316L

Check with mill for sizes		Union,N.J. C4

Type 317

.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1
up to .065	up to 1 x 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Only on special order		Milwaukee G3
Check with mill for sizes		Norristown,Pa. S23
Check with mill for sizes		Union,N.J. C4

Type 318

up to .065	up to 1 x 2	EastTroy,Wis. T11

Type 321

.008–.072*	⅛-1	GrandRapids,Mich. H7
.020–.109	periphery same as square ½-2½	Detroit S14
.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1
.065 & lighter	min. ⅛, max. ⅝	Springfield,O. S21
up to .065	up to rectang. equiv of .637 round tubing	Malvern,Pa. B15
up to .065	up to 1 x 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Only on special order		Milwaukee G3
Check with mill for sizes		Union,N.J. C4

Type 329

Only on special order		Milwaukee G3
Check with mill for sizes		Union,N.J. C4

Type 330

up to .065	up to 1 x 2	EastTroy,Wis. T11

Type 347

.008–.072*	⅛-1	GrandRapids,Mich. H7
.020–.109	periphery same as square ½-2½	Detroit S14
.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1
.065 & lighter	min. ⅛, max. ⅝	Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
up to .065	up to 1 x 2	EastTroy,Wis. T11
Check with mill for sizes		Cleveland R2
Check with mill for sizes		LosAngeles P2
Check with mill for sizes		Norristown,Pa. S23
Check with mill for sizes		Union,N.J. C4

Type 410

.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1

Type 420

Check with mill for sizes		Norristown,Pa. S23

Type 430

.008–.072*	⅛-1	GrandRapids,Mich. H7
.035–.154*	.500-3.500 #	BeaverFalls,Pa. B1
.065 & lighter	min. ⅛, max. ⅝	Springfield,O. S21
up to .065	up to rectang. equiv. of .637 round tubing	Malvern,Pa. B15
Check with mill for sizes		Cleveland R2
Check with mill for sizes		Norristown,Pa. S23
Check with mill for sizes		Union,N.J. C4

Type 430Ti

.020–.109	periphery same as square ½-2½	Detroit S14
Check with mill for sizes		Union,N.J. C4

Type 443

Check with mill for sizes		Union,N.J. C4

Type 446

Check with mill for sizes		Norristown,Pa. S23

Round, Hot-Rolled

Types 304, 310, 316, 321, 347

.050–1.000	.5.00-48.00	JerseyCity,N.J. S25

* Dependent on O.D. # Per side

WIRE

(Code number following mill point indicates producing company, key on page 2)

Flat Wire

Thickness (inches)	Width (inches)	Mill Point, Producer
.005–.077	$\frac{1}{16}$-under $\frac{3}{32}$	W.Leechburg,Pa. A4
.005–.099	$\frac{3}{32}$-under $\frac{1}{8}$	W.Leechburg,Pa. A4
.005–.125	$\frac{1}{8}$-under $\frac{5}{16}$	W.Leechburg,Pa. A4
.010–.040	.020–.099	Niles,Mich. N1
.011–.150	.058–.225	Waukegan,Ill. A7
.017–.1875	$\frac{5}{16}$-under $\frac{1}{4}$	W.Leechburg,Pa. A4
.020–.050	.050–.375	Washington,Pa. P19
.020–.200	.040–.400 (up to 6 to 1 ratio)	Sterling,Ill. C23
.031–.1875	$\frac{1}{4}$-under $\frac{5}{8}$	W.Leechburg,Pa. A4
$\frac{1}{2}$ x $\frac{1}{8}$ and finer		Worcester,Mass. S26
.0625 and thinner	up to 6	Harrison,N.J. D6
.093–.108	$\frac{1}{8}$-$\frac{3}{4}$	Baltimore A10
.109–.124	$\frac{1}{8}$-$\frac{7}{8}$	Baltimore A10
.125–.155	$\frac{1}{8}$*-$\frac{7}{8}$	Baltimore A10
$\frac{1}{8}$–$\frac{7}{8}$	$\frac{1}{6}$ max.	Massillon,O. R2
.156–.187	.156*-$\frac{3}{4}$	Baltimore A10
up to $\frac{3}{8}$	up to $\frac{5}{8}$	ProspectPark,Pa. A5
$\frac{3}{8}$ in. diam. max. with width to depth ratio 6 to 1		Monessen,Pa. P16

*Dependent on thickness

Coarse Round

Armature Binding Wire

Ft.Wayne,Ind. F8	ProspectPark,Pa. A5
JerseyCity,N.J. K7	Syracuse,N.Y. C18
Monessen,Pa. P16	Union,N.J. S12
Newark,N.J. D9	Waukegan,Ill. A7

Spring Wire

Baltimore A10	Newark,N.J. D9
Bridgeville,Pa. U4	ProspectPark,Pa. A5
Dunkirk,N.Y. A4	Syracuse,N.Y. C18
Ft.Wayne,Ind. F8	Union,N.J. S12
Ft.Wayne,Ind. J6	Washington,Pa. P19
Muncie,Ind. I-7	Waukegan,Ill. A7
NewBrunswick,N.J. C4	

Wool Wire

Baltimore A10	ProspectPark,Pa. A5
Dunkirk,N.Y. A4	Syracuse,N.Y. C18
Ft.Wayne,Ind. J6	Union,N.J. S12
Muncie,Ind. I-7	Waukegan,Ill. A7

Measuring Line Wire

Baltimore A10	ProspectPark,Pa. A5
Dunkirk,N.Y. A4	Syracuse,N.Y. C18
JerseyCity,N.J. K7	Union,N.J. S12
Newark,N.J. D9	Waukegan,Ill. A7

Welding Wire

Baltimore A10	Muncie,Ind. I-7
Bridgeville,Pa. U4	Newark,N.J. D9
Dunkirk,N.Y. A4	ProspectPark,Pa. A5
Ft.Wayne,Ind. J6	Syracuse,N.Y. C18
Harrison,N.J. D6	Union,N.J. S12
JerseyCity,N.J. K7	Washington,Pa. P19
Massillon,O. R2	Waukegan,Ill. A7
Monessen,Pa. P16	

Cold Heading Wire

Baltimore A10	Muncie,Ind. I-7
Bridgeville,Pa. U4	ProspectPark,Pa. A5
Dunkirk,N.Y. A4	Syracuse,N.Y. C18
Ft.Wayne,Ind. J6	Union,N.J. S12
Harrison,N.J. D6	Washington,Pa. P19
JerseyCity,N.J. K7	Waukegan,Ill. A7
Massillon,O. R2	

Rope Wire

Dunkirk,N.Y. A4	ProspectPark,Pa. A5
Harrison,N.J. D6	Syracuse,N.Y. C18
Monessen,Pa. P16	Union,N.J. S12
Muncie,Ind. I-7	Waukegan,Ill. A7
Newark,N.J. D9	

Reed and Loom Wire

Baltimore A10	NewBrunswick,N.J. C4
Dunkirk,N.Y. A4	ProspectPark,Pa. A5
Ft.Wayne,Ind. J6	Union,N.J. S12
JerseyCity,N.J. K7	Washington,Pa. P19

Weaving Wire

Baltimore A10	Newark,N.J. D9
Dunkirk,N.Y. A4	ProspectPark,Pa. A5
Ft.Wayne,Ind. F8	Syracuse,N.Y. C18
Ft.Wayne,Ind. J6	Union,N.J. S12
Harrison,N.J. D6	Washington,Pa. P19
JerseyCity,N.J. K7	Waukegan,Ill. A7
Massillon,O. R2	

Nail Wire

Baltimore A10	Monessen,Pa. P16
Dunkirk,N.Y. A4	Muncie,Ind. I-7
Ft.Wayne,Ind. J6	ProspectPark,Pa. A5
Harrison,N.J. D6	Syracuse,N.Y. C18
JerseyCity,N.J. K7	Union,N.J. S12
Massillon,O. R2	Waukegan,Ill. A7

Rack (slide forming) Wire

Baltimore A10	NewBrunswick,N.J. C4
Dunkirk,N.Y. A4	ProspectPark,Pa. A5
Ft.Wayne,Ind. J6	Syracuse,N.Y. C18
JerseyCity,N.J. K7	Union,N.J. S12
Muncie,Ind. I-7	Waukegan,Ill. A7

Lashing Wire

Baltimore A10	Monessen,Pa. P16
Dunkirk,N.Y. A4	Muncie,Ind. I-7
Ft.Wayne,Ind. F8	Newark,N.J. D9
Harrison,N.J. D6	ProspectPark,Pa. A5
JerseyCity,N.J. K7	Syracuse,N.Y. C18
Massillon,O. R2	Union,N.J. S12

Cotter Pin Wire (half round)

Baltimore A10	ProspectPark,Pa. A5
Harrison,N.J. D6	Union,N.J. S12
JerseyCity,N.J. K7	Washington,Pa. P19
Monessen,Pa. P16	Waukegan,Ill. A7

Antenna Wire Bridgeville,Pa. U4

Ball Wire Bridgeville,Pa. U4

Drill Rod Bridgeville,Pa. U4

Cheese & Butter Cutting Wire
Ft.Wayne,Ind. F8

Lock Wire Ft.Wayne,Ind. F8

Metalizing Wire Syracuse,N.Y. C18

Needle Wire Syracuse,N.Y. C18

Fine Round

Armature Binding Wire

Ft.Wayne,Ind. F8	ProspectPark,Pa. A5
JerseyCity,N.J. K7	Syracuse,N.Y. C18
Monessen,Pa. P16	Union,N.J. S12
Newark,N.J. D9	Waukegan,Ill. A7
Niles,Mich. N1	Worcester,Mass. J4

Spring Wire

Baltimore A10	Niles,Mich. N1
Cockeysville,Md. M16	ProspectPark,Pa. A5
Dunkirk,N.Y. A4	Syracuse,N.Y. C18
Ft.Wayne,Ind. F8	Union,N.J. S12
Ft.Wayne,Ind. J6	Washington,Pa. P19
Harrison,N.J. D6	Waukegan,Ill. A7
Muncie,Ind. I-7	Worcester,Mass. J4
NewBrunswick,N.J. C4	Worcester,Mass. S26
Newark,N.J. D9	

Wool Wire

Baltimore A10	Niles,Mich. N1
Dunkirk,N.Y. A4	ProspectPark,Pa. A5
Ft.Wayne,Ind. F8	Syracuse,N.Y. C18
Ft.Wayne,Ind. J6	Union,N.J. S12
Muncie,Ind. I-7	

Measuring Line Wire

Dunkirk,N.Y. A4	ProspectPark,Pa. A5
JerseyCity,N.J. K7	Syracuse,N.Y. C18
Newark,N.J. D9	Union,N.J. S12
Niles,Mich. N1	Waukegan,Ill. A7

Welding Wire

Bridgeville,Pa. U4	Niles,Mich. N1
Dunkirk,N.Y. A4	ProspectPark,Pa. A5
Ft.Wayne,Ind. J6	Syracuse,N.Y. C18
Harrison,N.J. D6	Union,N.J. S12
JerseyCity,N.J. K7	Washington,Pa. P19
Monessen,Pa. P16	Waukegan,Ill. A7
Newark,N.J. D9	

Cold Heading Wire

Baltimore A10	Niles,Mich. N1
Bridgeville,Pa. U4	ProspectPark,Pa. A5
Dunkirk,N.Y. A4	Syracuse,N.Y. C18
Ft.Wayne,Ind. J6	Union,N.J. S12
Harrison,N.J. D6	Washington,Pa. P19
JerseyCity,N.J. K7	

Rope Wire

Cockeysville,Md. M16	Niles,Mich. N1
Dunkirk,N.Y. A4	ProspectPark,Pa. A5
Ft.Wayne,Ind. F8	Syracuse,N.Y. C18
Harrison,N.J. D6	Union,N.J. S12
Monessen,Pa. P16	Waukegan,Ill. A7
Muncie,Ind. I-7	Worcester,Mass. J4
Newark,N.J. D9	

Reed and Loom Wire

Baltimore A10	Niles,Mich. N1
Dunkirk,N.Y. A4	ProspectPark,Pa. A5
Ft.Wayne,Ind. F8	Union,N.J. S12
Ft.Wayne,Ind. J6	Washington,Pa. P19
JerseyCity,N.J. K7	Waukegan,Ill. A7
NewBrunswick,N.J. C4	

Rack (slide forming) Wire

Baltimore A10	Niles,Mich. N1
Dunkirk,N.Y. A4	ProspectPark,Pa. A5
Ft.Wayne,Ind. J6	Syracuse,N.Y. C18
Muncie,Ind. I-7	Union,N.J. S12
NewBrunswick,N.J. C4	

Weaving Wire

Baltimore A10	Newark,N.J. D9
Dunkirk,N.Y. A4	Niles,Mich. N1
Ft.Wayne,Ind. F8	ProspectPark,Pa. A5
Ft.Wayne,Ind. J6	Syracuse,N.Y. C18
Harrison,N.J. D6	Union,N.J. S12
JerseyCity,N.J. K7	Washington,Pa. P19
Muncie,Ind. I-7	Waukegan,Ill. A7

Nail Wire

Baltimore A10	Niles,Mich. N1
Dunkirk,N.Y. A4	ProspectPark,Pa. A5
Ft.Wayne,Ind. J6	Syracuse,N.Y. C18
Harrison,N.J. D6	Union,N.J. S12
Monessen,Pa. P16	

Lashing Wire

Baltimore A10	Newark,N.J. D9
Dunkirk,N.Y. A4	Niles,Mich. N1
Ft.Wayne,Ind. F8	ProspectPark,Pa. A5
Harrison,N.J. D6	Syracuse,N.Y. C18
JerseyCity,N.J. K7	Union,N.J. S12
Monessen,Pa. P16	Waukegan,Ill. A7
Muncie,Ind. I-7	

Cotter Pin Wire (half round)

Baltimore A10	ProspectPark,Pa. A5
Harrison,N.J. D6	Union,N.J. S12
JerseyCity,N.J. K7	Washington,Pa. P19
Monessen,Pa. P16	Waukegan,Ill. A7

Cheese & Butter Cutting Wire
Ft.Wayne,Ind. F8

Recording Wire (Magnetic)
Ft.Wayne,Ind. F8

Lock Wire Ft.Wayne,Ind. F8

Sponge Wire

JerseyCity,N.J. K7	Worcester,Mass. J4
Waukegan,Ill. A7	Worcester,Mass. S26

Fish Line Wire Worcester,Mass. S26

Crimped Brush Wire Worcester,Mass. S26

Metalizing Wire Syracuse,N.Y. C18

Needle Wire Syracuse,N.Y. C18

Shape Wire

Baltimore A10	ProspectPark,Pa. A5
Bridgeville,Pa. U4	Sterling,Ill. C23
Massillon,O. R2	Washington,Pa. P19
Monessen,Pa. P16	Worcester,Mass. S26
NewBrunswick,N.J. C4	

Your Superior

SOURCE OF SUPPLY for STAINLESS STRIP STEEL

all grades, tempers and finishes to meet your specific needs!

Superior Steel
CORPORATION
CARNEGIE, PENNSYLVANIA

Sales Offices

Experienced SUPERIOR sales engineers are at your prompt disposal for expert consultation and quick service.

CHICAGO 3, ILL. 2017 Peoples Gas Bldg.
DAYTON 2, OHIO 417 Huiman Building
DETROIT 2, MICH. 626 Fisher Building
LOS ANGELES 36, CAL. 8225 Wilshire Boulevard
NEW YORK 17, N. Y. 6408 Chrysler Building
PITTSBURGH, PA. Hammond and Gregg Sts. (Carnegie)

Sales Agencies

BRACE-MUELLER-HUNTLEY, INC.
Buffalo, N. Y. Rochester, N. Y. Jamestown, N. Y.
Syracuse, N. Y. Toronto, Ont. (Canada)

JAMES A. DOWNEY COMPANY
Philadelphia Office 2112 Susquehanna Rd. Abington, Pa.
Baltimore Office 4708 Springdale Ave. Baltimore 7, Md.

STEEL SALES CORPORATION
2348 South Pulaski Road, Chicago 23, Illinois

REPUBLIC ENDURO

ENDURO STAINLESS STEEL IS NOW AVAILABLE THROUGH THESE DISTRIBUTORS:

ALABAMA
Arnold-Brown Metals & Supply Co., Birmingham

CALIFORNIA
Ducommun Metals & Supply Co., Los Angeles
Earle M. Jorgenson Co., Los Angeles
Earle M. Jorgenson Co., Oakland

COLORADO
Marsh Steel Corporation, Denver

CONNECTICUT
Edgcomb Steel of New England, Inc., Milford

FLORIDA
Caulley Steel & Supply Co., Ft. Lauderdale
Caulley Steel & Supply Co., Miami
Caulley Steel & Supply Co., Orlando
Eagle Roofing and Art Metal Works, Tampa
Roofing and Sheet Metal Supply Co., West Palm Beach

GEORGIA
Atlantic Steel Co., Atlanta

ILLINOIS
Chicago Steel Service Co., Chicago

INDIANA
Hubbell Metals Inc., Indianapolis
Ohio Valley Hardware & Roofing Co., Evansville

KANSAS
Hubbell Metals Inc., North Kansas City
Marsh Steel Corporation, N. Kansas City

KENTUCKY
Williams & Co., Inc., Louisville

MARYLAND
The Hill-Chase Steel Co. of Maryland, Baltimore

MASSACHUSETTS
Hawkridge Bros. Co., Boston

MICHIGAN
Inland Steel Products Co., Detroit
Jones & Laughlin Steel Corp., Detroit

MISSOURI
Hammond Sheet Metals Co., St. Louis
Hubbell Metals Inc., St. Louis
Townley Metal and Hardware Co., Kansas City

NEW HAMPSHIRE
Edgcomb Steel of New England, Inc., Nashua

NEW JERSEY
International Corporation, Hillside
The Kenilworth Steel Co., Kenilworth

NEW YORK
Atlas Supply Co. Inc., Bronx
Beals, McCarthy & Rogers, Inc., Buffalo
Bruce & Cook Inc., New York
K. & S. Metal Supply Inc., Long Island City
Mount Vernon Steel Co., Mt. Vernon

NORTH CAROLINA
Brown-Rogers-Dixon Co., Winston-Salem
Metal Service Corporation, Charlotte

OHIO
The Hamilton Steel Co., Cleveland
Ohio Metal & Manufacturing Co., Dayton
Vorys Brothers, Columbus
Williams and Co., Inc., Cincinnati
Williams & Co., Inc., Cleveland
Williams & Co., Inc., Columbus
Williams & Co., Inc., Toledo

OREGON
American Steel Warehouse, Portland
Pacific Metals Co., Portland

PENNSYLVANIA
Hill-Chase & Co. Inc., Philadelphia
Horace T. Potts Co., Philadelphia
Potts-Farrington Co., Philadelphia
The Warren Co., Erie
Williams & Co., Inc., Pittsburgh

TENNESSEE
Greene Hardware & Supply Co., Kingsport
Pidgeon Thomas Iron Co., Memphis
Siskin Steel & Supply Co., Inc., Chattanooga
Vance Iron & Steel Co., Chattanooga

TEXAS
Earle M. Jorgenson Co., Dallas
Earle M. Jorgenson Co., Houston

UTAH
Zcmi Wholesale Hardware, Salt Lake City

VIRGINIA
N. B. Handy Co., Lynchburg
Dominion Metal & Culvert Co., Roanoke

WASHINGTON
Pacific Metals Co., Seattle

DOMINION OF CANADA
Drummond, McCall & Co., Ltd., Montreal, Quebec
Drummond, McCall & Co., Ltd., Toronto, Ontario

Electrunite ENDURO Stainless Steel Tubing and Pipe, produced by Republic's Steel and Tube Division, are now available through these distributors:

ALABAMA
Industrial Piping Supply Corporation, Bessemer
McGowan-Lyons Hardware & Supply Co., Mobile

CALIFORNIA
Ducommun Metals & Supply Co., Los Angeles
Tayler & Spotswood Co., San Francisco

GEORGIA
Atlantic Steel Co., Atlanta

ILLINOIS
Chicago Steel Service Co., Chicago
Chicago Tube and Iron Co., Chicago

MARYLAND
The Hill-Chase Steel Co. of Maryland, Baltimore

MASSACHUSETTS
A. C. Harvey Co., Boston

NEW YORK
K. & S. Metal Supply, Inc., Long Island City

OHIO
Hamilton Steel Co., Cleveland
Williams & Co., Inc., Cincinnati
Williams and Co., Inc., Cleveland
Williams and Co., Inc., Columbus
Williams and Co., Inc., Toledo

PENNSYLVANIA
Hill-Chase & Co., Inc., Philadelphia
Williams and Co., Inc., Pittsburgh

TENNESSEE
Greene Hardware & Supply Co., Kingsport
Metals Inc., Bristol
Siskin Steel & Supply Co., Chattanooga
Vance Iron and Steel Co., Chattanooga

TEXAS
Earle M. Jorgenson Co., Houston

VIRGINIA
John Frischkorn, Richmond
Mize Supply Co., Waynesboro

* * *

American Radiator & Standard Sanitary Corp. in many leading cities

* * *

Creamery Package Co. (Sanitary Applications) in many leading cities

STAINLESS STEEL

PRODUCED BY THE WORLD'S LARGEST MANUFACTURER OF ALLOY, STAINLESS AND HEAT-RESISTING STEELS

Rust- and Corrosion-Resistance • Heat-Resistance • High Melting Point • High Strength
Low Coefficient of Expansion • Good Dimensional Stability • No Metallic Contamination
Easy to Clean • Easy to Fabricate • Eye Appeal • Long Life • Low End Cost

STRIP	Precision rolled on latest equipment. Accurate to size and gage. Widths, 3/16" to 24", exclusive. Thickness, .007" to under .1875". Nos. 1 and 2 standard strip finishes.
SHEETS	Both hot and cold rolled. Gages from .015" to under .1875". Up to 72" wide. Maximum length 240" in cut sheets. Finishes range from No. 1 (hot rolled, annealed and pickled) to No. 8 (mirror finish one or both sides).
PLATES	Republic is prepared to furnish plates in a wide range of sizes and thicknesses through Republic mill facilities or by arrangement with outside converters.
CLAD SHEETS	Mild steel core, 25% ENDURO Stainless Steel each side. No. 2B finish. Cut lengths and circles. Up to 48" wide. Maximum length, 120". Gage from .025" to .078".
BARS	Hot rolled, cold drawn and rough turned. Also ground, and ground and polished bars. Rounds, squares, flats, hexagons, octagons, and special sections. Turbine grades and free-machining grades. Complete size selection. ENDURO Cold Finished Bars are processed by Republic's Union Drawn Steel Division. Also rods, cold heading bars, forging billets, tube rounds, structural shapes, other specials.
WIRE	Cold drawn in rounds, flats, hexagons, squares. Medium and heavy sizes. Also COLD HEADING STOCK available in coils up to 9/16" diameter inclusive.
TUBING AND PIPE	Republic ELECTRUNITE Stainless Steel Tubing produced by Republic's Steel and Tubes Division. Electrically welded in 3/8" to 5" O.D. with wall thickness from 25 ga. to 8 ga., depending upon size. STAINLESS STEEL PIPE from 1/8" to 4" I.P.S. Literature on request.
BARRELS AND DRUMS	Manufactured of ENDURO Stainless Steel by Republic's Pressed Steel Division. All standard capacities up to 55 gallons. Literature on request.
FASTENERS	Republic "Upson Quality" Bolts, Nuts, Rivets, manufactured of ENDURO Stainless Steel.
ROOF DRAINAGE	Republic's Berger Manufacturing Division produces a complete line of ready-to-use roof drainage products, fittings and accessories. All are made of Republic ENDURO Stainless Steel, Type 430, No. 2 finish. Literature on request.

ENDURO LITERATURE ON REQUEST

- ☐ 300 Series, Chromium-Nickel Types
- ☐ 400 Series, Chromium Types
- ☐ 500 Series, 4-6% Chromium Types
- ☐ Properties of ENDURO, Folder
- ☐ Fabricating ENDURO
- ☐ Welding ENDURO
- ☐ Wall chart of ENDURO properties

REPUBLIC STEEL CORPORATION
Alloy Steel Division • Massillon, Ohio
GENERAL OFFICES • CLEVELAND 1, OHIO
Export Department: Chrysler Building, New York 17, N.Y.

See *and* Hear
"THE STORY OF STAINLESS"

Full-color, 16 mm sound film — 27 minutes running time. Dramatic . . . historic . . . interesting. Available to qualified groups without charge. Requires 16 mm sound projector. Send name of organization, type of projector, requested date to Ideal Pictures Corp., Dept. T-1, 65 E. So. Water St., Chicago 1, Ill., or to your nearest Republic Steel Sales Office.

Republic
REPUBLIC STEEL
ENDURO® STAINLESS STEEL

Other Republic Products include Carbon and Alloy Steels—Pipe, Sheets, Strip, Plates, Bars, Wire, Pig Iron, Bolts and Nuts, Tubing

Sir Presteel has a Stainless reputation!

Stainless

steel is difficult to draw because of its stiffness . . . its high spring-back . . . its need for special annealing. Yet absence of surface imperfections is usually a must. Ever since the advent of stainless steel, Presteel craftsmen have been working with this widely used metal . . . have been singularly successful in stainless steel deep drawing for many of the "blue chips" of American industry!

What is Your pressing problem?

First get a bid from

Worcester

Pressed Steel Co.

100 Barber Ave., Worcester 6, Mass.

First to solve Pressing Problems!



Perey Turnstile Cover

YOUR part has a Precedent at Presteel!

Westinghouse Basin Top

Hobart Feed Pan

Manning Maxwell Gauge Cup

FREE

"The Story of Pressed Steel" . . . the craftsmanship of metal stamping from the days of the early armorists to the present day. Lists our facilities.

SHARON
SHARONSTEEL

SHARON 430 STAINLESS is in good supply

Sharon has prepared a fully illustrated booklet primarily intended to introduce or reacquaint the reader with the possibilities of Type 430 Stainless Steel as a highly satisfactory primary material. The booklet contains basic fabrication information compiled to aid manufacturers in their consideration of this metal.

This booklet may contain the answers to your problems. Write for it today or contact the Sharon representative nearest you and ask him to see that you get your copy. Sharon district sales offices listed on back of next page for ready identification.

In today's economy Type 430 Stainless Steel is assuming an ever-increasing importance to producers of metal products.

Sharon '430' Stainless contains about 17 per cent chromium with no nickel and has been the most popular ferritic grade of stainless steel. It comes the nearest to meeting the all-around requirements for general use. It was used before the chrome-nickel stainless steels and has a remarkable history of successful application. Absorption towers, used in the manufacture of nitric acid, made of this type in 1926 are still in service. In the automobile industry it has been especially popular. Large tonnages go into trim and window moldings where the material must meet demanding requirements, both in complex fabrication and in abusive service conditions.

Sharon '430' possesses good mechanical and physical properties and a ductility about three-fourths that of deep drawing quality carbon steel. Extra deep drawing requires more power, more clearance and more carefully selected lubricants than for ordinary steel. Intermediate annealing and pickling may be necessary.

Sharon straight chrome stainless may be welded for certain applications. Sharon also produces a titanium modified grade of 430 (430 Ti) which has superior bending qualities, is a better welding steel, and has superior corrosion resistance to that of regular 430.

A thin adherent scale is formed at temperatures as high as 1550°F. Formation of this protective scale, which does not crack away and reform, permits the use of Sharon '430' in intermittent heating operations.



Polishing

Drawing

Spinning

Soldering

Welding

Roll Forming

After 10 Years' Service — It Still Shines

CHROME NICKEL STEELS

The chromium-nickel grades of stainless steel are the more numerous and most often used grades. They number more than 30 types varying in chromium content from 16 to 30 per cent, in nickel from six to 26 per cent and carbon from under 0.08 to 0.25 per cent. These include, too, special alloys derived by adding other elements such as sulphur, columbium, selenium and titanium to give the steel special qualities.

The addition of nickel gives to these steels an austenitic structure stable even at low temperatures. This serves to make these steels particularly suited to standard fabrication. A low yield strength and high ultimate tensile strength give these steels a greater ductility, and hence, makes them better suited to severe forming and drawing. The chromium-nickel types are easily welded, and though they are not hardenable by heat treatment, they do harden to a degree, varying with the type, when cold worked. At high temperatures these steels have good resistance to oxidation and good rupture and creep strength values.

In fact, by controlling the chromium-nickel ratio and degree of cold reduction, a chromium-nickel steel can be produced to fit almost any job requirement.



WELDED TUBING

Every year finds more and more tube products being fabricated of Stainless Steel. Heat exchangers, food processing lines, aircraft hydraulic lines, chemical and pharmaceutical equipment, handrails — wherever high heat, corrosion and oxidation present a problem — or wherever long lasting lustrous beauty is desired manufacturers find a grade of stainless that exactly fills the bill.

Sharon is one of the nation's largest suppliers of stainless strip for tubing and tubular products. Tube makers know the advantage of Sharon constant uniformity of gauge, edge and analysis that assures consistent weld quality. And where the tubing is to be used for decorative purposes they like the extra smooth and lustrous finish for which Sharon is particularly noted.



TYPICAL APPLICATIONS *for Sharon Stainless Steel . . . .*

AUTOMOTIVE
- Grilles
- Horn rings
- Hub caps
- Mufflers
- Panels
- Trim
- Wheel rings
- Wheel covers
- Windshield wipers

CONSTRUCTION
- Decorative trim
- Down spouts
- Electrical hardware
- Flashings
- Gutters
- Kick plates
- Lighting
- Mouldings
- Roofing
- Screens
- Sheathing
- Spandrels
- Store fronts
- Tile and trim
- Window frames, channels and guides

RAILROAD
- Diesel grilles
- Kick and push plates
- Refrigerator car parts
- Trim and decorative parts in passenger cars

HOUSEHOLD APPLIANCES
- Clothes driers
- Floor waxers and polishers
- Heating and cooking appliances
- Home and farm freezers
- Ironers and irons
- Lamps
- Ranges and stoves
- Refrigerators
- Refrigerator dishes
- Sewing machines
- Shavers, electric
- Toasters
- Vacuum cleaners
- Washing machines

KITCHEN
- Egg beaters
- Food serving trays
- Juicers
- Knives
- Mixers and mixing bowls and spoons
- Potato mashers
- Pots and pans
- Salt and condiment containers
- Spatulas

REFRIGERATION AND AIR-CONDITIONING
- Bottled beverage coolers
- Carbonated water systems
- Drinking fountains
- Fans
- Fountainettes
- Frozen food cabinets
- Ice cube makers
- Malt beverage dispensing system
- Refrigeration evaporators
- Refrigerator shelves and trim
- Room air conditioners
- Sandwich units
- Thermostats

GENERAL
- Ash trays
- Automatic vending machines
- Bar equipment
- Buttons and button parts
- Cheese slicers, commercial
- Cocktail shakers and accessories
- Cup holders
- Flatware
- Furniture
- Garden accessories
- Irons
- Jewelry
- Ladles
- Paint brush ferrules and rivets
- Radio and TV antennae
- Railings
- Refuse cans
- Rulers
- Soda fountains and equipment
- Utility cans
- Water pitchers and drinking cups
- Weather stripping

Sharon makes a complete line of straight chrome and chrome-nickel stainless steels. For further information regarding Sharon quality stainless steels contact the representative nearest you or write direct.

SHARON STEEL CORPORATION
GENERAL OFFICES—SHARON, PENNSYLVANIA
SALES OFFICES

CHICAGO 4, ILLINOIS
1822 McCormick Building
Phone: Harrison 7-2526

CINCINNATI 2, OHIO
2407-08 Carew Tower Bldg.
Phone: Main 1718

CLEVELAND 14, OHIO
1809 Union Commerce Building
Phone: Main 1-3135

DAYTON 2, OHIO
1801 Hulman Building
Phone: Fulton 5012

DETROIT 8, MICHIGAN
Tireman and Maple Avenue
Phone: Tiffany 6-1500

INDIANAPOLIS 4, IND.
425 Chamber of Commerce Building
Phone: Lincoln 7318

LOS ANGELES 13, CALIF.
524 South Spring Street
Phone: Mutual 5481

MILWAUKEE 2, WIS.
716 First Wisconsin National Bank Building
Phone: Broadway 2-7450

NEW YORK 18, N. Y.
500 Fifth Avenue
Phone: Pennsylvania 6-8744

PHILADELPHIA 3, PA.
1138 Broad St. Sta. Bldg.
Phone: Rittenhouse 6-0985

ROCHESTER 4, NEW YORK
503 Genesee Valley Trust Building
Phone: Baker 2540

SAN FRANCISCO 5, CALIF.
902 Monadnock Building
Phone: Garfield 4335

WASHINGTON 4, D. C.
Munsey Building
Phone: National 4874

CANADIAN REPRESENTATIVES

MONTREAL 3, QUEBEC
80 Prince Street
Phone: University 6-5761

TORONTO 17, ONTARIO
235 Wicksteed Avenue
Phone: Mayfair 0701

WALLINGFORD

Close Tolerance

STAINLESS STEEL



Strip IN THICKNESSES DOWN TO .002"

Tubing WELDED ORNAMENTAL MECHANICAL or PRESSURE FROM 1/2" TO 3" O.D.

Consistent High Quality Guarantees

DEPENDABLE PERFORMANCE
MORE PRODUCTION
REDUCED COSTS
FEWER REJECTS
LESS DOWN-TIME
BETTER PRODUCTS



WRITE OR PHONE

LOW CARBON
HIGH CARBON
STAINLESS
STRIP and TUBING

THE WALLINGFORD STEEL CO.
SINCE 1922
WALLINGFORD, CONN., U.S.A.

BRANCH OFFICES
BOSTON, MASS.: Statler Office Building
NEW YORK, N. Y.: 346 Madison Avenue

Blue Chip Stocks of Stainless Steel

Hundreds of tons of high grade types of Stainless Steel are available for immediate delivery from Edgcomb warehouses... in a large variety of shapes, forms, sizes and finishes.

In stock grades are 302, 303, 304, 304L, 316, 347, 416, 430, 430F and 440.

There's an Edgcomb warehouse or sales office near you. Write or phone any of them. You'll get typical Edgcomb action and service . . . and a choice of Stainless grades from one of the largest and most complete stocks in the country.

EDGCOMB STEEL COMPANY

D STREET BELOW ERIE AVENUE, PHILADELPHIA 34, PA.
Phone: GArfield 3-6300

STEEL

Southern Warehouse
527 ATANDO AVENUE, CHARLOTTE 6, N. C.

Sales Offices
BALTIMORE, MD. GREENSBORO, N. C. KNOXVILLE, TENN.
ROCHESTER, N. Y. SYRACUSE 11, N. Y. YORK, PA.

IN THE production of stainless steels, the trend is toward closer controls of analysis through the use of quality master alloy ingot. Our ALLOYMET 2115 ingot (70% Nickel—10% Chrome) is fast becoming the standard of the industry as a basic raw material in the production of stainless steels.

When ALLOYMET 2115 is used in the melt, the analysis of the finished product is never in doubt. Compare this with a heat of 18-8 scrap . . . but no, there is no comparison. Scrap—no matter how good it may be—is still an imperfect commodity that is generated; not made to order. ALLOYMET 2115, on the other hand, is a master alloy made to rigid specifications under the supervision of trained metallurgists who know the needs of the steel industry.

Steel producers are rapidly learning that to use master alloys in the place of scrap costs so very little more. Prove this by your own use.

ALTER COMPANY
Alloy Metal Division

1701 Rockingham Road, DAVENPORT, IOWA
Phone 6-2561 Teletype DV 588

THESE ARE AMERICAN
STAINLESS STEEL FASTENERS

TYPE 410

TYPES & CHARACTERISTICS	APPLICATIONS
Self-Tapping Screws Wood and Machine Screws Used where high strength and moderate corrosion resistance are required	Automobiles, trucks Counter tops Metal storm sash, screens, awnings Railroad cars Refrigerators Stoves Washing machines



TYPE 430

Wood and Machine Screws Self-Tapping Screws for special applications Used when good corrosion resistance is required	Appliances Automobiles, trucks Counter tops Metal storm sash, screens, awnings Refrigerators Stoves Washing machines



TYPE 304

Wood and Machine Screws Aircraft Fasteners Self-Tapping Screws for special applications Used where excellent corrosion resistance, nonmagnetic and heat resistance are required	Aircraft Chemical processing equipment Counter tops Electrical and electronic equipment Kitchen and restaurant equipment Medical equipment Refrigerators Stoves

The following types can be furnished for specialized applications in cooperation with the engineering personnel of customers and American Screw Company — Types 305, 442, 431, 420, and 18Ni-16Cr.



TYPE 416 SCREWSTICK

A one-piece stick of identical precision screws driven by a specially designed pneumatic driver which feeds screws automatically for "quick-as-a-flash" assembly. Available in diameters No. 0 to No. 6. Used successfully in assembly of appliances, cameras, clocks, switches, toys, typewriters.



AMERICAN SCREW COMPANY

PHILLIPS HEADquarters

WILLIMANTIC, CONNECTICUT

Main Office & Plant
Willimantic, Conn.
Office & Plant, Norristown, Pa.
Office & Warehouse, Chicago, Ill.


Stainless Steel Inner Covers
Stainless Steel Quench Tank
Fabricated Stainless Steel Tubes
Stainless Steel Collector for Carbon Precipitation

Modern Facilities and "Know How" for the Fabrication and Assembly of Quality Stainless Steel Weldments

EQUIPMENT AS SHOWN AND SIMILAR UNITS HAVE BEEN FABRICATED AND ASSEMBLED TO THE SPECIFICATIONS OF OUR CUSTOMERS

We have complete facilities, and are recommended by over a decade of satisfactory service. Our work includes: burning, shearing, bending, forming; sawing, stamping, grinding, machining; brazing, welding, testing, assembling; standard and code work.

WE WILL BE GLAD TO DISCUSS YOUR REQUIREMENTS

m&f

MANUFACTURERS & FABRICATORS, INC.

QUALITY STAINLESS AND CARBON STEEL FABRICATION AND ASSEMBLY

Elyria, Ohio



McLouth STAINLESS Steel

For the product you make today and the product you plan for tomorrow.

McLouth Steel Corporation
DETROIT, MICHIGAN
Manufacturers of Stainless and Carbon Steels

MALCOMIZING

FOR SURFACE HARDENING STAINLESS STEELS

CALL *LINDBERG STEEL TREATING CO.*

It'll pay you to investigate Malcomizing if you use surface hardened stainless steel parts in your finished product. Malcomizing imparts increased wear resistance, increased abrasion resistance, increased corrosion resistance and increased erosion resistance to stainless steels.

Hundreds of manufacturers from coast to coast have found that Malcomizing means improved results . . . longer product life . . . better performance . . . finer finished products.

- Malcomizing increased hot press die runs from 100% to 300%!
- Malcomizing improved wearing quality of wire guides . . . 10 to 1!
- Malcomizing eliminated damaging erosion and corrosion of air pump piston and connecting rods!
- Malcomizing resisted moisture condensation and eliminated rust that formerly caused failure on aerial camera valves!
- Malcomizing increased wear resistance of governor valves and valve seats for steam turbines!
- Malcomizing improved the corrosion resistance of movie projector parts subject to adverse climatic conditions!

Get your copy of the Malcomizing booklet. It discusses types of steels that can be Malcomized . . . suggested heat treatments before Malcomizing . . . selective Malcomizing . . . case depths . . . stability at elevated temperatures . . . corrosion resistance . . . and the passivation of Malcomized steels.

For the complete story of this product-improving, money-saving process, ask for your copy of the new 28 page booklet, "Malcomizing".

Plants in

MELROSE PARK
1977 N. Ruby
MOnroe 6-3308

ROCHESTER
620 Buffalo Rd.
GEnessee 5213

ST. LOUIS
650 E. Taylor
FIreside 6200

LOS ANGELES
3537 East 16th St.
ANgelus 6724

LINDBERG STEEL TREATING CO.

1977 North Ruby Street, Melrose Park, Illinois Phone: MOnroe 6-3308

The Specialty House

OF PRECISION COLD ROLLED STAINLESS STRIP STEEL

THINSTEEL

Specialists in Specialties

Turn here to find the uncommon in precision rolled cold rolled stainless strip—the unusual in size, finish and physicals where only a tight tolerance or a tricky tensile will fill your bill. Typical is our ability to hold gauge variations, from edge to edge, less than 25% of standard—or supplying strip as thin as .001".

DID YOU EVER SEE OR CHECK

CMP Bright Annealed?

Another example of a valued CMP THINSTEEL specialty is the availability of 18-8 stainless in dead soft temper with a bright finish on both sides. Does it suggest savings in expensive polishing or finishing for your requirements? We'll be glad to arrange a sample order for your own test.

THIS HOUSE IS

Home of Helpful Ideas ON YOUR STAINLESS PROBLEMS

You may think that your particular need or specification is commercially impossible. That's just the time to check with CMP. Generally we can come up with the right answer to the difficult and unusual problem since the CMP foundation is solid on specialties not usually available elsewhere. We want your inquiry to meet functional or fabricating problems. Get it to our attention, now, for prompt reply.

Available, too!

FROM THESE WAREHOUSE STOCKS

Many of the standard as well as uncommon CMP stainless specialties are "in stock" for quick deliveries at these warehouses.

The Cold Metal Products Co. of California
6600 McKinley Avenue, Los Angeles
Phone: PLeasant 3-1291

The Kenilworth Steel Co.
750 Boulevard, Kenilworth, New Jersey
Phones: N. Y.—COurtland 7-2427
N. J.—UNionville 2-6900

Precision Steel Warehouse, Inc.
4425 W. Kinzie, Chicago, Illinois
Phone: COlumbus 1-2700

PRECISION COLD ROLLED C M P STRIP STEEL

the Cold Metal Products co.
YOUNGSTOWN 1, OHIO

New York • Chicago • Indianapolis • Detroit • St. Louis • Los Angeles • Cleveland • San Francisco

Here's How...
MAC DRAW No. 40
SPEEDS UP THOSE "TOUGH" STAINLESS STEEL STAMPING JOBS...

If you have heavy runs in hard-to-work stainless steel, you will appreciate Mac Draw No. 40. This scientifically compounded drawing solution is particularly adapted to tough stainless steel operations, assuring you smoother, easier drawing, with greatly increased production and a minimum of rejects.

Where easy and thorough cleaning are of major importance, Mac Draw No. 96 (drawing oil) or Mac Draw V. E. (non-pigmented emulsion) are highly recommended. These popular and efficient drawing compounds are easily removed either by vapor degreasor or any common industrial cleaning process.

You'll find these and many other Macco products in use today in many of the nation's leading steel-processing plants. For a solution to your production problems, call your Macco sales engineer today, or write Macco of Chicago.

For every shearing, punching, notching, nibbling, forming, beading, blanking, drawing, drilling, boring, and cleaning operation, there is a Macco Compound that will help you to do the job better and faster. Repeated time studies and many case histories prove greatly reduced down time and increase in tool life of up to 500%.

Macco Compounds — The Best in The Long Run

MACCO PRODUCTS COMPANY

CHEMICAL COMPOUNDS

FOR THE METAL WORKING TRADE..SINCE 1931

525 W. 76th STREET ★ CHICAGO 20, ILL.

ARCOS STAINLESS WELDING ELECTRODE APPLICATION CHART

GENERAL TYPE	USUAL WELDING APPLICATIONS	POPULAR NAMES	AWS-ASTM SPEC.	ARCOS GRADE	CURRENT	ARCOS NO.	COATING		STUB END COLORS	
							TYPE	COLOR	END	SIDE
CHROME-NICKEL (Austenitic Alloys)	Cavitation Resistance	17/7		Chromend 16/7	DC	D-301	Lime	Green	Yellow	Black
	Types 301, 302, 304	19/9 or 18/8	E308-15	Chromend K	DC	D-308	Lime	Green	Yellow	
			E308-16	Stainlend K	AC-DC	A-308	Titania	Brown		
	Type 304L	Extra Low Carbon 19/9		Chromend K-LC	DC	D-308L	Lime-Titania	White	Yellow	
	Type 309, or for joining 18/8 stainless to mild steel	25/12	E309-15	Chromend HC	DC	D-309	Lime	Green	Black	White
			E309-16	Stainlend HC	AC-DC	A-309	Titania	Brown		
	Similar to Type 309 for welds requiring columbium	25/12Cb		Chromend 25/12Cb	DC	D-309Cb	Lime	Green	Black	Blue
				Stainlend 25/12Cb	AC-DC	A-309Cb	Titania	Brown		
	Type 310, or stainless clad, or stainless to mild steel	25/20	E310-15	Chromend HCN	DC	D-310	Lime	Green	Red	
			E310-16	Stainlend HCN	AC-DC	A-310	Titania	Brown		
	High Strength Type 310	25/20C		Spec. Chromend HCN (High Carbon)	DC	D-310C	Lime	Green		
	Similar to Type 310 for welds requiring columbium or molybdenum	25/20Cb		Chromend 25/20Cb	DC	D-310Cb	Lime	Green	Red	Blue
		25/20Mo		Chromend 25/20 Mo	DC	D-310Mo	Lime	Green		White
	Super Alloys to Low Alloy Steels	29/9		Chromend 29/9	DC	D-312	Lime	Green	Green	Red
	Type 316	18/12Mo	E316-15	Chromend KMo	DC	D-316	Lime	Green	Yellow	White
			E316-16	Stainlend KMo	AC-DC	A-316	Titania	Brown		
	Type 316L	Extra Low Carbon 18/12Mo		Chromend KMo-LC	DC	D-316L	Lime-Titania	White	Yellow	White
	Type 316 Columbium Stabilized	18/12MoCb		Chromend KMoCb	DC	D-316Cb	Lime	Green	Yellow	Green
	Type 317	19/14Mo	E317-15	Chromend 18/8Mo	DC	D-317	Lime	Green	Yellow	Brown
	Carpenter 20, Durimet 20 Alloyco 20	Carpenter 20		Chromend20/29CuMo	DC	D-320	Lime	Green	Red	Brown
	Type 329	25/3Mo		Chromend 25/3Mo	DC	D-329	Lime	Green	Green	Yellow
	Heat and scale resisting alloys Types HT and HU castings	15/35	E330-15	Chromend 15/35	DC	D-330	Lime	Green	Green	
	Types 347 or 321 - columbium or titanium stabilized 18/8	19/9Cb or 18/8Cb	E347-15	Chromend 19/9Cb	DC	D-347	Lime	Green	Yellow	Blue
			E347-16	Stainlend 19/9Cb	AC-DC	A-347	Titania	Brown		
	Super Alloys—High Temp.	19/9WMo		Chromend 19/9WMo	DC	D-349	Lime	Green	Yellow	Orange
		N155		Chromend N155	DC	D-355	Lime	Green	Red	Green
		S590		Chromend S590	DC	D-590	Lime	Green	Red	Yellow
		L605, HS25		Chromend L605	DC	D-605	Lime	Green	Red	Black
	Heat and scale resisting alloys —high temperatures	Nichrome®		Chromend 13/60	DC	D-360	Lime	Green	Green	Blue
		Inconel®		Chromend 14/75	DC	D-375	Lime	Green	Green	Orange
		Nichrome V		Chromend 20/80	DC	D-380	Lime	Green	Lt.Green	White
STRAIGHT CHROME (Ferritic Alloys)	Type 410	12% Chrome	E410-15	Chromend 12	DC	D-410	Lime	Green	Grey	Brown
	Type 430	16% Chrome	E430-15	Chromend 16	DC	D-430	Lime	Green	Grey	Green
	Type 442	18% Chrome		Chromend 18	DC	D-442	Lime	Green	Grey	Red
	Type 446	28% Chrome		Chromend 28	DC	D-446	Lime	Green	Grey	Yellow
CHROME-MOLY (Martensitic Alloys)	1% Cr-Moly	1% Cr-Moly		Chromend 1M	DC	D-315	Lime-Titania	Grey	White	Blue
	Cast Armor	2% Cr-Moly		Chromend 2M(S)	DC	D-501S	Lime-Titania	Grey		
	2% Cr-Moly	2% Cr-Moly		Chromend 2M	DC	D-521	Lime-Titania	Grey	Grey	
	Type 502	4/6% Cr-Moly	E502-15	Chromend 5M	DC	D-502	Lime-Titania	Grey	Grey	Blue
	9% Cr-Moly	8/10% Cr-Moly		Chromend 9M	DC	D-506	Lime-Titania	Grey	Grey	White

For help in selection of electrodes for welding stainless steel, write for your free copy of "What Electrode Would You Use?"

ARCOS CORPORATION • 1500 SOUTH 50TH STREET, PHILA. 43, PENNA.


ROTARY IS NOW PRODUCING:
Rotary's expanded modern production facilities offer
ELECTRIC FURNACE QUALITY STEELS . . . . . .
STAINLESS SLABS FOR RE-ROLLING . . . . . .
STAINLESS SLABS AND BILLETS
FOR FORGING.
ROTARY ELECTRIC STEEL CO.
BOX 4606 · DETROIT 34, MICHIGAN
FIRST QUARTER 1954
ROTARY'S NEW FACILITIES
WILL BE PRODUCING:
STAINLESS BARS
HOT-ROLLED, COLD FINISHED
ROUNDS, ½" through 4½"
HEXES, ½" through 2"
ROTARY ELECTRIC STEEL CO.

Make Armco Your STAINLESS STEEL Headquarters

STAINLESS STEELS ARMCO MAKES

Armco produces all of the standard A.I.S.I. types of stainless steel, including the ELC (extra-low-carbon) types. In addition, there are the special Armco Precipitation-Hardening grades and other special types.

PRODUCTS AND SIZE LIMITS

Here are the stainless steel products Armco makes and their general size limits:

BARS

	Hot-Rolled or Forged	Cold Finished
ROUNDS	1/4" to 12" incl.	Over 1/2" to 6" incl.
SQUARES	1/4" to 15" incl.	Over 1/2" to 2 1/2" incl.
HEXAGONS	1/4" to 6" incl.	Over 1/2" to 3" incl.
OCTAGONS	1 3/4" to 6" incl.	Over 1/2" to 1-7/16" incl.
FLATS	1/8" to 5" thick 1/2" to 6" wide	1/8" to 2" incl. thick 3/8" to 4" incl. wide
SHAPES		To specifications

CONDITIONS AND FINISHES

Information on metallurgical condition, finishes, hardnesses and mechanical properties of the Armco Stainless Steel grades will be found in the general catalog, "Armco Stainless Steels." Write for your copy.

ARMCO

ARMCO STEEL CORPORATION

3953 CURTIS STREET • MIDDLETOWN, OHIO

EXPORT: THE ARMCO INTERNATIONAL CORPORATION

ANGLES

Hot-Rolled, Annealed and Pickled

3/4" x 3/4" x 1/8" through 3" x 3" x 3/8"

PLATES

3/16" to 1/2" thick, 10" to 84" wide and up to 204" long depending on thickness and width

SHEETS AND COILS

0.015" to 0.1874" thick, 24" to 84" wide and up to 216" long in cut lengths depending on thickness and widths; 24" to 36" wide in coils up to 0.125" thick

COLD-ROLLED STRIP

REGULAR STRIP—0.015" to 0.125" thick, 1/8" to under 24" wide in coils or cut lengths

EXTRA-THIN STRIP—0.001" to 0.015" thick in coils only. Up to 16" wide

WIRE

ROUNDS—COILS OR STRAIGHT LENGTHS—0.035" to 1/2" incl.

SQUARES AND HEXAGONS—1/8" to 1/2" incl.

OCTAGONS—5/32" to 1/2" incl.

FLATS—0.093" to under 3/16" thick, 1/8" to under 3/8" wide

SHAPES—To specifications

BILLETS

Up to 18" square, 3 to 18 feet long depending upon ingot weight

Armco ELC Stainless Steels

To prevent corrosion adjacent to welds, Armco produces two extra-low carbon grades, Armco 18-8 ELC (Type 304L) and Armco 18-12 Mo ELC (Type 316L). These grades have a maximum carbon content of 0.03 per cent. They can replace the more expensive and hard-to-get columbium-tantalum and titanium stabilized grades for service at temperatures up to 800 degrees F. Write for our booklet, "Armco's ELC Stainless Steels."

Armco 17-4 PH and Armco 17-7 PH

Here are two new hardenable stainless steels that combine excellent corrosion resistance, high strengths and hardnesses with low-temperature heat treatment. They have much higher yield strengths in tension and compression than Types 410, 414 and 431, with equal or higher tensile strengths and hardnesses. These precipitation-hardening grades are available in sheets, strip, plates, bars and wire. Write for bulletin on Armco 17-4 PH and 17-7 PH.

JOHNSON

stainless steel

WIRE



Experience is the cheapest thing you can buy if you are smart enough to get it second-hand.

YES, we have second-hand experience at Johnson — people who have learned the wire business through progress in the specialty wire industry. You can specify Johnson Stainless Steel Wire with full confidence that your wire will be drawn for you exactly to meet your own individual requirements. Complete range of sizes. Hard, medium hard, soft tempers . . . gleaming finish . . . in coils or on metal spools. The Johnson line of stainless steel wire includes low magnetic permeability.

Available in

COILS or on SPOOLS

JOHNSON

"Johnson Sets the Standard of the Industry"

JOHNSON STEEL and WIRE CO., INC.

Worcester 1, Massachusetts

NEW YORK • PHILADELPHIA • PITTSBURGH • CLEVELAND • DETROIT • AKRON • CHICAGO • ATLANTA • HOUSTON • TULSA • LOS ANGELES

A SUBSIDIARY OF PITTSBURGH STEEL COMPANY



First of all, think of **Ingersoll**

when you need these three or other special analysis steel:

1. **SOLID STAINLESS** for maximum resistance to corrosion.
2. **INGACLAD STAINLESS-CLAD** for lowest cost stainless protection.
3. **HEAT-RESISTING** for maximum resistance to heat.

ENGINEERING B-W PRODUCTION

INGERSOLL STEEL DIVISION

Borg-Warner Corporation

Sales Office: 310 South Michigan Avenue, Chicago 4, Illinois • *Plant:* New Castle, Indiana

First in stainless steel fastenings

INDUSTRIAL EQUIPMENT manufacturers count on Anti-Corrosive for fast, dependable service on all types of stainless steel fastenings. They know that our IN STOCK inventory of more than 8,000 items and sizes is the largest, most complete, in the industry. In addition, our production capacity is geared to produce large or small quantities of stainless fastenings, of every size and description, faster and more economically!

Write for Catalog 53W today.



ANTI-CORROSIVE METAL PRODUCTS CO., INC.

castleton-on-hudson, new york



ONE DEPENDABLE SOURCE

FOR STAINLESS PIPE, TUBING AND FITTINGS

A SINGLE CALL TO A MURRAY WAREHOUSE can bring you everything needed in stainless pipe and tubing—and you can be sure of quick delivery! Hundreds of tube users—both large and small—repeatedly rely on Murray for this dependable service.

Murray stocks are large and range of sizes varied to meet special applications (See list).

When in need of stainless pipe, tubing or fittings—for pressure or mechanical purposes—call a Murray warehouse first and be sure of quick and dependable service. A. B. MURRAY CO., INC., 628 GREEN LANE, ELIZABETH, N. J.

Other Murray products include boiler and pressure tubes, IPS pressure tubing, seamless cold-drawn and hot finished mechanical tubing, seamless hydraulic tubing, seamless and butt-welded pipe, carbon steel welding fittings and all types of tube fabricating to order.

WRITE FOR CURRENT STOCK BULLETIN

STAINLESS PIPE AND TUBING IN STOCK

TYPE 304 PIPE
Schedule 5—Light Wall—Welded, to 4" IPS.
Schedule 10—Light Wall—Welded and Seamless, to 4" IPS.
Schedule 40—Standard Weight—Seamless to 8" IPS—Welded to 2" IPS.
Schedule 80—Extra Heavy Weight—Seamless to 8" IPS.

TYPE 304L PIPE
Schedule 40—Standard Weight—Seamless to 8" IPS.

TYPE 316 PIPE
Schedule 5—Light Wall—Welded, to 4" IPS.
Schedule 10—Light Wall—Welded and Seamless, to 4" IPS.
Schedule 40—Standard Weight—Seamless to 8" IPS—Welded to 2" IPS.
Schedule 80—Extra Heavy Weight—Seamless to 8" IPS.

TYPE 347 PIPE
Schedule 40—Standard Weight—Seamless to 8" IPS—Welded to 2" IPS.

TUBING in Types 304, 304L, 316, 321, 347, 430, 446—Seamless from 1/8" to 8 5/8" OD. Welded from 1/8" to 5" OD.

FITTINGS in Types 304, 316, 347—Welding Fittings in Schedules 5, 10, 40, and 80, up to 12" IPS. Screwed Fittings up to 4" IPS.

Additional sizes to 48" OD can be promptly supplied in all weldable analyses of stainless steel.

A B MURRAY CO INC
ESTABLISHED 1845
ELIZABETH, N. J. McKEESPORT, PA.

TORRINGTON SLITTING MACHINES...



FAMOUS FOR YEARS OF CONTINUOUS, DEPENDABLE SERVICE

These compact, easily operated machines are especially designed to meet the needs of sheet metal fabricators who require slitters that can be quickly set up to produce any desired combination of cuts on any gauge of metal within their range. The product of years of research, development and experience, Torrington Standard Slitters are famous for continuous, dependable service.

THE TORRINGTON MANUFACTURING COMPANY

TORRINGTON, CONNECTICUT

Western Division: Van Nuys, California • In Canada: T. M. Co., Ltd., Oakville, Ontario

DESIGNERS AND BUILDERS OF MILL MACHINERY FOR OVER SIXTY-FIVE YEARS

HEADQUARTERS

for Complete Stainless Service

For nearly a quarter of a century, buyers throughout industry have depended upon the House of Stainless for their requirements in stainless steel. This continued confidence has made possible the new Chicago Steel warehouse with the most modern facilities to handle your needs promptly through complete warehouse stocks or direct mill shipments.

WAREHOUSE STOCKS

Stocks of stainless in all warehouse sizes, gauges and finishes are carried on the following items:

Sheets	**Fastenings**
Plates	**Pipe Fittings**
Bars	**Welding Rod**
Tubing	**Rain-carrying Equipment**
Pipe	**Expanded Metal**

For prompt service, phone LAfayette 3-7210 or contact our sales office or representative in your locality.

DIRECT MILL SHIPMENTS

Chicago Steel Service Company represents the nation's leading mills and can furnish anything in stainless . . . at mill prices . . . including strip and other items not normally carried in warehouse stocks.

HOUSE OF STAINLESS SERVICE

The House of Stainless maintains a special service that provides metallurgical help on problems relating to fabrication, heat-treating, machining, welding, etc. Your inquiry is invited for literature or consultations and recommendations.

CHICAGO STEEL SERVICE COMPANY

Kildare Avenue at 45th Street
Chicago 32, Illinois
Telephone LAfayette 3-7210

The House of Stainless
STEEL AT YOUR SERVICE STEEL

MILWAUKEE DISTRICT OFFICE
757 No. Broadway, Milwaukee 2, Wisconsin
Phone: Broadway 2-7874

MINNEAPOLIS DISTRICT OFFICE
3501 Hennepin Avenue, Minneapolis 8, Minnesota
Phone: Colfax 2602

Sales Representatives at Bloomington and Moline, Illinois; Indianapolis and South Bend, Indiana; Cedar Rapids, Iowa; Grand Rapids, Michigan; Fond du Lac, Wisconsin.

IN PEACE TIME DEFENSE TIME EVERY TIME

MAKE "Standard" YOUR SOURCE FOR WELDED TUBING EFFICIENTLY PRODUCED!



Specially Designed
New Modern Plant with
Complete Facilities for Production of:

★ Welded Mechanical ★ Boiler and Heat Exchanger
★ Welded Stainless ★ Exclusive "Rigidized" Patterns

Complete Range of Electric Weld Tubing for Structural, Mechanical and Pressure Applications

Here in this great new plant are the most modern and complete facilities for the manufacture of Welded Steel and Stainless Steel tubing found anywhere. Let "Standard's" specialists help you!

THE STANDARD TUBE CO.
Detroit 28, Michigan
Welded Tubing Fabricated Parts
STANDARDIZE with STANDARD — it Pays

ROUND • SQUARE • RECTANGULAR • SPECIAL SHAPES
including UPSET • FLARED • FLANGED • TAPERED

★

STEEL TUBING SIZES, ½" O.D. to 5½" O.D. .028 to .260 wall
STAINLESS SIZES, ⅜" O.D. to 3" O.D. .028 to .095 wall

welded steel and stainless steel tubing

sizes and thickness chart

Tube Dia.	Wall Thickness Range‡			
*O.D. Size	Carbon Steel		Stainless Steel	
	Min.	Max.	Min.	Max.
½	.028	.065	.020	.065
⅝	.028	.083	.020	.065
¾	.028	.083	.020	.065
⅞	.028	.083	.020	.065
1	.028	.120	.020	.083
1⅛	.028	.120	.028	.083
1¼	.028	.134	.028	.083
1⅜	.035	.134	.028	.083
1½	.035	.148	.028	.095
1⅝	.035	.148	.028	.095
1¾	.035	.165	.028	.095
1⅞	.035	.148	.028	.095
2	.035	.165	.035	.109
2¼	.035	.180	.035	.109
2⅜	.035	.203	.035	.109
2½	.035	.203	.035	.109
2¾	.049	.148	.035	.109
2⅞	.049	.203	.049	.109
3	.049	.220	.035	.109
3¼	.049	.220		
3½	.049	.238		
4	.049	.250		
4½	.065	.250		
4¾	.065	.250		
5	.065	.180		
5½	.065	.134		

* Please consult us for intermediate sizes not listed.

‡ Wall thickness in decimals of inches corresponds with Birmingham Wire Gauge. Decimal gauges as specified by A.S.M.E. codes can be furnished.

Max. Length—50 ft. Drawn tubing—24 ft.

sales representatives

STANDARD TUBE SALES CORPORATION—
7601 Woodhaven Blvd., Brooklyn 27, N. Y.

C. A. McCLENATHAN—
447 Glenwood Boulevard, Erie 5, Pa.

LAPHAM-HICKEY COMPANY—
3333 West 47th Place, Chicago 32, Ill.
Branches:
4738 W. Lisbon Ave., Milwaukee 8, Wis.
2127 LeClaire St., Davenport, Iowa
8334 Roland St., Cincinnati 15, Ohio
500 Pioneer Bldg., St. Paul 1, Minn.
5204 Boulevard Place, Indianapolis, Ind.

INDUSTRIAL PRODUCTS SALES, INC.—
227 West Exchange St., Akron, Ohio

LAWRENCE-TOTTEN COMPANY—
714 W. Olympic Blvd., Los Angeles 15, Calif.
Branches:
55 New Montgomery St., San Francisco 5, Calif.
710 Second Ave., Seattle 4, Wash.

METAL GOODS CORPORATION—
5239 Brown Avenue, St. Louis 15, Mo.
1300 Burlington, North Kansas City 16, Mo.
302 North Boston, Tulsa 3, Okla.
6211 Cedar Springs Rd., Dallas 9, Texas
711 Milby Street, Houston 3, Texas
432 Julia Street, New Orleans 12, La.
2425 Walnut Street, Denver 2, Colorado

RICHARD WADE—
1420 Hamilton Bank Bldg., Chattanooga 2, Tenn.

You don't have to shop around... Allegheny Stainless is produced in every form you may need

You ought to have a copy of our PUBLICATION LIST

This 8-page bulletin lists and describes all the current publications on the principal families of A-L Products: stainless and heat-resisting steels, tool and die steels, electrical steels and alloys, permanent magnet materials, and Carmet carbides. There is a handy order form for your convenience in getting the material you need: technical and fabricating data, information on applications and fields of utility, etc. *Write for your copy.*

ADDRESS DEPT. S-43

WHATEVER your stainless steel requirements may be, you can satisfy them with Allegheny Metal.

It's produced in any grade, form or finish you want—from the finest wire to heavy plates, castings and forgings, including sheets, strip, bars, shapes, tubes—*everything!*

That's not only handy, but advantageous: one reliable source, one undivided responsibility, one well-known standard of quality and uniformity.

Complete technical and fabricating data—engineering help, too—are yours for the asking. Just keep it in mind to specify "Allegheny Metal" when you're in the stainless market. And remember, wherever you use it, Allegheny Metal looks better, lasts longer, usually works out to be cheaper in the long run. ***Allegheny Ludlum Steel Corporation, Oliver Building, Pittsburgh 22, Pa.***

You can make it **BETTER** with

Allegheny Metal

Warehouse stocks carried by all Ryerson plants

AL
TIME-TESTED STAINLESS STEEL

W&D 4742

A STABLE ARC, GOOD DIRECTIONAL CONTROL, AND WIDE USEABILITY CHARACTERISTICS ENABLE YOU TO . . .

Weld Stainless Easily in ALL Positions with G-E Stainless Steel Electrodes

Better Welding Performance Seven Ways Means More for Your Electrode Dollar

You get the most for your dollar when you buy General Electric stainless-steel electrodes. Here are seven reasons why:

1. You get excellent handling characteristics in *all positions*.

2. You get good directional control because G-E stainless steel electrodes give you a very stable arc.

3. You get the minimum of spatter and can remove slag easily.

4. You can select the correct electrode for every application because G.E. offers industry a complete line of chrome and chrome-nickel types.

5. You can get G-E stainless steel lime-coated electrodes for reverse-polarity DC and titania-coated rods for AC and reverse-polarity DC.

6. You get the correct metallurgical deposit your specific job requires.

7. You get excellent physical properties in the bead itself.

FREE—New Stainless-Steel Guide

Act today to get your copy of the new Bulletin GET-1955 "Welding and Metallurgical Aspects of Stainless Steels". This easy-to-read pamphlet is full of practical data to help you select electrodes, produce better welds, and avoid common problems in stainless work.

It's available from your G-E Welding Distributor the man who is ready to meet all your welding needs. He's listed in the yellow pages of your phone book under "Welding Equipment". General Electric Co., Schenectady 5, N. Y. 710-7

SMOOTH, NEAT WELD made with lime type W-1310, reverse-polarity DC electrode.

VERTICAL FILLET weld made with W-2310, titania type, AC or DC reverse polarity.

GENERAL ELECTRIC

SHENANGO

SATISFACTION

AGALOY

ALWAYS

TUBE COMPANY

SHARON, PENNSYLVANIA

Principal Office



Six acres of new plant on a 17-acre plot. Located in Sharon, Pennsylvania. These new facilities will be in addition to plants now operating in Springfield, Ohio, and Sharon, Pennsylvania.

SHENANGO DIVISION—Sharon, Pennsylvania

AGALOY DIVISION—Springfield, Ohio

Sales Offices

CHICAGO 11, ILL.
Room 1606, Palmolive Bldg.
919 North Michigan Ave.
Whitehall 3-1050

DETROIT 26, MICH.
Room 2544, Buhl Bldg.
Griswold Street
Woodward 5-3215

HARTFORD 3, CONN.
Room 211, Judd Bldg.
75 Pearl Street
Hartford 6-0491

SPRINGFIELD, OHIO
905 Wheel Street
Springfield 3-5561

NEW YORK 17, N. Y.
Room 3205, Chanin Bldg.
122 East 42nd Street
Oxford 7-3770

PHILADELPHIA 9, PA.
Room 2128, Fidelity-Philadelphia
Trust Bldg., 123 S. Broad St.
Penny Packer 5-2031

SHARON, PA.
100 Clark Street
Sharon 4171

ST. LOUIS, MO.
7th & Locust Street
Suite 1422, Ambassador Bldg.
Chestnut 2535

TU

FOR EVERY

OUR know-how and techniques in this special field, coupled with modern equipment, methods and overall quality control, means production of highest quality tubing—seamless and welded, cold drawn in a wide range of steel, stainless, alloy and nickel alloy grades. Engineers are at your service to assist in the selection of tubing to help you improve your product—increase production—lower your costs.

We insist on uniformity in dimensions, temper, strength, weight, finish, analysis and cleanliness, because it means increased production, ease of fabrication, more economy, better design, faster assembly, improved performance and better appearance.

We offer prompt service, greater range of sizes, advanced tube-making technology, highest quality—and low cost. You may place large or small orders.

Engineers at your service

TUBING

Made to order

REQUIREMENT . . . .

APPLICATIONS
Mechanical
Structural
Pressure
Temperature Service
Corrosion Service
Aircraft
Automotive
Instrument
Sanitary
Sporting Goods
Medical
Electronics
Communication
Military

COLD DRAWN SEAMLESS
Carbon, Alloy
Stainless Steels
Nickel Alloys

WELDED AND DRAWN
Carbon, Alloy
Stainless Steels
Nickel Alloys

ELECTRIC WELDED
Carbon Steels

REDRAWN COPPER BRAZED
Carbon Steels

SPECIFICATIONS
Military (MIL-T)
Army, Navy
Air Force
Aeronautical Material (AMS)
Automotive
Industrial
ASTM, ASME, etc.

CARBON STEELS
1010 to 1095 Analyses

ALLOY STEELS
8630, 4130, 4150, 52100 and others

STAINLESS
Types 302, 303, 304, 310, 316, 321, 347, 410, 430, 446, and others

MISCELLANEOUS
Nickel
Nickel Alloys
and others

SIZES
.010" OD and larger depending on grade and wall, gauges as light as .003". Standard Round and Special Shapes.

SPECIALTIES
Composite Wall and Formed Tubing



HOW TO ORDER

SIZE—Specify any two dimensions (O.D., I.D., Wall) but not all three.

LENGTH—Specify whether lengths shall be random mill, average multiple or cut lengths, and give details on use.

QUANTITY—Specify footage or number of pieces.

MATERIAL—Specify kind of tubing, Seamless or Welded; grade or analysis; and specification if any.

TEMPER—State condition and degree of hardness or softness desired.

USE—Describe application to which tubing will be put, and fabrication involved such as forming, machining, etc. Mention telescopic fit if any, and final finish such as plating. Furnish Blueprints or sketches if available.

SURFACE—If other than commercial finish is desired give details.

SPECIAL ACCURACY—State whether dimensional or straightness tolerances closer than standard are desired, and method used to check measurements.

STEEL TUBING WEIGHT FORMULAE

All weights are theoretical and predicated upon a cubic inch of steel weighing .2833 pound. Actual shipping weights may vary somewhat from these theoretical weights due to variations encountered in manufacturing practices. Agaloy specializes in small diameter, light wall sizes that must have tolerances controlled so closely that there is little or no variation in weight.

Round Seamless

$W = 10.68\ (D - t)\ t$

W = weight in pounds per foot.

D = outside diameter in inches and decimals of an inch.

t = wall thickness in decimals of an inch.

Square Seamless

$W = 13.60\ (D - t)\ t$

W = weight in pounds per foot.

D = outside diameter in inches and decimals of an inch measured at right angles to the sides.

t = wall thickness in decimals of an inch.

Rectangular Seamless

$W = 6.7992\ (A + B - 2t)\ t$

W = weight in pounds per foot.

A and B = the two outside dimensions in inches measured at right angles to the sides.

t = wall thickness in decimals of an inch.

Conversion Formulae

Monel = steel weight × 1.126

Nickel = steel weight × 1.133

Inconel = steel weight × 1.084

Copper = steel weight × 1.140

Let us solve your problems

TUBULAR
SHENANGO AGALOY TUBE CO.
PRODUCTS

Stainless Steel Fabrication by KIRK and BLUM



With 46 years of experience in the field, KIRK & BLUM offers quality workmanship, economical fabrication to the most exacting specifications . . . large or small quantities.

Stainless fabrication, whether for chemical, process, food or other industries, is quite different from conventional steel working. KIRK & BLUM engineers and workers have the special knowledge and techniques to do an outstanding job. From the selection of the proper alloy for specific corrosive conditions, through handling and preparation of material and prevention of contamination, special care is taken.

In all-important welding, for example, selection of the best process: metallic arc or inert gas arc welding . . . seam or spot welding; prevention of distortion and warpage, prevention or removal of discoloration; prevention of disturbance of chemical and physical properties which might lead to corrosion . . . all contribute to a first quality fabrication job.

Whatever your requirements, KIRK & BLUM facilities are at your service. For prompt quotation, send prints and details to: The Kirk & Blum Mfg. Co., 3102 Forrer St., Cincinnati 9, Ohio.

Sheets, Light Plate and Structurals









Complete Facilities to ¼" Capacity

- Square & Rotary Shearing
- Braking, Forming & Rolling
- Punching, Riveting & Drilling
- Arc, Spot & Seam Welding
- Inert Gas & Submerged Arc Welding
- Grinding and Finishing

Literature on Request:

"SHEET and PLATE FABRICATION"

"ELECTRICAL ENCLOSURES"

THE
KIRK AND BLUM MANUFACTURING COMPANY
3102 Forrer St.
Cincinnati 9, Ohio

KIRK AND BLUM
METAL FABRICATION

FOR ACCURACY AND ECONOMY - SPECIFY

MicroRold®

STAINLESS STEEL SHEET and STRIP

★ WASHINGTON STEEL CORPORATION OFFERS A *SUPERIOR PRODUCT!*

The Washington Steel Corporation was formed to produce stainless steel sheet and strip by the Sendzimir process of continuous cold reduction. The process is one of the latest developments in the steel industry and offers a superior product that has now been proved in service. This production method makes possible the manufacture of light gauge stainless sheets up to 36" wide with remarkable uniformity of gauge. Washington Steel Corporation was the first manufacturer to use the Sendzimir mill for this purpose and is the only company exclusively rolling wide stainless sheets on this mill.

Our efforts are devoted exclusiveiy to the production of stainless steel in sheet and strip form.

★ THE TRADEMARK TELLS THE STORY!

As the trademark implies, MicroRold stainless steel is rolled to exceptionally close tolerances in continuous form with micro-accuracy and uniformity of gauge throughout the entire length and width. These tolerances, as low as 3% (plus or minus) of specified decimal thickness have made possible fabricating economies not obtainable with conventional rolling methods.

★ *MicroRold* IS AN OUTSTANDING PRODUCT!

The "Thinness Control" in the manufacture of light gauge MicroRold Stainless Sheets offers many advantages in both application and fabrication. "Thinness Control" means the decimal thickness of each sheet is uniform, giving you more area per ton or the same area with lesser weight, and a significant reduction in breakage. Lower polishing costs are obtained because of the excellence of surface conditions—they are dense, clean, smooth, and even.

WASHINGTON STEEL CORPORATION

Washington, Pennsylvania

MicroRold Stainless

WASHINGTON STEEL Has The Equipment!

The principal manufacturing process is performed by a Sendzimir cold rolling mill. It is a 39-inch cluster type, cold rolling mill, designed to eliminate flexing of the rolls by a system of multiple backing rolls and bearings within a solid housing to maintain a uniform pressure along the entire length of the work rolls. The mill is of the reversing type and was designed to operate at speeds up to 400 fpm. Following are descriptions of a few of our most widely used types:

TYPES AND USES OF *MicroRold*® STAINLESS STEEL

TYPE 301

MicroRold Type 301 chrome-nickel alloy is applicable for a wide variety of uses. It possesses satisfactory forming and drawing qualities, high corrosion resistance, strength, weldability and ductility. This grade is particularly suited in applications requiring high strength. This type is recommended where a combination of high strength and toughness is required, and is available in the high tensile tempers.

A few of the many applications for Washington's **MicroRold** 301 would be: for structural applications, kitchen equipment, cooking utensils, refrigeration units and cold storage-rooms, automotive trim, structural framework in the transportation industry.

Like all high chrome-nickel steels, Type 301 cannot be hardened by heat treatment. It is an austenitic steel and therefor nonmagnetic in the annealed state. This type of stainless steel can be welded readily. Following welding a final anneal of 1900°-2000°F. is usually required to dissolve carbides which have precipitated during welding. The precipitation of carbides during welding unless corrected by annealing will reduce corrosion resistance in the final product. In many applications where high corrosion resistance is not of prime importance a final heat treatment after welding is not necessary.

TYPE 302

MicroRold Type 302 is probably the best known of all stainless alloys. Due to its higher Chrome and Nickel content, it is referred to universally as 18-8 stainless steel which has become more or less a standard and is the most widely used of the chrome-nickel grades, offering somewhat more over-all corrosion resistance than Type 301. In the annealed condition it assures fabricators of excellent deep drawing and cold forming qualities. This stainless steel, highly suitable for a wide range of products covering both domestic and industrial applications, is obtainable both in the annealed and in the high tensile grades.

MicroRold 302 can be readily welded, and like **MicroRold** 301 there is a tendency although not as pronounced as in Type 301, toward carbide precipitation in the weld zone which necessitates annealing after welding if maximum corrosion resistance is desired. Annealing temperatures of 1850°-1950°F. are recommended, followed by rapid air or water quench. This thermal reconditioning insures the highest corrosion resistance in both the parent and weld metal, but is not necessary where the fabricated part is to be subjected to atmospheric corrosion only.

TYPE 304

MicroRold Type 304 with its higher alloy content offers an overall corrosive resistance slightly superior to that of either **MicroRold** Types 301 or 302. However, this low carbon grade was developed primarily to minimize the amount of carbide precipitation, and thus the susceptibility to intergranular corrosion resulting from heating 18-8 metal in the temperature range of 900-1650°F. Since this temperature gradient occurs in the area adjacent to any weld, **MicroRold** Type 304 is recommended for welded construction for use under somewhat corrosive conditions, such as the dairy, chemical, or paper industries, particularly when redissolving the carbides by annealing after welding is not feasible.

MicroRold Type 304 also is highly ductile and can be easily formed, drawn or spun.

TYPE 316

MicroRold Type 316, known also as 18-12 Mo, is a modified chrome-nickel grade containing Molybdenum. The addition of this alloy confers markedly improved corrosion resistance, so that the use of Type 316 is indicated for applications requiring increased corrosion resistance to acid salts, as well as to reducing acids such as sulfuric, phosphoric, hydrochloric and acetic. Thus this alloy finds extensive use in the chemical, textile and paper industries and also where resistance to the corrosive influence of sea water, brine solutions, etc. is required.

This alloy also has exceedingly favorable deep-drawing and forming qualities, and excellent welding characteristics. However, it is subject to sensitization when exposed to, or slow-cooled through the range 1000°-1600°F., slightly more so than Type 304, and slightly less than Type 302, so that in order to preserve its full measure of corrosion resistance after welding, particularly in the case of heavier sections, it should be annealed at about 2000°F., followed by rapid cooling.

In addition to its usefulness for extra corrosion resistance, this alloy is very useful in installations requiring high strength and resistance to creep at elevated temperatures, its high molybdenum content conferring high temperature qualities far superior in this respect to the ordinary chrome-nickel grades.

TYPE 321

MicroRold Type 321 is a stabilized chrome-nickel grade in which the added titanium overcomes the sensitizing tendency described in alloy Types 301 and 302.

Titanium to the extent of a minimum of five times the carbon content has been added so that all of the carbon in this alloy is combined with the titanium, forming titanium carbide. Since sensitization is due to migration of carbon to the grain boundaries, this cannot occur in Type 321, the carbon being held in firm combination in the stable compound, titanium carbide. As a result, Type 321 is immune to the grain boundary carbide precipitation normally occurring in the unstabilized chrome-nickel grades, when sensitized in the range 1000° to 1600°F.

In applications where full corrosion resistance is required, and where post-welding annealing is not feasible, Type 321 (or Type 347) should be specified. A stabilized grade is also needed for applications which are subjected to sustained heating in, or slow cooling through the range 1000°-1600°F. such as, for example, aircraft exhaust manifolds.

TYPE 347

MicroRold Type 347 is a stabilized grade used for the same purposes and under the same conditions as described in the case of Type 321. In this alloy columbium has been added to the extent of a minimum of ten times the carbon content, thus insuring the combination of all of the carbon present as columbium carbide. This prevents migration of carbon to the grain boundaries thus precluding the possibility of sensitization, the columbium carbide serving the same purpose in this alloy as titanium carbide does in Type 321.

Under prolonged or excessive exposure to sensitizing influences, Type 347 is considered preferable to Type 321.

TYPE 430

MicroRold Type 430 is a straight chrome grade having a nominal composition of 16% to 18% chromium with a maximum carbon content of .12%. This alloy is non-hardenable and only mildly hardenable by cold working.

The corrosion resistance of **MicroRold** Type 430 is of a high order although not covering as broad a field as that of MicroRold Type 302. It offers excellent resistance to general atmospheric corrosion, and to corrosion by nitric acid, water, ammonia, caustic soda, caustic potash, soaps, commercial cleaning compounds and most alkalis. Type 430 is used extensively for interior architectural trim, automobile trim—both inside and out, bar, restaurant and soda fountain components, etc. It also finds a broad acceptance for industrial and chemical plant requirements due to its resistance to corrosive effects of various chemicals and acids, and also in installations where its scale resistance of 1550° F. is of definite utility.

Type 430 is brazed and soldered with the same facility as the chrome-nickel grades and except where resistance to high stresses is a major factor, it welds satisfactorily by the usual methods. It's not subject to weld decay or sensitization as is the case with the unstabilized chrome-nickel grades, so that in the case of light structures not subject to high stresses, it is not necessary to anneal after welding in order to assure corrosion resistance. This alloy may be described as having moderate ductility, good forming and bending characteristics and can be drawn to a moderate degree. It is not recommended for deep drawing applications. It should be borne in mind that unlike the chrome-nickel grades which are non-magnetic, Type 430 is highly magnetic.

The services of our metallurgical laboratory are available to you either direct or through your distributor.

STANDARD TYPE NUMBERS AND ANALYSES

Type No.	Carbon	Chromium	Nickel	Other Elements
301	**Over .08–.15**	**16.00–18.00**	**6.00– 8.00**	———
302	**Over .08–.15**	**17.00–19.00**	**8.00–10.00**	———
304	**Max. .08**	**18.00–20.00**	**8.00–11.00**	———
304 ELC	Max. .03	18.00–20.00	8.00–11.00	———
305	Max. .12	17.00–19.00	10.00–13.00	———
308	Max. .08	19.00–21.00	10.00–12.00	———
309	Max. .20	22.00–24.00	12.00–15.00	———
309 S	Max. .08	22.00–24.00	12.00–15.00	———
309 SCb	Max. .08	22.00–24.00	12.00–15.00	Cb. Min. 10 x C
310	Max. .25	24.00–26.00	19.00–22.00	
314	Max. .25	23.00–26.00	19.00–22.00	Si 1.50–3.00
316	**Max. .10**	**16.00–18.00**	**10.00–14.00**	**Mo 2.00–3.00**
316 ELC	Max. .03	16.00–18.00	10.00–14.00	Mo 2.00–3.00
318	Max. .07	17.00–19.00	12.00–14.00	P .03 Max. Mo 1.75–2.50 Cb Min. 10 x C
321	**Max. .08**	**17.00–19.00**	**8.00–11.00**	**Ti Min. 5 x C**
330	Max. .25	14.00–16.00	33.00–36.00	———
347	**Max. .08**	**17.00–19.00**	**9.00–12.00**	**Cb Min. 10 x C**
410	Max. .15	11.50–13.50		———
420	Over .15	12.00–14.00		———
430	**Max. .12**	**14.00–18.00**		———
442	Max. .25	18.00–23.00		———
446	Max. .35	23.00–27.00		Mn Max. 1.50; N_2 .25 Max.

NOTE: When carbon content .11 or under is specified or required in Types 301 and 302, the price of Type 304 applies.
Bold print designates types regularly produced by Washington Steel Corporation.





SPECIFICATIONS

SHEETS

		18-8	430
Max. 36" Wide	No. 4 and No. 7 Finish	.012 to .109	.012 to .078
Max. 36" Wide	2B and 2D Finish	.008 to .078	.008 to .078
Max. 36" Wide	¼, ½, ¾, Full Hard	.008 to .078	
Max. 36" Wide	As Rolled	.005 Min.	.005 Min.
Max. 36" Wide	Physicals—As Rolled Condition p. s. i. 220,000 to 300,000 Elongation 4% 1% Yield 180,000 to 225,000		
Max. 30" Wide	2B and 2D Finish	.005 Min.	.005 Min.

STRIP

.005 to .078 inch in No. 1 and No. 2 Finish

TYPES

301, 302, 304, 316, 321, 347, and 430

TEMPER GRADES

301 and 302

For Specifications beyond this range contact mill.

AVERAGE PHYSICAL PROPERTIES

Condition	301 Annealed	301 Work-Hardened High Tensile Grades	302 Annealed	302 Work-Hardened High Tensile Grades	304 Annealed
Ultimate Tensile Strength ..... p.s.i.	100,000	125,000–225,000	90,000	125,000–200,000	85,000
Yield Strength (2% set) ..... p.s.i.	40,000	75,000–170,000	40,000	75,000–180,000	35,000
Elongation in 2 inches ..... %	55	35–8	55	35–6	60
Rockwell Hardness	B 75–80	C 30–45	B 75–80	C 30–44	B 75–80
Scaling Temperature ..... °F.	1600	1600	1650	——	1650
Grain Structure	Austenitic-Non-magnetic	Austenitic-Slightly Magnetic	Austenitic-Non-magnetic	Austenitic-Slightly Magnetic	Austenitic-Non-magnetic

Condition	316 Annealed	321 Annealed	347 Annealed	430 Annealed
Ultimate Tensile Strength ..... p.s.i.	85,000	85,000	90,000	75,000
Yield Strength (2% set) ..... p.s.i.	40,000	40,000	40,000	48,000
Elongation in 2 inches ..... %	55	50	50	25
Rockwell Hardness	B 75–80	——	B 75–80	B 75–85
Scaling Temperature ..... °F.	1700	1650	1650	1550
Grain Structure	Austenitic-Non-magnetic	Austenitic-Non-magnetic	Austenitic-Non-magnetic	Ferritic Magnetic

WASHINGTON STEEL CORPORATION

Washington, Pennsylvania

IN STAINLESS AS WELL AS NON-FERROUS . . .

the SWING is to STRETCH FORMING



YOU GET EXTRA VALUE when you stretch form stainless strip or sheet on the Bath Radial Draw Former.

1. ***BECAUSE*** compound shapes can be produced that are otherwise unobtainable at such low cost per part.
2. ***BECAUSE*** stretch-wipe work can be held to machining tolerances.
3. ***BECAUSE*** accurate shapes can be formed in hard-to-work alloys at a fraction of the cost and time involved in machining castings or forgings.
4. ***BECAUSE*** such parts are being made for Jet Engines, Guided Missiles, Truck, Trailer and Airplane sections, lighter and stronger and without the need for subsequent high cost and unsatisfactory hand working.
5. ***BECAUSE*** many parts requiring two or three sections and subsequent welding and dressing can be made in one surprising piece.



Mail coupon for one or both of these descriptive catalogues.

THE CYRIL BATH COMPANY

MANUFACTURERS of METAL FORMING MACHINERY

32,290 AURORA ROAD . . . SOLON, OHIO

(Located in the Greater Cleveland Area)

THE CYRIL BATH COMPANY, 32,290 Aurora Road, Solon, Ohio

Gentlemen: Please send me your free catalogue on

☐ Radial Draw Forming (CF-362) ☐ Contract Forming (CF-730)

without obligating me in any way.

NAME_____

COMPANY_____

ADDRESS_____

CITY_____ **ZONE**_____ **STATE**_____

ULBRICH Stainless Steels

Certified ANALYSIS can be given on any Ulbrich material.



COMPLETELY EQUIPPED CONVERTING WAREHOUSE

STRIP • TUBING • Flat Wire and other Stainless Steels Converted to your closest requirements and *exactly as you want it!* Inquiries for small lots welcomed.







FRED ULBRICH & SONS

WALLINGFORD, CONN.

Phone: Wallingford 9-3397

You'll find the grade you want... the size you want... the finish you want... in U·S·S STAINLESS STEEL

SHEETS · STRIP · PLATES · BARS · BILLETS · PIPE · TUBES · WIRE · SPECIAL SECTIONS

USS STAINLESS STEEL UNITED STATES STEEL

STAINLESS STEEL wire as thin as a hair or as thick as your thumb . . . Stainless Steel plates as big as the side of a house . . . every other shape and form of Stainless Steel in the widest range of grades, sizes and finishes . . . you can get them from United States Steel.

Our product catalog gives you the widest possible freedom in selecting the grade, shape and finish that fit your design and fabricating procedure. And we'll be glad to discuss the special orders that may go beyond the catalog range.

Keep in mind, too, the fact that our mills have roll passes for an unusually broad range of sections for special applications. New rolls can be cut for others if requirements justify the need.

Along with this wide selection goes top quality when you use U·S·S Stainless Steel—a perfected, service-tested material that is made to give the finest performance, both in fabrication and in end use.

You also receive the assistance of our representatives in helping you to cut fabricating costs and achieve the best results through selection of the proper grade, size and finish for your job.

For everything you want in Stainless Steel, come to "Stainless headquarters" —United States Steel.

ON THE NEXT TWO PAGES, *you'll find a list of products available in U·S·S Stainless Steel, together with grades, finishes and size ranges.*

UNITED STATES STEEL

U·S·S

GRADES

300 SERIES	
301	U.S.S 17-7
302	U.S.S 18-8
302B	
303	U.S.S 18-8FM
304	U.S.S 18-8S
304L	U.S.S 18-8S C.03 Max.
305	U.S.S 18-8FS
308	U.S.S 20-10S
309	U.S.S 25-12
309S	U.S.S 25-12S
310	U.S.S 25-20
310S	U.S.S 25-20S
314	U.S.S 25-20Si
316	U.S.S 18-8Mo
316L	U.S.S 18-8Mo C.03 Max.
TS316	
317	U.S.S 19-9Mo
318	U.S.S 18-8MoCb
321	U.S.S 18-8Ti
347	U.S.S 18-8Cb
TS347	
TS347A	
400 SERIES	
403	U.S.S 12 Turbine
405	U.S.S 12AL
410	U.S.S 12
416	U.S.S 12FM
420	
430	U.S.S 17
430F	
430T	
431	
440A	
440B	
440C	
442	
446	U.S.S 27
500 SERIES	
501	U.S.S 5
502	U.S.S 5S

UNITED STATES STEEL CORPORATION PRODUCTS

SHEETS

Finishes—*No. 1 —No. 2D—No. 2B—No. 4—No. 6—No. 7*

Thicknesses —*from .010" to .1874"*

Widths —*from 24" to 72"*

Lengths —*up to 196" in cut lengths*
Also available in coils up to 48"
(only in unpolished finishing)

PLATES

Finishes —HR—HRA—HRA&P—No. 4 Finish

Thicknesses —.1875" and heavier

Widths —over 10" to 132"

Lengths —up to 480"

ANGLES

Finish —HRA&P

Thicknesses —from ⅛" to 1⅛"

Sizes —from ¾" x ¾" to 8" x 8"

Lengths —up to 360"

UNITED STATES STEEL

STAINLESS STEEL

USS STAINLESS STEEL — UNITED STATES STEEL

BARS

Rounds, Squares, Octagons, Hexagons

Finishes	—HR—HRA—HRA&P—CD RT—CG—CG & Polished (Rounds only)
Sizes	—from ½″ to 8⅛″
Lengths	—up to 360″

SEMI-FINISHED

Blooms—Billets

Thicknesses	—from 4″ to 22″
Widths	—from 4″ to 22″

FLATS

Finishes	—HR—HRA—HRA&P—CD
Thicknesses	—from ⅛″ to 2⅝″
Widths	—from ⅜″ to 10″
Lengths	—up to 360″

AMERICAN STEEL & WIRE DIVISION PRODUCTS

WIRE

Coils and S & C

Finishes	—Copper, Lead, Tin, Galvanized, Wax, Bright, Oil, Soap, Lime
Sizes	—from .008 to .500
Lengths	—from 12″ to 22′

COLD-ROLLED STRIP

Coils and S & C

Finishes	—No. 1, No. 2
Thicknesses	—from .010″ to .1874″
Widths	—from 3/16″ to 23 15/16″
Lengths	—from 12″ to 20′

NATIONAL TUBE DIVISION PRODUCTS

TUBING

Finishes	—Standard Pickle, Grit No.'s 80, 120, 180, 320 and range polishing
O.D. Sizes	—from ⅜″ to 9″
Lengths	—Comparable to other carbon, alloy cold-drawn tubing

All these products are available in the South from Tennessee Coal & Iron Division and in the West from Columbia-Geneva Steel Division.

UNITED STATES STEEL

UNITED STATES STEEL CORPORATION

525 William Penn Place
Pittsburgh 30, Pa.

SALES OFFICES

20 Providence Street
Boston 16, Massachusetts

SUB-OFFICE
36 Pearl Street
Hartford 3, Connecticut

424 Main Street
Buffalo 2, New York

208 South LaSalle Street
Chicago 90, Illinois

320 North Meridian Street
P. O. Box 408
Indianapolis 6, Indiana

Bankers Building
208 East Wisconsin Avenue
P. O. Box 785
Milwaukee 1, Wisconsin

71 Broadway
New York 6, New York

Suburban Station Building
1617 Pennsylvania Boulevard
Philadelphia 3, Pennsylvania

525 William Penn Place
Room 912
Pittsburgh 30, Pennsylvania

SUB-OFFICE
803 Union National Bank Building
Youngstown 3, Ohio

Union Trust Building
Fourth and Walnut Streets
P. O. Box 778
Cincinnati, 2, Ohio

SUB-OFFICE
Le Veque Lincoln Tower
50 West Broad Street
Columbus 15, Ohio

620 Leader Building
Cleveland 14, Ohio

General Motors Building
3044 West Grand Boulevard
Detroit 2, Michigan

Shell Building
1221 Locust Street
St. Louis 3, Missouri

SUB-OFFICE
2206 Power and Light Building
104 West 14th Street
Kansas City 6, Missouri

First National Bank Building
334 Minnesota Street
St. Paul 1, Minnesota

1625 K Street, N. W.
Washington 6, D. C.

RESIDENT REPRESENTATIVES LOCATED IN: Rochester, N. Y.—Syracuse, N. Y.—Moline, Ill.—Peoria, Ill.—Aurora, Ill.—South Bend, Ind.—Des Moines, Iowa—Louisville, Ky.—Dayton, Ohio—Grand Rapids, Mich.—Wilkes-Barre, Pa.—Parkersburg, W.Va.—Baltimore, Md.—Richmond, Va.

AMERICAN STEEL & WIRE DIVISION

UNITED STATES STEEL CORPORATION
Rockefeller Building
Cleveland 13, Ohio

SALES OFFICES

Statler Building
Boston 16, Massachusetts

Union Trust Building
Cincinnati 2, Ohio

First National Bank Building
1407 Main Street
Dallas, Texas

Power & Light Building
Kansas City 6, Missouri

Suburban Station Building
Philadelphia 3, Pennsylvania

Liberty Bank Building
Buffalo 2, New York

Rockefeller Building
Cleveland 13, Ohio

First National Bank Building
818 17th Street
Denver 2, Colorado

208 East Wisconsin Avenue
Milwaukee 2, Wisconsin

525 William Penn Place
Pittsburgh 30, Pennsylvania

208 South LaSalle Street
Chicago 4, Illinois

3540 Le Veque Lincoln Tower
Columbus 15, Ohio

9-236 General Motors Building
Detroit 2, Michigan

71 Broadway
New York 6, N. Y.

1221 Locust Street
St. Louis 3, Missouri

First National Bank Building
St. Paul 1, Minnesota

Commonwealth Building
Washington 6, D. C.

COLUMBIA-GENEVA STEEL DIVISION

UNITED STATES STEEL CORPORATION
Russ Building, San Francisco 6, California

SALES OFFICES

1610 Walker Bank Building
Salt Lake City 1, Utah

P. O. Box 3040
Terminal Annex
Los Angeles 54, California

First National Bank Building
17th and Stout Streets
Denver 2, Colorado

1331 Third Avenue
Seattle 1, Washington

Russ Building
San Francisco 6, California

P. O. Box 3416
Portland 8, Oregon

NATIONAL TUBE DIVISION

UNITED STATES STEEL CORPORATION
Room 1001—525 William Penn Place, Pittsburgh 30, Pennsylvania

SALES OFFICES

Trust Company of Georgia Building
Atlanta 3, Georgia

208 South LaSalle Street
P. O. Box 422
Chicago 90, Illinois

419 The Midland Savings Building
444 17th Street
Denver 2, Colorado

353 Mellie Esperson Building
Houston 2, Texas

71 Broadway
New York 6, New York

525 William Penn Place
Pittsburgh 30, Pennsylvania

1904 Philtower Building
Tulsa 3, Oklahoma

Statler Office Building
20 Providence Street
Boston 16, Massachusetts

Magnolia Building
Dallas 1, Texas

9-219 General Motors Building
Detroit 2, Michigan

1024 National Bank of Commerce Building
210 Baronne Street
New Orleans 12, Louisiana

Suburban Station Building
Philadelphia 3, Pennsylvania

1221 Locust Street
St. Louis, Missouri

TENNESSEE COAL AND IRON DIVISION

UNITED STATES STEEL CORPORATION
P. O. Box 599
Fairfield, Alabama

SALES OFFICES

P. O. Box 599
Fairfield, Alabama

P. O. Box 159
Houston 1, Texas

P. O. Box 54
Memphis 1, Tennessee

507 Liberty Life Building
Charlotte 2, North Carolina

1806 Barnett National Bank Building
Jacksonville 2, Florida

700 Maison-Blanche Building
New Orleans 16, Louisiana

Philtower Building
Tulsa, Oklahoma

UNITED STATES STEEL SUPPLY DIVISION

UNITED STATES STEEL CORPORATION
208 South LaSalle Street, Chicago 4, Illinois

DISTRICT WAREHOUSES

Baltimore—
Bush & Wicomico Streets
P. O. Box 2036
Baltimore 3, Maryland

Chicago—
1319 Wabansia Avenue
P. O. Box 7310
Chicago 80, Illinois

Houston—
P. O. Box 159
Houston 1, Texas

Milwaukee—
4027 West Scott Street
P. O. Box 2045
Milwaukee 1, Wisconsin

Newark—
Foot of Bessemer Street
P. O. Box 479
Newark 1, New Jersey

Portland—
2345 N. W. Nicolai Street
P. O. Box 4062
Portland 8, Oregon

Twin City—St. Paul
2545 University Avenue
St. Paul 14, Minnesota

Boston—
176 Lincoln Street
P. O. Box 42
Allston 34, Massachusetts

Cleveland—
7105 Bessemer Avenue
P. O. Box 6808
Cleveland 1, Ohio

Los Angeles—
2087 East Slauson Avenue
P. O. Box 2826
Terminal Annex
Los Angeles 54, California

Moline—
41st St. and Railroad Ave.
P. O. Box 268
Moline, Illinois

Pittsburgh—
1281 Reedsdale Street
P. O. Box 2069
Pittsburgh 30, Pennsylvania

St. Louis—
311 South Sarah Street
P. O. Box 27
St. Louis 3, Missouri

San Francisco—
1940 Harrison Street
P. O. Box 368
San Francisco 1, California

Seattle—
Corner 3rd, South and Lander Streets
Seattle 4, Washington

SALES OFFICES IN: Indianapolis, Ind.—Kansas City, Mo.—Philadelphia, Pa.—Phoenix, Ariz.—Rockford, Ill.—Salt Lake City, Utah—South Bend, Ind.—Toledo, Ohio—Tulsa, Okla.—Youngstown, Ohio.